



Minimum Error of Closure 1' IN 200'
 Source of Elevation FORKS OF ROAD AT GOFF - COLLINS FARM

"I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia."

- New Location
- Drill Deeper
- Abandonment

5/18/71 (6) equitable
 MAP SH. 42-S9 E23 FB 536 P 2

Company CONSOLIDATED GAS SUPPLY CORP
 Address CLARKSBURG, WEST VA.
 Farm A. Y. McELROY
 Tract Acres 252 Lease No. 24534
 Well (Farm) No. Serial No. 4274
 Elevation (Spirit Level) 1155'
 Quadrangle FAIRMONT WC / Rosemont 75'
 County TAYLOR District BOOTH'S CR.
 Engineer Jackson M. Jarvis
 Engineer's Registration No. 2397
 File No. Drawing No.
 Date 4-1-71 Scale 1" = 50 POLES

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. TAY-38 (A)

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Quadrangle FAIRMONT

OIL AND GAS WELLS DIVISION

Storage ~~Oil or Gas Well~~

Permit No. 704-35(A)

WELL RECORD

Oil or Gas Well (KING)

Company	Consolidated Gas Supply Corporation		Casing and Tubing	Used in Drilling	Left in Well	Packers
Address	Clarksburg, West Virginia 26301		Size			
Farm	A. Y. McElroy	Acres	16			Kind of Packer
Location (waters)			13			
Well No.	4274	Elev.	1155			Size of
District	Booths Creek	County	Taylor	10	155	None
The surface of tract is owned in fee by	C. W. Morrow		8 1/4	760	None	Depth set
Address	Bridgeport, W. Va.		6 3/4	2443	2443	
Mineral rights are owned by			5 3/16	1930	None	
Address			4 1/2			
Drilling commenced	6/12/16		3			Perf. top
Drilling completed	9/02/16		2	1806	None	Perf. bottom
Date Shot	9/08/16	From	50 ft. sand			Perf. top
With	60 qts.					Perf. bottom

Open Flow	/10ths Water in	Inch	Attach copy of cementing record.			
Volume	Storage	Inch	CASING CEMENTED	SIZE	No. Ft.	Date
Rock Pressure	Variable	lbs.	Cu. Ft.	Amount of cement used (bags)		
Oil		bbls., 1st 24 hrs.	Name of Service Co.			
WELL ACIDIZED (DETAILS)	NO		COAL WAS ENCOUNTERED AT			
			FEET	INCHES	FEET	INCHES
			FEET	INCHES	FEET	INCHES
WELL FRACTURED (DETAILS)	NO					

RESULT AFTER TREATMENT (Initial open Flow or bbls.)

ROCK PRESSURE AFTER TREATMENT _____ HOURS

Fresh Water _____ Feet Salt Water _____ Feet

Producing Sand _____ Depth

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Dunkard			224	356	Water Water	105 316	
Gas Sand			472	502	Water	560	
Salt Sand			537	737			
Maxton			1065	1075			
Injun			1183	1266			
Berea			1350	1360			
50 Foot			1666	1784'	1694		Storage
T.D.				1806			

(Purchased Well)

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

No operations
COAL OPERATOR OR OWNER
ADDRESS
COAL OPERATOR OR OWNER
No Coal
ADDRESS
G. W. Marrow
LEASE OR PROPERTY OWNER
Bridgeport, W. Va.
ADDRESS

Consolidated Gas Supply Corporation
NAME OF WELL OPERATOR
Clarksburg, W. Va.
COMPANY'S ADDRESS
June 21, 1971 19
WELL AND LOCATION
Booths creek District
Taylor, County
Well No. 4274
A. Y. McKirey Farm

STATE INSPECTOR SUPERVISING PLUGGING Paul Thomas

AFFIDAVIT

STATE OF WEST VIRGINIA,
 County of Harrison } ss:

Donald O. Kaus and John B. Dangherty
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidated Gas Supply Corp, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15th day of June, 19 71, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL	PLUGS USED	CASINGS	
			SIZE & KIND	LOG
FORMATION			LOG PULLED	LOG LEFT IN
	1790 - 550 Cement 160 sx		6-5/8"	
	550 - Surf. Cement 135 sx		none	1194
			5-3/16"	
			550	701
COAL BEAMS			DESCRIPTION OF MONUMENT	
(NAME)			6" x 13" Pipe Marker	
(NAME)				
(NAME)				
(NAME)				

and that the work of plugging and filling said well was completed on the 16th day of June, 19 71.

And further deponents saith not.

Sworn to and subscribed before me this 21st day of July, 19 71.
Donald O. Kaus
John B. Dangherty
Ralter L. White

My commission expires