

- New Location. ■
- Drill Deeper. □
- Redrill
- Abandonment

Company Stonecreek Lands Co.
 Address Box 350, Spencer, W.Va.
 Farm J.L. Ash
 Tract _____ Acres 160 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 830.00
 Quadrangle West Union EC
 County Tyler District Centerville
 Engineer John W. Hamilton
 Engineer's Registration No. 2274
 File No. _____ Drawing No. _____
 Date 5/10/60 Scale 1" = 40 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. TYL-289

— Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle West Union

Permit No. TYL - 289

WELL RECORD

Oil or Gas Well Both

Company STONESTREET LANDS COMPANY

Address Box 350, Spencer, W. Va.

Farm J.L. Ash Acres 160

Location (waters) M. Camp Mistake

Well No. 1 Elev. 830.00

District Centerville County Tyler

The surface of tract is owned in fee by W.L. Ash

Address W.L. Ash W.L. Ash, W. Va.

Mineral rights are owned by same

Address May 25, 1960

Drilling commenced June 18, 1960

Drilling completed

Date Shot From To

With

Open Flow .1 Moths Water in 1 Inch

Volume 10M Inch

Rock Pressure 300 lbs. 10 hrs.

Oil none

WELL ACIDIZED no

WELL FRACTURED 400 bbl of water & 15,000# of sand.

RESULT AFTER TREATMENT 400M & 2 bbl of oil

ROCK PRESSURE AFTER TREATMENT 300# in 10 hrs.

Fresh Water hole full

Salt Water none

Feet 12

Remarks


Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Soil	Clay	0	30	42 30			
Red rock	Shells	47	56	56			
Red rock	Shells	65	65	65			
Slate		90	90	122			
Red rock	Slate & shells	122	132	132			
Slate & shells		132	132	238			
Red rock		238	244	257			
Slate		244	257	265			
Red rock	shells	257	265	325			
Slate & shells		265	325	355			
Time		325	355	450			
Slate & shells		355	450	546			
red rock		450	546	606			
Slate & shells		546	606	621			
Red rock		606	621	630			
Slate		621	630	676			
Red rock		630	676	712			
Slate & shells		676	712	732			
Time		712	732	745			
Slate & shells		732	745	770			
Red rock		745	770	802			
Slate		770	802	900			
Lime		802	900	935			
Slate & shells		900	935	1257			
Sand		935	1257	1330			
Slate		1257	1330	1375			
Sand		1330	1375				

COAL WAS ENCOUNTERED AT No. 350 No. Ft. 6/18/60 Date

CASING CEMENTED 1 1/2 SIZE 350 No. Ft. 6/18/60 Date

Coal was cemented to 6' - 8' in casing

Packers	Left in Well	Used in Drilling	Casing and Tubing	Size	Kind of Packer	Size of	Depth set	Pert. top	Pert. bottom	Liners Used	Pert. top	Pert. bottom
				13		10		1908	1908	3 1/2	1908	1908
				13		8				2		



(over)

Formation	Color	Hard or Soft	Top 18	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & shells			1375	1455			
✓ Sand			1455	1480			
Lime			1480	1525			
Slate			1525	1580			
Lime			1580	1619			
✓ Sand			1619	1624			
Red Lime			1624	1630			
Slate			1630	1645			
✓ Lime			1645	1674			
✓ Slate			1674	1680			
✓ Lime			1680	1770			
✓ Sand (Big Injun)			1770	1884	1680		
Slate			1884	1908	830		
					850		
Total Depth -			1908'				

Date 7/7/60, 19__

APPROVED Stonestreet Land's Co., Owner

By Roy Michael Report
(Title)