

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Thursday, March 7, 2019 WELL WORK PLUGGING PERMIT Vertical Plugging

TRIAD HUNTER, LLC 125 PUTNAM ST

MARIETTA, OH 45750

Permit approval for James Eddy 2 Re:

47-095-00555-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5,2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: James Eddy 2

Farm Name: EDDY, JAMES

U.S. WELL NUMBER: 47-095-00555-00-00

Vertical Plugging

Date Issued: 3/7/2019

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

WW-4B Rev. 2/01

1)Date	, :	²⁰ 0 3/08/2019
2)Operator's Well No. EDDY, JAMES 2		03/06/2019
3) API Well No. 47-095		- 00555

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4)	Well Type: Oil/ Gas X / Liqui	d injection/ Waste disposal/
	(If "Gas, Production X or Ur	nderground storage/ Shallow X
		Elk Fork
5)	Location: Elevation 1143	Watershed Elk Fork
	District ELLSWORTH	County TYLER Quadrangle Porters Falls
6) Well Operator Triad Hunter, LLC Address MARIETTA, OHIO 45750		7) Designated Agent UNLIMITED ENERGY SERVICES LLC
0/	72.5	Address 264 INDUSTRIAL PARK ROAD
	The state of the s	JANE LEW, WEST VIRGINIA 26378
B)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name CRAGIN BLEVINS	Name UNLIMITED ENERGY SERVICES LLC
	Address 1407 19TH STREET	Address 264 INDUSTRIAL PARK ROAD
	VIENNA, WEST VIRGINIA 26105	JANE LEW, WEST VIRGINIA 26378
	Work Order: The work order for the man	nner of plugging this well is as follows:
		nner of plugging this well is as follows: SECENTED Gas CHICE TO THE 25 2019 What a protection environmental Protection
Not	(See Attachment)	FEB 2 5 2019 What is a second of the control of th
Not	(See Attachment)	Chice 2 5 2019

Unlimited Energy Services Plug to Abandon Procedure

- 1) Unlimited Energy Services service rig pulls Rods and tubing out of hole.
- 2) Run tubing to a minimum of 50 feet below producing pay zone, pump and set cement plug using class A cement to a minimum of 50 feet above the producing pay zone, pump a 6% gel ahead of the cement. (Cement plug will be a minimum of 100 feet).
- 3) Tag cement top to ensure plug meets minimum, add cement if necessary find free point on casing, cut and remove casing and pull out of the hole.
- 4) Run tubing to a minimum of 50 feet below cut casing. Pump and set cement plug using Class A Cement to a minimum of 50 feet above cut casing, pump a 6% gel ahead of the cement. Pull tubing (Cement plug will be a minimum of 100 feet elevation plug).
- 5) Tag cement top to ensure plug meets minimum, add cement if necessary.
- 6) Pull and set tubing to a minimum of 100 feet below surface, pump Class A cement to surface (minimum of 100 feet surface and fresh water strata plug)
- 7) Erect monument 3 foot by 6 foot with identification number and fill with cement.
- 8) Rig down all equipment. Reclaim location and lease road as necessary. And prepare release forms.

FEB 2 5 2019

WV Department of Environmental Protection

200 A CO.	03/08/2019
E160. 1019	095-0555 11.110.1944
	NAME (James Eddy. WELL NO. 21)
N. 6 S. E. W. 14 Location Made	Purchased From H.C.&R.
Civil District Fllsworth Rig Completed	Date Purchased 3-1-1/3
C	6.11 m
Tyler	10-2)-77
GAS Rights Owned By Dr'g Completed Dr'g Completed Dr'g Contractor	11-19-97 Pate Sold Date Abandoned
FORMATION Vind Ton Boson Steel Line Ton	CASING RECORD
. Kind Top Bottom Starl Line Tests	Size Bottom Casing Put in Well Pulled Cemented Tally Meas. Cemented
	10" 135 Date
	8½" 1125 1125 Size Csg. 16-5/8" 1860 Top "
(6-5/8" 1860 Tep " 5-3/16" 1857 Bot. "
1	2"Tbg. 1940
1012	······································
011 1919 Gas 1912	PACKERS AND SHOES
.500	Kind Size Depth Set Date Set
	H.W. Pkr. 6-5/8"x5-3/16" 1856 12-21-14
	1
<u>.</u>	TORPEDO RECORD
É	Date No. Qts. Size Shell Top Shot Bottom Results
Total Depth 1950	3-3-98 30 4-76
∔	3-9-98 30 +3%" B-3198 60 2-10FE 1909 1929
	11-9-55 60 2-77-30 1/22 1942 Tamposto
1 2	. 20 00 2 1/20 1/12 1/11/20 1/11/20
ti i	
	DRILLING DEEPER
•	Commenced Completed Original Final Depth Contractor
	Depth Time Depth Committee
i.	
č.	ABANDONMENT RECORD
	Filled With From To PILIG
	Sire Kind Depth
	1
er (
7. ·	
InitAl Prod. Sand * At Completion * 30 Days After *	i
, ca Keener	
Gu	APPROVED
	Supt.
* Od in Barrels *	TISIS REPOPTS AND REMARKS ON DEVENES CON

Office of Oil and Gas

FEB 2 5 2019

WV Department of Environmental Protection

			T	Ţ-	-		ю.		5	2		6 5	-	<u> </u>	*	D	Date	Date	Date Co	Date	C.			nme	_
		36/16/2	3/3/98			in. Tubing	in. Tubing	47g in. Casing	5A in. Casing	6% in. Casing	Na in Casing		\$ize	`	The french	Date Abandoned	Date Plugged	Date Seld	Data Connected	Date Purchased		Complited		District or Two.	8
		0,61		- SH			1940		527	1860	1/25	38	Put in Well	CASING AN	Cartistico		اً د			1-26-6		100/00		Elleria	
				-1			•		- :				Left in Well	CASING AND TUBING	UMO 1-1-		3.1 4.3			0120.XJ				and	DAA
			Before Anar	· Tene	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						11.50%	197	Pulled	134 500	2.0	1				0.60			LUVa		" June
	Total Depth		Nedine Shale Trenton	Clinton	Cave Fime	Corniferous Lime	Fifth Send	Corden Sand	Gordon Stray	Thirty Foot Sa	Cantr Sand	Welr sand	Squaw Band	Injun Band	Keener Band	Penoll Cava	Little Lime	Manen	Salt Band (Middle)	Balt Sand (Upper)	Cow Run (Pin	Red Rook Cayer	Permation	History at H	(A)
				,													A STATE OF THE STA		idle)	3			ARTON .	outh of Wall	1
	1957			,,,,	- 1: 2	1		4	10.4		12A 17 17 17			Transfer of the second										4 2 3 4 7 7 7	2.3
		· ·	•			:;				1,													Bottom	RECORD	
								· · · · · · · · · · · · · · · · · · ·	.: :					1									Thlekness	Control of the second	1000
					· ·	. ;	; 						\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1010											437
67.87			-		· ·		1			•			7/7/2	7		32.							100	, A	14.
: 	PACKERS			· 					:	,			H::						1				A solem		TANDAR MEDICAL
75.	دعتند لع	عارندمات	ر دونات		<u></u>	<u> </u>					. vir				: :: .		: 1 : V	P				15	***		1

WW-4A Revised 6-07 47-095-00555

1) Date: 2/5/2019

2) Operator's Well Number

EDDY, JAMES 2

3) API Well No.: 47 -

095

00555

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Ow (a) Name	ner(s) to be served; Opal Carol Tallman	5) (a) Coal Operator Name	N/A	
	Address	2594 Elk Fork Road	Address		
		Middlebourne, WV 26175			Ĺ
	(b) Name		(b) Coal Own	ner(s) with Declaration	
	Address		Name	N/A	
			Address		
	(c) Name		Name		
	Address		Address		
6) 1	Inspector	CRAGIN BLEVINS	(c) Coal Less	see with Declaration	
	Address	1407 19TH STREET	Name	N/A	
		VIENNA, WEST VIRGINIA 26105	Address		•
	Telephone				

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator
By:

Its:
Operations Manager

Operations Manager

125 Putnam Street

MARIETTA, OHIO 45750

THE State of Ohio
May Commission Expires 740-868-1324

Subscribed and sworn before methis 243

day of Vilenary 2019

Its:
Operations Manager

125 Putnam Street

MARIETTA, OHIO 45750

FEB 2 5 2019

Environmental Protection

My Commission Expires
Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.


4	7-095	-00555P
95	00555	03/08/2019

API Number 47 - 095	_ 00555	
Operator's Well No.		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Triad Hunter, LLC	OP Code 494494833
Watershed (HUC 10) Elk Fork	Quadrangle Porters Falls
Do you anticipate using more than 5,000 bbls of water to co	omplete the proposed well work? Yes No
Will a pit be used? Yes No 🗸	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes	s:
	ovide a completed form WW-9-GPP)
Underground Injection (UIC Pe Reuse (at API Number	ermit Number)
Off Site Disposal (Supply form	WW-9 for disposal location)
Other (Explain_	
Will closed loop system be used? If so, describe: All flowba	ack materials will be contained in an open top pit.
Drilling medium anticipated for this well (vertical and horiz	zontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc	. N/A
Additives to be used in drilling medium? N/A	
Drill cuttings disposalmethod? Leave in pit, landfill, remo	ved offsite, etc. N/A
-If left in pit and plan to solidify what medium wil	be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Fluids wi	Il be disposed by contractor/operator at Mud Masters, LLC: See Attachments.
Permittee shall provide written notice to the Office of Oil a West Virginia solid waste facility. The notice shall be prov where it was properly disposed.	nd Gas of any load of drill cuttings or associated waste rejected at any ided within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Cas of the Wes provisions of the permit are enforceable by law. Violations or regulation can lead to enforcement action. I certify under penalty of law that I have perso application form and all attachments thereto and that, based	and conditions of the GENERAL WATER POLLUTION PERMIT issued t Virginia Department of Environmental Protection. I understand that the of any term or condition of the general permit and/or other applicable law mally examined and am familiar with the information submitted on this don my inquiry of those individuals immediately responsible for obtaining curate, and complete. I am aware that there are significant penalties for the or imprisonment.
Company Official Title Operations Manager	WV Department of
Company Omeiai Title	WV Department of Environmental Protection
111	C/ MARIAL GAME
Subscribed and swom before me this	
adam I. housen	Notary Public, State of Ohio My Commission Expires 11-16-20
My commission expires November 18, 2019	ADAM ROWAN Notary Public, State of Ohio My Commission Expires 11-16-20





47 - 09 S Operator's Well No	03/08/2019
eveg etation pH 5.5	

ed Revegetation Treatm				
	Tons/acre or to cor	rect to pli 0.0		
Fertilizer type 10-20		<u> </u>		
Fertilizer amount 500)	lbs/acre		
Mulch 50 Bales	2.5	Tons/acre		
		Seed Mixtures		
Tem	porary		Permanen	t
Seed Type	lbs/acre	Ord	Seed Type Chard Grass	lbs/acre 30%
		Rye	e(annual @BT)	35%
		Tim	othy (Climax)	25%
			ver (Med.Red)	10%
	t will be land applied, to land application area	and application (unle provide water volum	ss engineered plans including e, include dimensions (L, W,	this into have be
(s) of road, location, pit a ded). If water from the pi '), and area in acres, of th	t will be land applied, to land application area	and application (unle provide water volum	ss engineered plans including	this into have be
(s) of road, location, pit a ded). If water from the pi '), and area in acres, of th	it will be land applied, ie land applieation area	and application (unle provide water volum 	ss engineered plans including e, include dimensions (L, W,	this into have be
(s) of road, location, pit a ded). If water from the pit (), and area in acres, of the ocopied section of involve	it will be land applied, te land application area ed 7.5' topographic she	and application (unle provide water volum et.	ss engineered plans including e, include dimensions (I., W,	this into have be
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, te land application area ed 7.5' topographic she	and application (unle provide water volum et.	ss engineered plans including e, include dimensions (I., W,	this into have be
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, te land application area ed 7.5' topographic she	and application (unle provide water volum et.	ss engineered plans including e, include dimensions (I., W,	this info have be
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, ie land applieation area	and application (unle provide water volum 	ss engineered plans including e, include dimensions (I., W,	this info have be
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, ie land applieation area	and application (unle provide water volum 	ss engineered plans including e, include dimensions (I., W,	this info have be
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, ie land applieation area	and application (unle provide water volum 	ss engineered plans including	this into have be D) of the pit, and SECENT
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, ie land applieation area	and application (unle provide water volum et.	ss engineered plans including	this info have be
(s) of road, location, pit a ded). If water from the pi (), and area in acres, of the peopled section of involve ()	it will be land applied, ie land applieation area	and application (unle provide water volum	ss engineered plans including	this into have be b) of the pit, and AECEW Office FEB 2 5



Ohio Department of Natural Resources

JOHN R. KASICH, GOVERNOR

JAMES ZEHRINGER, DIRECTOR

Richard J. Simmers, Chief Division of Oil and Gas Resources Management 2045 Morse Road - Bldg. F-2 Columbus, OH 43229-6693

Phone: (614) 265-6922, Fax: (614) 265-6910

RECEIVED Office of Oil and Gas

ORDER BY THE CHIEF

FEB 1 4 2019

February 5, 2016

ORDER NO. 2016-29

WV Department of Emironmental Protection

TO:

Mud Masters

739 Southgate Parkway Cambridge, OH 43725

RE:

Mud Masters Lore City Treatment Facility

Lore City, Ohio

Guernsey County, Lore City Township

SUBJECT:

Temporary Authorization to Store, Recycle, Treat, and Process Brine and

Other Waste Substances Pursuant to R.C. 1509.22

Pursuant to Ohio Revised Code Section 1509.22, the Chief of the Division of Oil and Gas Resources Management ("Chief" or "Division") issues the following Order:

BACKGROUND:

- 1. Mud Masters proposes to operate an oil and gas waste facility to be located at 64036-A Wintergreen Road, Lore City, Ohio in Guernsey County ("Lore City Facility"). The Lore City Facility is a treatment facility that proposes to treat brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources for lawful disposal. The brine or other waste substances will be treated for the purpose of disposal in an adjacent Class II injection well or if the brine or other waste substances are not suitable for injection, will be stabilized for landfill disposal.
- 2. Division (B)(2)(a) of R.C. 1509.22 states, in pertinent part, that "* * no person shall store, recycle, treat, process, or dispose of in this state brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources without an order or a permit issued under this section or section 1509.06 or 1509.21 of the Revised Code or rules adopted under any of those sections."

Mud Masters Lore City Facility Page 2 of 4

Chief's Order No. 2016-29

3. On October 30, 2015, the Division received an application from Mud Masters requesting to temporarily store, treat, and process brine and other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources at the Lore City Facility. In its application, Mud Masters supplied the Division with information and details regarding its proposed operations. The Lore City Facility will accept liquid and semi-solid oilfield wastes for the purpose of treating them for disposal. Those waste materials suitable for disposal in a Class II underground injection well will be treated prior to pumping them to an adjacent injection well for disposal. The material not suitable for underground injection will be stabilized and tested prior to RECEIVED transportation to a landfill for lawful disposal.

ORDER:

FEB 1 4 2019

IT IS HEREBY ORDERED:

WV Department of Environmental Protection

Mud Masters has temporary approval at the Lore City Facility to temporarily store, treat, and process brine or other oilfield waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources, subject to the following conditions:

- 1. Mud Masters shall conduct all operations at the Lore City Facility in compliance with R.C. Chapter 1509 and Ohio Adm.Code 1501:9.
- 2. Brine shall not be disposed of in a manner not specified in R.C. 1509.22(C)(1)(a) through R.C. 1509.22(C)(1)(c). Disposal of brine pursuant to R.C. 1509.22(C)(1)(d) requires separate written approval by the Chief.
- 3. Mud Masters shall conduct all operations at the Lore City Facility in accordance with the application submitted to the Division for this facility. Mud Masters shall notify the Division prior to implementing any changes in operations at the Lore City Facility.
- 4. Mud Masters shall stabilize oilfield waste substances by adding quick-lime, Portland cement, or an alternate stabilization agent approved by the Chief, if the waste substance is to be disposed of in this state at a licensed solid waste landfill. If the waste substance is to be transported or disposed of out of state, Mud Masters shall comply with all applicable state and federal laws.
- 5. Mud Masters shall implement the Radiological Protection Plan ("RPP") submitted to the Division with the application for the Lore City Facility and shall continuously update the protocols and procedures in accordance with the plan.
- 6. Not later than one year after the date of this order, Mud Masters shall perform a radiation and contamination survey of the Lore City Facility, including the on-site vessels and equipment, to determine if there is a need to modify the procedures and protocols in the RPP

RECEIVED
Office of Oil and Gas

03/08/2019

Mud Masters
Lore City Facility
Page 3 of 4

5/2016

FEB 1 4 2019

Chief's Order No. 2016-29

WV Department of Environmental Protection

to ensure the protection of its employees, contractors, and the public health and safety as well as the environment. Any modifications of the RPP will be incorporated and made a part of this order and Mud Masters shall operate the Lore City Facility in accordance with the modified plan.

- 7. Mud Masters shall maintain waste and material management records for Lore City Facility and provide those records to the Division upon request. The records shall include, but not be limited to, manifests of all incoming oilfield waste substances and the final disposition of all the outgoing oilfield waste substances.
- 8. Mud Masters shall notify the Division at least 14 days before terminating operations at the Lore City Facility.
- 9. Mud Masters shall remediate any brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources that is released in ground water or in or on the land or discharged in surface water as a result of the operations at the Lore City Facility.
- 10. This Chief's Order shall terminate upon any of the following, whichever occurs first:
 - a) The Division issues a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under to R.C. 1509.22(C);
 - b) The Division denies a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under R.C. 1509.22(C); or
 - c) Six months after the effective date of rules adopted under R.C. 1509.22(C);
 - d) The location of the Lore City Facility changes from 64036-A Wintergreen Road, Lore City, Ohio.

e) The ownership of the Lore City Facility changes from Mud Masters.

Richard J. Simmers, Chief

Division of Oil and Gas Resources Management

Addressee is hereby notified that this action is final and effective and may be appealed pursuant to Section 1509.36 of the Ohio Revised Code. If the Order is appealed to the Ohio Oil and Gas Commission, the appeal must be in writing and must set forth the Orders complained of and the grounds upon which the appeal is based. Such appeal must be filed with the Oil and Gas

Office of Oil and Gas

FEB 1 4 2019

47-095-00555P 03/08/2019

Mud Masters Lore City Facility Page 4 of 4

WV Department of Environmental Protection Chief's Order No. 2016-29

Commission, 2045 Morse Road, Building H-3, Columbus, Ohio 43229-6693, within thirty (30) days after receipt of this Order.

In addition, within three (3) days after the appeal is filed with the Oil and Gas Commission, notice of the filing must be submitted to Richard J. Simmers, Chief, Division of Oil and Gas Resources Management, Ohio Department of Natural Resources, 2045 Morse Road, Building F, Columbus, Ohio 43229-6693.

CERTIFIED MAIL No: 91 7199 9991 7036 4067 2414

91 7199 9991 7036 4067 2414

cc:

Legal Section

Steve Opritza, Permitting Manager

Engineering Section

Brent Bear, Region Supervisor

Douglas Bennett, Guernsey County Oil and Gas Inspector

03/08/2019

-9- GPP 5/16

]	Page	1	of	<u>Z</u>
API Number 47 -	095	0	0555	
Operator's Well No)			

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

tor Name: Triad Hunter, LLC	
tor Name: Triad Hunter, LLC rshed (ITUC 10); Elk Fork	Quad: Porters Falls
Name:	
ist the procedures used for the treatment and dischar roundwater.	rge of fluids. Include a list of all operations that could contaminate the
ug to abandon operations.	
Describe procedures and equipment used to protect gr	roundwater quality from the list of potential contaminant sources above
ontainment will be in place around the we	ell. And a portable pit will be used for fluids.
·	
List the closest water body, distance to closest water discharge area.	er body, and distance from closest Well Head Protection Area to the
/A	
Summarize all activities at your facility that are alrea	
/A	FER 25 70
	Environmental Pri

Discuss any existing groundwater quality data for your facility or an adjacent property.

47-095-00555A 03/08/2019


WW-9- GPP Rev. 5/16 Page 2 of 2

API Number 47 - 095 - 00555

Operator's Well No.

N/A	
Provide a statement that no waste material will be used for deicing or fill material on the	property.
No waste materials will be used for the deicing of area or equipment. any will not be used for material fill on the property.	And waste materials if
Describe the groundwater protection instruction and training to be provided to the en provide direction on how to prevent groundwater contamination.	aployees. Job procedures shall
Spill protection training given to every employee. Spill kits and contai site.	
Provide provisions and frequency for inspections of all GPP elements and equipment.	
Inspections are done before during operations by designated employ	rees.
	PEOFINED ONS
Signature:	FEB 2 5 7019 Environmental Protect
Date;	Environment

47-095-00555P



Well Name: Eddy, James #2

Triad Hunter, LLC A subsidiary of Blue Ridge Mountain Resources, Inc.

Tyler County - Ellsworth District - West Virginia

RECEIVED
Office of Oil and Gas
FEB 2 5 2019
WV Department of Environmental Protection



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

_{API:} 47-095-00555	well no.: 2		
FARM NAME: EDDY, JAMES			
RESPONSIBLE PARTY NAME: Triad	Hunter, LLC		
COUNTY: TYLER	DISTRICT: ELLSWORTH	<u>+</u>	
QUADRANGLE: Porters Falls			
SURFACE OWNER: Opal Carol T			
ROYALTY OWNER: Unknown			
UTM GPS NORTHING: 4374797.2	000		
UTM GPS EASTING: 512343.4000	O GPS ELEVATION: 1143		
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS X : Post Processed Differential Real-Time Differential X			
Real-Time Diff		FEB 2 5 2019	
Mapping Grade GPS: Post Process	ed Differential	WV Department of nvironmental Protection	
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.			
Signature Oper	rations Manager Title Z/5// Date	9_	