

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Tuesday, February 26, 2019
WELL WORK PLUGGING PERMIT
Vertical Plugging

TRIAD HUNTER, LLC 125 PUTNAM ST

MARIETTA, OH 45750

Re: Permit approval for 4

47-095-00576-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 4

Farm Name: GORRELL, W. W.

U.S. WELL NUMBER: 47-095-00576-00-00

Vertical Plugging Date Issued: 2/26/2019

Promoting a healthy environment.



#### PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.


47-095-005768

WW-4B Rev. 2/01

1) Date	, 2019
2) Operator's	
Well No. GORRELL, W. W.	4
31APT Well No. 47-095	- 00576

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

MARIETTA, OHIO 45750  JANE LEW, WEST VIRGINIA  9) Plugging Contractor  Name CRAGIN BLEVINS  Address 1407 19TH STREET  Address 64 INDUSTRIAL PARK ROAD	5)	(If "Gas, Production X or U	Underground storage   Deep / Shallow X
(If "Gas, Production X or Underground storage) Deep/ Shallows:  5) Location: Elevation 868	5)	(If "Gas, Production X or U	Underground storage   Deep / Shallow X
District ELLSWORTH County TYLER Quadrangle Porters Falls  6) Well Operator Address TRIAD HUNTER, LLC 7) Designated Agent UNLIMITED ENERGY SERVICE Address 264 INDUSTRIAL PARK FOR MARIETTA, OHIO 45750  8) Oil and Gas Inspector to be notified Name CRAGIN BLEVINS Address 1407 19TH STREET Address 64 INDUSTRIAL PARK ROAD VIENNA, WEST VIRGINIA 26105  10) Work Order: The work order for the manner of plugging this well is as follows:			Watershed Hills Run
District ELLSWORTH  County TYLER  Quadrangle Porters Falls  7) Designated Agent UNLIMITED ENERGY SERVICE  Address 264 INDUSTRIAL PARK F  MARIETTA, OHIO 45750  8) Oil and Gas Inspector to be notified  Name CRAGIN BLEVINS  Address 1407 19TH STREET  VIENNA, WEST VIRGINIA 26105  Nork Order: The work order for the manner of plugging this well is as follows:			
Address 125 PUTNAM STREET  MARIETTA, OHIO 45750  8) Oil and Gas Inspector to be notified  Name CRAGIN BLEVINS  Address 1407 19TH STREET  VIENNA, WEST VIRGINIA 26105  Nork Order: The work order for the manner of plugging this well is as follows:	6)		County TYLER Quadrangle Porters Falls
Address 125 PUTNAM STREET  MARIETTA, OHIO 45750  8) Oil and Gas Inspector to be notified  Name CRAGIN BLEVINS  Address 1407 19TH STREET  VIENNA, WEST VIRGINIA 26105  Nork Order: The work order for the manner of plugging this well is as follows:		Well Operator TRIAD HUNTER, LLC	7) Designated Agent UNLIMITED ENERGY SERVICES LLC
MARIETTA, OHIO 45750  8) Oil and Gas Inspector to be notified  Name CRAGIN BLEVINS  Address 1407 19TH STREET  VIENNA, WEST VIRGINIA 26105  Name UNLIMITED ENERGY SERVICES L  Address 64 INDUSTRIAL PARK ROAD  JANE LEW, WEST VIRGINIA 2637		A SECURITY OF A	Address 264 INDUSTRIAL PARK ROAD
Name CRAGIN BLEVINS Address 1407 19TH STREET VIENNA, WEST VIRGINIA 26105  Name UNLIMITED ENERGY SERVICES L Address 64 INDUSTRIAL PARK ROAD JANE LEW, WEST VIRGINIA 2637  10) Work Order: The work order for the manner of plugging this well is as follows:			JANE LEW, WEST VIRGINIA 26378
VIENNA, WEST VIRGINIA 26105  JANE LEW, WEST VIRGINIA 2637  10) Work Order: The work order for the manner of plugging this well is as follows:	8)		9) Plugging Contractor Name UNLIMITED ENERGY SERVICES LLC
10) Work Order: The work order for the manner of plugging this well is as follows:		Address 1407 19TH STREET	Address 64 INDUSTRIAL PARK ROAD
		VIENNA, WEST VIRGINIA 26105	JANE LEW, WEST VIRGINIA 26378
Notification must be given to the district oil and gas inspector 24 hours before perm	N-4-2	figation must be given to the district	ail and are inenector 24 hours before permitted
work can commence.	NOLI		mir And windle seen at many season bangana
		can commence.	



#### **Unlimited Energy Services Plug to Abandon Procedure**

- 1) Unlimited Energy Services service rig pulls Rods and tubing out of hole.
- 2) Run tubing to a minimum of 50 feet below producing pay zone, pump and set cement plug using class A cement to a minimum of 50 feet above the producing pay zone, pump a 6% gel ahead of the cement. (Cement plug will be a minimum of 100 feet).
- 3) Tag cement top to ensure plug meets minimum, add cement if necessary find free point on casing, cut and remove casing and pull out of the hole.
- 4) Run tubing to a minimum of 50 feet below cut casing. Pump and set cement plug using Class A Cement to a minimum of 50 feet above cut casing, pump a 6% gel ahead of the cement. Pull tubing (Cement plug will be a minimum of 100 feet elevation plug).
- 5) Tag cement top to ensure plug meets minimum, add cement if necessary.
- 6) Pull and set tubing to a minimum of 100 feet below surface, pump Class A cement to surface (minimum of 100 feet surface and fresh water strata plug)
- 7) Erect monument 3 foot by 6 foot with identification number and fill with cement.
- 8) Rig down all equipment. Reclaim location and lease road as necessary. And prepare release forms.

2**/21/201**9

### 47-095-0576

ease No.		Acres		Farm Name	W. W. GC	DRRELL		- 1	Vell No.	4 Pw.
. 6 S. E.	W.	13	L	ocation Made			Purchase	d From	Barr	on Kidd
Civil District E1	isworth	135	R	ig Completed			Date Pur	chased	4/1/	60
County Ty	ler		Г	r'g Commenced			Sold to			
itate W.	(a		Г	r'g Completed			Date Sole	d		
AS Rights Owned B			E	r'g Contractor			Date Abo	ndoned		
		RMATION	1				CASING R	ECORE	)	
Kind	Тер	Bottom	Steel Line Meas.	Tests	Size	Bottom Caring Steel Line	Put in Well Tally Meas.	Fulle Tally M	d est.	Cemented
coal	285				81:		930	-	_	Date
First Cow Run	1115				6-5/8		1685 V			Size Csg.
	1335				0-37.0		1002			Top Csg.
Salt Sand Lime Stone	1705								3	Bot. Csg.
Big Injun Sand	1778						1			
Big injun cana	2770									
First Pay	1783								-	
	15'_t	hickness			-	P	ACKERS AN	ND SHO	ES	
					1	Kind	Size	Depth	Set	Date Set ,
									-	-
		- 20								
	-	-								
							TORPEDO	PECOP	n	
					Date	No. Q	ts. Size Shell T	op Shot	Bottom	Results
					-			-		
					-			_	_	
			-		-		-		_	
						_				
				ANY.	-					
	-		-	9.	-			_	_	
	-									
TOTAL DEPTH		1798								
			-							
		-					-			
						_	-	-		
		-	-			-	-	-		
-		-			-					
								-		
Initial Prod. Sand	*At C	Completion	* 50 Days Afte	x   *						
Oil										
					APPROVE	15				

WW-4A Revised 6-07

1) Date: 25/2	2019	
2) Operator's Well Numb GORRELL, W. W. 4	er	
3) API Well No.: 47 -	095	00576

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	ner(s) to be served: 5) (	a) Coal Operator
(a) Name	John & Leah Starkey	Name N/A
Address	6606 Tyler Highway	Address
40.00	Sistersville, WV 26175	
(b) Name		(b) Coal Owner(s) with Declaration
Address		Name N/A
		Address
(c) Name		Name
Address		Address
6) Inspector	CRAGIN BLEVINS	(c) Coal Lessee with Declaration
Address	1407 19TH STREET	Name N/A
nuuress	VIENNA, WEST VIRGINIA 26105	Address
Telephone	TIETHIN, FIECE DITORINA APPA	
Telephone		7
Take notice accompany Protection, the Applic	ou are not required to take any action at all.  e that under Chapter 22-6 of the West Virginia Code ring documents for a permit to plug and abandon a v with respect to the well at the location described or	e, the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental in the attached Application and depicted on the attached Form WW-6. Copies of this Notice, or certified mail or delivered by hand to the person(s) named above (or by publication in any to the Chief.
or Rhall	Well Operator	*/*/
<b>1638377</b>	By:	MIKE HORAN Maf Hora
135	Its:	OPERATIONS MANAGER
L. Commission	Pamela K MicholsoAddires Bublic	125 Putnam Street
100 M	My Commission Expires 8-7-20 Telephone	MARIETTA, OHIO 45750
O.		740-868-1324
ATE OF		mas \$100000 7019
	sworn before me this de	ay of Floring 2019 Notary Public
My Commission	Expires 8-9-2020	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

03/01/2019

WW-9 (5/16)

API Number	47 - 095	_00576
Operator's W	ell No.	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name TRIAD HUNTER, LLC	OP Code 494494833
Watershed (HUC 10) Hills Run	Quadrangle Porters Falls
Do you anticipate using more than 5,000 bbls of water to comp	olete the proposed well work? Yes No
Will a pit be used? Yes No _✓	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide	
Underground Injection (UIC Permi Reuse (at API Number	
Off Site Disposal (Supply form W)	W-9 for disposal location)
Other (Explain	
Will closed loop systembe used? If so, describe: All flowback	materials will be contained in an open top pil.
Drilling medium anticipated for this well (vertical and horizon	tal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N	/A
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. N/A
-If left in pit and plan to solidify what medium will be	e used? (cement, lime, sawdust) N/A
	e disposed by contractor/operator at Mud Masters, LLC: See Attachments.
Permittee shall provide written notice to the Office of Oil and of West Virginia solid waste facility. The notice shall be provided where it was properly disposed.	Cas of any load of drill cuttings or associated waste rejected at any d within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Cas of the West Viprovisions of the permit are enforceable by law. Violations of or regulation can lead to enforcement action.  I certify under penalty of law that I have personall application form and all attachments thereto and that, based on	conditions of the GENERAL WATER POLLUTION PERMIT issued rginia. Department of Environmental Protection. I understand that the any term or condition of the general permit and/or other applicable law by examined and am familiar with the information submitted on this any inquiry of those individuals immediately responsible for obtaining ate, and complete. I am aware that there are significant penalties for an imprisonment.
Company Official Signature Mas	1 marisonnent.
Company Official Signature MIKE HORAN  Company Official (Typed Name) MIKE HORAN	
Company Official Signature Mas	A RIA
Company Official Signature  Company Official (Typed Name) MIKE HORAN  Company Official Title OPERATIONS MANAGER	AND
Company Official Signature  Company Official (Typed Name) MIKE HORAN  Company Official Title OPERATIONS MANAGER  Subscribed and sworn before me this 19 day of	Ebruary ADAM ROWAN
Company Official Signature Company Official (Typed Name) MIKE HORAN Company Official Title OPERATIONS MANAGER	Edmory Services
Company Official Signature  Company Official (Typed Name) MIKE HORAN  Company Official Title OPERATIONS MANAGER  Subscribed and sworn before me this 19 day of	Ebruary ADAM ROWAN Notary Public, State of Ohlo



## Ohio Department of Natural Resources

JOHN R. KASICH, GOVERNOR

JAMES ZEHRINGER, DIRECTOR

Richard J. Simmers, Chief Division of Oil and Gas Resources Management 2045 Morse Road – Bidg. F-2 Columbus, OH 43229-6693

Phone: (614) 265-6922, Fax: (614) 265-6910

RECEIVED

Office of Oil and Gas

ORDER BY THE CHIEF

February 5, 2016

FEB 1 4 2019

**ORDER NO. 2016-29** 

WV Department of Environmental Protection

TO:

**Mud Masters** 

739 Southgate Parkway Cambridge, OH 43725

RE:

**Mud Masters Lore City Treatment Facility** 

Lore City, Ohio

Guernsey County, Lore City Township

**SUBJECT:** 

Temporary Authorization to Store, Recycle, Treat, and Process Brine and

Other Waste Substances Pursuant to R.C. 1509.22

Pursuant to Ohio Revised Code Section 1509.22, the Chief of the Division of Oil and Gas Resources Management ("Chief" or "Division") issues the following Order:

#### **BACKGROUND:**

- 1. Mud Masters proposes to operate an oil and gas waste facility to be located at 64036-A Wintergreen Road, Lore City, Ohio in Guernsey County ("Lore City Facility"). The Lore City Facility is a treatment facility that proposes to treat brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources for lawful disposal. The brine or other waste substances will be treated for the purpose of disposal in an adjacent Class II injection well or if the brine or other waste substances are not suitable for injection, will be stabilized for landfill disposal.
- 2. Division (B)(2)(a) of R.C. 1509.22 states, in pertinent part, that "\* \* no person shall store, recycle, treat, process, or dispose of in this state brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources without an order or a permit issued under this section or section 1509.06 or 1509.21 of the Revised Code or rules adopted under any of those sections."

Mud Masters Lore City Facility Page 2 of 4 Chief's Order No. 2016-29

3. On October 30, 2015, the Division received an application from Mud Masters requesting to temporarily store, treat, and process brine and other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources at the Lore City Facility. In its application, Mud Masters supplied the Division with information and details regarding its proposed operations. The Lore City Facility will accept liquid and semi-solid oilfield wastes for the purpose of treating them for disposal. Those waste materials suitable for disposal in a Class II underground injection well will be treated prior to pumping them to an adjacent injection well for disposal. The material not suitable for underground injection will be stabilized and tested prior to RECEIVED transportation to a landfill for lawful disposal.

FEB 1 4 2019

#### **ORDER:**

#### IT IS HEREBY ORDERED:

WV Department of Environmental Protection

Mud Masters has temporary approval at the Lore City Facility to temporarily store, treat, and process brine or other oilfield waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources, subject to the following conditions:

- 1. Mud Masters shall conduct all operations at the Lore City Facility in compliance with R.C. Chapter 1509 and Ohio Adm.Code 1501:9.
- 2. Brine shall not be disposed of in a manner not specified in R.C. 1509.22(C)(1)(a) through R.C. 1509.22(C)(1)(c). Disposal of brine pursuant to R.C. 1509.22(C)(1)(d) requires separate written approval by the Chief.
- 3. Mud Masters shall conduct all operations at the Lore City Facility in accordance with the application submitted to the Division for this facility. Mud Masters shall notify the Division prior to implementing any changes in operations at the Lore City Facility.
- 4. Mud Masters shall stabilize oilfield waste substances by adding quick-lime, Portland cement, or an alternate stabilization agent approved by the Chief, if the waste substance is to be disposed of in this state at a licensed solid waste landfill. If the waste substance is to be transported or disposed of out of state, Mud Masters shall comply with all applicable state and federal laws.
- 5. Mud Masters shall implement the Radiological Protection Plan ("RPP") submitted to the Division with the application for the Lore City Facility and shall continuously update the protocols and procedures in accordance with the plan.
- 6. Not later than one year after the date of this order, Mud Masters shall perform a radiation and contamination survey of the Lore City Facility, including the on-site vessels and equipment, to determine if there is a need to modify the procedures and protocols in the RPP

## RECEIVED Office of Oil and Gas

47-095-00576 P

Mud Masters Lore City Facility Page 3 of 4 FEB 1 4 2019

Chief's Order No. 2016-29

#### WV Department of Environmental Protection

to ensure the protection of its employees, contractors, and the public health and safety as well as the environment. Any modifications of the RPP will be incorporated and made a part of this order and Mud Masters shall operate the Lore City Facility in accordance with the modified plan.

- 7. Mud Masters shall maintain waste and material management records for Lore City Facility and provide those records to the Division upon request. The records shall include, but not be limited to, manifests of all incoming oilfield waste substances and the final disposition of all the outgoing oilfield waste substances.
- 8. Mud Masters shall notify the Division at least 14 days before terminating operations at the Lore City Facility.
- 9. Mud Masters shall remediate any brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources that is released in ground water or in or on the land or discharged in surface water as a result of the operations at the Lore City Facility.
- 10. This Chief's Order shall terminate upon any of the following, whichever occurs first:
  - a) The Division issues a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under to R.C. 1509.22(C);
  - b) The Division denies a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under R.C. 1509.22(C); or
  - c) Six months after the effective date of rules adopted under R.C. 1509.22(C);
  - d) The location of the Lore City Facility changes from 64036-A Wintergreen Road, Lore City, Ohio.

e) The ownership of the Lore City Facility changes from Mud Masters.

Richard J. Simmers, Chief

Division of Oil and Gas Resources Management

Addressee is hereby notified that this action is final and effective and may be appealed pursuant to Section 1509.36 of the Ohio Revised Code. If the Order is appealed to the Ohio Oil and Gas Commission, the appeal must be in writing and must set forth the Orders complained of and the grounds upon which the appeal is based. Such appeal must be filed with the Oil and Gas

47-095-00576P 03/01/2019

FEB 1 4 2019

Chief's Order No. 2016-29

Mud Masters Lore City Facility Page 4 of 4

WV Department of Environmental Protection

Commission, 2045 Morse Road, Building H-3, Columbus, Ohio 43229-6693, within thirty (30) days after receipt of this Order.

In addition, within three (3) days after the appeal is filed with the Oil and Gas Commission, notice of the filing must be submitted to Richard J. Simmers, Chief, Division of Oil and Gas Resources Management, Ohio Department of Natural Resources, 2045 Morse Road, Building F, Columbus, Ohio 43229-6693.

CERTIFIED MAIL No: 91 7199 9991 7036 4067 2414

91 7199 9991 7036 4067 2414

cc:

Legal Section

Steve Opritza, Permitting Manager

**Engineering Section** 

Brent Bear, Region Supervisor

Douglas Bennett, Guernsey County Oil and Gas Inspector

47095003572619

		Operator's	Well No
Proposed Revegetation Trea	tment: Acres Disturbed ON	NE Prevegetation	<sub>n pH</sub> 5.5
Lime TWO	Tons/acre or to correct	to pH 6.5	
Fertilizer type 10-	20-20		
Fertilizer amount_5	500	lbs/acre	
Mulch_50 BALE	S 2.5	_Tons/acre	
		Seed Mixtures	
To	emporary	Per	manent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Orchard Grass	30%
	<u> </u>	Rye(annual @BT)	35%
		Timothy (Climax)	25%
		Clover (Med.Red)	10%
Photocopied section of invo	olved 7.5' topographic sheet.		
Plan Approved by:			
Comments:			
Title.		Dote	
	·		Office of
Field Reviewed? (	) Yes (_	)No	EFR

WV Department of Environmental Protection

47095003572619

WW-9- GPP Rev. 5/16

Page	1	of 2	
API Number 47 - 095	-	00576	
Operator's Well No.			

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

It is the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate groundwater.  Plug to abandon operations.  Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources ab Containment will be in place around the well. And a portable pit will be used for fluids.  List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to discharge area.  N/A  Summarize all activities at your facility that are already regulated for groundwater protection.	perator Name: TRIAD HUNTER, LLC	
List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate groundwater.  Plug to abandon operations.  Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources ab Containment will be in place around the well. And a portable pit will be used for fluids.  List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to discharge area.  N/A  Summarize all activities at your facility that are already regulated for groundwater protection.	atershed (HUC 10); Hills Run	Quad: Porters Falls
plug to abandon operations.  Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources ab Containment will be in place around the well. And a portable pit will be used for fluids.  List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to discharge area.  N/A  Summarize all activities at your facility that are already regulated for groundwater protection.  N/A	arm Name:	
Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources ab Containment will be in place around the well. And a portable pit will be used for fluids.  List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to discharge area.  N/A  Summarize all activities at your facility that are already regulated for groundwater protection.		narge of fluids. Include a list of all operations that could contaminate the
Containment will be in place around the well. And a portable pit will be used for fluids.  List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to discharge area.  N/A  Summarize all activities at your facility that are already regulated for groundwater protection.  N/A	Plug to abandon operations.	
List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to discharge area.  N/A  Summarize all activities at your facility that are already regulated for groundwater protection.  N/A	Describe procedures and equipment used to protect	groundwater quality from the list of potential contaminant sources above
N/A  Summarize all activities at your facility that are already regulated for groundwater protection.  N/A	Containment will be in place around the v	well. And a portable pit will be used for fluids.
N/A		ater body, and distance from closest Well Head Protection Area to the
		ady regulated for groundwater protection.
Office	N/A	
Office		
Office		Office of
		FEB

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WV Department of Environmental Protection WW-9- GPP Rev. 5/16

Date:




47 0 9 5 0 03/5172619

API Number 47 - 095	- 00576
Operator's Well No	

N/A	
Provide a statement that no waste material will be used for deicing or fill material on the property.	
No waste materials will be used for the deicing of area or equipment. And waste materials if any will not be used for material fill on the property.	
Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.	
Spill protection training given to every employee. Spill kits and containment are on each work site.	
Provide provisions and frequency for inspections of all GPP elements and equipment.	=
Inspections are done before during operations by designated employees.	
Signature:	RECEIVE e of Oil ar

FEB - 8 2019

WV Department of Environmental Protection



## Well Name: Gorrell. W.W. #4

Triad Hunter, LLC A subsidiary of Blue Ridge Mountain Resources, Inc.

Tyler County - Ellsworth District - West Virginia

FEB - 8 2019



## West Virginia Department of Environmental Protection Office of Oil and Gas

#### WELL LOCATION FORM: GPS

<sub>API:</sub> 47-095-005/6	_ WELL NO.: 4	
FARM NAME: GORRELL, W. W.		
RESPONSIBLE PARTY NAME: TRIAD H	IUNTER, LLC	
COUNTY: TYLER	DISTRICT: ELLSWORTH	
QUADRANGLE: Porters Falls		
SURFACE OWNER: John & Leah Sta	arkey	
ROYALTY OWNER: Unknown		
UTM GPS NORTHING: 4373724.7627		
UTM GPS EASTING: 511556.8538	GPS ELEVATION: 868'	
The Responsible Party named above has chosen to a preparing a new well location plat for a plugging per above well. The Office of Oil and Gas will not accept the following requirements:  1. Datum: NAD 1983, Zone: 17 North, Cooking height above mean sea level (MSL) – management of the processed Datum – 3.05 meters  3. Data Collection Method:  Survey grade GPS X : Post Processed Differential	ermit or assigned API number on the ept GPS coordinates that do not meet ordinate Units: meters, Altitude: eters.	
Mapping Grade GPS : Post Processed Diff		
Real-Time Differen		
4. Letter size copy of the topography ma I the undersigned, hereby certify this data is correct belief and shows all the information required by law		RECEIVED Office of Oil and Gas

OPERATIONS MANAGER

Title

prescribed by the Office of Oil and Gas.