



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Wednesday, April 17, 2019
WELL WORK PLUGGING PERMIT
Vertical Plugging

TRIAD HUNTER, LLC
125 PUTNAM ST
MARIETTA, OH 45750

Re: Permit approval for 4
47-095-00579-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.


James A. Martin
Chief

Operator's Well Number: 4
Farm Name: HILL, J. K.
U.S. WELL NUMBER: 47-095-00579-00-00
Vertical Plugging
Date Issued: 4/17/2019

R

47-095-00579P

04/19/2019

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.
4. This well is under a consent order and must be plugged under the terms of that agreement.

1) Date 4-9, 20 19 04/19/2019
2) Operator's Well No. JK Hill 4
3) API Well No. 47-095-00579

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil ___ / Gas X / Liquid injection ___ / Waste disposal ___ /
(If "Gas, Production X or Underground storage ___) Deep ___ / Shallow X

5) Location: Elevation 1055 Watershed Elk Fork
District Ellsworth County Tyler Quadrangle Porter Falls

6) Well Operator Triad Hunter LLC 7) Designated Agent Unlimited Energy Services
Address 125 Putnam Street Address 264 Industrial Park Rd
Martinsburg OH 44750 Jane Lew WV 26378

8) Oil and Gas Inspector to be notified Name Craig Blewett
Address 1407 19th Street
Vienna WV 26105
9) Plugging Contractor Name Unlimited Energy Services
Address 264 Industrial Park Rd
Jane Lew WV 26378

10) Work Order: The work order for the manner of plugging this well is as follows:

- 1) Pull rods and Tubing find TD
 - 2) THT with Tubing pump 6% slt ahead of cement
 - 3) slt bottom plug from 1986' to 1976'
 - 4) Tag cement if necessary add cement
 - 5) Find Floppoint, cut Remove casing
 - 6) Run tubing 50' below cut pump slt 6% ahead of cement
pump 100' Plus across cut
 - 7) Tag cement
 - 8) Pull Tubing to minimum 100' below surface pump 6% slt ahead
pump 100' Plus from 100' to surface
 - * 100' PLUG FROM 1055' - 955'. Elev. 955'
- (Class A cement will be used for additional info see attached sheet)

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector Craig Blewett Date 4/11/2019

Unlimited Energy Services Plug to Abandon Procedure

- 1) Unlimited Energy Services service rig pulls Rods and tubing out of hole.
- 2) Run tubing to a minimum of 50 feet below producing pay zone, pump and set cement plug using class A cement to a minimum of 50 feet above the producing pay zone, pump a 6% gel ahead of the cement.(Cement plug will be a minimum of 100 feet).
- 3) Tag cement top to ensure plug meets minimum, add cement if necessary find free point on casing, cut and remove casing and pull out of the hole.
- 4) Run tubing to a minimum of 50 feet below cut casing. Pump and set cement plug using Class A Cement to a minimum of 50 feet above cut casing, pump a 6% gel ahead of the cement. Pull tubing (Cement plug will be a minimum of 100 feet elevation plug).
- 5) Tag cement top to ensure plug meets minimum, add cement if necessary.
- 6) Pull and set tubing to a minimum of 100 feet below surface, pump Class A cement to surface (minimum of 100 feet surface and fresh water strata plug)
- 7) Erect monument 3 foot by 6 foot with identification number and fill with cement.
- 8) Rig down all equipment. Reclaim location and lease road as necessary. And prepare release forms.

JCB RECEIVED
Office of Oil and Gas
2/21/2019 FEB 25 2019
WV Department of
Environmental Protection

Elev. 1055

95-0579 ✓

II-841932019

LEASE NO. 748

ACRES 1.9

FARM NAME J. K. Hill

WELL NO. 4

N. 6 S. E. W. 1/4 Location Made
 Civil District Ellsworth Rig Completed
 County Tylor Dr'g Commenced 11-5-97
 State W. Va. Dr'g Completed 11-28-97
 GAS OIL Rights Owned By Dr'g Contractor

Purchased From H.C. & R.
 Date Purchased 3-1-43
 Sold To
 Date Sold
 Date Abandoned

FORMATION

Kind	Top	Bottom	Steel Line Meas.	Tests
Keonor	1954			
Oil	1957			
Gas	1957			

CASING RECORD

Size	Bottom Casing Steel Line	Put in Well Tally Meas.	Pulled Tally Meas.	Cemented
10"		140	140	Date
8 1/2"		1120	1120	Size Csg.
6-5/8"		1867		Top "
2" Tbg.		1976		Bot. "
5-7/16"	1900'	1916'		

PACKERS AND SHOES

Kind	Size	Depth Set	Date Set
Formed. H.W.	6 7/8" x 5 7/8" x 11/16"	1900'	10-3-54

TORPEDO RECORD

Date	No. Qts.	Size Shell	Top Shot	Bottom	Results
12-7-97	15				
12-17-97	15				
12-30-97	30				
4-2-98	40				
10-26-98	90		1910	1970	
5-23-99	90				
5-20-00	90				

Total Depth 1986

DRILLING DEEPER

Commenced	Completed	Original Depth	Final Depth	Contractor

ABANDONMENT RECORD

Filled With	From	To	PLUG		
			Size	Kind	Depth

Initial Prod. Sand * At Completion * 30 Days After

Oil Keonor

Gas

Oil in Barrels

APPROVED

Supt

Hope Construction & Refining Company

04/19/2019

Well No. 1963

REPAIR RECORD

Pine Grove

District

Farm Name J.L. Hill

N 6 S 14 E 14 W 14

Repairs Commenced 1-5-1949

Repairs Completed 2/16/58

CASING AND TUBING RECORD

Size	Before Repair	Pulled	Put in Well	After Repair	Disposition of Amount Pulled
6-5/8	1967	1ft	none	1966'	1' charged to Junk
2"	1968	1963-0	1939-0	1937-0	

SHOOTING RECORD

Date	Quartz	Top of Shell	Bottom of Shell	Diameter	Sand	TEST BEFORE SHOT			TEST AFTER SHOT			Time Taken After Shot No. Holes	By Whom Shot
						Reading	Liquid	Opening	Reading	Liquid	Opening		
					Not shot.								

RECORD OF ANY DEEPER DRILLING

Formation	Top	Bottom	Names of Drillers		Time (Days)
					Herman C. Underwood
Commenced drilling at depth of			Charles A. McCullough		5
			Names of Tool Dressers		Time (Days)
			Henry E. Wildman		10 1/2
			Cloyd S. Fornythe		5

PACKER RECORD (ALSO NOTE BELOW IF ANY PACKERS ARE PULLED)

Size	Kind	Anchor	Amount Above Anchor
	none.		

OIL AND GAS DISCOVERIES IN DEEPER DRILLING

Oil at		Ft. in		Sands
Gas at		Ft. in		Sands

VOLUME AND PRESSURE REPORT

BEFORE REPAIRS

Reading	Liquid	Opening	Rock or Minute Pressure	Sands Gas From

AFTER REPAIRS

VOLUME TEST

Date of Test	Flow Meter or area Flow	Size of Opening	PITOT TUBE		OPEN FLOW	Sands Gas From
			Reading	Liquid Used	Rate	
Time Blows						

PRESSURE TEST

Date of Test	Opening	1 Min.	2 Min.	3 Min.	4 Min.	5 Min.	6 Min.	7 Min.	8 Min.	9 Min.	10 Min.	30 Min.	60 Min.	Hrs.	Rock
	" Casing														
	" Tubing														

OIL: From corner Sand cleaned out to 1901' steel line.

Estimated Production 18 Bbl. per 7 1/2 week

Remarks: 1-1 1/2" Two Cup lower or standing valve used with pin in crown.

Lowered casing head 1'

[Signature]
District Superintendent



Select County: (095) Tyler
 Enter Permit #: 579
 Select datatypes: (Check All)
 Location Production Plugging
 Owner/Completion Stratigraphy Sample
 Pay/Show/Water Logs Blm Hole Loc

Get Data Reset

- [Table Descriptions](#)
- [County Code Translations](#)
- [Permit-Numbering Series](#)
- [Usage Notes](#)
- [Contact Information](#)
- [Disclaimer](#)
- [WVGES Main](#)
- ["Pipeline-Plus" New](#)

WV Geological & Economic Survey:

Well: County = 95 Permit = 579

Report Time: Thursday, February 21, 2019 1:12:04 PM

Well Reassignment Information: Reassigned From

OLD_COUNTY	OLD_PERMIT	NEW_COUNTY	NEW_PERMIT
95	70354	95	579

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LOM_DD	UTME	UTMN
4709500579	Tyler	579	Ellsworth	Porters Falls	New Martinsville	39.522603	-80.870046	511169.7	4374781.1

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TR
4709500579	11/28/1997	Original Loc	Completed	J K Hill	4				Carter Oil 1963	South Penn Oil (S. Penn Nat. Gas)		
4709500579	5/24/1903	Worked Over	Completed	J K Hill	4				OP=Elk Fork Oil & Gas Co	Oper in Min. owner fld. no code assign (Orphan well proj)		

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G
4709500579	11/28/1997	11/5/1997			Kdw+Elk Fk Ar	Price Fm & equivs	Keener	Development Well	Development Well	Oil and Gas	Cable Tool	Shot	1986		1986		0	0
4709500579	5/24/1903	-/-			Kdw+Elk Fk Ar	Price Fm & equivs	Keener	unclassified	unclassified	not available	unknown	Shot	1986				0	0

Pay/Show/Water Information:

API	CMP_DT	ACTIVITY	PRODUCT	SECTION	DEPTH_TOP	FM_TOP	DEPTH_BOT	FM_BOT	G_BEF	G_AFT	O_BEF	O_AFT	WATER_QNTY
4709500579	11/28/1997	Pay	Oil & Gas	Vertical				1957	Keener	0	0	0	

Production Gas Information: (Volumes in Mcf) * 2018 data are incomplete at this time

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4709500579	Pennzoil Company	1981	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Pennzoil Company	1982	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Pennzoil Company	1983	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Resources, Inc.	2001	4	0	0	0	0	0	0	0	4	0	0	0	0
4709500579	Triad Resources, Inc.	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Resources, Inc.	2004	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2014	13	0	0	0	0	2	2	1	2	1	2	2	1
4709500579	Triad Hunter LLC	2015	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2016	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2017	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil * 2018 data are incomplete at this time

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4709500579	Pennzoil Company	1981	71	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Pennzoil Company	1982	13	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Pennzoil Company	1983	5	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Resources, Inc.	2001	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Resources, Inc.	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Resources, Inc.	2004	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2014	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2015	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2016	0												
4709500579	Triad Hunter LLC	2017	0												

Production NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil * 2018 data are incomplete at this time

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_NGL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4709500579	Triad Hunter LLC	2014	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2015	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500579	Triad Hunter LLC	2016	0												

Production Water Information: (Volumes in Gallons) * 2018 data are incomplete at this time

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4709500579	Triad Hunter LLC	2016	0												

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
 Office of Oil and Gas
 FEB 25 2019
 WV Department of
 Environmental Protection

WW-4A
Revised 6-07

1) Date: 2/5/2019
2) Operator's Well Number
HILL, J. K. 4

3) API Well No.: 47 - 095 - 00579

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name <u>Daniel R Deetz</u>	Name <u>N/A</u>
Address <u>7614 Rocky Ridge Road</u>	Address _____
<u>Stone Creek Ohio 43840</u>	_____
(b) Name _____	(b) Coal Owner(s) with Declaration
Address _____	Name <u>N/A</u>
_____	Address _____
(c) Name _____	Name _____
Address _____	Address _____
_____	_____
6) Inspector <u>CRAGIN BLEVINS</u>	(c) Coal Lessee with Declaration
Address <u>1407 19TH STREET</u>	Name <u>N/A</u>
<u>VIENNA, WEST VIRGINIA 26105</u>	Address _____
Telephone _____	_____

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.



Well Operator Triad Hunter, LLC
 By: Mike Horan
 Its: Operations Manager
 Address 125 Putnam Street
MARIETTA, OHIO 45750
740-868-1324

Subscribed and sworn before me this 5th day of February 2019
Pamela K. Nicholson Notary Public
 My Commission Expires 8-9-2020

RECEIVED
 Office of Oil and Gas
 FEB 25 2019
 WV Department of
 Environmental Protection

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

47-095-0577 P
04/19/2019

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

7017 3360 0000 5738 1230

For delivery information, visit our website at www.usps.com™

STONE CREEK OH 43840

Certified Mail Fee	\$3.45
Extra Services & Fees (check box, add fee if applicable)	\$2.75
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

0053
11
Postmark
Here

Postage \$6.70

Total Postage and Fees \$12.90

01/25/2019

Sent To **Daniel Deetz**

Street and Apt. No. or PO Box No.
1614 Rocky Ridge Rd

City, State, ZIP+4®
Stone Creek OH 43840



Ohio Department of Natural Resources

JOHN R. KASICH, GOVERNOR

JAMES ZEHRINGER, DIRECTOR

Richard J. Simmers, Chief
Division of Oil and Gas Resources Management
2045 Morse Road – Bldg. F-2
Columbus, OH 43229-6693
Phone: (614) 265-6922, Fax: (614) 265-6910

ORDER BY THE CHIEF

RECEIVED
Office of Oil and Gas

February 5, 2016

FEB 14 2019

ORDER NO. 2016-29

**WV Department of
Environmental Protection**

**TO: Mud Masters
739 Southgate Parkway
Cambridge, OH 43725**

**RE: Mud Masters Lore City Treatment Facility
Lore City, Ohio
Guernsey County, Lore City Township**

**SUBJECT: Temporary Authorization to Store, Recycle, Treat, and Process Brine and
Other Waste Substances Pursuant to R.C. 1509.22**

Pursuant to Ohio Revised Code Section 1509.22, the Chief of the Division of Oil and Gas Resources Management (“Chief” or “Division”) issues the following Order:

BACKGROUND:

1. Mud Masters proposes to operate an oil and gas waste facility to be located at 64036-A Wintergreen Road, Lore City, Ohio in Guernsey County (“Lore City Facility”). The Lore City Facility is a treatment facility that proposes to treat brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources for lawful disposal. The brine or other waste substances will be treated for the purpose of disposal in an adjacent Class II injection well or if the brine or other waste substances are not suitable for injection, will be stabilized for landfill disposal.
2. Division (B)(2)(a) of R.C. 1509.22 states, in pertinent part, that “* * * no person shall store, recycle, treat, process, or dispose of in this state brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources without an order or a permit issued under this section or section 1509.06 or 1509.21 of the Revised Code or rules adopted under any of those sections.”

WW-9
(5/16)

47-095-00579P

API Number 47 - 095 - 00579
Operator's Well No. _____

04/19/2019

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS
FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Triad Hunter, LLC OP Code 494494833

Watershed (HUC 10) Elk Fork Quadrangle Porter Falls

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: _____

Will a synthetic liner be used in the pit? Yes No If so, what ml.? _____

Proposed Disposal Method For Treated Pit Wastes:

- Land Application (if selected provide a completed form WW-9-GPP)
- Underground Injection (UIC Permit Number _____)
- Reuse (at API Number _____)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain _____)

Will closed loop system be used? If so, describe: All flowback materials will be contained in an open top pit.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A

-If oil based, what type? Synthetic, petroleum, etc. N/A

Additives to be used in drilling medium? N/A

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Fluids will be disposed by contractor/operator at Mud Masters, LLC: See Attachments.

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *Mike Horan*

Company Official (Typed Name) Mike Horan

Company Official Title Operations manager

RECEIVED
Office of Oil and Gas


FEB 25 2019

WV Department of
Environmental Protection

Subscribed and sworn before me this 14 day of February

Adam S. Rowan

My commission expires November 18, 2019



ADAM ROWAN
Notary Public, State of Ohio
My Commission Expires 11-18-2019

04/19/2019

Mud Masters
Lore City Facility
Page 2 of 4

Chief's Order No. 2016-29

3. On October 30, 2015, the Division received an application from Mud Masters requesting to temporarily store, treat, and process brine and other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources at the Lore City Facility. In its application, Mud Masters supplied the Division with information and details regarding its proposed operations. The Lore City Facility will accept liquid and semi-solid oilfield wastes for the purpose of treating them for disposal. Those waste materials suitable for disposal in a Class II underground injection well will be treated prior to pumping them to an adjacent injection well for disposal. The material not suitable for underground injection will be stabilized and tested prior to transportation to a landfill for lawful disposal.

RECEIVED
Office of Oil and Gas

FEB 14 2019

WV Department of
Environmental Protection

ORDER:

IT IS HEREBY ORDERED:

Mud Masters has temporary approval at the Lore City Facility to temporarily store, treat, and process brine or other oilfield waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources, subject to the following conditions:

1. Mud Masters shall conduct all operations at the Lore City Facility in compliance with R.C. Chapter 1509 and Ohio Adm.Code 1501:9.
2. Brine shall not be disposed of in a manner not specified in R.C. 1509.22(C)(1)(a) through R.C. 1509.22(C)(1)(c). Disposal of brine pursuant to R.C. 1509.22(C)(1)(d) requires separate written approval by the Chief.
3. Mud Masters shall conduct all operations at the Lore City Facility in accordance with the application submitted to the Division for this facility. Mud Masters shall notify the Division prior to implementing any changes in operations at the Lore City Facility.
4. Mud Masters shall stabilize oilfield waste substances by adding quick-lime, Portland cement, or an alternate stabilization agent approved by the Chief, if the waste substance is to be disposed of in this state at a licensed solid waste landfill. If the waste substance is to be transported or disposed of out of state, Mud Masters shall comply with all applicable state and federal laws.
5. Mud Masters shall implement the Radiological Protection Plan ("RPP") submitted to the Division with the application for the Lore City Facility and shall continuously update the protocols and procedures in accordance with the plan.
6. Not later than one year after the date of this order, Mud Masters shall perform a radiation and contamination survey of the Lore City Facility, including the on-site vessels and equipment, to determine if there is a need to modify the procedures and protocols in the RPP

Mud Masters
Lore City Facility
Page 3 of 4

FEB 14 2019

Chief's Order No. 2016-29

WV Department of
Environmental Protection

- to ensure the protection of its employees, contractors, and the public health and safety as well as the environment. Any modifications of the RPP will be incorporated and made a part of this order and Mud Masters shall operate the Lore City Facility in accordance with the modified plan.
7. Mud Masters shall maintain waste and material management records for Lore City Facility and provide those records to the Division upon request. The records shall include, but not be limited to, manifests of all incoming oilfield waste substances and the final disposition of all the outgoing oilfield waste substances.
 8. Mud Masters shall notify the Division at least 14 days before terminating operations at the Lore City Facility.
 9. Mud Masters shall remediate any brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources that is released in ground water or in or on the land or discharged in surface water as a result of the operations at the Lore City Facility.
 10. This Chief's Order shall terminate upon any of the following, whichever occurs first:
 - a) The Division issues a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under to R.C. 1509.22(C);
 - b) The Division denies a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under R.C. 1509.22(C); or
 - c) Six months after the effective date of rules adopted under R.C. 1509.22(C);
 - d) The location of the Lore City Facility changes from 64036-A Wintergreen Road, Lore City, Ohio.
 - e) The ownership of the Lore City Facility changes from Mud Masters.

Date

2/5/2016

Scott R. Kell for
Richard J. Simmers
Richard J. Simmers, Chief
Division of Oil and Gas Resources Management

Addressee is hereby notified that this action is final and effective and may be appealed pursuant to Section 1509.36 of the Ohio Revised Code. If the Order is appealed to the Ohio Oil and Gas Commission, the appeal must be in writing and must set forth the Orders complained of and the grounds upon which the appeal is based. Such appeal must be filed with the Oil and Gas

04/19/2019

FEB 14 2019

Mud Masters
Lore City Facility
Page 4 of 4

WV Department of
Environmental Protection

Chief's Order No. 2016-29

Commission, 2045 Morse Road, Building H-3, Columbus, Ohio 43229-6693, within thirty (30) days after receipt of this Order.

In addition, within three (3) days after the appeal is filed with the Oil and Gas Commission, notice of the filing must be submitted to Richard J. Simmers, Chief, Division of Oil and Gas Resources Management, Ohio Department of Natural Resources, 2045 Morse Road, Building F, Columbus, Ohio 43229-6693.

CERTIFIED MAIL No: 91 7199 9991 7036 4067 2414

91 7199 9991 7036 4067 2414

cc: Legal Section
Steve Opritza, Permitting Manager
Engineering Section
Brent Bear, Region Supervisor
Douglas Bennett, Guernsey County Oil and Gas Inspector

Operator's Well No. _____

Proposed Revegetation Treatment: Acres Disturbed ONE Prevegetation pH 5.5

Line 500 Tons/acre or to correct to pH 6.5

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch 50 BALES 2.5 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
		Orchard Grass	30%
		Rye(annual @BT)	35%
		Timothy (Climax)	25%
		Clover (Med.Red)	10%

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: _____

Comments: _____

Title: _____

Date: _____

Field Reviewed? () Yes () No

RECEIVED
Office of Oil and Gas
FEB 25 2019
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS
GROUNDWATER PROTECTION PLAN

Operator Name: Triad Hunter, LLC
Watershed (IIUC 10): Elk Fork Quad: Porter Falls
Farm Name: _____

- 1. List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

Plug to abandon operations.

- 2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

Containment will be in place around the well. And a portable pit will be used for fluids.

- 3. List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

N/A

- 4. Summarize all activities at your facility that are already regulated for groundwater protection.

N/A

- 5. Discuss any existing groundwater quality data for your facility or an adjacent property.

RECEIVED
Office of Oil and Gas
FEB 25 2019
WV Department of
Environmental Protection

N/A

6. Provide a statement that no waste material will be used for deicing or fill material on the property.

No waste materials will be used for the deicing of area or equipment. And waste materials if any will not be used for material fill on the property.

7. Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.

Spill protection training given to every employee. Spill kits and containment are on each work site.


8. Provide provisions and frequency for inspections of all GPP elements and equipment.

Inspections are done before during operations by designated employees.

Signature: _____

Date: _____

RECEIVED
Office of Oil and Gas
FEB 25 2019
Department of
Environmental Protection



Well Name: Hill, J.K. #4

Triad Hunter, LLC
A subsidiary of Blue Ridge Mountain Resources, Inc.

Tyler County - Ellsworth District - West Virginia

RECEIVED
Office of Oil and Gas
FEB 25 2019
WV Department of
Environmental Protection

WW-7
8-30-06



West Virginia Department of Environmental Protection
Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-095-00579 WELL NO.: 4

FARM NAME: HILL, J. K.

RESPONSIBLE PARTY NAME: Triad Hunter, LLC

COUNTY: TYLER DISTRICT: ELLSWORTH

QUADRANGLE: Porter Falls

SURFACE OWNER: DANIEL R DEETZ

ROYALTY OWNER: Unknown

UTM GPS NORTHING: 4374779.2000

UTM GPS EASTING: 511167.9000 GPS ELEVATION: 1055

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
2. Accuracy to Datum – 3.05 meters
3. Data Collection Method:

Survey grade GPS : Post Processed Differential _____
Real-Time Differential

Mapping Grade GPS _____ : Post Processed Differential _____
Real-Time Differential _____

4. Letter size copy of the topography map showing the well location.

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

[Signature]
Signature

Operations Manager
Title

2/5/19
Date

RECEIVED
Office of Oil and Gas
FEB 25 2019
WV Department of
Environmental Protection