



 west virginia department of environmental protection

Office of Oil and Gas
 601 57th Street, S.E.
 Charleston, WV 25304
 (304) 926-0450
 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Friday, April 19, 2019
 WELL WORK PLUGGING PERMIT
 Vertical Plugging

TRIAD HUNTER, LLC
 125 PUTNAM ST

MARIETTA, OH 45750

Re: Permit approval for 10
 47-095-00583-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
 Chief

Operator's Well Number: 10
 Farm Name: DANIEL R DEETZ
 U.S. WELL NUMBER: 47-095-00583-00-00
 Vertical Plugging
 Date Issued: 4/19/2019

I

47-095-00583P
04/19/2019

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.
4. This well is under a consent order and must be plugged under the terms of that agreement.

1) Date 4-8, 20 19 04/19/2019
 2) Operator's
 Well No. JK Hill 10
 3) API Well No. 47-095-00583

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

- 4) Well Type: Oil ___ / Gas X / Liquid injection ___ / Waste disposal ___ /
 (If "Gas, Production X or Underground storage ___) Deep ___ / Shallow X
- 5) Location: Elevation 963 Watershed Elk Fork
 District Ellsworth County Tyler Quadrangle Porter Falls
- 6) Well Operator Triad Hunter LLC 7) Designated Agent Unlimited Energy Service
 Address 125 Putnam Street Address 264 Industrial Park Rd
Maricetta OH 45750 Jane Lew WV 26378
- 8) Oil and Gas Inspector to be notified 9) Plugging Contractor
 Name Craig Blewins Name Unlimited Energy Services
 Address 1407 19th Street Address 264 Industrial Park Rd
Vienna WV 26105 Jane Lew WV 26378

10) Work Order: The work order for the manner of plugging this well is as follows:

- 1) Pull rods & tubing find TD
 - 2) Trip in Hole with tubing, pump 6% gel ahead of cement ^{to 1810'}
 Set bottom plug at 1910' to 1810'
 - 3) Tag cement plug Find free point on casing, cut Remove and
 pull out of hole
 - 4) Run tubing to 50' below cut. pump 6% gel ahead of cement
 pump 100' plug across cut.
 - 5) Tag cement pull set tubing to minimum 100' below surface
 pump cement plug to 700' to surface.
- * SET 100' CEMENT PLUG FROM 963' TO 863'. (ELEVATION)
- All plugs will be Class A cement for additional info see attached sheet

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector

Craig Blewins
 Oil & Gas Inspector

Date

4/11/2019

Unlimited Energy Services Plug to Abandon Procedure

- 1) Unlimited Energy Services service rig pulls Rods and tubing out of hole.**
- 2) Run tubing to a minimum of 50 feet below producing pay zone, pump and set cement plug using class A cement to a minimum of 50 feet above the producing pay zone, pump a 6% gel ahead of the cement.(Cement plug will be a minimum of 100 feet).**
- 3) Tag cement top to ensure plug meets minimum, add cement if necessary find free point on casing, cut and remove casing and pull out of the hole.**
- 4) Run tubing to a minimum of 50 feet below cut casing. Pump and set cement plug using Class A Cement to a minimum of 50 feet above cut casing, pump a 6% gel ahead of the cement. Pull tubing (Cement plug will be a minimum of 100 feet elevation plug).**
- 5) Tag cement top to ensure plug meets minimum, add cement if necessary.**
- 6) Pull and set tubing to a minimum of 100 feet below surface, pump Class A cement to surface (minimum of 100 feet surface and fresh water strata plug)**
- 7) Erect monument 3 foot by 6 foot with identification number and fill with cement.**
- 8) Rig down all equipment. Reclaim location and lease road as necessary. And prepare release forms.**


2/21/2019

Form H 12-21-53 Record of **HOOPER OPERATING CO.** Well No. **(10)**, 1969 Lease No. **6042** Name **J. A. E. Hill** District **Pino Grove** State **VA**
 District **Elliotts** County **Taylor** State **VA** Acres **49** **04/19/2019**

Location Made.....
 Rig Commenced.....
 Drilling Commenced **12/28/97**
 Purchased from **Elk Park Oil & Gas Co.**
 Date **1/26/00**
 First Work Done.....
 Rig Completed **4/5/98**
 Drilling Completed.....
 Drilling Contractor **James Casler**
 Tool Dressers.....

FORMATION	Type of Core Size or Log	TOP	BOTTOM	Steel Line Measurement	Wire Line Depth	Oil Line Depth	Gas Line Depth	REMARKS
Native Coal								Elev. 963'
Pittsburgh Coal								
Little Dunkard								
Big Dunkard								
Gas Sand								
First Salt								
Second Salt								
Third Salt								
Mason								
Little Line								
Pencil Cave								
Big Line								
Kecner						1885	1885	Kecner sand well
Big Injun							1880-5	
Kquaw								
Weir								
Irees								
Gantz								
Fifty Foot								
Thirty Foot								
Gordon Stray								
Gordon								
Fourth								
Fifth								

Total Depth **1910**

SIZE	Charged to Well		Put in Well		Packed Set		Left in Well		Struck Before Cementing		Left at Well End in Use		Steel Line Measurement		If more than two strings of casing are left in hole, give reasons for leaving additional strings
	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	
13" Cg.															
10" "			130		130	0									
8 1/2" "			1070		1070	0									
6 3/4" "			1810												
5 1/2" "															
2" Tbg.			1900												

PACKER RECORD

SIZE	KIND	Amount Below Anchor	Amount Above Anchor	REMARKS

SHOOTING RECORD (If shot before or upon completion of well)

DATE	Hours	Top of Shot	Bottom of Shot	Mometer	Sand	TEST BEFORE SHOT			TEST AFTER SHOT			Test Value After Shot No. Shots	By Whom Shot
						Reading	Liquid	Spunging	Reading	Liquid	Spunging		
4/7/98	8												
4/5/98	30	1885	1891										
5/5/99													

CEMENTING RECORD

Date Cemented..... Size Hole Cemented..... Size Casing Cemented.....
 Top Pittsburgh Coal..... Top Cementing..... Amount Cement Used.....
 Bottom Pittsburgh Coal..... Bottom Cementing..... Amount Sand Used.....
 Mr..... of..... Coal Company on ground when coal was cemented
 Remarks..... Signature of persons who cemented well

Approved..... Foreman

FILED 703
LEASE NO. 748

ACRES 49

95-0583
FARM NAME J. K. HILL

47-095-00583P
Hole 1968
04/19/2019
WELL NO. 10

N. 6 S. E. W. 14
Civil District Ellsworth
County Taylor
State W. Va.
GAS Rights Owned By
Oil Dr'g Contractor

Location Made
Rig Completed
Dr'g Commenced 12-28-97
Dr'g Completed 4-5-98
Dr'g Contractor James Currier
Purchased From H.C.&P.
Date Purchased 3-1-43
Sold To
Date Sold
Date Abandoned

FORMATION

Kind	Top	Bottom	Steel Line Meas.	Tests
	1285			
	1285			
	1285			

CASING RECORD

Size	Bottom Casing Steel Line	Put in Well Tally Meas.	Pulled Tally Meas.	Cemented
10"		130	130	Date
8 1/2"		1070	1070	Size Csg.
6-5/8"		1810		Top "
2" Top		1900		Bot. "

PACKERS AND SHOES

Kind	Size	Depth Set	Date Set
------	------	-----------	----------

TORPEDO RECORD

Date	No. Qs.	Size Shell	Top Shot	Bottom	Results
4-7-98	8				
4-13-98	20		1885	1691	
5-9-99	30				

Total Depth 1910

DRILLING DEEPER

Commenced	Completed	Original Depth	Final Depth	Contractor
-----------	-----------	----------------	-------------	------------

ABANDONMENT RECORD

Filled With	From	To	PLUGS		
			Size	Kind	Depth

Initial Prod. Sand * At Completion * 30 Days After *

Oil Keener

APPROVED

Oil in Barrels

REPAIRS TO WELL

Commenced	Completed	DRILLED DEEPER		Shot (No. Quarts)	TESTS BEFORE		TESTS AFTER		ROCK PRESSURE		Remarks
		From	To		Oil	Gas	Oil	Gas	Before	After	

VOLUME AND PRESSURE TESTS

Date	Reading	Liquid Opening	Tubing or Casing	Line Prc	MINUTES							Rock Pressure	Time (Hours)	Volume	Sta
					1	2	3	4	5	10	30				

PRODUCTION

REMARKS

Year	Barrels	Year	Barrels	<i>Measured 1889'-6" 11-30-45</i>
------	---------	------	---------	-----------------------------------

WW-4A
Revised 6-07

1) Date: 2/5/2019
2) Operator's Well Number
HILL, J. K. 10

3) API Well No.: 47 - 095 - 00583

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name <u>Daniel R Deetz</u> ✓	Name _____
Address <u>7614 Rocky Ridge Road</u>	Address _____
<u>Stone Creek Ohio 43840</u>	_____
(b) Name _____	(b) Coal Owner(s) with Declaration
Address _____	Name _____
_____	Address _____
(c) Name _____	Name _____
Address _____	Address _____
_____	_____
6) Inspector <u>CRAGIN BLEVINS</u>	(c) Coal Lessee with Declaration
Address <u>1407 19TH STREET</u>	Name _____
<u>VIENNA, WEST VIRGINIA 26105</u>	Address _____
Telephone _____	_____

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.



Well Operator Triad Hunter, LLC
 By: Mike Horan *[Signature]*
 Its: Operations manager
 Address 125 Putnam Street
MARIETTA, OHIO 45750
 Telephone 740-868-1324

Subscribed and sworn before me this 5th day of February 2019
Pamela K Nicholson Notary Public
 My Commission Expires 8-9-2020

RECEIVED
 Office of Oil and Gas
 FEB - 8 2019

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WV Department of Environmental Protection

WW-9
(5/16)

47-095-00583 P

API Number 47 - 095 - 00583 04/19/2019
Operator's Well No. _____

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS
FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Triad Hunter, LLC OP Code 494494833

Watershed (HUC 10) Elk Fork Quadrangle Porters Falls

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: _____

Will a synthetic liner be used in the pit? Yes No If so, what ml.? _____

Proposed Disposal Method For Treated Pit Wastes:

- Land Application (if selected provide a completed form WW-9-GPP)
- Underground Injection (UIC Permit Number _____)
- Reuse (at API Number _____)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain _____)

Will closed loop system be used? If so, describe: All flowback materials will be contained in an open top pit.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A

-If oil based, what type? Synthetic, petroleum, etc. N/A

Additives to be used in drilling medium? N/A

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Fluids will be disposed by contractor/operator at Mud Masters, LLC: See Attachments.

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *Mike Horan*

Company Official (Typed Name) Mike Horan

Company Official Title Operations Manager

Subscribed and sworn before me this 14 day of February

Adam S. Rowan

My commission expires November 18, 2019



ADAM ROWAN
Notary Public, State of Ohio
My Commission Expires 11-18-2019



47-095-00583P
04/19/2019

Ohio Department of Natural Resources

JOHN R. KASICH, GOVERNOR

JAMES ZEHRINGER, DIRECTOR

Richard J. Simmers, Chief
Division of Oil and Gas Resources Management
2045 Morse Road – Bldg. F-2
Columbus, OH 43229-6693
Phone: (614) 265-6922, Fax: (614) 265-6910

ORDER BY THE CHIEF

RECEIVED
Office of Oil and Gas

February 5, 2016

FEB 14 2019

ORDER NO. 2016-29

WV Department of
Environmental Protection

TO: Mud Masters
739 Southgate Parkway
Cambridge, OH 43725

RE: Mud Masters Lore City Treatment Facility
Lore City, Ohio
Guernsey County, Lore City Township

SUBJECT: Temporary Authorization to Store, Recycle, Treat, and Process Brine and Other Waste Substances Pursuant to R.C. 1509.22

Pursuant to Ohio Revised Code Section 1509.22, the Chief of the Division of Oil and Gas Resources Management (“Chief” or “Division”) issues the following Order:

BACKGROUND:

1. Mud Masters proposes to operate an oil and gas waste facility to be located at 64036-A Wintergreen Road, Lore City, Ohio in Guernsey County (“Lore City Facility”). The Lore City Facility is a treatment facility that proposes to treat brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources for lawful disposal. The brine or other waste substances will be treated for the purpose of disposal in an adjacent Class II injection well or if the brine or other waste substances are not suitable for injection, will be stabilized for landfill disposal.
2. Division (B)(2)(a) of R.C. 1509.22 states, in pertinent part, that “* * * no person shall store, recycle, treat, process, or dispose of in this state brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources without an order or a permit issued under this section or section 1509.06 or 1509.21 of the Revised Code or rules adopted under any of those sections.”

3. On October 30, 2015, the Division received an application from Mud Masters requesting to temporarily store, treat, and process brine and other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources at the Lore City Facility. In its application, Mud Masters supplied the Division with information and details regarding its proposed operations. The Lore City Facility will accept liquid and semi-solid oilfield wastes for the purpose of treating them for disposal. Those waste materials suitable for disposal in a Class II underground injection well will be treated prior to pumping them to an adjacent injection well for disposal. The material not suitable for underground injection will be stabilized and tested prior to transportation to a landfill for lawful disposal.

RECEIVED
Office of Oil and Gas

FEB 14 2019

WV Department of
Environmental Protection

ORDER:

IT IS HEREBY ORDERED:

Mud Masters has temporary approval at the Lore City Facility to temporarily store, treat, and process brine or other oilfield waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources, subject to the following conditions:

1. Mud Masters shall conduct all operations at the Lore City Facility in compliance with R.C. Chapter 1509 and Ohio Adm.Code 1501:9.
2. Brine shall not be disposed of in a manner not specified in R.C. 1509.22(C)(1)(a) through R.C. 1509.22(C)(1)(c). Disposal of brine pursuant to R.C. 1509.22(C)(1)(d) requires separate written approval by the Chief.
3. Mud Masters shall conduct all operations at the Lore City Facility in accordance with the application submitted to the Division for this facility. Mud Masters shall notify the Division prior to implementing any changes in operations at the Lore City Facility.
4. Mud Masters shall stabilize oilfield waste substances by adding quick-lime, Portland cement, or an alternate stabilization agent approved by the Chief, if the waste substance is to be disposed of in this state at a licensed solid waste landfill. If the waste substance is to be transported or disposed of out of state, Mud Masters shall comply with all applicable state and federal laws.
5. Mud Masters shall implement the Radiological Protection Plan ("RPP") submitted to the Division with the application for the Lore City Facility and shall continuously update the protocols and procedures in accordance with the plan.
6. Not later than one year after the date of this order, Mud Masters shall perform a radiation and contamination survey of the Lore City Facility, including the on-site vessels and equipment, to determine if there is a need to modify the procedures and protocols in the RPP

Mud Masters
Lore City Facility
Page 3 of 4

FEB 14 2019

Chief's Order No. 2016-29

WV Department of
Environmental Protection

to ensure the protection of its employees, contractors, and the public health and safety as well as the environment. Any modifications of the RPP will be incorporated and made a part of this order and Mud Masters shall operate the Lore City Facility in accordance with the modified plan.

7. Mud Masters shall maintain waste and material management records for Lore City Facility and provide those records to the Division upon request. The records shall include, but not be limited to, manifests of all incoming oilfield waste substances and the final disposition of all the outgoing oilfield waste substances.
8. Mud Masters shall notify the Division at least 14 days before terminating operations at the Lore City Facility.
9. Mud Masters shall remediate any brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources that is released in ground water or in or on the land or discharged in surface water as a result of the operations at the Lore City Facility.
10. This Chief's Order shall terminate upon any of the following, whichever occurs first:
 - a) The Division issues a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under to R.C. 1509.22(C);
 - b) The Division denies a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under R.C. 1509.22(C); or
 - c) Six months after the effective date of rules adopted under R.C. 1509.22(C);
 - d) The location of the Lore City Facility changes from 64036-A Wintergreen Road, Lore City, Ohio.
 - e) The ownership of the Lore City Facility changes from Mud Masters.

Date

2/5/2016

Scott R. Keil for
Richard J. Simmers
Richard J. Simmers, Chief
Division of Oil and Gas Resources Management

Addressee is hereby notified that this action is final and effective and may be appealed pursuant to Section 1509.36 of the Ohio Revised Code. If the Order is appealed to the Ohio Oil and Gas Commission, the appeal must be in writing and must set forth the Orders complained of and the grounds upon which the appeal is based. Such appeal must be filed with the Oil and Gas

FEB 14 2019

Mud Masters
Lore City Facility
Page 4 of 4

WV Department of
Environmental Protection

Chief's Order No. 2016-29

Commission, 2045 Morse Road, Building H-3, Columbus, Ohio 43229-6693, within thirty (30) days after receipt of this Order.

In addition, within three (3) days after the appeal is filed with the Oil and Gas Commission, notice of the filing must be submitted to Richard J. Simmers, Chief, Division of Oil and Gas Resources Management, Ohio Department of Natural Resources, 2045 Morse Road, Building F, Columbus, Ohio 43229-6693.

CERTIFIED MAIL No: 91 7199 9991 7036 4067 2414

91 7199 9991 7036 4067 2414

cc: Legal Section
Steve Opritza, Permitting Manager
Engineering Section
Brent Bear, Region Supervisor
Douglas Bennett, Guernsey County Oil and Gas Inspector

Proposed Revegetation Treatment: Acres Disturbed ONE Prevegetation pH 5.5

Lime TWO Tons/acre or to correct to pH 6.5

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch 50 BALES 2.5 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
_____	_____	Orchard Grass	30%
_____	_____	Rye(annual @BT)	35%
_____	_____	Timothy (Climax)	25%
_____	_____	Clover (Med.Red)	10%

Attach:
Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: _____

Comments: _____

Title: _____

Date: _____

Field Reviewed? () Yes () No

RECEIVED
Office of Oil and Gas
FEB - 8 2019
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS
GROUNDWATER PROTECTION PLAN

Operator Name: Triad Hunter, LLC
Watershed (HUC 10): Elk Fork Quad: Porters Falls
Farm Name: _____

1. List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

Plug to abandon operations.

2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

Containment will be in place around the well. And a portable pit will be used for fluids.

3. List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

N/A

4. Summarize all activities at your facility that are already regulated for groundwater protection.

N/A

RECEIVED
Office of Oil and Gas
FEB - 8 2019
WV Department of
Environmental Protection

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

N/A

6. Provide a statement that no waste material will be used for deicing or fill material on the property.

No waste materials will be used for the deicing of area or equipment. And waste materials if any will not be used for material fill on the property.

7. Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.

Spill protection training given to every employee. Spill kits and containment are on each work site.

8. Provide provisions and frequency for inspections of all GPP elements and equipment.

Inspections are done before during operations by designated employees.

Signature: _____

Date: _____

RECEIVED
Office of Oil and Gas
FEB - 8 2019
WV Department of
Environmental Protection



WW-7
8-30-06



West Virginia Department of Environmental Protection
Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-095-00583 WELL NO.: 10

FARM NAME: HILL, J. K.

RESPONSIBLE PARTY NAME: Triad Hunter, LLC

COUNTY: TYLER DISTRICT: ELLSWORTH

QUADRANGLE: Porters Falls

SURFACE OWNER: DANIEL R DEETZ

ROYALTY OWNER: Unknown

UTM GPS NORTHING: 4375546.0000

UTM GPS EASTING: 512659.0000 GPS ELEVATION: 963'

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
2. Accuracy to Datum – 3.05 meters
3. Data Collection Method:

Survey grade GPS : Post Processed Differential _____
Real-Time Differential

Mapping Grade GPS _____ : Post Processed Differential _____
Real-Time Differential _____

4. Letter size copy of the topography map showing the well location.

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Signature *M. L. Gao*

Operations Manager
Title

2/5/19
Date

RECEIVED
Office of Oil and Gas
FEB - 8 2019
WV Department of
Environmental Protection