

6-05hiloh-Wick(86)



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD 79

Quadrangle_	M. ddle bosene
Permit No	47-095-0692

K	ر الله	
	FEB 2 2	1980

OIL & GA	2 DIAIZION
	F MINES
Rotary	Oil
Cable	Gas
Recycling	Comb. 🗸
Water Flood_	Storage
Disposal	
	(Kind)

					(Kind)
Address D. Mary's W. V.	<i>A</i>	Casing and	Used in	Left	Cement fill up
Farm Betty Mocke		Tubing	Drilling	in Well	Cu. ft. (Sks.)
Location (waters)	(<u>C</u>	Size			1.
Well No.	Elev. 911'	20-16			
District Menos County	Tyle	Cond.			
The surface of tract is owned in fee by	Billy	13(10")	250	2501	
Address 11) Jelle to come 16	1/4	9 5/8	- 7	<u> </u>	
Mineral rights are owned by Billy		8 5/8 7	1007	1007'	
Address		5 1/2		 	
Drilling Commenced $S = 75 = 7$		4 1/2		2978	455.SKS
Orilling Completed S-23-7		3			
nitial open flow 2500 cu. ft.		2			
Final production 3,000 cu. ft. per day Well open 2, hrs. before ter	ybbls.	Liners Used			
Vell treatment details:		Attach copy of	cementing reco	ord.	
Peropor	10015:	2738' - 2	957	L4 Shot	<u> </u>
Fracture TR				•	
1500 631	H.O., 1	100,000	SAND 113	25,000	No
Fresh water NA Troducing Sand GORDON STRAY (Feet	Salt V	Nosa- n//	n	- Feet
resh water	Feet	Sale V	Nosa- n//	4	- Feet
resh water COLON STRAY Conducing Sand Goldon Stray Color Hard or Soft	Top Feet	Salt V Salt V Depth Bottom Feet	Vater	(A_) - 295 Water '	8
resh water NA roducing Sand Goldon Stray (Formation Color Hard or Soft CON LON	Foet — 4+1	Salt V	Vater	4	8
Formation Color Hard or Soft COU EUN Ast Sail Sance	Top Feet	Salt V Salt V Depth Bottom Feet	Vater	(A_) - 295 Water '	8
Formation Color Hard or Soft COW KUN Ast Soil Sano	Top Feet /425' /524'	Salt V Sais Depth Bottom Feet 1492'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft CON KON Ash Sall Sand	Top Feet	Salt V Sais Depth Bottom Feet	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft Cow Run Ast Soilt Sand Soilt Sand	Feet	Salt V Depth Bottom Feet	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COW KUN Ast Sailt Sand Sailt Sailt Sailt Sailt	Feet	Salt V Sais Depth Bottom Feet 1492' 1565' 1601' 1709'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COCO KON Ash Sall Sand Sall Sall Sand	Feet	Salt V Depth Bottom Feet	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLO KUN Ash Soull Sand Soull Sand Soull Sand Soull Sand	Feet	Salt V Salt V Salt V Depth Bottom Feet 1492' 1563' 1601' 1709' 18 87'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLO KON Ast SAND Ast SAND Ast SAND Ast SAND Ast SAND Ast SAND	Feet	Salt V Sais Depth Bottom Feet 1492' 1565' 1601' 1709'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COCC KON Ash Soull Sand Soll Soull Soll Soull Ship A soll Soull Ship A soll Soull S	Feet	Salt V Salt V Salt V Depth Bottom Feet 1492' 1563' 1601' 1709' 18 87'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLU KON ASI SAIN SAND SILL SAIN	Feet	Salt V Salt V Salt V Salt V Depth Bottom Feet 1492' 1563' 1601' 1709' 18 87' 18 87' 18 87'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLO KON Ash Sall Sand Sall Sall Sall Sall Sall Sall Sall Sall Sal	Feet	Salt V Salt V Salt V Salt V Depth Bottom Feet 1492' 1563' 1601' 1709' 18 87'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft Cow Kon Ash Suith Sand Stiff Sand Grand Grand Grand Ash Suith Sand Grand Gra	Feet	Salt V Salt V Salt V Salt V Depth Bottom Feet 1492' 1565' 1601' 1709' 18 87' 1885' 2047' 2066'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLO KON Ash Sall Sand Sall Sand Grand Ash Sall Sand	Feet	Salt V Salt V Salt V Salt V Salt V Depth Bottom Feet 1492' 1563' 1601' 1709' 18 87' 1885' 2047' 2006' 2740'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLU EUN Ast Sall Sand Sall Sand Ast Sall Sand Astron Astron Astron Color Eun Astron Astron Astron Astron Astron Color Eun Astron Astron Astron Astron Color Eun Astron Astron Color Eun Astron Astron Color Eun Astron Color E	Feet	Salt V Salt V Salt V Salt V Depth Bottom Feet 1492' 1565' 1601' 1709' 18 87' 1885' 2047' 2066'	Vater	4) - 295 Water ''	8
Formation Color Hard or Soft COLO KUN Ash Sall Sand Sall Sand	Feet	Salt V Salt V Salt V Salt V Salt V Depth Bottom Feet 1492' 1563' 1601' 1709' 18 87' 1885' 2047' 2006' 2740'	Vater	4) - 295 Water ''	8

Formation Color	Hard or Soft	Top Feet 79	Bottom Feet	Oil, Gas or Water	* Remarks
Gornow ST	RAY	27201	27981	Gns	
GORDON	•	28441	2960'	Gns	
4th SAND		2844 ¹ 2947 ¹	295 8 1	GAS	
		drlrton			

Date	Feb 8	19 80
APPROVED	C.W. Riggs INC.	Owner
В\	John Schneider	
, ,	A Poster	



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OIL & GAS DIVISION DEPT. OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

	•
DATE 5-30-79	
Company C. W. R.	iggs, Inc.
	St. Marys, W. Va.
Farm_Moore	. Acres 26.3
•	•
Quadrangle Middle	bourne, W. Va.
	The state of the s
INSPECTOR TO BE NOTIFIED Ph	llip Tracy
ADDRESS Middlebour	cne. W. Va.
PHONE 758-4573	
lease datedMarch_I/	19_79 by Barker and
	day of March
218 Page 459	
RREDRILL	FRACTURE OR STIMULATE
ILLED BEFORE JUNE 5, 1969.	
neer or licensed land surveyor and	l all soal owners and/or operators
hereby notified that any objection toy, or filed with the Department of	hey wish to make, or are required Mines within ten (10) days. *
s day	before, or on the
Very truly yours.	
P 1/	Pisac
	Opecanor
Address Box 3	Hoos .
of ell Operator St. Ma	arvs
Gity o	
W. Va.	
	Company C. W. Ri Address Box 358, S Farm Moore Location (waters) Su Well No. 1 District Meade Quadrangle Middle Quadrangle Middle TO BE NOTIFIED Phi ADDRESS Middlebour PHONE 758-4573 Appon the above named farm or tract lease dated March 17 Y and recorded on the 218 Page 459 REDRILL EILLED BEFORE JUNE 5, 1969. Anner or licensed land surveyor and bereby notified that any objection to by, or filed with the Department of ailed by registered mail, or delivered the Department of Mines at Charles Very truly yours, (Sign Name) Well Address of St. Ma

*SECTION 3 If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the name is approved and the well operator authoritied to proceed.

BLANKET BOND

47-095-0692

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

DDRESS Buchannon, W. Va. ADDRESS ELEPHONE 472-6396 TELEPHON TIMATED DEPTH OF COMPLETED WELL: 3100! ROTARY OPPOSED GEOLOGICAL FORMATION: Upper Devonian Grace Pe OF WELL: OIL GAS COMB X RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USED FOR BRILLING WITH SIZE DRILLING WIT	STOR. WATER LT WATE WHOM?	Riggs, Inc. Marys, W. Va. 684-3974 CABLE TOOLS AGE DISPOSA FLOOD OTHE OR SACKS (1) Gement top-1 200 sks. Perf. Bottom Perf. Bottom Perf. Bottom Perf. Bottom	AL CR BR 11
AME Little Swiss Drilling NAME ADDRESS Buchannon, W. Va. ADDRESS Buchannon, W. Va. ADDRESS BLEPHONE 472-6396 TELEPHON TIMATED DEPTH OF COMPLETED WELL: 3100! ROTARY— OPOSED GEOLOGICAL FORMATION: Upper Devonian Govern PE OF WELL: OIL GAS COMB X RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USHD FOR BRILLING WITH SIZE DRILLING BY SIZE DRILLING WITH SIZE DRILLING WITH SIZE DRILLING BY SIZE DRILLING WITH SIZE DRILLING BY SIZE DRILLING WITH SIZE DRILLING BY SIZE DRILLI	STOR. WATER TIN TIN TIN THE WHOM?	Riggs, Inc. Marys, W. Va. 684-3974 CABLE TOOLS AGE DISPOSA FLOOD OTHE CIMINITITE OR SACKS CIT Cement top-1 200 sks, Perl. Top Perf. Bottom Perf. Fort	AL UP BIK 11
DRESS BUCHANNON, W. Va. ADDRESS ELEPHONE 472-6396 TELEPHON TIMATED DEPTH OF COMPLETED WELL: 3100! ROTARY GPOSED GEOLOGICAL FORMATION: Upper Devonian Green PE OF WELL: OIL GAS COMB X RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING SIZE DRILLING WILLING SIZE DRILLING WILLING SIZE DRILLING 3100! SOM 250! 250 ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLMUST ALSO BE SUBMITTED.	S St NE X STOR. WATER T IN III LT WATE WHOM?	CABLE TOOLS AGE DISPOSA FLOOD OTHE CIMINITIHI OR SACKS CIT CEMENT top-1 CEMENT top-1 Perf. Bottom Perf. Bottom Perf. Bottom Perf. Bottom	AL UP BIK 11
TELEPHONE 472-6396 TIMATED DEPTH OF COMPLETED WELL: 3100! ROTARY OPOSED GEOLOGICAL FORMATION: Upper Devonian Govern PE OF WELL: OIL GAS COMB X RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USED FOR DRILLING WITH SIZE DEPTHS 105 SIZE DEPTHS 105 SIZE SIZE SIZE DRILLING WITH SIZE DEPTHS 105 SIZE SIZE DRILLING WITH SIZE DEPTHS 105 SIZE SIZE DRILLING WITH SIZE DEPTHS SALE ROXIMATE FRESH WATER DEPTHS 105 ROXIMATE FRESH WATER DEPTHS 105 OAL BEING MINED IN THE AREA? NO BY SIZE SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. ORILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NU WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	STOR. WATER T IN III LT WATE WHOM?	CABLE TOOLS AGE DISPOSA FLOOD OTHE CIMINITIHI OR SACKS CIT Gément top-1 200 sks. Pert Top Perf Bottom Perf Bottom Perf Bottom Perf Bottom	CR UP BIC 11
TIMATED DEPTH OF COMPLETED WELL: 3100! ROTARY OPOSED GEOLOGICAL FORMATION: Upper Devonian General Recycling RECYCLING RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USID FOR DRILLING WITH SIZE D	STOR. WATER T IN 111 LT WATE WHOM?	CABLE TOOLS AGE DISPOSA FLOOD OTHE CIMINITITE OR SACKS CIT CEMENT top-1 200 sks. Perl. Top Perl. Bottom Perl. Bottom Perl. Bottom Perl. Bottom	CR UP BIC 11
GPOSED GEOLOGICAL FORMATION Upper Devonian Green Pe of Well: OIL GAS COMB X RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USID FOR DRILLING WITH SIZE DRILL	STOR. WATER T IN 111 50' LT WATE WHOM?	CIMINITIHE OR SACKS CHE Gement top-1 200 sks. Pert. Top Perf. Bottom Perf. Bottom Perf. Bottom Perf. Bottom	AL CR BRC 11
RECYCLING RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USID FOR USID FOR SIZE DRILLING WITH SIZE D	STOR. WATER T IN 111 50' LT WATE WHOM?	CIMINITIHI OR SACKS CUI Cement top-1 200 sks. Perl. Top Perl. Bottom Perl. Bottom Perl. Bottom	botto
RECYCLING NTATIVE CASING PROGRAM: CASING AND TUBING USED FOR LITTED SIZE DRILLING WE 16 10 5/M 5/M 250 3100 3100 ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY PRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	T IN O I LT WATE WHOM?	CIMINITIHI OR SACKS CUI Cement top-1 200 sks. Perl. Top Perl. Bottom Perl. Bottom Perl. Bottom	botto
CASING AND TUBING USED FOR LIFT SIZE DRILLING WELLS DRILLING DRILLING WELLS DRILLING DRILLING WELLS DRILLING DRILLING WELLS DRILLING	T IN	CIMINTIHI OR SACKS CIT Gément top-1 200 sks. Perl. Top Perl. Bottom Perl. Fort	UP BIC 11
SIZE DRILLING WITH SIZE DRILLING SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFORM OF PLAT. DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING: ORIGINAL PERMIT NUMBELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLEMENT ALSO BE SUBMITTED.	LT WATE	Gement top-1 200 sks. Pert. Top Perf. Bottom Perf. Bottom Perf. Bottom FEET	botto
ROXIMATE FRESH WATER DEPTHS 105 FEET SALE ROXIMATE COAL DEPTHS NO BY OAL BEING MINED IN THE AREA? NO BY ORILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. ORILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING: ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	Gément top-1 200 sks. Pert Top Perf Bottom Perf Foutom Ferf Bottom	botto
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS NO BY OAL BEING MINED IN THE AREA? NO BY ORILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. ORILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	Gement top-1 200 sks. Peri. Top Peri. Bottom Peri. Bottom Peri. Bottom Feri. Bottom	botto
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	Gement top-1 200 sks. Pert Top Perf Bottom Perf Fort	botto
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY ORILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. ORILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	200 sks. Pert Top Perf Bottom Perf Bottom Perf Bottom	
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT: PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	200 sks. Pert. Top Perf. Bottom Perf. Bottom Perf. Bottom	
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLEMUST ALSO BE SUBMITTED.	LT WATE	200 sks. Pert. Top Perf. Bottom Perf. Fop Perf. Bottom R FEET	
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLEMUST ALSO BE SUBMITTED.	LT WATE	200 sks. Pert. Top Perf. Bottom Perf. Fop Perf. Bottom	
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING: ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	Perf. Top Perf. Bottom Perf. Bottom R FEET	
ROXIMATE FRESH WATER DEPTHS 105 FEET SALE ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	Perf. Bottom Perf. Bottom Perf. Bottom R FEET	104 7 A
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	Perf. Fortom Perf. Bottom R FEET	
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFORMORPHAT. ORILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLEMENT ALSO BE SUBMITTED.	LT WATE	Perf. Bottom	
ROXIMATE FRESH WATER DEPTHS 105 FEET SAL ROXIMATE COAL DEPTHS OAL BEING MINED IN THE AREA? NO BY DRILL: SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.	LT WATE	R FEET	
OAL BEING MINED IN THE AREA? DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, \$100.00 PERMIT FEE, PERFORMED PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGINAL PERMIT NOW WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLEMENT ALSO BE SUBMITTED.	WHOM?	FEET	
SUBMIT FIVE (5) COPIES OF OG 1, \$100.00 PERMIT FEE, PERFOR OF PLAT. PRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PLEMENT ALSO BE SUBMITTED.			
SUBMIT FIVE (5) COPIES OF OG 1, SHOWING ORIGINAL PERMIT NO WELLS DRILLED PRIOR TO 1929, A PERMANENT COPY OF THE PL MUST ALSO BE SUBMITTED.		BOND AND PERMANE	
MUST ALSO BE SUBMITTED.	NUMBER .	AND PPD BODNA NOT TO	
	LAT AND	O THE ORIGINAL WELL	DND. C RECO
RACTURE - STIMULATE:			1. 4.1
		the state of the state of the state of the	$\gamma_{i,j} = \frac{1}{1 + \gamma_{i,j}}$
OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFORE JUNE 5, 1929 BOND, PERMANENT PLAT AND ORIGINAL WELL RECORD.	9, FIVE (5	OPIES OCI - 1, PERPO	RMAN
OIL AND/OR GAS WELL ORIGINALLY DRILLED ON AND/OR AFTER JUING ORIGINAL PERMIT NUMBER, AND PERFORMANCE BOND.	UNE 5, 19	929, FIVE COPIES OG -	1, SHO
Required forms must be filed within ninety (90) days of completion for bor our (24) hours in advance.			
		e di Araba di Salah d	
	# ************************************	A PARTIE OF THE PROPERTY OF TH	*
The following waiver must be sompleted by the soal operator if the permit			
f. operator if the permit	at as to be	issued within ten days o	of
ER: I the undersigned, Agent for Coal Compatible lease have examined and place on our mine mans this proposed		State Control 1994 State Control	41 L&C61
	anv. Own		ui (PCQ)
this lease have examined and place on our mine maps this proposed	any, Owa	er or Operator of the co	oal (und
We the Coal Company have	MAN IOCE	IUGA,	oal (und
We the Coal Company have	MAN IOCE	IUGA,	oal (und
We the Coal Company have no objections providing operator has complied with all rules and regulations in Articles Code.	MAN IOCE	IUGA,	oal (und
We the Coal Company have	MAN IOCE	IUGA,	oal (und