

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, July 7, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

TRIBUNE RESOURCES, LLC 3861 AMBASSADOR CAFFERY PARKWAY, SUITE 600

LAFAYETTE, LA 70503

Re:

Permit approval for J. LEMASTERS 16

47-095-01397-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: WALTERS, JERRY

U.S. WELL NUMBER: 47-095-01397-00-00

Vertical Plugging
Date Issued: 7/7/2025

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date April 27	, 20 25
2)Operator's	
Well No. Lem	asters, Jasper 16
3) API Well No	O . 47 - 095 - 01397

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	HIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas/ Liquid (If "Gas, Production or Und	l injection/ Waste disposal/ lerground storage) Deep/ Shallow
5)	Location: Elevation 854' District McElroy	Watershed Lefthand Fork County Tyler Quadrangle Centerpoint 7.5'
6)	Well Operator Address Tribune Resources, LLC 3851 Ambassador Caffery Blvd Lafayette, LA 70503	7) Designated Agent Harman Brown Address 18396 Mountaineer Highway Littleton, WV 26581
8)	Oil and Gas Inspector to be notified Name Stephen McCoy Address 13016 Indian Creek	Name_TBD
	Jacksonburg, WV 26377	Address
10)	Work Order: The work order for the mann	RECEIVED Office of Oil and Gas
		JUN 1 3 2025 WV Department of Environmental Protection
	fication must be given to the district oi can commence.	l and gas inspector 24 hours before permitted
Work	order approved by inspector	Digitally signed by Stephen. Mccoy Date: 2025,06.06 08:12:26 -04'00' Date

Lemasters, Jasper 16

API No. 47-095-01397 Elevation 854' Latitude 39.45874 Longitude -80.6924410

TD 2860'

Perfs Gordon 2758 2794

	Casing		Cei	ment
	Size	Depth	Sxs	Est. Top
Surface	8-5/8"	212'	160	Circ.
Production	4-1/2"	2829'	300	1275'

Procedure

Liner

Set CIBP inside 4-1/2"casing at 2700'
Bond log casing to determine freepoint.
Free point 4-1/2" production casing, back off, rip/cut, or perforate casing as

directed by state inspector. Decover free nine

directed by state inspector. Recover free pipe

RIH w/ work string, pump Gel 6% spacer between cement plugs.

Plugs	Material	Dep	oth	Est. Top	Thickness
		Bottom	Тор		feet
Formation	Cement	2700	2600		100
	Gel	2600	1325		1275
Prod. Casing	Cement	1325	1225	1275	100
	Gel	1225	905		320
Elevation	Cement	<i>905</i>	800	803'	105
Pitts' Coal	Cement	800	625	625'	175
	Gel	<i>625</i>	100		525
8 5/8 Shoe	Cement	252	100	212	152
Top Plug	Cement	100	0		100

Gel: Fresh water with 6% + Bentonite clay by weight

Cement: Class A

Tag all cement tops to confirm depth

Clean up location. Erect monument with API No per WV code

RECEIVED
Office of Oil and Gas

JUN 1 3 2025

WV Department of Environmental Protection

٧

State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work

	operator b	Report or	METT MOTY		
Farm name: WALTER	RS, JERRY	Operator	Well No.:	J. LEMASS	TERS16
	ion: 854.00 Qua				
Longit	ct: MCELROY de: 100 Feet So ude 7600 Feet We	uth of 39	Dea 27Min	30 Ga~	•
Company: PENNZOIL P	RODUCTS COMPANY				
	26105-5519	₽ 1	Used in Drilling	1 .	Pill Uni
Agent: JAMES A. C.	rews			! IN METT	icu. Ft.
Inspector: GLEN P.	PORTMEON	Size		•	То
Permit Issued: Well work Commenced	06/27/90	8-5/8	212		surface 160 sks.
Well Work Completed	d: <u>10-31-90</u>	4-1/2	2828.80	2828.80	300 Ske.
Permission granted Rotary x Cable Total Depth (feet) Fresh water depths	Rig 2860 (ft)		FE		
Salt water depths ((ft)		JUNI	1 3 2025	+ -
Is coal being mined Coal Depths (ft):	in area (Y/N)? <u>N</u> N/A			partment of	
OPEN FLOW DATA					
Final ope Time of o	pen flow * MCF n flow * MCF pen flow between i essure psi	/d Dil: in	Pay zone ditial open nal open fl final test pressure)	OM	Bbl/d Bbl/d
Second produci Gas: Initial o Final ope	ng formation pen flow MCF n flow MCF pen flow between i	/d Oil: In /d Fi nitial and	Pay zone ditial open	epth (ft) flow ow	<u>-</u>
* Not tested NOTE: ON BACK OF T INTERVALS, FRACTURI LOG WHICH IS A SY INCLUDING COAL ENCO	NG OR STIMULATING STEMATIC DETAILED	, PHYSICA	L CHANGE,	ILS OF PE ETC. 2). F ALL FOR	THE WELL
·	For: PENNZOI By: Ju Date: A	PRODUCTS A L L L L L L L L L L L L L L L L L L		Timothy	P. Roush

WW-4A Revised 6-07 Date: April 27, 2025
 Operator's Well Number
Lemasters, Jasper 16

3) API Well No.: 47 -

095 - 01397

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served: 5)	(a) Coal Operator		
(a) Name	Jerry Walters	Name	N/A	
Address	H. C. 62, Box 73	Address		
	Jacksonburg, WV 26377			
(b) Name	Marie	(b) Coal Ow	ner(s) with Declaration	
Address		Name	N/A	
	Automotive Commission	Address		
(c) Name		Name		
Address	**************************************	Address		
Mulcos				
6) Inspector	Stephen McCoy	(c) Coal Less	see with Declaration	
Address	13016 Indian Creek	Name	N/A	
	Jacksonburg, WV 26377	Address	***************************************	
Telephone	681 344-3265			parameter and an interest of the second of t
		ACT AND ACT OF THE PROPERTY OF THE PERSON OF	***************************************	
Protection, the Applica	that under Chapter 22-6 of the West Virginia Coding documents for a permit to plug and abandon a with respect to the well at the location described of tion, and the plat have been mailed by registered unstances) on or before the day of mailing or delive	well with the Chief of the n the attached Application or certified mail or deliv	Office of Oil and Gas, West Virgin and depicted on the attached Form	in Department of Environmental in WW-6. Copies of this Notice,
				RECEIVED
	Well Operator	Tribune Resources, LLC	in	Office of Oil and Gas
	By:	Lee Lawson	116	
	Its:	Regulatory/HSE Directo	ır	JUN 1 3 2025
	Address	3851 Ambassador Caffe	ery Blvd., Suite 600	
		Lafayette, LA 70503		WV Department of
	Telephone	337 769-4064		Environmental Protection
Subscribed and Lege My Commission Oil and Gas Priva	Expires with the	ay of May, 6	Notary Public Notary Public Notary Public Notary Public State of Louisland	
The Office of Oil a regulatory duties.	nd Gas processes your personal information your personal information may be disc	tion, such as name, losed to other State	auch of Lufavette address and phone number agencies on thindiparties is	r, as a part of our a the normal course of

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies on the diparties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

878b	U.S. Postal Service™ CERTIFIED MAIL® REC Domestic Mail Only	
=0	For delivery information, visit our website	at www reparcons.
		
Ü	Certified Mail Fee	
щ	110)	
, 1	Extra Services & Fous (panel: £ex. add for as sign. priors) [] Return Regulat granded pos	
	Esetum Reculpt (electronic) S	Post rark
	[[] Certified Main Bestricted CHivesy \$ [T Admit Sharedure Bestrated \$	Hero
ш	Page Section Festing	
50	Pestage 7.2.1	
E E	$\sim \sim $	we are the second
	Total Postage and Fees	
٦-	Sent to Ella Klabate	
П		0
7021	Street and ACI NO 200 PO EL WALLA C YO	K ROUG
-	City, State, ZiR+4* The Coo also I -	101/11/2017
	Jaygen Duz V	W W511
	PS Form 3800, April 2015 PSN 7539-02-000-9047	See Reverse for Instructions

779	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mall Only
₽ 7~	For delivery information, visit our website at www.usps.com*.
, 0350 0001 3294	Certified Med Pite Later Service, 8 Press about Loca of the conformated [Interior Receipt of about 5 Postantik [Interior Receipt of Both of Delivery 5 Postantik [Interior Receipt of Delivery 5 Postantic [I
7051	Seri to Jem Wilter Street and Mil May FOSHICK MI RUN KU City, Suite, MINE MILLS W 16377
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service" CERTIFIED MAIL® RECE Domestic Mail Only For delivery information, visit our website at		13
Condition Mail Fee State of France & Free places has address an appropriate Change the eigenfunction of the eigen	Prestmark History	
Stephen Faul College Street And College Street and April 19 College Street And College Street Street College Street Street College Street Street College Str	(Nex- -Ril 24377 Bayeses to Instru	21218

RECEIVED
Office of Oil and Gas

JUN 1 3 2025

WV Department of Environmental Protection

API Number	47 -	095	_ 01397	
Operator's W	ell No).		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Tribune Resources, LLC	OP Code 494514693
Watershed (HUC 10) Lefthand Fork	
Do you anticipate using more than 5,000 bbls of water to con	
Will a pit be used? Yes No ✓	implete the proposed well work? Tes No
If so please describe anticipated nit waster	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	:
Land Application (if selected prov	
Underground Injection (UIC Pen	mit Number)
Reuse (at API Number	
Off Site Disposal (Supply form V Other (Explain	V W-9 for disposal location)
A	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizon	
-If oil based, what type? Synthetic, petroleum, etc	N/A RECEIVED Office of Oil and Gas
Additives to be used in drilling medium?N/A	Office of our
Drill cuttings disposal method? Leave in pit, landfill, remove	ed offsite, etc. N/A JUN 1 3 2025
-If left in pit and plan to solidify what medium will	be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A	Protection
Permittee shall provide written notice to the Office of Oil and West Virginia solid waste facility. The notice shall be provide where it was properly disposed.	l Gas of any load of drill cuttings or associated waste rejected at any ed within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West V provisions of the permit are enforceable by law. Violations of or regulation can lead to enforcement action. I certify under penalty of law that I have personal application form and all attachments thereto and that, based or	d conditions of the GENERAL WATER POLLUTION PERMIT issued Arginia Department of Environmental Protection. I understand that the f any term or condition of the general permit and/or other applicable law illy examined and am familiar with the information submitted on this n my inquiry of those individuals immediately responsible for obtaining ate, and complete. I am aware that there are significant penalties for or imprisonment.
Subscribed and sworn before me this IFU day of Clefce Acuree My commission expires With life	Notary Public ALYCE R. SAVOIE Notary Public State of Louisiana Parish of Lafayette Notary ID # 040838 My Commission Expires At Death 07/11/202

d Revegetation Trea	atment: Acres Disturbed 0.5	Preveg etation	pII
Lime 2	Tons/acre or to correct to pH	6.5	
Fertilizer type 10	0-10-20		
Fertilizer amount_	500 tbs	s/acre	
Mulch Straw	2 Tons/a	cre	
	Seed	<u>Mixtures</u>	
Te	emporary	Pern	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Tall Fescue	40
		Ladino Clover	2
). If water from the and area in acres, of pied section of invol	it and proposed area for land applicat pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed	er volume, include dimensions (I	uding this info have been w, W, D) of the pit, and di
oied section of involutions of the section of involutions of the section of the s	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Mccoy Date: 2025.06.06	er volume, include dimensions (I by Stephen 5 08:11:50 -04'00'	., W, D) of the pit, and di
Stepleroved by:	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Date: 2025.06.00 All above ground piping	er volume, include dimensions (I by Stephen 6 08:11:50 -04'00' g/ surface equipmen	., W, D) of the pit, and di
Stepland Bernove as:	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Mccoy Date: 2025.06.06	er volume, include dimensions (I by Stephen 6 08:11:50 -04'00' g/ surface equipmen	., W, D) of the pit, and di
Stepleroved by: Remove as:	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Date: 2025.06.00 All above ground piping	er volume, include dimensions (I by Stephen 6 08:11:50 -04'00' g/ surface equipmen	., W, D) of the pit, and di
Stepland Bernove as:	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Date: 2025.06.00 All above ground piping	er volume, include dimensions (I by Stephen 6 08:11:50 -04'00' g/ surface equipmen	RECEIVED Office of Oil and Gas
Stepland Bernove as:	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Date: 2025.06.00 All above ground piping	er volume, include dimensions (I by Stephen 6 08:11:50 -04'00' g/ surface equipmen	w, D) of the pit, and di
Stepland Bernove as:	pit will be land applied, provide wat the land application area. Ived 7.5' topographic sheet. Digitally signed Mccoy Date: 2025.06.00 All above ground piping	er volume, include dimensions (I by Stephen 6 08:11:50 -04'00' g/ surface equipmen	RECEIVED Office of Oil and Gas

Operator's Well No.____


	Page	of	
API Number 47 -	095	- 01397	
Operator's Well N	o.		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

tershed (HUC 10); Lefthand Fork	Quad: Centerpoint 7.5'
n Name:	
List the procedures used for the treatment and dischargeroundwater.	ge of fluids. Include a list of all operations that could contaminate the
Describe procedures and equipment used to protect gro	oundwater quality from the list of potential contaminant sources above.
List the closest water body, distance to closest water discharge area.	r body, and distance from closest Well Head Protection Area to the
	RECEIVEL
Summarize all activities at your facility that are already	y regulated for groundwater protection. Office of Oil and
	JUN 1 3 202
	WV Department
	Environmental Prote

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP	Pageof
Rev. 5/16	API Number 47 - 095 - 01397 Operator's Well No
1	
6. Provide a statement that no waste material will be	be used for deicing or fill material on the property.
Describe the groundwater protection instruction provide direction on how to prevent groundwater	n and training to be provided to the employees. Job procedures shall
provide disocion on now to provent groundwar	J. Containing Cont.
	İ
8. Provide provisions and frequency for inspection	ns of all CPP elements and equipment
5. Trovide provisions and nequency for hispection	is of all Cult Coments and equipment.
	RECEIVED Office of Oil and G
	JUN 1 3 2025
0.	W Department of
Signature:	Environmental Protect
Duty	
Date:	





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

{API:} 47-095-01397	WELL NO.:	16
FARM NAME: Lemasters,		
RESPONSIBLE PARTY NAME:	Harman Brown	
COUNTY: Tyler	DISTRICT: MC	Elroy
QUADRANGLE: Centerpo	oint 7.5'	
SURFACE OWNER: Jerry W		
ROYALTY OWNER: Stringto		
UTM GPS NORTHING: 43676		
UTM GPS EASTING: 526389		_{ION:} 854'
height above mean sea le 2. Accuracy to Datum – 3.0 3. Data Collection Method:	e: 17 North, Coordinate Units: movel (MSL) – meters. 5 meters	
Survey grade GPS: Post Pr	ocessed Differential	W Department of
Mapping Grade GPS X: Post		Environmental Protection
Rea	l-Time Differential	
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regulation	knowledge and
David Oliver Digitally signed by David Oliver Date: 2025.04.27 08:51:39	Facilities/Pipeline Engineer	4/27/2025
Signature	Title	Date

SURFACE OWNER WAIVER

Operator's Well Number

Lemasters, Jasper 16

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION: RECEIVED

Office of Oil and Gas

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUN 1 3 2025

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have sobjection to a permit being issued on FOR EXECUTION BY A NATURAL ETC.	those mater		work	described in these materials, and I have no FOR EXECUTION BY A CORPORATION,
	Date	Na	ne _	
Signature		By Its	_	Date

07/11/2025

API No.	47-095-01397			
Farm Name				
Well No.	Lemasters, Jasper 16			

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging wor	k order. The undersigned operator has complied w	has no objection to the work proposed to be with all applicable requirements of the West
Date:	 By:	
	Its	RECEIVED Office of Oil and Gas
		JUN 13 2025
		WV Department of Environmental Protection

PLUGGING PERMIT CHECKLIST

Plugging Permit	
WW-4B WW-4B signed by inspector WW-4A	
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY MAIL	REGISTERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT BY REGISTERED OR CERTIFIED MAIL	T APPLICATION WAS SENT
WW-9 PAGE 1 (NOTARIZED)	
WW-9 PAGE 2 with attached drawing of road, location, pit and propose	ed area for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
MUST HAVE VALID BOND IN OPERATOR'S NAME	
CHECK FOR \$100 IF PIT IS USED	
	RECEIVED Office of Oil and Gar-

JUN 1 3 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4709500585 01397 01776

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Mon, Jul 7, 2025 at 12:56 PM

To: Stephen E McCoy <stephen.e.mccoy@wv.gov>, Lee Lawson <lee.lawson@tribuneresources.com>, ljackson@wvassessor.com

To whom it may concern, plugging permits have been issued for 4709500585 01397 01776.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

3 attachments



4709501397.pdf 1543K



4709501776.pdf 1841K



4709500585.pdf 1594K