

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, June 25, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

TRIBUNE RESOURCES, LLC 3861 AMBASSADOR CAFFERY PARKWAY, SUITE 600

LAFAYETTE, LA 70503

Re:

Permit approval for M. H. PENNICK 9

47-095-01411-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: M. H. PENNICK 9

Farm Name: WALTERS, JERRY

U.S. WELL NUMBER: 47-095-01411-00-00

Vertical Plugging

Date Issued: 6/25/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date April 28	, 2	0 25
2)Operator's		
Well No. Pennick, M.H. 9		
3) API Well No. 47-095		01411

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

(If "Gas, Production or Underground storage) Deep _/ Shallow	4)	Well Type: Oil/ Gas/ Liquid	d injection X / Waste disposal /
District McElroy County Tyler Quadrangle Centerpoint 7.5' 6) Well Operator Tribune Resources, LLC Address 3851 Ambassador Caffory Blvd Lafayette, LA 70503 8) Oil and Gas Inspector to be notified Name Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence. Stephen McCoy Digitally signed by Stephen McC			
District McElroy County Tyler Quadrangle Centerpoint 7.5' 6) Well Operator Tribune Resources, LLC Address 3851 Ambassador Caffery Blvd Lafayette, LA 70503 8) Oil and Gas Inspector to be notified Name Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached RECEIVED Office of Oil and Gas Inspector of the manner of plugging this well is as follows: Attached RECEIVED Office of Oil and Gas Inspector of the manner of plugging this well is as follows: Stephen McCoy Digitally signed by Stephen McCoy Digitally sign	5)	Location: Elevation 854	Watershed Left Hand Fork
Address 3851 Ambassador Caffery Blvd Lafayette, LA 70503 8) Oil and Gas Inspector to be notified Name Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached RECEIVED Office of Oil and Gas JUN 13 2025 WV Department of Environmental Protection Environmental Protection Environmental Protection Stephen McCoy Digitally signed by Stephen McCoy Stephen McCoy Digitally signed by Step	·		· · · · · · · · · · · · · · · · · · ·
Address 3851 Ambassador Caffery Blvd Lafayette, LA 70503 8) Oil and Gas Inspector to be notified Name Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached RECEIVED Office of Oil and Gas JUN 13 2025 WV Department of Environmental Protection Environmental Protection Environmental Protection Stephen McCoy Stephen McCoy Stephen McCoy Stephen McCoy Digitally signed by Stephen McCoy Stephen McCoy Digitally signed by Stephen McCoy Stephen McCoy Stephen McCoy Digitally signed by Stephen McCoy Stephen McCoy Stephen McCoy Stephen McCoy Digitally signed by Stephen McCoy Stephen McCoy Stephen McCoy Digitally signed by Stephen McCoy Stephen McCoy Stephen McCoy Digitally signed by Stephen McCoy McCoy Digitally signed by Stephen McCoy McCoy McCoy Digitally signed by Stephen McCoy McCoy McCoy McCoy Digitally signed by Stephen McCoy McCoy	6)	Well Operator Tribune Resources, LLC	7)Designated Agent Harman Brown
8) Oil and Gas Inspector to be notified Name_Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached RECEIVED Office of Oil and Gas JUN 13 2025 WV Department of Environmental Protection Environmental Protection Stephen McCoy Stephen McCoy Stephen McCoy Stephen McCoy Stephen McCoy Name_TBD Address JUN 13 2025 WV Department of Plugging this well is as follows: Attached RECEIVED Office of Oil and Gas JUN 13 2025 WV Department of Environmental Protection Environmental Protection Stephen McCoy McCoy McCoy Mc		Address 3851 Ambassador Caffery Blvd	
Name Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached RECEIVED Office of On and Gase JUN 13 2025 WV Department of Environmental Protection Environmental Protection Environmental Protection Stephen McCoy Stephen McCoy Stephen McCoy Name TBD Address All is as follows: Attached Office of On and Gase JUN 13 2025 WV Department of Environmental Protection Environmental Protection Env		Lafayette, LA 70503	Littleton, WV 26581
Address Jacksonburg, WV 26377 Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence. Stephen Mccoy Mccoy Address	8)		-
Jacksonburg, WV 26377 10) Work Order: The work order for the manner of plugging this well is as follows: Attached RECEIVED Office of On and Gas JUN 1 3 2025 WV Dapartment of Environmental Protection Environmental Protection Environmental Protection Stephen Mccov Mc		Address 13016 Indian Creek	
Attached RECEIVED Office of On and Gase JUN 1 3 2025 Wy Department of Environmental Protection Environmental Protection Work can commence. Digitally signed by Stephen Mccoy Mcc		Jacksonburg, WV 26377	
Attached RECEIVED Office of On and Gase JUN 1 3 2025 Wy Department of Environmental Protection Environmental Protection Work can commence. Digitally signed by Stephen Mccoy Mcc			
Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence. Digitally signed by Stephen Stephen Mccoy Date: 2025.06.04 11:45:32			JUN 1 3 2025
Work can commence. Digitally signed by Stephen Stephen Mccoy Date: 2025.06.04 11:45:32			Sama Sala de Caractería de Car
Work can commence. Digitally signed by Stephen Stephen Mccoy Date: 2025.06.04 11:45:32			
Stephen Mccoy Date: 2025.06.04 11:45:32	Noti work	fication must be given to the district oi can commence.	
A ====1		Stephen Mcco	Digitally signed by Stephen Mccoy Date: 2025.06.04 11:45:32
2	Work		*

Pennick, M. H. 9

API No.

47-095-01411

Elevation

854'

Latitude

39.45809

Longitude

-80.6934690

FW

100 per 4709501400

TD

3010'

Perfs

Gordon

2920'

2930'

Casing			Cer	nent
	Sxs	Est. Top		
Surface	8-5/8"	205'	?	Circ.
Production	4-1/2"	2991'	300	1437'

Liner

Procedure

Set CIBP inside 4-1/2"casing at 2870'

Bond log to determine free point.

Free point 4-1/2" production casing, back off, rip/cut, or perforate casing as

directed by state inspector. Recover free pipe

RIH w/ work string, pump Gel 6% spacer between cement plugs.

Plugs	Material	Dep	oth	Est. Top	Thickness
		Bottom	Top		feet
Formation	Cement	2870	2770		100
	Gel	2770	1490		1280
Prod. Casing	Cement	1490	1385	1437'	105
	Gel	1385	910		475
Elevation	Cement	910	800	854'	110
Pitts' Coal	Cement	800	625	675'	175
	Gel	<i>625</i>	100		525
8 5/8 Shoe	Cement	255	150	205	100
Top Plug/FW	Cement	150	0	100	150

Office of Oil and Gas

JUN 13 2025

WV Department of Environmental Protection

Gel: Fresh water with 6% + Bentonite clay by weight

Cement: Class A

Tag all cement tops to confirm depth

Clean up location. Erect monument with API No per WV code

Stephen Mccoy Digitally signed by Stephen Mccoy Date: 2025.06.04

State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work

	., .	operaco	1//	spore or	METT MOTY		
Farm name:	WALTERS, J	ERRY		Operator	Well No.:	M.H. PENN	ICK 9
LOCATION:	Elevation:	854.00	Quad	rangle: C	ENTER POINT		
	District: Latitude: Longitude	50 Fee	t Sout	th of 39	ounty: TYLE Deg. 27Min Deg. 40 Mi	30 Sec	•
Company: PEN	NZOIL PRODUC	TS COMPAN	Y -				
P. (D. BOX 5519 NNA, WV 261			£	Used in Drilling	į :	Cement Fill Up
Agent: JAMI	ES A. CREWS					TIY METT	icu. Ft.
Toomanha			į	Size	·	ĺ	To
Inspector: (Permit Issue Well work Co Well work Co	GLEN P. ROBI ed: ommenced:	07/24/90 8-16-90		8-5/8	204.82	204.82	surface 160 Sks.
verbal Pindo	מחונ			4-1/2	2980.95	2980.95	300 Sks.
Permission of	granted on:	8:~					
Rotary x Total Depth Fresh water	(feet) 30 depths (ft)	10	-		RE	CEIVED Oil and Gas	
				. [Office o	On and an	
Salt water o	eptns (It)		– !		111	13 2025	İ
Is coal bein Coal Depths	ng mined in (ft): N/	area (Y/N)	<u>й</u>			konarimeni ot	
OPEN FLOW DA	ATA		·				
Produci Gas: In Fi Ti Static	ng formation itial open nal open fl me of open rock Pressu	n Gordon flow * ow * flow between	MCF/ MCF/ en in _psig	d Oil: In d Fi itial and (surface	Pay zone ditial open nal open fl final test pressure)	lepth (ft) flow low s after	2911-295 Bbl/ Bbl/ Hour Hour
	producing f						
Gas: In	itial open	flow	MCF/	d Oil: In	Pay zone ditial open	flow	Bb1/
Fi	nal open fl	OW	MCF/	d Fi	mal open fl	∩w.	Bb1/
Static	me of open rock Pressu	riow betwee	en in osia	itial and	l linal test : pressure)	s	Hour:
	sted - liquid			(501200	Pressure,	arcer	nour
NOTE: ON BAC INTERVALS, F LOG WHICH I INCLUDING CO	K OF THIS RACTURING S A SYSTEM	FORM PUT OR STIMULA ATIC DETAI	THE TING,	PHYSICA GEOLOGICA	: 1). DETA L CHANGE, L RECORD C	ጀጥሮ 2ነ	प्रसम्बद्धाः
		For: PEN By: Dat	- Fa	PRODUCTS	COMPANY 1991	Timothy P	. Roush

WW-4A Revised 6-07

1) Date: April 28, 2025
2) Operator's Well Number
Pennick, M. H. 9

3) API Well No.: 47 -

095

- 01411

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	NOTICE OF APPLICAT	ION TO PLUG AND ABANDON A WEI	L
4) Surface Ow	ner(s) to be served:	5) (a) Coal Operator	
(a) Name	Jerry Walters	Name N/A	
Address	H.C. 62, Box 72	Address	
	Jacksonburg, WV 26377	Tituless	
(b) Name		(b) Coal Owner(s) with Declaration	2
Address		Name N/A	•
		Address	
(c) Name		Name	
Address		Address	
6) Inspector	Stephen McCoy	(c) Coal Lessee with Declaration	
Address	13016 Indian Creek	Name N/A	
	Jacksonburg, WV 26377	Address	
Telephone	681 344-3265	Assessment Assessment of Assessment Contract of the Assessment Contract Office Contract of the Assessment Contract Office Contract	
Take notice accompanyi Protection, v	that under Chapter 22-6 of the West Virginia Cong documents for a permit to plug and abandon a with respect to the well at the location described tion, and the plat have been mailed by registered instances) on or before the day of mailing or delimination.		led this Notice and Application and ginia Department of Environmental
	Well Operato	and the second second	
	By:	Lee Lawson	Office Of City and Mar
	Its:	Regulatory/HSE Director	1114 1 3 7025
	Address	3851 Ambassador Caffery Blvd., Suite 600	JON 13 5052
	Tolonhous	Lafayette, LA 70503	-diment of
	Telephone	337 769-4064	WV Department of Environmental Protection
My Commission	Expires Will Ufe	Notary Public Notary Public Notary Fublic Notary Fublic State of Louisiana Fairch of Lefayette Notary Fublic State of Louisiana Fairch of Lefayette	
egulatory duties.	u das processes your personal inform Your personal information may be die	dation such as name, address and phone numb sclosed to other State agencies or third parties	er, as a part of our
ousiness or as need	led to comply with statutory or regula	atory requirements, including Freedom of Info	in the normal course of

regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

78 6	U.S. Postal Service* CERTIFIED MAIL® RECEIPT Domestic Mall Daily For delivery information, yield our website at www.rens.com?.
=0	The state of the s
3294	Certified Mail Fes \$ Extra Scrivicos & Poes (discribbs), 200 fes as any reputate)
1000	Trainin Resolpt (innescry) 8
0320	Postago Storil Postage and Peds
7021	Sins to Eldon Nichols !

유구구된	U.S. Postal Service TM CERTIFIED MAIL® RECEIPT Domestic Mail Only For thelivery Information, visit our website at www.usps.com*.
3294	Certified wall Fee History Convices & Fees (chart tox) of the re-paradide)
0001	Distance Process (Busicopy) Distance D
0350	Postage Puscage and Four ILL 20
7021	Sent to Jenny Walters, 1840 Par Rd 1840 Par Rd
	Constant Jackson bus W 24377

	PRECEIPT
Certified Mail Fee Committee of the Com	7
States Takes	L Glover- c Fork 1201 BW 26377

RECEIVED
Office of Oil and Gas

JUN 1 3 2025

WV Department of Environmental Protection

API Number	47 -	095	-	01411	
Operator's We	ell No				

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FILLIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

	FLUIDS/	CUITINGS DISPOSAL &	RECLAMATION PI	LAIN	
Operator Nan	ne Tribune Resources, LLC		OP Code	494514693	
Watershed (H	IUC 10) Left Hand Fork			7.5'	100000
.77	pate using more than 5,000 bbl		roposed well work?	Yes No	\checkmark
Will a pit be	used? Yes No 🗸				
If so	, please describe anticipated pit a synthetic liner be used in the	waste:			A
Will	a synthetic liner be used in the	pit? Yes No	If so, what ml.	?	
Prop	osed Disposal Method For Trea	nted Pit Wastes:			
		(if selected provide a comp		10.90	-
	Underground Inject	etion (UIC Permit Number			
	Off Site Disposal	(Supply form WW-9 for d	sposal location)		
	Other (Explain				
		N/A			
	op systembe used? If so, desc				
Service Control of the Control of th	um anticipated for this well (ve		AND DESCRIPTION OF PERSONS AND ADDRESS.		RECEIVED
-if o	il based, what type? Synthetic,	petroleum, etc. N/A			ffice of Oil and Gas
Additives to l	be used in drilling medium? N/	Α			IIIN 1 3 2025
Drill cuttings	disposal method? Leave in pit,	landfill, removed offsite, e	tc. N/A		
-If le	eft in pit and plan to solidify wh	at medium will be used? (c	ement, lime, sawdust)_N/A	WV Department Of Environmental Protection
	dfill or offsite name/permit num			-	-nvii Oi ii ii o
West Virginia	Il provide written notice to the C solid waste facility. The notice properly disposed.				
on April 1, 20 provisions of or regulation I cer application fo the informatic submitting fal Company Off	tify that I understand and agree olf, by the Office of Oil and Oil the permit are enforceable by la can lead to enforcement action. It if the under penalty of law that run and all attachments thereto a con, I believe that the informationse information, including the policial Signature icial (Typed Name) Lee Laws icial Title Regulatory/HSE Direction in the Information icial Title Regulatory/HSE Direction icial Title Regulatory/HSE	as of the West Virginia De www. Violations of any term I have personally examine and that, based on my inqui on is true, accurate, and co ossibility of fine or imprisor	partment of Environm or condition of the gen d and am familiar w y of those individuals amplete. I am aware	ental Protection. I leral permit and/or of ith the information immediately respon	understand that the other applicable law submitted on this assible for o btaining
Subscribed and My commission	d sworn before me this 154 GCL K. Adu on expires With 1	e day of Mile rice'		20 2 6 ALYCE R. SAVOIE Notary Public State of Louisians Parish of Lafeyette Notary ID # 040836 mirriesion Expirez At De:	06/27/2025

	Operator's V	/ell No
pposed Revegetation Treatment: Acres Disturbed0.5	Preveg etation p	īI
Lime Tons/acre or to correct to	рн 6.5	
Fertilizer type 10-10-20		
Fertilizer amount 500	lbs/acre	
Chronic	ons/acre	
	Seed Mixtures	4
Temporary	Perma	
Seed Type lbs/acre	Seed Type Tall Fescue	lbs/acre 40
	Ladino Clover	2
otocopied section of involved 7.5' topographic sheet.		
Stephen Mccoy Digital Date:	ally signed by Stephen Mccoy 2025.06.04 11:44:59 -04'00'	
n Approved by:		
mments: Remove all surface equipm	ent/piping. Properly red	laim, seed, and
ulch all disturbed areas.		
		Office of Oil and Gar-
		Office of a 2025
		JUN 13
		W Department Prote
le:	Date:	
dd Reviewed? () Ves (Mo	


Page	of
API Number 47 - 095	- 01411
Operator's Well No.	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

E	atershed (HUC 10): Left Hand Fork	Quad: Centerpoint 7.5'
r	rm Name:	
		uids. Include a list of all operations that could contaminate the
	groundwater.	
	Describe procedures and equipment used to protect groundwa	ster quality from the list of potential contaminant sources above
		1
	List the closest water body, distance to closest water body, discharge area.	, and distance from closest Well Head Protection Area to the
		RECEIVED Office of Oil and Gae
		Office of Oil are
		JUN 1 3 2025
		Environmenta
	Summarize all activities at your facility that are already regula	ated for groundwater protection.
		i

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

W-9- GPP	Page of
7. 5/16	API Number 47 - 095 - 01411
	Operator's Well No
Provide a statement that no waste material will	be used for deicing or fill material on the property.
Describe the groundwater protection instruction provide direction on how to prevent groundwater	on and training to be provided to the employees. Job procedures shall
provide direction on now to prevent groundwat	ter contamination.
•	
Provide provisions and frequency for inspection	ns of all GPP elements and equipment. RECEIVED RECEIVED Received Received Received
	Office Of The Office Of The Office Of The Office Of The Office Of
	JUN 1 3 2025
	JUN 13 Eggs
•	WV Department of Environmental Protection
	WV Departs Prote
	Ellanous
nature:	
	_
te:	
and a	





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LO	CATION FORM: GPS	
API: 47-095-01411	WELL NO.:	9
FARM NAME: Pennick, M		
RESPONSIBLE PARTY NAME:	Harman Brown	
COUNTY: Tyler	DISTRICT: MC	Elroy
QUADRANGLE: Centerpo	oint 7.5'	
SURFACE OWNER: Jerry V	/alters	
ROYALTY OWNER: Stringto		
UTM GPS NORTHING: 43676		
UTM GPS EASTING: 526371		ON: 854'
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements: 1. Datum: NAD 1983, Zone height above mean sea level 2. Accuracy to Datum – 3.05 3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assigned Ass will not accept GPS coordinate: 17 North, Coordinate Units: meyel (MSL) – meters.	API number on the st that do not meet ters, Altitude: RECEIVED Office of Oil and Gas
	me Differential	JUN 13 2025
Mapping Grade GPS X: Post		WV Department of Environmental Protecti
Real	-Time Differential	Euritoining
I the undersigned, hereby certify this belief and shows all the information of prescribed by the Office of Oil and O	required by law and the regulatio	knowledge and
David Oliver Date: 2025.04.28 08:47:39	Facilities/Pipeline Engineer	4/28/2025
Signature	Title	Date

SURFACE OWNER WAIVER

Operator's Well Number

Pennick, M. H. 9

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION: RECEIVED
Office of Oil and Gas

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUN 1 3 2025

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no	objection to	the planned w	ork described in these materials, and I have no
objection to a permit being issued on the	hose materia	ls.	
FOR EXECUTION BY A NATURAL F	PERSON		FOR EXECUTION BY A CORPORATION,
ETC.			
	Date	Name	9
Signature		Ву	
		Its	Date

Signature 06/

API No.	47-095-01411	
Farm Name		
Well No.	Pennick M. H. 9	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging work	k order. The undersigned operator has complied wi	/ of the coal under this well location has no objection to the work proposed to be th all applicable requirements of the West
Date:		
	Ву:	Office of Oil and Gas
	lts	Office of Cir.
		JUN 1 3 2025
		WV Department of Environmental Protection

Plugging Permit		
	. WW-4B . WW-4B signed by inspector . WW-4A	
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL	
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL	
	WW-9 PAGE 1 (NOTARIZED)	
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
	RECENT MYLAR PLAT OR WW-7	
	WELL RECORDS/COMPLETION REPORT	
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
	MUST HAVE VALID BOND IN OPERATOR'S NAME	
\prod	CHECK FOR \$100 IF PIT IS USED	

RECEIVED
Office of Oil and Gas

JUN 13 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4709501411 01420 01663 01766

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Jun 25, 2025 at 12:16 PM

To: Lee Lawson <lee.lawson@tribuneresources.com>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, ljackson@wvassessor.com

To whom it may concern, plugging permits have been issued for 4709501411 01420 01663 01766.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





4709501766.pdf 1533K

4709501420.pdf1740K