

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, June 25, 2025
WELL WORK PLUGGING PERMIT
Vertical Plugging

TRIBUNE RESOURCES, LLC 3861 AMBASSADOR CAFFERY PARKWAY, SUITE 600

LAFAYETTE, LA 70503

Re: Permit approval for SILAS WYATT E-2B 47-095-01663-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: SILAS WYATT E-2B

Farm Name: PENNZOIL PRODUCTS CO.

U.S. WELL NUMBER: 47-095-01663-00-00

Vertical Plugging Date Issued: 6/25/2025

### **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date April 29	, 2025
2)Operator's	
Well No. Wyatt, Silas E2-B	
3) APT Well No. 47-095	- 01663

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION	N FOR A PERMI	T TO PLUG AND ABAND	ON	
4)	Well Type: Oil/ Gas (If "Gas, Production				
5)	Location: Elevation 800' District McElroy		Watershed Indian Cre		Centerpoint 7.5'
6)	Well Operator Tribune Resource Address 3851 Ambassador Lafayette, LA 70	r Caffery Blvd		Harman Bro 18396 Mou Littleton, W\	ntaineer Highway
8)	Oil and Gas Inspector to be: Name Stephen McCoy Address 13016 Indian Creek Jacksonburg, WV 2637		Name_TBD		
10)	Work Order: The work order  Attached	for the manne	er of plugging this	well is a	as follows:
					Office of Oil and Gas  JUN 1 3 2025  WV Department of Environmental Protection
worl	ification must be given to the can commence.	Stephen Mccoy	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:03:49-04'00'	24 hours Date _	before permitted

### Wyatt, Silas E2-B

API No. 47-095-01663
Elevation 800'
Latitude 39.44368
Longitude -80.7013890
FW 30'

rD 2841

TD 2841
Perfs Gordon 2680 2686

	Casing		Cer	ment
	Size	Depth	Sxs	Est. Top
	11"	125'	70	Circ.
Surface	8-5/8"	395'	175	Circ.
Production	4-1/2"	2788'	275	1391'

JUN 1 3 2025

RECEIVED
Office of Oil and Gas

WV Department of Environmental Protection

Procedure

Liner

Set CIBP inside 4-1/2"casing at 2630'

Conduct bond log to determine freepoint.

Free point 4-1/2" production casing, back off, rip/cut, or perforate casing as

directed by state inspector. Recover free pipe

RIH w/ work string, pump Gel 6% spacer between cement plugs.

Plugs	Material	De	pth	Est. Top	Thickness		
		Bottom	Top		feet		
Formation	Cement	2630	2530		100		
	Gel	2530	1441		1089		
Prod. Casing	Cement	1441	1341	1391'	7.00 7.03 441	WR-35 has	C09) D
	Gel	1341	900		441	1028-1036	Cover
Elevation	Cement	1078900	800	852'	278	1028-1036 With Plyg-	1078-800
Pitts' Coal	Cement	800	625	673'	175		
	Gel	625	445		180		
8 5/8 shoe	Cement	445	345	395	100		
	Gel	345	100		245		
Top Plug	Cement	100	0		100		

Gel: Fresh water with 6% + Bentonite clay by weight

Cement: Class A

Tag all cement tops to confirm depth

Clean up location. Erect monument with API No per WV code

		NOTE: ON BACK OF THIS FORM, FUT THE FOLLOWING: 1) DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2) THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.	Seconx Gas:	Produc Gas: Static:	OPEN FLOW DATA	Is coal being mined in area (Y/N) Coal Depths (ft):	Fresh water depths (ft) Salt water depths (ft)	permission granted on: Rotary X Cable Total Depth (feet)	Well work Commenced: Well work Completed: Verbal plugging	Agent: Inspector: Permit Issued:	Company:		LOCATION:	Fam name:			WR-35
		COPTHIS PORM NG, PHYSICAL C ECORD OF ALL!	Second producing formation Gas: Initial open flow Final open flow Time of open flow Static rock pressure	Producing formation  Gas: Initial open flow  Final open flow  Time of open 1  Static rock pressure	DATA	ined in area (Y/	os (ft)	Cable	menced: apleted:	PHILIP S. ONDRUSEK Mike Underwood 9/10/	PENNZOIL PROPOSITION P.O. BOX 5519 VIENNA, WV	District: Latitude: Longitude:	Elevation:	Pennzoil Prod			
	For	, PUT THE POLL HANGE, ETC. 2; FORMATIONS, I	initial open flow  Final open flow  Time of open flow between initial and final tests ck pressure  psig (surface	g formation Initial open flow Pinal open flow Time of open flow between ck pressure	*Well was dri	1028-103	X X	Rig 2841'	8/8/96 9/27/96	NDRUSEK Nood 9/10/96	PENNZOIL PRODUCTS COMPANY P.O. BOX 5519 VIENNA, WY 26105-5519	McElroy 5,400 Feet south a 9,850' Feet west of	800.00	Pennzoil Products Company	Well 0	Divisio	
By:	ш.	OWING: 1) DET ) THE WELL LOX NCLUDING COA	MCF/d MCF/d n initial and fire poig (a	* * Gordo	*Well was drilled as a waterflood injection well. No open-flow data was obtained	o z		I			OMPANY	-	Ş	٥	Well Operator's Report of Well Work	State of West Virginia Division of Environmental Protection Section of Oil and Gas	
A A	ingolis	AILS OF PERU	Pay z  MCF/d Oil: Initial oper  MCF/d Plual open  and final tests  psig (surface pressure)		lood injectio			4 %	8-5/8"	Size	Casing &	County: Tyler 39 Deg 27 1 80 Deg 40 1	Quadrangle:	Operator Well No.:	ort of Well 1	Virginia nental Prote	
	COMPANY	PORATED IN SYSTEMATI ERED BY THI	one de flow	one de n flow	n well. No op			2788'	395	125	Used in Drilling	Min 30	Center Point		Work	ction	
	Ø.	TERVALS, FRA CC DETAILED S WELLBORE.	epth (ft) Hours	epth (ft)  Hours	pen-flow data			2788'	395'	125'	Left in Well	Sec.	=	S. Wyan #B-2-B			# YG A
		CTURING	Bb/d Bb/d s Hours	2694-2700 * B5//d * B5//d 8 Hours	was obtained			275 Sacks	175 Sacks	70 Sacka	Cement Fill Up Cu. Ft.			•		\$	9-Sep-96
			2 2 2	2 2 2		1			굺	-	. ~1						20.00

WV Department of Environmental Protection

70N 13 5052

Office of Oil and Case

WW-4A Revised 6-07

1)	Date:	April 29, 2025	
2)	Operator's	Well Number	
Wya	t, Silas E2-B		

3) API Well No.: 47 -

095 - 01663

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served: 5)	(a) Coal Operato	r	
(a) Name	Tribune Resources	Name	N/A	
Address	3851 Ambassador Caffery Blvd., Suite 600	Address		
	Lafayette, LA 70503			
(b) Name		(b) Coal O	wner(s) with Declaration	n
Address	A	Name	N/A	
		Address		
	April 1997			RECEIVED
(c) Name		Name		Office of Oil and Gas
Address		Address		JUN 1 3 2025
6) Inspector	Stephen McCoy	(c) Coal Le	essee with Declaration	admant of
Address	13016 Indian Creek	Name	N/A	WV Department of Environmental Protection
	Jacksonburg, WV 26377	Address		Environmenta
Telephone	681 344-3265			
However,	n you received these documents is that you have rig you are not required to take any action at all.	ghts regarding the appl	ication which are summarized in	the instructions on the reverses side.
Take notic accompany Protection, the Applic	n you received these documents is that you have rigou are not required to take any action at all.  The that under Chapter 22-6 of the West Virginia Cooping documents for a permit to plug and abandon a with respect to the well at the location described cation, and the plat have been mailed by registered cumstances) on or before the day of mailing or delivered.	de, the undersigned wel well with the Chief of to the attached Applica or certified mail or d	I operator proposes to file or has the Office of Oil and Gas, West V tion and depicted on the attached	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	you are not required to take any action at all.  see that under Chapter 22-6 of the West Virginia Cooying documents for a permit to plug and abandon a with respect to the well at the location described cation, and the plat have been mailed by registered coumstances) on or before the day of mailing or delivered.	de, the undersigned well with the Chief of to well with the Chief of to on the attached Applica of or certified mail or d very to the Chief.	l operator proposes to file or has a the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	you are not required to take any action at all.  see that under Chapter 22-6 of the West Virginia Cocying documents for a permit to plug and abandon a with respect to the well at the location described of action, and the plat have been mailed by registered cumstances) on or before the day of mailing or delivered to the well of the day of mailing or delivered to the well of the west virginia Cocy with the well of the west virginia Cocy with the well of the west virginia Cocy with the west virginia Cocy wit	de, the undersigned well with the Chief of to well with the Chief of to on the attached Applica of or certified mail or d very to the Chief.	l operator proposes to file or has a the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	you are not required to take any action at all.  see that under Chapter 22-6 of the West Virginia Cooying documents for a permit to plug and abandon a with respect to the well at the location described cation, and the plat have been mailed by registered coumstances) on or before the day of mailing or delivered.	de, the undersigned wel well with the Chief of to on the attached Applica d or certified mail or d very to the Chief.	l operator proposes to file or has a the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	you are not required to take any action at all.  the that under Chapter 22-6 of the West Virginia Cooying documents for a permit to plug and abandon a with respect to the well at the location described of the plat have been mailed by registered counstances) on or before the day of mailing or delivered to the well at the location of the plat have been mailed by registered counstances.	de, the undersigned wel well with the Chief of ton the attached Application or certified mail or derry to the Chief.  Tribune Resources, Lee Lawson Regulatory/HSE Dire	l operator proposes to file or has a the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	wou are not required to take any action at all.  the that under Chapter 22-6 of the West Virginia Codying documents for a permit to plug and abandon a with respect to the well at the location described cation, and the plat have been mailed by registered counstances) on or before the day of mailing or deliverable.  Well Operator By:  Its:	de, the undersigned wel well with the Chief of ton the attached Application or certified mail or derry to the Chief.  Tribune Resources, Lee Lawson Regulatory/HSE Dire	l operator proposes to file or has the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	wou are not required to take any action at all.  the that under Chapter 22-6 of the West Virginia Codying documents for a permit to plug and abandon a with respect to the well at the location described cation, and the plat have been mailed by registered counstances) on or before the day of mailing or deliverable.  Well Operator By:  Its:	de, the undersigned well with the Chief of to the attached Applica of or certified mail or derry to the Chief.  Tribune Resources, Lee Lawson Regulatory/HSE Direct	l operator proposes to file or has the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,
Take notic accompany Protection, the Applic	wou are not required to take any action at all.  the that under Chapter 22-6 of the West Virginia Cooying documents for a permit to plug and abandon a with respect to the well at the location described contains and the plat have been mailed by registered counstances) on or before the day of mailing or delivered by:  Well Operator By:  Its:  Address  Telephone	de, the undersigned well with the Chief of the well with the Chief of the the attached Application of the critical mail or divery to the Chief.  Tribune Resources, Lee Lawson Regulatory/HSE Direction of the Chief.	l operator proposes to file or has the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s)	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice,

The Office of Oil and Gas processes your personal information, such as name and phonomy much, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

#### SURFACE OWNER WAIVER

Operator's Well Number

47-095-01663

### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

## NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective:
- 3) Damage would occur to publicly owned lands or resources;

Signature

- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the pla	anned work described in these materials, and I have no
objection to a permit being issued on those materials.	
FOR EXECUTION BY A NATURAL PERSON	FOR EXECUTION BY A CORPORATION,
ETC.	
	Tribuno

Date	6/25/2025	Name	Tribune	
		By	Lee L. Lawson	
		Its	REGISE DIRECTOR	Date 6/25/2025
				, ,

Signature

API Number	47 -	095	_ 01663	
Operator's W	ell N	0.		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

	404544000
Operator Name Tribune Resources, LLC	
Watershed (HUC 10)Indian Creek	
Do you anticipate using more than 5,000 bbls of water to complete th	e proposed well work? Yes No V
Will a pit be used? Yes No ✓	
If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes No	
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a con	
And the second s	ber)
Reuse (at API NumberOff Site Disposal (Supply form WW-9 for	
Other (Explain	
Will closed loop systembe used? If so, describe: N/A	RECEIVED Office of Oil and Gas
Drilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A	JUN 13 2025
Additives to be used in drilling medium? N/A	WV Department of
Drill cuttings disposal method? Leave in pit, landfill, removed offsite	e, etc. N/A Environmental Protection
-If left in pit and plan to solidify what medium will be used?	(cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Gas of West Virginia solid waste facility. The notice shall be provided within where it was properly disposed.	
on April 1, 2016, by the Office of Oil and Gas of the West Virginia provisions of the permit are enforceable by law. Violations of any teror regulation can lead to enforcement action.	ined and am familiar with the information submitted on this quiry of those individuals immediately responsible for obtaining complete. I am aware that there are significant penalties for
aucel. Solvaie	Notar Publica ALYCE R. SAVOIE
My commission aming 117 (1)	Notary Public State of Louisians
My commission expires With Refle	Parish of Lafayette Notary ID # 040838 My Commission Expires At Iterati

ed Revegetation Treatment: Acres Disturbed0.	.5 Preveg etation p	Н
Lime 2 Tons/acre or to correct	to pH 6.5	
Fertilizer type 10-10-20		
Fertilizer amount 500	lbs/acre	
Mulch Straw 2	Tons/acre	
	Seed Mixtures	
Temporary	Perma	anent
Seed Type lbs/acre	Seed Type	lbs/acre
	Tall Fescue	40
	Ladino Clover	2
: s) of road, location, pit and proposed area for land and applied, provided. If water from the pit will be land applied, provided area in acres, of the land application area. copied section of involved 7.5' topographic sheet.	vide water volume, include dimensions (L	, W, D) of the pit, and dimen
s) of road, location, pit and proposed area for land sed). If water from the pit will be land applied, prove, and area in acres, of the land application area.  copied section of involved 7.5' topographic sheet.  Stephen Mccoy	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:04:33 -04'00'	, W, D) of the pit, and dimen
s) of road, location, pit and proposed area for land ed). If water from the pit will be land applied, prove, and area in acres, of the land application area. copied section of involved 7.5' topographic sheet.	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:04:33 -04'00'	, W, D) of the pit, and dimen
s) of road, location, pit and proposed area for land sed). If water from the pit will be land applied, prove, and area in acres, of the land application area.  copied section of involved 7.5' topographic sheet.  Stephen Mccoy	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:04:33 -04'00'	, W, D) of the pit, and dimen
s) of road, location, pit and proposed area for land sed). If water from the pit will be land applied, prove, and area in acres, of the land application area.  copied section of involved 7.5' topographic sheet.  Stephen Mccoy	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:04:33 -04'00'	DEP standards.
s) of road, location, pit and proposed area for land sed). If water from the pit will be land applied, prove, and area in acres, of the land application area.  copied section of involved 7.5' topographic sheet.  Stephen Mccoy	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:04:33 -04'00'	DEP standards.  RECEIVED Office of Oil an
s) of road, location, pit and proposed area for land sed). If water from the pit will be land applied, prove, and area in acres, of the land application area.  copied section of involved 7.5' topographic sheet.  Stephen Mccoy	Digitally signed by Stephen Mccoy Date: 2025.05.30 13:04:33 -04'00'	DEP standards.  RECEIVEL Office of Oil an

$\mathbf{W}\mathbf{W}$	-9-	GPP
Rev.	5/1	6

Page	of	
API Number 47 - 095	_ 01663	
Operator's Well No.		


# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

GROUNDWATER PROTECTION PLAN

ershed (HUC 10): Indian Creek	
Name:	
List the procedures used for the treatment and discharge of fluids	s. Include a list of all operations that could contaminate the
groundwater.	
Describe procedures and equipment used to protect groundwater	quality from the list of natential contaminant sources above
Describe procedures and equipment used to protect groundwater	quarty from the list of potential containmant sources above.
	*
List the closest water body, distance to closest water body, an discharge area.	d distance from closest Well Head Protection Area to the
	RECEIVED
	Office of Oil and Gas
	JUN 1 3 2025
	ŧ
	WV Department of
	WV Department Environmental Protect
Summarize all activities at your facility that are already regulated	d for groundwater protection.

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16	Page of
6. Provide a statement that no waste materi	al will be used for deicing or fill material on the property.
7. Describe the groundwater protection in provide direction on how to prevent groundwater protection.	struction and training to be provided to the employees. Job procedures shall andwater contamination.
	RECEIVED Office of Oil and Gas
	JUN 1 3 2025
	WV Department of Environmental Protection
8. Provide provisions and frequency for in	spections of all GPP elements and equipment.
Signature:	
Date:	



WW-7 8-30-06 JUN 13 2025



WV Department of Environmental Protection

## West Virginia Department of Environmental Protection Office of Oil and Gas

## WELL LOCATION FORM: GPS

WELLLO	CATION FURM. 013	
API: 47-095-01663	WELL NO.:	E2-B
FARM NAME: Wyatt, Sila	S	
RESPONSIBLE PARTY NAME:		
COUNTY: Tyler	DISTRICT: MO	Elroy
QUADRANGLE: Centerpo	oint 7.5'	
SURFACE OWNER:		
ROYALTY OWNER: String	town Unit 1	
UTM GPS NORTHING: 4366		
UTM GPS EASTING: 55150		ION: 800'
preparing a new well location plat for above well. The Office of Oil and Gothe following requirements:  1. Datum: NAD 1983, Zone height above mean sea le  2. Accuracy to Datum – 3.0  3. Data Collection Method: Survey grade GPS : Post Pr	as will not accept GPS coordinates: 17 North, Coordinate Units: me vel (MSL) – meters. 5 meters	es that do not meet
· • —	ime Differential	
Mapping Grade GPS X: Post		
	1-Time Differential	
4. Letter size copy of the the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regulation	knowledge and
David Oliver Digitally signed by David Oliver Date: 2025.04.29 08:08:24	Facilities/Pipeline Engineer	4/29/2025
Signature	Title	Date

W/W-41	R
--------	---

APl No.	47-095-01663	
Farm Name		
Well No.	Wyatt, Silas E2-B	

# INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WATVED

	Will VEIC	
The undersigned coal operator/ of has examined this proposed plugging work order done at this location, provided, the well opera Virginia Code and the governing regulations.	er. The undersigned ha	/ of the coal under this well location as no objection to the work proposed to be a all applicable requirements of the West RECEIVED Office of Oil and Gase
Date:	<del></del>	JUN 1 3 2025
	Ву:	NV Department C
	Its	Environmental Protection

### SURFACE OWNER WAIVER

Operator's Well Number

Wyatt, Silas E2-B

### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

RECEIVED
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION and Gas

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUN 1 3 2025

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

### VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

			k described in these materials, and I have no
objection to a permit being issued of FOR EXECUTION BY A NATURAL			FOR EXECUTION BY A CORPORATION,
ETC.			
	Date	Name _	
Signature		By _	Date
		Its _	Date

Signature

Date 06/27/2025

Plugging Permit	RECEIVED Office of Oil and Gas
WW-4B	JUN 13 2025
WW-4B signed by inspector	WV Department of Environmental Protection
WW-4A	
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT B	Y REGISTERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THE	AT APPLICATION WAS SENT
WW-9 PAGE 1 (NOTARIZED)	
WW-9 PAGE 2 with attached drawing of road, location, pit and propo	sed area for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
MUST HAVE VALID BOND IN OPERATOR'S NAME	
CHECK FOR \$100 IF PIT IS USED	



Kennedy, James P < james.p.kennedy@wv.gov>

## plugging permits issued for 4709501411 01420 01663 01766

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Jun 25, 2025 at 12:16 PM

To: Lee Lawson <lee.lawson@tribuneresources.com>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, ljackson@wvassessor.com

To whom it may concern, plugging permits have been issued for 4709501411 01420 01663 01766.

--

### James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57<sup>th</sup> Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

### james.p.kennedy@wv.gov

#### 4 attachments





**4709501766.pdf** 1533K

**4709501420.pdf**1740K