

## west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, June 25, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

TRIBUNE RESOURCES, LLC 3861 AMBASSADOR CAFFERY PARKWAY, SUITE 600

LAFAYETTE, LA 70503

Re:

Permit approval for PETER HORNER 13 47-095-01766-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: PETER HORNER

Farm Name: GLOVER, STEPHEN PAUL

U.S. WELL NUMBER: 47-095-01766-00-00

Vertical Plugging

Date Issued: 6/25/2025

## **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date April 24	,	20 25
2) Operator's		
Well No. Horner, Peter 13		
3) API Well No. 47-095		- 01766

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## AND ADMINISTRATION OF THE PARTY AND ADMINISTRATION OF THE PART

	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)		d injectionX/ Waste disposal/ derground storage) Deep/ Shallow
E.\	Location: Elevation 812'	Watershed Indian Creek
5)	District McElroy	County Tyler Quadrangle Centerpoint 7.5'
6)	Well Operator Tribune Resources, LLC	7) Designated Agent Harman Brown Address 18396 Mountaineer Highway
	Address 3851 Ambassador Caffery Blvd Lafayette, LA 70503	Littleton, WV 26581
	Lalayette, LA 70003	Enderon, VVV 20001
8)	Oil and Gas Inspector to be notified	9)Plugging Contractor
	Name Stephen McCoy	Name_TBD
	Address 13016 Indian Creek	Address
	Jacksonburg, WV 26377	
		The second secon
10)	Work Order: The work order for the man	ner of plugging this well is as follows:
	Attached	
	, itaania	
		RECEIVED
		Office of Oil and Gas
		JUN 13 2025
		WV Department of
		WV Department Environmental Protection
	fication must be given to the district of can commence.	il and gas inspector 24 hours before permitted
	Stephen	Digitally signed by
Work	order approved by inspector MCCOY	Stephen Mccoy  Date: 2025.06.06 07:59:57 04'00'  Date
	•	

## Horner, Peter 13

API No.

47-095-01766

**Elevation** 

812'

Latitude

39445218

Longitude

-80.6911980

TD

2885"

Perfs

Gordon

2785'

2800'

Casing			Cement		
	Size	Depth	Sxs	Est. Top	
Surface	8-5/8"	306'	125	Circ	
Production	4-1/2"	2857'	300	1303'	
Liner					

### **Procedure**

Set CIBP inside 4-1/2"casing at 2740'

Bond log casing to determine free point

Free point 4-1/2" production casing, back off, rip/cut, or perforate casing as

directed by state inspector. Recover free pipe

RIH w/ work string, pump Gel 6% spacer between cement plugs.

Plugs	Material	Dep	oth	Est. Top	Thickness		
		Bottom	Тор		feet		
Formation	Cement	2740	2640		100		
	Gel	2640	1355		1285		<u> </u>
4-1/2" Casing	Cement	1355	1250	1303	105		
	Gel	1250	865		385	RECEIVED Office of Oil and Gas	
Elevation	Cement	865	760	812	105	•	A Marie Company of the Company of th
Pitts' Coal	Cement	760	600	650	160	JUN 1 3 2025	
	Gel	600	<i>356</i>		244		
8 5/8 Shoe	Cement	356	256	306	100	WV Department of Environmental Protection	. And the second of the second
	Gel	256	100		156	Environmento	
Top Plug	Cement	100	0		100		
							· ·

Gel: Fresh water with 6% + Bentonite clay by weight

Cement: Class A

Tag all cement tops to confirm depth

Clean up location. Erect monument with API No per WV code

Stephen Mccoy Digitally signed by Stephen Mccoy Date: 2025.06.06 06836:52 6256

# State of West Virginia Division of Environmental Protection Section of Oil and Gas

## Well Operator's Report of Well Work

		******					
Farm name:	GLOVER, S	TEPHEN, PAUL	Орег	ator Well I	Vo.: P. HOR	NER 13	
LOCATION:	Elevation:	812.00	Quac	lrangle:	CENTERPO	INT 7.5'	
LOCATION.	District: Latitude: Longitude:	MCELROY 4,825 Feet sou 6,945 Feet we		Deg 27	Min 30 5 Min 00 5	Sec.	
Company:	PO BOX 5	OURCES, INC. 1519 WV 26105-5519		Casing & Tubing	Used in Drilling	Left in Well	Cement Fill Up Cu. Ft.
Agent:		ONDRUSEK		Size	,		
Inspector: Permit Issued	:	DERWOOD 03/22/04					
Well work Co Well work Co Verbal plugg	ompleted:	04/03/04 04/29/04		8 5/8"	306.00'	306.00'	125 sks
permission g	ranted on: Cable (feet)	Rig 2885 NA		4 1/2"	2875.00'	2875.00'	300 sks
Salt water de	pths (ft)	NA NA					
Is coal being Coal Depths	mined in area ((ft):	(Y/N) NA N					
OPEN FLO	This	Water Injection V well directionally dri	lled with bot	tom hole l	ocation 278'	S and 379' W o	of surface location 2785-2800
Pro	ducing formation	on no	Ciordon		LEA SOME O	char (rr)	* Bbl/d
Gas	g: Initial oper	n flow	MCF/	d Fir	tial open flow nal open flow	·	* Bbl/d
Sta	Time of c	open flow between i	nitial and f	inal tests (surface pr	ressure)	* Hours	s Hours
	<del>-</del>				Pay zone d	lenth (ft)	
	ond producing	tormation	MCF	d Oil: Ini	tial open flor		Bbl/d
Ga	Pl-al anna	- flore	MCF	/d Fi	nal open flow	/	Bbl/d
	Final oper	open flow between i	initial and f	inal tests	-	Hour	
Sta	tic rock pressur	re	psig	(surface b		after	Hours
		ORM, PUT THE FOLLOW AL CHANGE, ETC. 2) TI ALL FORMATIONS, INC					
		For:	EAST RES	OURCES,	INC,	201	
			By:		- 21~ N	Klon-	
			Date:		<u> </u>	19/04	
					REC	EIVED	

RECEIVED
Office of Oil and Gas

JUN 13 2025

WV Department of Environmental Protection

WW-4A Revised 6-07

1)	Date:	April 24, 2025	
2)	Operator'	s Well Number	
Horn	er, Peter 13		

3) API Well No.: 47 -

95 - 01766

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Own	ner(s) to be served:	5) (	a) Coal Operato	r	
(a) Name	Stephen Paul Glover		Name	N/A	
Address	H.C. 62, Box 54		- Address		
nuuress	Jacksonburg, WV 26377				
(b) Name			(b) Coal Ov	wner(s) with Declaration	n
Address			Name	N/A	
Address			Address		
			nuuress		
(c) Name			Name		
Address			Address	The state of the s	
Address					
6) Inspector	Stephen McCoy		(c) Coal Le	essee with Declaration	
Address	13016 Indian Creek		Name	N/A	
Address	Jacksonburg, WV 26377	7	- Address		
Malanhana	681 344-3265				
Telephone	001 344-3203				
(1) The well (2) The reason However, y Take notice accompany Protection, the Applic	application to Plug and its and the plugging wor plat (surveyor's map) sho you received these docume you are not required to take a te that under Chapter 22-6 or ying documents for a permit with respect to the well at	Abandon a Well on F k order; and owing the well location ents is that you have rig my action at all.  If the West Virginia Code to plug and abandon a v the location described or mailed by registered	Form WW-4B, which on on Form WW-6. this regarding the appliance, the undersigned well well with the Chief of the or certified mail or de- try to the Chief.	l operator proposes to file or has the Office of Oil and Gas, West V tion and depicted on the attached elivered by hand to the person(s	the instructions on the reverses side.  filed this Notice and Application and dirginia Department of Environmental Form WW-6. Copies of this Notice, and above (or by publication in Office of Oil and Gase
		Its:	Regulatory/HSE Dire	ector	JUNIO
		Address		affery Blvd., Suite 600	o memeni 01
		Address	Lafayette, LA 70503		WV Department of Environmental Protection
		Telephone	337 769-4064	<u> </u>	Environmental
		reiepnone	331 105-4004	and the second second second second second	
Subscribed and	sworn before me th	is 15th de	ay of Mau	Y 2015 Notary Public	

785	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only
47	For delivery information, visit our website at www.usps.com*.
3294	Certifier Mail Fee 4.85 S Extra Services & Pors (check bus, addition as cupropriate)
1000	Treation Republic (Production)   8
0350	Titul Postage and Pees   100
7027	Since Eldon Nichols Since and Alban Creek 12000
	City, State, 2044 Jackson buz W 20377

877명	U.S. Postal Service™ CERTIFIED MAIL® REC Domestic Mall Only For delivery information, visit our website	
0001 3294	Certified Winil Fas  Extra Certifical & Fees (check box, and feeta reprepriate)  [] Harris Procipi (electroate)  [] Herris Harris (electroate)  [] Herris Harris (electroate)  [] Harris Stratoro Required	PosundK Hers
0380	Postage 9.35 Fotal Postage and Fees.	
7021	SERT TO SUM VVIITOS SHARE ERO ADE ANO POSATEKALO CITO SERIE, 21144 VICKSA DUA	RUA KU IW 20377 See Revision to Instructions

8762	U.S. Postal Service" CERTIFIED MAIL® REC Domestic Mail Only To delivery information 2018 For probable	
4628 1000	Conflict Mail Fest  Estro Services & Feet which box, or a reast superpoint of Litheten Receipt fundcopy,  Litheten Receipt (channels)  [Conflict Kight Restricted by Litheten Receipt (channels)	Postmari:
0320	Definit Structure Production Policy y	i
706	Similar Spiles Hay	Tover- KICA CU377

RECEIVED
Office of Oil and Gas

JUN 1 3 2025

WV Department of Environmental Protection

API Number	47 -	095	-	01766
Operator's W	ell No	o.		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Tribune Resources, LLC OP Code 494514693	
Operator Name Tribune Resources, LLC OP Code 494514693  Watershed (HUC 10) Indian Creek Quadrangle Centerpoint 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes	No 🗸
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste:	
If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP)  Underground Injection (UIC Permit Number  Reuse (at API Number	)
Off Site Disposal (Supply form WW-9 for disposal location)  Other (Explain	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A	
-If oil based, what type? Synthetic, petroleum, etc. N/A	RECEIVED Office of Oil and Gas
Additives to be used in drilling medium? N/A	3000
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A	JUN 1 3 2025
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	www.Department.01
-Landfill or offsite name/permit number? N/A	- : Protection
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associate West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permit where it was properly disposed.	tee shall also disclose
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POL on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protect provisions of the permit are enforceable by law. Violations of any term or condition of the general permit or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the info application form and all attachments thereto and that, based on my inquiry of those individuals immediately the information, I believe that the information is true, accurate, and complete. I am aware that there a submitting false information, including the possibility of fine or imprisonment.  Company Official Signature  Company Official Title Regulatory/HSE Director  Subscribed and sworn before me this 1544 day of 4004 , 2025	etion. I understand that the and/or other applicable law ermation submitted on this y responsible for o btaining re significant penalties for
My commission expires With life	ALYCE R. SAVOIE Notary Public State of Louisiana Parish of Lafayette Notary ID # 040836 No Commission Expires At Detail

Field Reviewed?

ronn ww-9			Operator	's Well No
Proposed Revegeta	tion Treatmen	t: Acres Disturbed 0.5	Preveg etation	on pH
		Tons/acre or to correct to pH		
Fertilizer t	ype 10-10-	20		
Fertilizer a	amount500	lbs.	/асте	
Mulch	Straw	2 Tons/ac	re	
		Seed	Mixtures	
	Tempo	rary	Pe	rmanent
Seed Type	2	lbs/acre	Seed Type <b>Tall Fescue</b>	lbs/acre 40
			Ladino Clover	2
(L, W), and area in Photocopied section	acres, of the in of involved	land application area.  7.5' topographic sheet.  TEN MCCOY Digitally Date: 20		s (L, W, D) of the pit, and dimension
Plan Approved by:	<u></u>	above ground piping	<del></del>	
		nulch all disturbed a		
				Office of Oil and Gas
				JUN 1 3 2025
				W Department of Environmental Protection
			D. (	
Title:			Date:	

\_\_\_\_\_)No

) Yes

WW-9- GPP Rev. 5/16


	Page	 of	
API Number 47 -	095	 01766	
Operator's Well No	).		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

٧a	atershed (HUC 10): Indian Creek	Quad: Centerpoint 7.5'
	rm Name:	
	List the procedures used for the treatment and discha groundwater.	arge of fluids. Include a list of all operations that could contaminate the
2.	Describe procedures and equipment used to protect gr	roundwater quality from the list of potential contaminant sources above
ſ		
3.	List the closest water body, distance to closest water discharge area.	er body, and distance from closest Well Head Protection Area to th
		RECEIVED Office of Oil and Gas
		JUN 1 3 2025
		xectodi: VI
		WV Department on Environmental Protection
4.	Summarize all activities at your facility that are alread	dy regulated for groundwater protection.
Γ		

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

V-9- GPP v. 5/16	Page of
-	
Provide a statement that no waste material will be us	sed for deicing or fill material on the property.
Describe the groundwater protection instruction an provide direction on how to prevent groundwater co	nd training to be provided to the employees. Job procedures shall ontamination.
	RECEIVED Office of Oil and Gais
	JUN 1 3 2025
	WV Department of Environmental Protection
Provide provisions and frequency for inspections o	fall GPP elements and equipment.





## West Virginia Department of Environmental Protection Office of Oil and Gas

## WELL LOCATION FORM: GPS

ALEUD DO	CATION FORMS OF	•
API: 47-095-01766	WELL NO.:	13
FARM NAME: Horner, Pe	eter	
RESPONSIBLE PARTY NAME:	Harman Brown	
COUNTY: Tyler	district: N	IcElroy
QUADRANGLE: Centerpo	int 7.5'	
surface owner: Stephe	n Paul Glover	
ROYALTY OWNER: String	town Unit 1	
UTM GPS NORTHING: 43662	30.29	
UTM GPS EASTING: 52657	1.35 GPS ELEVA	TION: 812'
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements:  1. Datum: NAD 1983, Zone height above mean sea level 2. Accuracy to Datum – 3.03 3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assigned as will not accept GPS coordinate: 17 North, Coordinate Units: rel (MSL) – meters.	API number on the ates that do not meet
	me Differential	AN INTERPOLATION OF
Mapping Grade GPS X: Post		Environmental Protection
	-Time Differential	
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regular	y knowledge and
David Oliver Digitally signed by David Oliver Date: 2025.04.24 07:43:03	Facilities/Pipeline Engineer	4/24/2025
Signature	Title	Date

## SURFACE OWNER WAIVER

Operator's Well Number

Horner, Peter 13

## INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION: RECEIVED
Office of Oil and Gas.

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

JUN 1 3 2025

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

## **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no	objection to the	e planned work	described in these	materials, and I have no
objection to a permit being issued on the	ose materials.			
FOR EXECUTION BY A NATURAL P	ERSON		FOR EXECUTION	ON BY A CORPORATION,
ETC.				
	Date	Name _		
Signature		Ву		
<u> </u>		Its _		Date

Signature

06/27/2025

API No.	47-095-01766		
Farm Name			
Well No.	Horner, Peter 13		

## INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAI	VER	
The undersigned coal operator has examined this proposed plugging work done at this location, provided, the well of Virginia Code and the governing regulations	order. The uperator has	undersigned has	all applicable requirements of the West  RECEIVED  Office of Oil and Gas
Date:			JUN 1 3 2025
	By:		WV Department 01 Environmental Protection
	lts		Environmental Protection

Plugging Permit	
WW-4B  WW-4B signed by inspector  WW-4A	
SURFACE OWNER WAIVER OF PROOF THAT APPLICATION WAS SENT BY MAIL	REGISTERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THA BY REGISTERED OR CERTIFIED MAIL	AT APPLICATION WAS SENT
WW-9 PAGE 1 (NOTARIZED)  WW-9 PAGE 2 with attached drawing of road, location, pit and propose	ed area for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied  RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT  TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
MUST HAVE VALID BOND IN OPERATOR'S NAME  CHECK FOR \$100 IF PIT IS USED	RECEIVED Office of Oil and Gas
	JUN 1 3 2025  WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

## plugging permits issued for 4709501411 01420 01663 01766

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Jun 25, 2025 at 12:16 PM

To: Lee Lawson <lee.lawson@tribuneresources.com>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, ljackson@wvassessor.com

To whom it may concern, plugging permits have been issued for 4709501411 01420 01663 01766.

--

## James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57<sup>th</sup> Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

### james.p.kennedy@wv.gov

#### 4 attachments





**4709501766.pdf** 1533K

**4709501420.pdf**1740K