

DATE STARTED/LOCATION:		API #:	4709502262	WELL NO.:	Pen 31F
DRILLING COMMENCED:	CANCELED	OPERATOR:	Noble Energy		
TD DATE:		DEPTH:		FARM:	
		COAL DEPTHS			

WATER DEPTHS

QUESTIONS FOR THIS REPORT ARE IN ACCORDANCE OF WV CODE 22-6-30 AND REGULATIONS 35CSR 4-12.1 AND 35CSR 4-16 AND THE GENERAL WATER POLLUTION CONTROL PERMIT

POINTS ARE TO BE GIVEN UP TO MAXIMUM AS SHOWN BASED ON PERFORMANCE.

1. DID OPERATOR GIVE PROPER NOTICE TO INSPECTOR BEFORE THE FOLLOWING:
 A. CONSTRUCTION YES ___ NO ___ (2 PTS) B. DRILLING YES ___ NO ___ (2 PTS) (4 PTS) _____

2. WAS THE TIMBER CUT, STACKED, AND BRUSH USED FOR SEDIMENT BARRIERS BEFORE DIRT WORK STARTED? YES ___ NO ___ (4 PTS) (4 PTS) _____

3. ARE ALL LOCATION AND/OR ROAD BANKS BEING SLOPED? YES ___ NO ___ (4 PTS) (4 PTS) _____

4. CONSTRUCTION:

WERE THE FOLLOWING SEDIMENT CONTROL STRUCTURES PROPERLY INSTALLED/MAINTAINED?

A. ROAD DITCHES 1__2__3__4__ (PTS) B. CROSS DRAINS 1__2__3__4__5__ (PTS)
 C. CULVERTS 1__2__3__4__5__ (PTS) D. CREEK CROSSINGS 1__2__3__ (PTS)
 E. DIVERSION DITCHES 1__2__3__ (PTS) F. BARRIERS 1__2__3__ (PTS)
 G. TEMPORARY SEEDING YES ___ NO ___ (10 PTS) POINTS AVAILABLE FOR QUESTION 4: (33 PTS) _____

5. HAS TOP SOIL (IF ANY) BEEN STOCKED PILED? YES ___ NO ___ (2 PTS) (2 PTS) _____

6. IS THE PIT PROPERLY INSTALLED AND MAINTAINED? YES ___ NO ___ (9 PTS) (9 PTS) _____

7. RECLAMATION:

A. ROADWAY 1__2__3__ (PTS) B. LOCATION 1__2__3__ (PTS)
 C. PITS 1__2__3__ (PTS) D. PIPELINES 1__2__3__ (PTS)
 E. TANK DIKES 1__2__3__ (PTS) F. API INSTALLED YES ___ NO ___ (3 PTS)
 G. ADEQUATE SEEDING MATERIALS 1__2__3__ (PTS)
 H. WAS SEED BED ADEQUATE 1__2__3__ (PTS) POINTS AVAILABLE FOR QUESTION 7: (24 PTS) _____

8. WAS RECLAMATION COMPLETED WITHIN:

A. CONVENTIONAL:

6 MTHS OF TD ___ 6 PTS ONLY; 4 MTHS OF TD ___ 12 PTS ONLY; 2 MTHS OF TD ___ 19 PTS ONLY.

B. HORIZONTAL:

3 YRS OF PAD COMPLETION ___ 19 PTS ONLY; 4 YRS OF PAD COMPLETION ___ 16 PTS ONLY;
5 YRS OF PAD COMPLETION ___ 13 PTS ONLY

MAXIMUM POINTS AVAILABLE FOR QUESTION 8: (19 PTS) _____

TOTAL MAXIMUM POSSIBLE SCORE OF 99.

TOTAL RECLAMATION SCORE: _____

Canceled 2/8/2022

DATE RELEASED

Douglas Newlon

INSPECTOR

02/11/2022