

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C, Huffman, Cabinet Secretary www.dep.wv.gov

May 29, 2015

WELL WORK PERMIT Vertical Well

This permit, API Well Number: 47-9502267, issued to ALLIANCE PETROLEUM CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: HARRIS 44 800 TH

Farm Name: CHRISTOPHER INVESTMENTS II

API Well Number: 47-9502267

Permit Type: Vertical Well Date Issued: 05/29/2015

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within
 1000 feet of the proposed well that are actually utilized for human consumption, domestic
 animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

05/29/2015

WW - 2B (Rev. 8/10) HEUEIVED
Office of Oil and Gas

MAY 1 4 2015

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WELL WORK PERMIT APPLICATION Environmental Protection 1) Well Operator: Alliance Petroleum Corporation 305762 Ellsworth Porters Falls Tyler Operator ID County District Quadrangle 2) Operator's Well Number: Harris 4V South 3) Elevation: 1315 Production X / Underground Storage ______

Deep ____ / Shallow _____

tion(s): Speechly 4) Well Type: (a) Oil____ or Gas X (b) If Gas: 5) Proposed Target Formation(s): Speechly Proposed Target Depth: 3900' 6) Proposed Total Depth: 3950' Formation at Proposed Total Depth: Speechly Feet 7) Approximate fresh water strata depths: 48' 8) Approximate salt water depths: 1580' 9) Approximate coal seam depths: 610' 10) Approximate void depths, (coal, Karst, other): N/A 11) Does land contain coal seams tributary to active mine? No 12) Describe proposed well work and fracturing methods in detail (attach additional sheets if needed) Drill and complete a conventional vertical well. Slick water and foam fracture 2 zones (Speechly & Warren) 1500 bbls each zone CASING AND TUBING PROGRAM 13) TYPE **SPECIFICATIONS FOOTAGE INTERVALS** CEMENT Left in Well Fill -up (Cu. Ft.) Size Grade Weight per ft For Drilling 13" 36.0#/ft 32' H-40 Conductor 26.0#/ft 300-400' 300-400' CTS - 184 cu ft 9-5/8" H-40 Fresh Water Coal 5901 590' CTS O lon alal Intermediate 7" CTS - 278 cu ft 1400' J-55 20.0#/ft 4-1/2" J-55 10.5#/ft 3950' 158.0 cu ft Production 1-1/2" 3900' J-55 2.75#/ft Tubing Liners Packers: Kind:

\$

Sizes:

Depths Set

WW-2A (Rev. 6-14)

RECEIVED Office of Oil and Gas 1). Date:

May 13, 2015

MAY 1 4 2015

2.) Operator's Well Number

Harris 4V South

State

County

Permit

WV Department of 3.) API Well No .:

47-

095

02267

Environmental Protection STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4) Surface Ov	vner(s) to be served:	5) (a) Coal Op	erator
(a) Name	Christopher Investments, Inc.	Name	N/A
Address	P.O. Box 5443	Address	
	Vienna. WV 26105		
(b) Name		(b) Coal C	wner(s) with Declaration
Address		Name	H3, LLC. (LeAnne Beorn)
		Address	1700 Calais Trail
		- 10,4,	Powhatan, VA 23139
(c) Name		Name	
Address	-	Address	T-
Addicoo			-
6) Inspector	Michael Goff	(c) Coal L	essee with Declaration
Address	P.O. Box 134	Name	N/A
	Pullman, WV 26421	Address	y
Telephone	(304) 549-9823		
1.554 (W. T. A. B.	TO THE PERSONS NA	MED ABOVE T	AKE NOTICE THAT:
Included is t			acts by which I hold the right to extract oil and gas
OR			
x Included is t	he information required by Chapter 22	2, Article 6, Section	on 8(d) of the Code of West Virginia (see page 2)
1 certify	that as required under Chapter 22-6	of the West Virg	inia Code I have served copies of this notice and
application, a loc	cation plat, and accompanying docum	ents pages 1 thro	ugh on the above named parties by:
	Personal Service (Affidavit attack	ched)	
X	Certified Mail (Postmarked post	tal receipt attache	ed)
	Publication (Notice of Publication	on attached)	
		d 35 CSR 4, and	I agree to the terms and conditions of any permit
issued under this			
			and am familiar with the information submitted on
			ry of those individuals immediately responsible for
obtaining the into	ormation, I believe that the information	is true, accurate	and complete.
imprisonment.	are that there are significant penalties	s for submitting fa	lse information, including the possibility of fine and
imprisoriment.	Well Operator	Alliance Petr	oleum Corporation
		Jeffrey Sayq	
		Designated A	
		16 Fox Hill T	
		Parkersburg.	
	Telephone:	(304) 422-99	22
	Email:	ieff-savger@	alliancepetroleum.com
Subscribed and	sworn before me this 13th Email:		Variation . 2015
(16	11.		8277
100	How d. Dane	2.	Notary PERMEL LAUER, Notary Public
My Commission	Expires 700 21, 3	2016	In and For The State of Ohio My Commission Expires 2 21-2016
Oil and Gas Privacy	Notice		my commession expires 2 21
	SWILL COLUMN TO A COLUMN TO THE PARTY OF THE	to delicate the said	The Comment

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Office 05/29/2015 depprivacyofficer@wv.gov

VIENNA NV 261	OC	IAL	usps.com*.
Postage	s	\$0.91	0952
Certified Fee		\$3.30	07
Return Receipt Fee (Endorsement Required)		\$0.00	Postmark Here
Restricted Delivery Fee (Endorsement Required)		\$0.00	
Total Postage & Fees	\$	\$4.21	05/13/2015
Total Postage & Fees	-		05/13/2015 ments IN

RECEIVED Office of Oil and Gas

MAY 1, 4 2015

WV Department of Environmental Protection

1931	Domestic Mail Or	ition, visit our website	
L L	PUNHATAN VA 2	ILLIAL	USE
975	Postage Certified Fee	\$0.91 \$3.30	0952
1000	Return Receipt Fee (Endorsement Required)	\$0.00	Postmark Here
	Restricted Delivery Fee (Endorsement Required)	\$0.00	27.47.0045
בזים	Total Postage & Fees	\$ \$4.21	05/13/2015
7074	Street & Apt. No., or PO Box No. 17	LLC 100 Calais	Trail 1A 23139

RECEIVED
Office of Oil and Gas

MAY 1 4 2015

WV Department of Environmental Protection

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application. I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
H3, LLC. a West Virginia Limited Liability Co. et al	PETRO EDGE ENERGY, LLC.	12.5% - 19.0% RI	388/42
PETROEDGE ENERGY, LLC	Statoil USA Onshore Properties, Inc.	100% WI	408/66
PETROEDGE ENERGY, LLC	Statoil USA Onshore Properties, Inc.	100% WI	419/247
PETROEDGE ENERGY, LLC	Statoil USA Onshore Properties, Inc.	100% WI	419/261
PETROEDGE ENERGY, LLC	Statoil USA Onshore Properties, Inc.	100% WI	406/147
PETROEDGE ENERGY, LLC	Statoil USA Onshore Properties, Inc.	100% WI	436/1
David E. Boyer, an individual	Statoil USA Onshore Properties, Inc.	100% WI	476/792
Statoil USA Onshore Properties, Inc.	Alliance Petroleum Corporation	100% WI	Not Yet Recorded 483/790

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the RECEIVED DEP, Office of Oil and Gas, including but not limited to the following:

WV Division of Water and Waste Management

WV Division of Natural Resources

WV Division of Highways

U.S. Army Corps of Engineers

· U.S. Fish and Wildlife Service

County Floodplain Coordinator

MAY 1 4 2015

WV Department of

Environmental Protection

Office of Oil and Gas

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac quired from the appr opriate aut hority before the affected activity is initiated.

Well Operator:

Alliance Petroleum Corporation

By: Its:

Designated Agent

RECULOED 5/15/2015

McLaughlin, Jeffrey W

From: Patrick Joyce <Patrick_Joyce@alliancepetroleum.com>

Sent: Thursday, May 28, 2015 9:43 AM

To: McLaughlin, Jeffrey W

Cc: Wally; Eric Calvert; Dora Silvis
Subject: Recorded Assignements

Importance: High

Jeff,

The documents I previously sent you were recorded 5/15/2015:

HARRIS 4V SOUTH DB 483 / 790 KLEEH 2V SOUTH UNIT DB 483 / 781

Not sure if that helps, but I figured I would forward.

Thanks.
Patrick Joyce
Alliance Petroleum Corporation
Contracts and Special Projects
4150 Belden Village Avenue NW
Suite 410
Canton, OH 44718-2553
330-493-0440
330-493-3409 Fax



CONFIDENTIALITY NOTICE: This electronic communication (including attachments) is from a corporation and may contain confidential information intended only for the use of the named recipient. If you are not the intended recipient of this message, you are hereby notified that dissemination, distribution, or copying of this message is strictly prohibited. If you received this communication in error, please notify us immediately by return message and delete this communication from your system. Thank you

WW-2B1	
(5-12)	

Well No.	Harris 4V South	
----------	-----------------	--

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sampling Contractor

Fairway Laboratories Jericho Land Resources

Well Operator

Alliance Petroleum Corporation

Address

4150 Belden Village Avenue, Suite 410

Canton, Ohio 44718

Telephone

(330) 493-0440

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site. RECEIVED Office of Oil and Gas

SEE ATTACHED

MAY 1 4 2015

WV Department of Environmental Protection



WELL OPERATOR: Alliance Petroleum Corporation

WELL OPERATOR #: Harris 4V S

Notice To Surface Owner or Resident

The initial mapping review of the area surrounding the proposed well site revealed the below listed surface owner that was potentially utilizing groundwater (potable) for consumption or other purposes within 1000' radius of the proposed well site. The following Landowner will be notified of the opportunity to request a water sample should it be necessary. *Please note that the following information listed below could be subject to change upon further field inspection.

Surface Owner or Resident Notified:

Owner: *

Christopher Investments, Inc. Address: P.O. Box 5443, Vienna, WV 26105

Comments:

Tax Parcel # 02-16-31

RECEIVED Office of Oil and Gas

MAY 1 4 2015

WV Department of Environmental Protection

RECEIVED wwoffice of Oil and Gas (2/15)

MAY 1 4 2015

API Number 47 - 095

	Operator's Well N	O. Harris 4V South
STATE OF WEST VIRGIN	IA	RE

WV Department of

DEPARTMENT OF ENVIRONMENTAL PROTECTION


RECEIVED Office of Oil and Gas


Environmental Protection

My commission expires 706, 21, 2016

FLUIDS/ CUTTINGS DISPOSAL & I	RECLAMATION PLAN	MAY 1, 4 2015
Operator Name Alliance Petroleum Corporation	OP Code 305762 WA	V Department of
Watershed (HUC 10) Outlet Middle Island Creek Quad	drangle Porters Falls Enviro	onmental Protection
Do you anticipate using more than 5,000 bbls of water to complete the pro- Will a pit be used? Yes No Drill Cuttings - Soa	oposed well work? Yes	No N
Will a synthetic liner be used in the pit? Yes No	If so, what ml.? 60	M12.0
Proposed Disposal Method For Treated Pit Wastes:		5-13
Land Application Underground Injection (UIC Permit Number_ Reuse (at API Number_ Off Site Disposal (Supply form WW-9 for disposal (Explain_		
Will closed loop system be used? If so, describe:		
Drilling medium anticipated for this well (vertical and horizontal)? Air, f	reshwater, oil based, etc. Air	
-If oil based, what type? Synthetic, petroleum, etc. N/A		
Additives to be used in drilling medium? Soap - KCL - Clay Stabilizer		
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc.	Leave in pit	
-If left in pit and plan to solidify what medium will be used? (ce		
-Landfill or offsite name/permit number?		
Permittee shall provide written notice to the Office of Oil and Gas of any West Virginia solid waste facility. The notice shall be provided within 24 where it was properly disposed.	load of drill cuttings or associated w hours of rejection and the permittee	vaste rejected at any e shall also disclose
I certify that I understand and agree to the terms and conditions on August 1, 2005, by the Office of Oil and Gas of the West Virginia Deprovisions of the permit are enforceable by law. Violations of any term law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined application form and all attachments thereto and that, based on my obtaining the information, I believe that the information is true, accur penalties for submitting false information, including the possibility of fine Company Official Signature Company Official Title Designated Agent	partment of Environmental Protection or condition of the general permit d and am familiar with the informinquiry of those individuals immentate, and complete. I am aware the	on. I understand that the and/or other applicable nation submitted on this ediately responsible for
Subscribed and sworn before me this day of Mu		DBBIEL. LAUER, Notary Public In and For The State of Ohio mmission Expires <u>7-21-20</u> (

Proposed Revegetation Trea	ntment: Acres Disturbed	2.0 PJ	Prevegetation pH	6.5
Lime 3	Tons/acre or to co			
Fertilizer type 10-	7.5.5		_	RECEIVED Office of Oil and (
Fertilizer amount	667	lbs/acre		MAY 1, 4 2015
Mulch 2 (Hay)		Tons/acre		WV Department
		Seed Mixtures	E	nvironmental Prote
т	emporary	Seed Wixtures	Perman	
	lbs/acre		Seed Type	lbs/acre
Seed Type KY-31	40	Orchard		15
Alsike Clover	5	Alsike Clo		5
Annual Rye	15			
Drawing(s) of road, location provided)		for land application (unless en	gineered plans incl	luding this info have been
Drawing(s) of road, location provided) Photocopied section of invo	Ived 7.5' topographic sh		gineered plans incl	luding this info have been
Drawing(s) of road, location provided) Photocopied section of invo	Ived 7.5' topographic sh	eet.		
Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet. any disturbed	areas f	ser WNDEA
Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet.	areas f	ser WNDEA
Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet. any disturbed	areas f	ser WNDEA
Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet. any disturbed	areas f	ser WNDEA
Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet. any disturbed	areas f	ser WNDEA
Orawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet. any disturbed	areas f	ser WNDEA
Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by: McL Comments: Presee	nael Daff d & nulch	eet. any disturbed	areas f	ser WNDEA
Photocopied section of invo Plan Approved by: McL Comments: Presee	lved 7.5' topographic sh nael Laff d & mulch ntain & Upgrace	any disturbed	areas f	ser WNDEA







ELEN 930'

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

mit No		- 1		On ar G	(Kind)		
Company	Acres	7/1 oberts Wie	Casing and Tubing	Used in Drilling	Left in Well	Packers	
Carm	rs) LE Fi	Acres C.7. 930 Elev. 930	Size	relució	1 12	Kind of Packer	
District	tract is owned in fee l	ounty The Land	7-10			. Size of	
	are owned by R.D.	Loberty 1, 51,51.16		1/66		Depth set	
william comme	enced Ad	1 aug 14-14	3			Perf. top	
Date shot	/		. Liners Osed			Perf. top Perf. bottom	
Open Flow	/10ths Merc. in	Inc	h	MENTED IN	SIZE		
Rock Pressure	one_	bbls., 1st 24 hr	B. COAL WAS	ET ZNO	CHES 555	FEET INCH	
Fresh water Salt water	1083355	section 24h har to		ETIN	CHES646	FEET. / INCH	


Formation	Color	Hard or Soft	Тор	Bottom	Oil. Gas or Water	Depth Found	Remarks
	Hellow	A	0	12	This Is	1:00	aal on
· · · · · · · · ·	.,		12	84	- Jun 1	hed an	th Sla
K. The	1		90		was the	1 000	1 week
1200			/	167	The Use	1. caa	000
	0	7 A 100 A 100 A 10 A 10 A 10 A 10 A 10 A	162	120	anly a	Blasse	om a
1 -12-134	Fant	* **** ** (#III *) * (#) b (#)	190	260	Dilles	1 -5 Am	self
	rafilelis	· eve	350	630	may aho	. B.C.	6 min
			-035	536 /	was and	The second	1
its!	y Coal	/	536	646	gone	itap	ood a
· e /	14	/	646	680 7	15	rd, due	sulle
			-641	1	Le Olies	ra, our	/
in rel			- 650	720	his we	ef ng	el wa
	27.00.00			730 1	100	19-	- 4
	1		720	252	molway	belle	een o
6	meles .	1	112.	1	wells 02	hat we	re Tole
	Sand	name are also at the distance of the	952	762	-	1	Bu Th
me s	fells		Y 5 90 -	825 0	5 zuon	ago	1
in f	4 0		162	850	South (Tem.	ail a
ed Re	end -		825		ane an.		
icach,	10		850	800	and con.		1. me
			74.7	900	and or	is and	
end.	19.00	1	900	910	7	The ca	Jama
ince 1	Luc.		910	1040	111 00	In w	and a
			Y -	1065	and I	abor	29/2015
The De	man		1040	1.4.	Thews	7,000	7:0
ince to	110		1005	1000	66 P.D. 01	wheels !	suno -
			1165	1200	This 7	Jame 7	+ 7
Luc P	War.	-		1210	No Ex	Prosle	15 000
in ban			1200		1 to LE	master	sown
i : Ci		1	1210	1380	The e	alal.	
	(1) 44 607		1295			no loo	1
A the			1300	14.	, coga	n 100	nou

Formation	Color	liard or Soft	Top .	Bottom	Oil, Gas or Water	Depth Found	Remarks
Firmation Francisco Jack Show Jack Start Jack Start Litte Line 10 Li	end and Das atchale	Soft	1435 1460 1482 1575 1540 1661 1671 1745 1780 1828 1870 1828 1870 1970 1988 2010	1460 1480 1516— 1661 1661 1671 1746— 1780 1805—	Oil, Gas or Water	Depth	Itemarks
		·	2010				
							05/29/2015

APPROVED Roberts PRoberts, Owner
By R. L. Raherts

LATITUDE 39035"

LONGITUDE 80° 155"



New horation

Sheef No 2

Company Roborts & Roberts Address Wheoling, W. Va. Farm L. L. Lomastors Tract 1 Acres 20 Woll (Farm) No. 1 Elevation (SL) 930.5 Quadranglo Now Martinsville SE. County Tyler Ells District Engineer J. S. Haught Eng. Rog. No. County Surveyor Dato June 28, 1939 1" - 20 rods Scalo

STATE OF WEST VIRGINIA
Department of Mines
OIL & GAS DIVISION
Charleston

WELL LOCATION MAC5/29/2015

x Donotes location of well on U. S. Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

MINEABLE COAL IS 763 ABOVE SEA LEVEL. Feet

Measurement Result

3,303.8 Feet

PLEASE NOTE SALT SAND, SALT WATER INFLUX AT BELOW SEA LEVEL. 640' IT IS QUITE A LOT OF WATER AND YOU MAY WANT TO A CORESS THE ISSUE BY RUNNING MORE RED ROCK APPEARS CASING. 74 ABOUE ELEVATION. 801

