

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 07, 2015

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-9502282, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: LEASEBURG UNIT 1H

Farm Name: MONROE, EDNA

API Well Number: 47-9502282

Permit Type: Horizontal 6A Well

Date Issued: 08/07/2015

API Number:	
API Number:	

PERMIT CONDITIONS 4709502282

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 9. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

WW-6B (04/15)

API NO. 47-095 - 02282
OPERATOR WELL NO. Leaseburg Unit 1H
Well Pad Name: Edna Monroe Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Res	sources Corpora	1 494488557	095 - Tyler	Centervill Shirley 7.5'
* * * * * * * * * * * * * * * * * * *		Operator ID	County	District Quadrangle
2) Operator's Well Number: Le	aseburg Unit 1H	Well P	ad Name: Edna	Monroe Pad
3) Farm Name/Surface Owner:	Edna Monroe	Public Ro	ad Access: CR	2 48
4) Elevation, current ground:	1060' El	levation, propose	l post-construct	ion: 1044'
5) Well Type (a) Gas X Other	Oil	Un	derground Stora	ge
(b)If Gas Sha	allow X rizontal X	Deep		Michael Lo
6) Existing Pad: Yes or No No				7-00-1
7) Proposed Target Formation(s Marcellus Shale: 6700' TVD,	s), Depth(s), Antic			Pressure(s):
8) Proposed Total Vertical Dept	th: 6700' TVD			
9) Formation at Total Vertical I	Depth: Marcellus	s Shale		
10) Proposed Total Measured D	Depth: 18,600'			
11) Proposed Horizontal Leg Le	ength: 11,341'			
12) Approximate Fresh Water S	Strata Depths:	24', 111', 225',	399'	
13) Method to Determine Fresh	Water Depths:	Offset well records. D	epths have been a	djusted according to surface elevation
14) Approximate Saltwater Dep	ths: 525', 1539',	2180'		
15) Approximate Coal Seam De	epths: 114'			
16) Approximate Depth to Poss	ible Void (coal m	ine, karst, other):	None Anticipa	ated
17) Does Proposed well location directly overlying or adjacent to	n contain coal sea			o X
(a) If Yes, provide Mine Info:	Name:			Received Office of Oil & Gas
7.5			9	
	Seam:		28-	JUL 2 4 2015
	Owner:	050	an .	
	b	10950		

WW-6B (04/15)

4709502282

API NO. 47- 095

OPERATOR WELL NO. Leaseburg Unit 1H
Well Pad Name: Edna Monroe Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	75'	75'	CTS, 205 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	450'	450' *see #19	CTS, 625 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2450'	2450'	CTS, 998 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	18,600'	18,600'	4722 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

MDG 7-22-13

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	2500	Lead-HPDZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A	
Sizes:	N/A	Received
Depths Set:	N/A	Office of Oil & Gas
		JUL 24 2015

7-22-15

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale. *Antero will be air drilling the fresh water string which makes it difficult to determine when freshwater is encountered, therefore we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 26.44 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 7.95 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th Joint spaced up the hole

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls.br

Office of Oll & Gas water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water. Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity

sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water pump 48 2015 barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

^{*}Note: Attach additional sheets as needed.

API Number 47 - 095

Operator's Well No. Leaseburg Unit 1H STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION 4709502282

FLUIDS/ CUTTINGS DISPOSAL & RECLAI	MATION PLAN
Operator Name Antero Resources Corporation	OP Code 494488557
Watershed (HUC 10) Headwaters Middle Island Creek Quadrangle	Shirley 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed will a pit be used? Yes No	
If so, please describe anticipated pit waste: No pit will be sued at this site (Delining and Float	back Fluids will be stored in lanks. Cuttings will be tanked and hauled off site.
Will a synthetic liner be used in the pit? Yes No If	so, what ml.? N/A Michael 7-22-
Proposed Disposal Method For Treated Pit Wastes:	Michael
Land Application	7-22-
Underground Injection (UIC Permit Number	
Reuse (at API Number Future permitted well locations when app	
Off Site Disposal (Supply form WW-9 for disposal loc Other (Explain	cation) (Meadowthii Landtill Permit #SWF-1032-98)
Other (Asspired)	11-11-11-11-1
Will closed loop system be used? If so, describe: Yes	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwate	er, oil based, etc. Dout 150 Frank Joseph Frank Store Marie Based Mod
-If oil based, what type? Synthetic, petroleum, etc. N/A	o., o., b.acc, c.c.
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Store	d in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lin	me, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-	-1032-98)
Permittee shall provide written notice to the Office of Oil and Gas of any load of a West Virginia solid waste facility. The notice shall be provided within 24 hours of where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the Gon August 1, 2005, by the Office of Oil and Gas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or condlaw or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and an application form and all attachments thereto and that, based on my inquiry obtaining the information, I believe that the information is true, accurate, and penalties for submitting false information, including the possibility of fine or imprint	tof Environmental Protection. I understand that the dition of the general permit and/or other applicable in familiar with the information submitted on this of those individuals immediately responsible for a complete. I am aware that there are significant
Company Official Signature	MATALIE KOMP
Company Official (Typed Name) Cole Kilstrom	NOTARY PUBLIC STATE DE COLORADO
Company Official Title Environmental & Regulatory Manager	MY COMMISSION EXTEROGRAPOR
	Office of Oil & Ga
Subscribed and sworn before me this 22nd day of home	
Matalists day of govern	Notary Public JUL 24 2015
My commission expires May 18, 2018	- Second Colored

Proposed Revegetation Treatment: Acres Distr	urbed 26.44 acres	Prevegetation p	н
Lime 2-3 Tons/acre or	to correct to pH 6.5		
Fertilizer type Hay or straw or Wood Fil	per (will be used where ne	eded)	
Fertilizer amount 500	lbs/acre		
Mulch 2-3	Tons/acre		
Temporary Construction Access (1.06) +	Access Road "A" (5.76) + A Pad (2.61) + Excess/Top Soi Seed Mixto	Material Stockpiles (8.08) = 26.4	res (0.28) + Well Pad (7.95) + 4 Acres
Temporary		Perm	anent
Seed Type Ibs/acre		Seed Type	lbs/acre
Annual Ryegrass 40	C	rownvetch	10-15
See attached Table IV-3 for additional seed type (Edna Monroe Pad D	esign Page 23) Ta	all Fescue	30
	See	attached Table IV-4A for additional seed t	ype (Edna Monroe Pad Dasign Page 23)
*or type of grass seed requested by surfa	ce owner *c	or type of grass seed requ	ested by surface owner
	Daff.		
Comments: Preseed # 1	Mulch an lations.	A Misturber Prese Mai.	d areas
3		tress Mai.	itain & Upgra

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

4709502282

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

Received
Office of Oil 8, Gas
JUL 0 2 2015

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene – Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material – Ground Walnut Shells – LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

Trol

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt - Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant

Received
Office of Oil & Gas
JUL 0 2 2015

4709502282





Well Site Safety Plan Antero Resources

Well Name: Seckman Unit 1H, Seckman Unit 2H, Seckman

Unit 3H, Leaseburg Unit 1H, Leaseburg Unit 2H, Deulley Unit 1H, Deulley Unit 2H, Deully Unit

3H, Bead Unit 1H, Bead Unit 2H

Pad Location: EDNA MONROE PAD

Tyler County/Centerville District


GPS Coordinates: Lat 39°25′21.45″/Long -80°52′23.44″ (NAD83)

Driving Directions:

From Clarksburg: Drive approximately 25 miles on US-50 W. Turn right onto WV-18 N, go 0.6 miles. Turn left onto Davis St/ Old U.S. 50 W, go 0.4 miles. Turn right onto WV-18 N/Sistersville Pike, go 16.7 miles. Turn left onto Conaway Run Rd, go 2.3 miles. Access road will be on your right.

EMERGENCY (24 HOUR) CONTACT 1-800-8780913 Office of Oil & Gas

JUL 24 2015



INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)


Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Carl Baker Lease			
Carl Baker, et al	Sancho Oil and Gas Corporation	1/8	0333/0908
Sancho Oil and Gas Corporation	Antero Resources Corporation	Assignment	0436/0177
Carl W. Nolan Lease		2	
Carl W. Nolan, single	Warrant R. Haught	4709502282	0214/0578
Warren R. Haught, as an individual	Sancho Oil and Gas Corporation	Assignment	0376/0182
Sancho Oil and Gas Corporation	Antero Resources Corporation	Assignment	0436/0177
WV DNR Lease			
West Virginia Division of Natural Resources	Antero Resources Corporation	1/8+	0467/0249
Larry D. McMullen Lease	4.4	1/8+	0444/0223
Larry D. McMullen	Antero Resources Corporation	1/8+	V444/0223
Melvin Wiley, et ux Lease			
Melvin Wiley, et ux	Sancho Oil and Gas Corporation	1/8	0337/0078
Sancho Oil and Gas Corporation	Antero Resources Corporation	Assignment	0436/0177
Regina M. Buck Lease			
Regina M. Buck	Antero Resources Appalachian Corporatio		0416/0430
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change HOCeived	Exhibit 1
Janice B. White Lease		Office of Street	
Janice White	Antero Resources Corporation	Gas of Chi & Gas	0463/0130
A Ed 1 - Cabrillana 1 - acc		Office of Oil & Gas JUL 0 2 2015	
Arnold L. Schulberg Lease Arnold Shulberg	Antero Resources Corporation	1/8+	0430/0550
	-		

CONTINUED ON NEXT PAGE

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.




INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Regina M. Buck Lease				
45,000	Regina M. Buck	Antero Resources Appalachian Corp.	1/8+	0420/0461
	Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
	ntero Resources Corporation include 100% rights	s to extract, produce and market		and a



Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

Received

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and include 5 ffirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

> Well Operator: Antero Resources Corporation By: Ward McNeilly Its: VP, Reserves, Planning & Midstream

FORM WW-6A1 EXHIBIT 1

FILED

Natalic B. Tennant Secretary of State 1900 Kanawha Bivd B Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25,00



Penney Barker, Manager
IN THE OFFICE OF Corporations Division
ECRETARY OF STATE Face: (304)558-8381

Website: www.wysos.com
B-mall: business@wysos.com

Office Hours: Monday - Priday 8:30 a.m. - 5:00 p.m. ET

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

**** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby ***

applies for an Amended Certificate of Authority and submits the following statement: 1. Name under which the corporation was Antero Resources Appalachian Corporation authorized to transact business in WV: 2. Date Certificate of Authority was 6/25/2008 issued in West Virginia: Antero Resources Corporation 3. Corporate name has been changed to: (Attach one Certified Copy of Name Change as filed in home State of incorporation.) Antero Resources Corporation 4. Name the corporation elects to use in WV: (due to home state name not being available) Other amendments: (attach additional pages if necessary Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.) Alvyn A. Schopp (303) 357-7310 Contact Name Phone Number 7. Signature information (See below *Important Legal Notice Regarding Signature): Title/Capacity: Authorized Person Print Name of Signer: Algyn A. Schopp Date: June 10, 2013 Signature: Heceived *Important Legal Notice Repartities Standard: For West Virginia Code 53117-1429. Penalty for a paring func decement.

Any person who signs a document has or she knows is false in any unterial respect and knows that the document is to be delivered. to the secretary of state for filing is guilty of a misdomesnor and, upon conviction theseof, shall be fined thousand dollars or confined in the county or regional jall not more than one year, or bolk

.

Form CF-4

listed by the Office of the Eccretary of Sinte .

Revised 4/15



June 22, 2015

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Leaseburg Unit 1H

Quadrangle: Shirley7.5'

Tyler County/Centerville District, West Virginia

4709502282

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Leaseburg Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Leaseburg Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Jared Hurst Senior Landman

> Received Office of Oil & Gas JUL 0 2 2015

Date of Notice Certification: 06/22/2015

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47- 095

Notice has been given: Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the provisions in West Virginia Code § 22-6A, the Operator has provided the provisions with the Notice Fobelow for the tract of land as follows: State: West Virginia County: Tyler District: Centerville Quadrangle: Watershed: Headwaters Middle Island Creek Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form a prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the opera it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article; (ii) that the requirement was deemed satisfied of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article were waived in writing by the surface owner; and Pursuar Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of this article have been completed by the applicant. Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:	s may be for that (i) rticle, the as a resulthe notice t to Wes
Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the predict parties with the Notice Fobelow for the tract of land as follows: State: West Virginia County: Tyler District: Centerville Quadrangle: Shirley 7.5' Headwaters Middle Island Creek Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form a prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the opera it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this atiofe giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article were waived in writing by the surface owner; and Pursuar Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of this article have been completed by the applicant. Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification	s may be for that (i) rticle, the as a resulthe notice t to Wes
Quadrangle: Shirley 7.5' Generally used farm name: Edna Monroe Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form a prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the opera it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this a information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuar Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of this article have been completed by the applicant. Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification	tor that (i) rticle, the as a resul the notice t to Wes
Watershed: Headwaters Middle Island Creek Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form a prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the opera it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this a information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuar Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of this article have been completed by the applicant. Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification	tor that (i) rticle, the as a resul the notice t to Wes
Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form a prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the opera it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this a information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuar Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of this article have been completed by the applicant. Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification	tor that (i) rticle, the as a resul the notice t to Wes
prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the opera it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this a information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuar Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of this article have been completed by the applicant. Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification	tor that (i) rticle, the as a resul the notice t to Wes
OOG OFFICE	TISE
*PLEASE CHECK ALL THAT APPLY ONLY	USE
☐ 1. NOTICE OF SEISMIC ACTIVITY OF ☐ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED ☐ RECEIVED NOT REQU	
☐ 2. NOTICE OF ENTRY FOR PLAT SURVEY of ☐ NO PLAT SURVEY WAS CONDUCTED ☐ RECEIVED	, — -
☐ 3. NOTICE OF INTENT TO DRILL or ☐ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or □ RECEIVED NOT REQU	
■ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	· •
■ 4. NOTICE OF PLANNED OPERATION □ RECEIVED	. [
■ 5. PUBLIC NOTICE 47095022 Q RECEIVED	, .
■ 6. NOTICE OF APPLICATION	, .

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certification of Public Plate and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Its:

Certification of Notice is hereby given:

THEREFORE, I Ward McNeilly , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation

By: Ward McNeilly

VP, Reserves, Planning & Midstream

Telephone: 303-357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: asteele@anteroresources.com

NOTARY SEAL

NATALIE KOMP
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID # 20144028170
MY COMMISSION EXPIRES JULY 18, 2018

Subscribed and sworn before me this

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

4709502282

Aecelyed
Office of Qil & Gas
JUL 0 2 2015

WW-6A (9-13) API NO. 47- 095 OPERATOR WELL NO. Leaseburg Unit 1H
Well Pad Name: Edna Monroe Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 6/29/2015 Date Permit Application Filed: 6/29/2015 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ REGISTERED ☐ PERSONAL ✓ METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY Name: Edna Monroe Address: 2543 Conaway Run Road Address: Alma, WV 26320 COAL OPERATOR Name: Name: NO DECLARATIONS ON RECORD WITH COUNTY ☑ SURFACE OWNER(s) (Road and/or Other Disturbance) Name: Edna Monroe WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Address: 2543 Conaway Run Road Name: NONE IDENTIFIED WITHIN 1500 FEE YOU Alma, WV 26320 Name: Address: OPERATOR OF ANY MULTUR 21.2015 STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Address: Name: Address:

*Please attach additional forms if necessary

OPERATOR WELL NO. Leaseburg Unit 1H

Well Pad Name: Edna Monroe Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx. 4709502282

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing property to the section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a partitiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-095

OPERATOR WELL NO. Leaseburg Unit 1H

Well Pad Name: Edna Monroe Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The segretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-for hours: (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply of submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 Office of Oil & Gas

JUL 0 2 2015

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

OPERATOR WELL NO. Leaseburg Unit 1H

Well Pad Name: Edna Monroe Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(e)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.


Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.



API NO. 47-095 -

OPERATOR WELL NO. Leaseburg Unit 1H

Well Pad Name: Edna Monroe Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation,

Telephone: (303) 357-7310
Email: asteele@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202 Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

NATALIE KOMP

NOTARY PUBLIC

STATE OF COLORADO

NOTARY ID # 20144028170

MY COMMISSION EXPIRES JULY 18, 2018

Subscribed and sworn before me this

day of June 2015

Notary Public

My Commission Expires

4709502282

Received Office of Qil & Gas JUL 0 2 2015

Operator Well No.	_
Multiple Wells on Edna Monroe Pad	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

WAIVER

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

l, Edna Monroe notice require		I have read the notice provisions listed above and hereby waive the 22-6A-16(b) for the tract of land as follows:
State:	West Virginia	UTM NAD 83 Eastings 510916.04m (Approximate Pad Cente
County:	Tyler	Northing: 5 4963685.2 m (Approximate Pad Cent
District:	Centerville	Public Road Access: CR 48 C C
Quadrangle:	Shirley 7.5'	Generally used farm name: Monroe, Edna
Watershed:	Headwaters Middle Island Creek	
Name: Edna M		Signature: The money
Address: 2543	Conway Run Rd.	
Alma,	. WV 26320	Date: 5/13/15

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Received Office of Oil & Gas JUL 0'2 2015

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time I Date of Notic	Requirement: notice shall be provide: 06/29/2015 Date Peri		later than the filing o		application.
Delivery metl	hod pursuant to West Virginia Co	ode § 22	-6A-16(c)		
CERTIF	FIED MAIL		HAND		
RETUR	N RECEIPT REQUESTED	1	DELIVERY		
return receipt of the planned of required to be drilling of a hadamages to the (d) The notice of notice.	requested or hand delivery, give the peration. The notice required by provided by subsection (b), section forizontal well; and (3) A proposed a surface affected by oil and gas open a required by this section shall be g	e surface this sub- ten of the d surface erations given to	e owner whose land osection shall includ this article to a surfa e use and compensa to the extent the dan the surface owner a	will be used for le: (1) A copy acc owner whose ation agreement mages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information see land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
	by provided to the SURFACE O				
(at the address Name: Edna Mor	listed in the records of the sheriff a	at the tir	**		
	Conaway Run Road	-	Name: _	. , =	502282
	, WV 26320	-	Addiess	4/00	Ena
operation on t State: County:	the surface owner's land for the pur West Virginia Tyler		drilling a horizontal UTM NAD 83	well on the tra Easting: Northing:	510,917m 4,363,690m
District:	Centerville		Public Road A		CR 48
Quadrangle: Watershed:	Shirley 7.5' leadwaters Middle Island Creek		_ Generally use	d larm name:	Edna Monroe
to be provided horizontal well surface affects information re	Test Virginia Code § 22-6A-16(c), the deby W. Va. Code § 22-6A-10(b) and (3) A proposed surface use a sed by oil and gas operations to the clated to horizontal drilling may be located at 601 57th Street, SE,	to a su and com extent e obtain	rface owner whose apensation agreement the damages are co- ned from the Secretar	land will be und at containing an impensable und ary, at the WV	code section; (2) The information required used in conjunction with the drilling of a n offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil & Gas



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Earl Ray Tomblin Governor Paul A. Mattox, Jr., P. E. Secretary of Transportation/ Commissioner of Highways

4709502282 May 12, 2015

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Edna Monroe Pad, Tyler County Leaseburg Unit 1H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2015-0181 which has been issued to Antero Resources Corporation. The well site is located off of Tyler County Route 48 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Dary K. Clayton

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Ashlie Steele

Antero Resources Corporation

CH, OM, D-6

File

Received Office of Oil & Gas

JUL 0 2 2015

List of Anticipated Additives Used for Fracturing or Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)		
Fresh Water	7732-18-5		
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1		
Ammonium Persulfate	7727-54-0		
Anionic copolymer	proprietary		
Anionic polymer	proprietary		
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9		
Cellulase enzyme	(Proprietary)		
Demulsifier Base	(Proprietary)		
Ethoxylated alcohol blend	Mixture		
Ethoxylated Nonylphenol	68412-54-4		
Ethoxylated oleylamine	26635-93-8		
Ethylene Glycol	107-21-1		
Glycol Ethers	111-76-2		
guar gum	9000-30-0		
Hydrogen Chloride	7647-01-0		
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8		
Isopropyi alcohol	67-63-0		
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2		
Microparticle	proprietary		
Petroleum Distillates (BTEX Below Detect)	64742-47-8		
Polyacrylamide	57-55-6		
Propargyl Alcohol	107-19-7		
Propylene Glycol	57-55-6		
Quartz	47 0 14808-60-7		
Sillica, crystalline quartz	4 9 9 9 2 2 8 2		
Sodium Chloride	7647-14-5		
Scdium Hydroxide	1310-73-2		
Sugar	57-50-1		
Surfactant	68439-51-0		
Suspending agent (solid)	14808-60-7		
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7		

Received
Office of Oil & Gas
JUL 0 2 2015

LOCATION COORDINATES: TEMPORARY CONSTRUCTION ACCESS LATITUDE: 39-119-149 LONGITUDE: -80.874480 (NAD BS) N 436322-84 E 51604-69 (UTM ZONE 17 METERS)

ACCESS ROAD ENTHANCE LATITUDE: 39.417830 LONGITUDE: -80.889776 (NAD 80) N 4363153.37 E 511809.74 (UTM ZONZ 17 METERS)

CENTER OF TANK LATITUDE 39.421379 LONGITUDE -80.873984 (NAD 83). N 4383348.79 E 510848.87 (UTN ZONE 17 METERS)

CENTROLD OF PAU LATITUDE 38.422626 LONGITUDE -60.873179 (NAD 83) N 4363885.21 E 510918.04 (UTN ZONE 17 METERS)

GENERAL DESCRIPTION:

THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS & UTICA SHALE GAS WELLS.

FLOODPLAIN NOTES:

THE PROPOSED SITE IS LOCATED WITHIN FEMA PLOCD ZONE X" PER FEMA PLOCD MAPS (SAGNECOLEGE & SAGNECOLEGE).

MISS UTILITY STATEMENT:
ANTERS RESCURES COMPONENCE WITH NOTIFY WEST UTILITY OF WEST VIBRIDIA FOR THE LOCATING OF
UTILITIES PRIOR TO THES PROJECT DESIGN, TICKET MISCHISCOR. IN ADDITION, WEST UTILITY WELL BE
CONTACTED BY THE CONTRACTOR PROOR TO THE START OF CONSTRUCTION FOR THE PROJECT.

ANTERO RESOURCES COMPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEFASTMENT OF THANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:

FIREAM AND WITHARD DELINEATIONS YERE PERFORMED IN MARCH A APPEL ROLD BY CAL CONSULTANTS,

INC. TO REVIEW THIS SITE FOR WAITEN AND WITHARD THAT ARE MOST LINELY WITHIN THE RECULATORY

PERFECT OF THE U.S. ARMY CORPLET DESCRIPTION (U.S.E.) AND/OR THE WEST VISIONAL DEPARTMENT OF

PERFECT OF THE U.S. ARMY CORPLET DESCRIPTION (U.S.E.) AND/OR THE WEST VISIONAL DEPARTMENT OF

PERFECT OF THE U.S. ARMY CORPLET DESCRIPTION (U.S.E.) AND ORDITATION OF DEPERMENTION DEFER.

BELINEATION, THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE

BELINEATION THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE

BELINEATION THE MAP OF THE WAY WAY.

BELINEATION OF THE MARCH OF THE DELENATION SHOPE OF THE EXECUTE OF THE MARCH OF

CONSTRUCTION ON THE PROPERTY DESCRIPTION OF THE DELINEAT OF THE DELINEATION OF THE PERFECT DESCRIPTION OF THE PERFECT DELINEATION OF THE PERFECT DELENGATION OF THE PERFECT DESCRIPTION OF THE PERFECT DEPARTMENT OF THE PERFECT DELINEATION OF THE PERFECT DELENGATION OF THE PERFECT DESCRIPTION OF THE PERFECT DEPARTMENT OF THE PERFECT DESCRIPTION OF THE PERFECT DEPARTMENT O

MEMILEMENTAL AND LOSS.

A SUBSULVANCE DIVISITICATION OF THE PROPOSED SITE MAS PERFORMED BY PRINSTRUMAL SOIL A SUBSULVANCE DIVISITICATION OF THE ABOVE AND LOSS. THE RESIDENT PREPARED SHITTLENG SOIL, A ROCK, INC. SETTE MAY SEE SOIS REPLAINT THE SENSING OF THE SUBSULVANCE SHITTLENG SHITTLENG SOIL AS ROCK, INC. SETTE MAY SEE SETTEMENT THE SENSING AND SECONDARY SHITTLENG SHITTLE

PROJECT CONTACTS:

OPENATOR:
ANTERO RESOURCES CORPORATION
635 WHITE CLASS HAVO
HINDEFORT, WY 28:330
PHONE (304) 542-4100
FAX (304) 542-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4068 CELL: (304) 476-9770

JOHN KAYCAN - OPERATIONS SUPERINTENDENT CELL: (817) 368-1563

AARON KUNZLER - CONSTRUCTION SUPERVISOR

ANTHONY SMITH - FIELD ENGINEER OFFICE (304) 842-4208 CELL (304) 873-6198

MARK JOHNSON - SURVEYING COORDINATOR (304) 842-4162 CELL: (304) 719-6449

RICHARD LYLES - LAND AGENT (770) 378-6633

ENGINEER/SURVEYOR: NAVIUS ESGNEERING, INC CTRUS S KUMP, PE - PROJECT MANAGER/ENGINEER OFFICE: (888) 882-4185 CRLL (540) 888-8747

ENVIRONMENTAL:

CAI CONSULTANTS, INC.
JASON A. COOK - SENIOR ENVIRONMENTAL SPECIALIST
(304) 928-8100 CELL: (303) 709-3308

GEOTECHNICAL:
PENNSYLVANIA SOIL & ROCK, INC.
CHICATOPHER Y. SAMOS — PROJECT ENGINEER.
(412) 372-4000 CELL: (412) 584-5868

RESTRICTIONS NOTES:

THERE ARE NO LAKES, FORUS, OR RESERVOURS WITHIN 100 FEET OF THE WELL FAD AND LOD. THERE IS A WETLAND ADJACENT TO THE TEMPORARY CONSTRUCTION ACCESS, A WETLAND AND PERCHALL STREAM ADJACENT TO ACCESS ROAD "A". AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A WETLAND ADJACENT TO THE STRAIM, GIVE A WETLAND AND A

- 2. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO APPARENT EXISTING TATER VELLS OR DEVELOPED SPRINGS WITHEN 250 FEET OF THE VELL(S) BEING DRILLED.
- THERE ARE NO OCCUPIED DWILLING STRUCTURES WITHIN 615 PEET OF THE CENTER OF THE WELL PAGE

REPRODUCTION NOTE

THERE PLANE TERE CREATED TO BE PLUTTED ON 22'X34" (ANDI D) PAPER

EDNA MONROE WELL PAD & WATER CONTAINMENT PAD

SITE DESIGN & CONSTRUCTION PLAN. **EROSION & SEDIMENT CONTROL PLANS**

> CENTERVILLE DISTRICT, TYLER COUNTY, WEST VIRGINIA CONAWAY RUN-MIDDLE ISLAND CREEK WATERSHED



Stream and Impact Cause

Steam 4 (Access Road 'A Steam 7 (Access Road 18") Steam 37 (Water

Containment Pad) Stream 15 (Well Pad)

Stream 24 (Well Pad)

Steam 3 (Temporary

.- PROPOSED SITE

Permanent impacts

FONA MONROE EPHEMPIKAL STREAM IMPACT LINEAR FEETS

Interaction of the last of the

Structures (LF)

O.FY

Coffentan/EAS

Controls (LF)

LOD OF

28

LODILFI

DESIGN CERTIFICATION:
THE DIRATEGS, CONSTRUCTION NOTES, AND
REFERENCE DIAGRAMS ATTACHED REDISTO FAVE
BEEN PERPARED IN ACCOMMANCE WITH THE
WEST VENGOUS ACCORDANCE WITH THE
WEST VENGOUS CODE OF JUSTICE OF OIL
AND CAS COS 30-8.

(NOT TO SCALE)

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!!

	WVDEP OOG
	8/4/2015
SHEET INDEX: 1 COVERS SHEET 2 COVERS SHEET 3 - LECENO 4 MATERIAL QUANTITIES 4 DESTRUCTIONS OF PARTICIPATIONS 5 - EXISTING CONSTITUNES A FLATURES 5 - EXISTING STRUCTURES A FLATURES 6 - OVERLING FLAT SHEET INDEX A VO. 10 - ACCESS ROAD FLAT OF ARE AT 11 - FELL PAD A PATE CONTANNEST	API# 9502283 API# 9502284 API# 9502285
12 - WELL PAD GRADNIG PLAN 13 - WAETR CONTAINMENT PAD GRADNIG 14 - ACCESS ROAD PROFILES 14 - ACCESS ROAD PROFILES 17 - WILL PAD & WATER CONTAINMENT 17 - WILL PAD & WATER CONTAINMENT 18 - WILL PAD & WATER CONTAINMENT 18 - ACCESS ROAD & MITAMENTON PLAN 25 - ACCESS ROAD & MITAMENTON PLAN 25 - ACCESS ROAD BETTAMENTON PLAN 26 - ACCESS ROAD BETTAMENTON PLAN 26 - ACCESS ROAD BETTAMENTON PLAN 26 - ACCESS ROAD BETTAMENTON PLAN 27 - ACCESS ROAD BETTAMENTON PLAN 28 - ACCESS ROAD BETTAMENTON PLAN 29 - ACCESS ROAD BETTAMENTON PLAN 20 - ACCESS ROAD BETTAMENT	PAD SECTIONS ECLANATION PLAN PAD RECLAMATION PLAN

APPROVED

TONA MICHIPION LINES OF DISTURBANCE	AMERICAGE
Votal Site	
Textipolary Contenuation Access (903')	1 04
Access Road 'A" (2,038)	5.76
Access Final "B" (250)	Q.På
Staging Area	0.28
Well Pad	7.95
Water Containment Ped	2.81
Except/Topisori Material Stockpries	9.08
Total Affected Area	26.44
Total Wooded Acres Distarted	10.44
Internate in Evine M. Sectors TH 8-1	11
Temporary Construction Access (141)	0.14
Total Affected Area	0.14
Total Wooded Acres Disturbed	-0.0xt
Impacts to Spins M. Monore TW S	
Temporary Commission Assess (673)	0.77
Access Road "A" (07)	2.11
Accres Flord "9" (0")	6.0%
Excess/Topsoil Material Discipres	1.92
Total Affected Area	7.85
Total Wooded Arres Detuted	2.06
impacts to Eday M. Monors TH 6.0	12
Temporary Constitution Access (84')	T att
Accres Road 'A' (1,643)	472
Access Fload 'II' (34')	0.07
Stepho Area	0.28
Escass/Topaco Material Stockpies	170
Total Affected Area	7.87
Total Witnested Agree Districted	4.31
Repeats to firms to Manual 1965.	4
Access Fload "A" (397)	0.93
Access Road "E" (216)	0.58
Wed Part	796
Water Containment Pad	201
Excess/Topsoil Material Etockpress	341
Total Affected Area	15.4
Tool Wooded Acres Distribed	4.08

Proposed that home	WAY HOLD	NAC 80	Down Of	NACT BELLA A LUM
Sections	P4 1300E1 44	TH 2091345 1B.	39-4383711-24	LAT 39-25-22 300H
Unit to	E 1912/208/16	E 19800SF (B	C BRIBIG DE	LENG 4410-23 5136
Sections	W 13WC51.52	N 200106-24	N-4382708-32	EAT 0+25-02 2025
Chalk 204	e nirosni 26	E. 1000000 14	E 940814 77	DNG 8052 (3 mm)
Sections	N INDA186	A SHOW IN	N 4362716-79	NAT 36-25-22 / 1949
COME THE	E 1912040.34	E 1MITTER 22	# \$10015 12	1.DMG-80-12-23-4621
Davis	PM 129021 62	N 239096.30	H 4362700 27	3LA7 36-25-22 0007
Link 300	E 1612541 4Z	£ 1580500.34	E 010015-48	LONG 49-12-21-4163
Duelly	N 336021 85	Pi 339006 42	N 4363699-25	LAT 39-25-21 KON
Unit 24	E 1010042.51	E 1565001 16	E 810015 85	LONG 45-52-23-4625
Doelly	N 330033.74	N 330cet at	N 4163694 23	LAT 39-29-21 8108
Unit 100	E. 1612043.59	E 1580803.48	E. \$10935.24	LONG -85-52 23 4347
Lamelory	N 236001 80	N 236036 34	9-400300 20	LAT 39-25-21 7124
Chef 294	E HELICAN RE	E 1580003 NE	it snowna ez	COME 49-12/25 4169
Laterium	PH 338997 85	N-SIBISEA)	of electron of	LAT 39-25-21 8164
SHAP SH	8.1812045.76	E 1980604-65	SE WHOSEN CO.	LONG 4942-214012
Beef	N 136101.55	PM 3390 95 86	W 4363067 16	UAT 39-25-21 5193
inen	6 1612545.25	E YSKINGS 74	0 \$100123#	1045 (0.52 (1.36))
Sant	W 338871 97	N.339006 13	N 416/3004 13	LAT 39-25-21 4142
Link to	E HETZONT DA	E MANGER?	R 840617.77	1. CNG 4942-25 3747
Future	62 SHBEEL IN	N 100996.75	PL 4363691 11	LAT 20-25-21 3201
Yes	E 1012049.02	E 150000T 91	C \$10016.15	LONG 4942-23,3659
Fiduce	né baseoù de	N Sanson da	PE-R163619-26	LAT 39-25-21.2221
West	K 1010000.11	E 1540008.08	C 240948-55	LONG 40-12-23 3401
Follors	N 538H2-15	N 336076 RE	N AM(M75-06	Detr. 12-85-96 7A./
Venit	E. 1812051 19	E 1500610.06	T #10018 B1	LCNG 40-13-23 3343
Fishers	P4 339332-21	N 138566 95	N 4363672 34	LAT 39-29-21 0299
- Park	K 1912012-28	£ 1580011 16	E 10018.28	CHG 40-12-13 RH
Poters	PERSONAL PR	N STREET DE	N KIN (M (A)	IAT 英语选择性
Test .	N 19 COSS 28	E ISAGE: 15	P 61091642	LONG 40-67 21 7979
future	W 338410 31	Pt 238947.67	rs electrole (ii)	LAT 30-25-25 5097
765	E 1812054.45	£ 1580313.34	SE RIGIDILES	LONG 40-53-23.2779
Fiel Fat Elevation	1,044.0			

Total

(LF)

28

(LF)

0

S ENGINEERING ERGY

CO/VO/POLIS NEVECTO PER E	EVISION
	TO PER ANTERIO COUNENTS
	WINDSHARMTAL REQUEST




THUS DOCUMENT VAS PREPARED FOR ANTERO RESOURCES COMPONATION

MONROE
ATER CONTAINMENT P SHEET

EDNA MO
OD AND WATER C COVER PAD



DATE 05/27/2015 SCALE AS SHOWN SHEET 1 OF 26



LOCATION COORDINATES:
TEMPORARY CONSTRUCTION ACCESS
LATITUDE: 39.418479 LONGITUDE: -80.874480 (NAD 83)
N 4363224.84 E 510804.69 (UTM ZONE 17 METERS)

ACCESS ROAD ENTRANCE LATITUDE: 39.417630 LONGITUDE: -80.869776 (NAD 63) N 4383163.37 E 511209.74 (UTM ZONE 17 METERS)

CENTER OF TANK LATITUDE: 39.421379 LONGITUDE: -80.673964 (NAD 83) N 4363546.79 E 510848.67 (UTM ZONE 17 METERS)

CENTROID OF PAD LATITUDE: 39.422226 LONGITUDE: -80.873179 (NAD 83) N 4363685.21 E 510918.04 (UTM ZONE 17 METERS)

GENERAL DESCRIPTION:

THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS & UTICA SHALE GAS WELLS.

FLOODPLAIN NOTES:

THE PROPOSED SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" PER FEMA FLOOD MAPS #54095C0150C

MISS UTILITY STATEMENT:

ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN; TICKET \$1508415089. IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-108) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:
STREAM AND WETLAND DELINEATIONS WERE PERFORMED IN MARCH & APRIL, 2016 BY GAI CONSULTANTS, INC. TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WYDEP). THE APRIL 16, 2016 STREAM AND WETLAND DELINEATION INDEX MAP WAS PREPARED BY GAI CONSULTANTS, INC. AND SUMMARIZES THE RESULTS OF THE FIELD DELINEATION. THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LIMITS OF WATERS AND WETLANDS WHICH MAY BE REQULATED BY THE USACE OR THE WYDEP. IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTES:
A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. BETWEEN APRIL 13, 2015 & MAY 11, 2016. THE REPORT PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED MAY 22, 2016 REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS NEEDED.

PROJECT CONTACTS:

OPERATOR:
ANTERO RESOURCES CORPORATION
635 WHITE OAKS BIVD.
BRIDGEPORT, WY 26330
PHONE: (304) 842-4100
FAX: (304) 842-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4088 CELL: (304) 476-9770

JOHN KAWCAK - OPERATIONS SUPERINTENDENT CELL: (817) 368-1553

AARON KUNZLER - CONSTRUCTION SUPERVISOR CELL: (405) 227-8344

ANTHONY SMITH - FIELD ENGINEER OFFICE: (304) 842-4208 CELL: (304) 673-6195

MARK JOHNSON - SURVEYING COORDINATOR (304) 842-4162 CELL: (304) 719-8449

RICHARD LYLES - LAND AGENT (770) 378-6833

ENGINEER/SURVEYOR:
NAVITUS ENGINEERING, INC.
CYRUS S. KUMP, PE - PROJECT MANAGER/ENGINEER OFFICE: (888) 862-4185 CELL: (540) 686-6747

ENVIRONMENTAL:
GAI CONSULTANTS, INC.
JASON A. COOK - SENIOR ENVIRONMENTAL SPECIALIST
(304) 926-8100 CELL: (303) 709-3308

GEOTECHNICAL:
PENNSYLVANIA SOIL & ROCK, INC.
CHRISTOPHER W. SAMIOS - PROJECT ENGINEER (412) 372-4000 CELL: (412) 589-0862

- RESTRICTIONS NOTES:

 1. THERE ARE NO LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD. THERE IS A WETLAND ADJACENT TO THE TEMPORARY CONSTRUCTION ACCESS, A WETLAND AND PERRONIAL STREAM ADJACENT TO ACCESS ROAD "A", AND A WETLAND ADJACENT TO THE STAGING AREA WHICH WILL REMAIN UNDISTURBED.
- 2. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 EXPLOYED WHILE PAD AND LOD.

 3. THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WHILE 1000 FEET OF THE WELL PAD AND LOD.

 4. THERE ARE NO APPARENT EXISTING WATER WELLS OR DAVELOYED SPRINGS WITHIN 650 FEET OF THE WELL(S) BEING DRILLED.

 5. THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 THE CENTER OF THE WELL PAD.

- THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD,

REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON 22°X34° (ANSI D) PAPER HALF SCALE DRAWINGS ARE ON 11°X17° (ANSI B) PAPER.

THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES

EDNA MONROE WELL PAD & W. SITE DESIGN & CONST EROSION & SEDIMENT (

> CENTERVILLE DISTRICT, TYLER CO CONAWAY RUN-MIDDLE ISLAND

> > USGS 7.5 MIDDLEBOURNE & SH

SCALE:



WEST VIRGINIA COUNTY MAP



(NOT TO SCALE)

DESIGN CERTIFICATION:
THE DRAWINGS, CONSTRUCTION NOTES, AND
REFERENCE DIAGRAMS ATTACHED HERETO HAVE
BEEN PREPARED IN ACCORDANCE WITH THE
WEST VIRGINIA CODE OF STATE RULES, DIVISION
OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL
AND GAS CRS 36-8

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C)
Requires that you call two
business days before you dig in
the state of West Virginia.
IT'S THE LAW!!

Stream and Im

Stream and Impa Stream 4 (Access Stream 7 (Access Stream 37 (V

Containment

Stream 15 (We Stream 12 (Stockpi

Stream 24 (We

EDI

Stream 20 (Acco

TER CONTAINMENT PAD UCTION PLAN,


ONTROL PLANS TY, WEST VIRGINIA

EEK WATERSHED EY QUAD MAP



WEST VIRGINIA STATE PLANE COO NORTH ZONE, NAD83 KLEVATION BASED ON NAVD88 ESTABLISHED BY SURVEY GRADE POST-PROCESSING

WVDOH COUNTY ROAD MAP



ONROE EPHEMERAL STREAM IMPACT (LINEAR FEET)						
sus-e	Permar	ent Impacts	Temp. Impacts	Total Impact		
	Culvert /FIII (LF)	Inlets/Outlets Structures (LF)	Distance to L.O.D. (LF)	Total Impact (LF)		
("A")	0	0	12	12		
1"B")	0	9	17	26		
97	0	0	28	28		
d)	0	0	37	37		
a *E")	0	0	287	287		
d)	0	0	15	15		

ONROE INTERMITTENT STREAM IMPACT (LINEAR FEET)						
ause	Perman	ent Impacts	Temp, Impacts	Total Impact		
	Culvert /Fill	Inlets/Outlets	Distance to	(LF)		
("A" be	14	0	9	23		

4709502

SHEET INDEX:

1 - COVER SHEET

2 - CONSTRUCTION AND EAS CONTROL NOTES

3 - LEGEND

4 - MATERIAL QUANTITIES

5 - STORM DRAINAGE COMPUTATIONS

6 - EXISTING CONDITIONS

7 - EXISTING CONDITIONS

8 - OVERALL PLAN SHEET INDEX & VOLUMES

9 - ACCESS ROAD & STAGING AREA PLAN

10 - ACCESS ROAD FLAN

11 - WELL PAD & WATER CONTAINMENT PAD PLAN

12 - WELL PAD GRADING PLAN

13 - WATER CONTAINMENT PAD GRADING PLAN

14 - ACCESS ROAD PROFILES

16 - ACCESS ROAD SECTIONS

17 - WELL PAD & WATER CONTAINMENT PAD SECTIONS

17 - WELL PAD & WATER CONTAINMENT PAD SECTIONS

18 - 23 - CONSTRUCTION DETAILS

24 - ACCESS ROAD & STAGING AREA RECLAMATION PLAN

25 - ACCESS ROAD RECLAMATION PLAN

26 - WELL PAD & WATER CONTAINMENT PAD RECLAMATION PLAN

26 - WELL PAD & WATER CONTAINMENT PAD RECLAMATION PLAN

GE500-GE606 - GEOTECHNICAL DETAILS

EDNA MONROE LIMITS OF DISTURBANC	E AREA (AC)
Total Site	
Temporary Construction Access (903')	1.06
Access Road "A" (2,035')	5.76
Access Road "B" (250")	0.70
Staging Area	0.28
Well Pad	7.95
Water Containment Pad	2.61
Excess/Topsoil Material Stockpiles	8.08
Total Affected Area	26.4
Total Wooded Acres Disturbed	10.4
Impacts to Edna M. Monore TM 8	5.1
Temporary Construction Access (141')	0.14
Total Affected Area	0.14
Total Wooded Acres Disturbed	0.00
Impacts to Edna M. Monore TM I	-5
Temporary Construction Access (678')	0.77
Access Road "A" (0')	0.11
Access Road *B* (0')	0.05
Excess/Topsoil Material Stockpiles	1.92
Total Affected Area	2.85
Total Wooded Acres Disturbed	2.05
Impacts to Edna M. Monore TM 8-	
Temporary Construction Access (84')	0 15
Access Road "A" (1.643')	4.72
Access Road "B" (34")	0.07
Staging Area	0.28
Excess/Topsoil Material Stockpiles	2.75
Total Affected Area	7.97
Total Wooded Acres Disturbed	431
Impacts to Edna M. Monore TM 8	-4
Access Road "A" (392')	0.93
Access Road "B" (216')	0.58
Well Pad	7.95
Water Containment Pad	2.61
Excess/Topsoil Material Stockpiles	3.41
Total Affected Area	15,45
	4 08

	Total Wooded	ed	4 08		
Proposed	WV North	W North	LUTH (METERS)	NAD 63 Lat & Long	
Well Name	NAD 27	NAD 83	Zone 17		
Seckman	N 339061 44	N 339095.18	N 4353711,34	LAT 39-25-22 3009	
Unit 1H	E 1612038 16	E 1580597.05	E 510914.34	LONG -60-52-23 5135	
Seckman	N 339051 50	N 339086.24	N 4363708.32	LAT 39-25-22, 2028	
Unit 2H	E 1612039 25	E 1580598 14	E 510914 72	CONG -80-52-23 4978	
Seckman	N 339041 56	N 339075.30	N 4383705.29	LAT 39-25-22, 1048	
Unit 3H	E 1612040.34	E 1580599.22	E 510915 10	LONG -80-62-23 4821	
Duelly	N 339031.62	N 339066.36	N 4363702.27	LAT 39-25-22 0067	
Unit 3H	E 1812041.42	E 1560600 31	E 510915 48	LONG -80-52-23 4663	
Duelly	N 339021 68	N 339056.42	N 4363699 25	LAT 39-25-21,9088	
Unit 2H	E 1612042.51	E 1580601.39	E 510915.56	LONG -80-62-23-4505	
Duelty	N 339011 74	N 339045.46	N 4363696 23	LAT 39-25-21,8105	
Unit 1H	E 1512043 50	E 1580502.48	E 510916 24	LONG -80-57-23 4347	
Laaseburg	N 339001.80	N 339036 54	N 4363003.20	LAT 39-25-21.7124	
Unit 2H	E 1812044 68	E 1580603 56	E 510916.62	LONG -80-52-23 4190	
Lessaburg	N 238991 85	N 339026 60	N 4363600 18	LAT 39-25-21.6144	
Unit 1H	E 1812045 78	E 1580804 65	E 510817.00	LONG -80-52-23-4032	
Bead	N 338861 91	N 339016 66	N 4363587.16	LAT 39-25-21, 5163	
Unit 2H	E 1012046.85	E 1560605.74	E 610917.39	LONG -80-52-23 3874	
Bead	N 338971 97	N 339006.72	N 4363664 13	LAT 39-25-21.4182	
Unit 1H	E 1512047.94	E 1580606 82	E 510917.77	LONG -50-52-23-371	
Future	N 338962 03	N 338995.78	N 4363681 11	LAT 39-25-21,3201	
Well	E 1612049 02	E 1580607.91	E 510918,15	LONG -80-52-23 3559	
Future	N 338952.09	N 338956 83	N 4383678 C9	LAT 39-25-21, 2221	
Well	E 1612050.11	E 1560608 99	E 510918.53	LONG 40-52-23-3401	
Future	N 338942.15	N 338976.89	N 4363675.08	LAT 39-25-21, 1240	
Well	E 1612051.19	E 1580810 08	E 510913.91	LONG -80-52-23-2243	
Future	N 338932.71	N 338966.95	N 4363672 54	LAT 39-25-21 0259	
Well	E 1612052.28	E 1580611.16	E 510919.29	LONG -80-52-23.3086	
Future	N 338922.27	N 338957.01	N 4383669.02	LAT 39-25-20.9278	
Well	E 1612053.36	E 1580612.25	E 510919 67	LONG -60-62-23-2928	
Future	14 338912 33	N 338947.07	N 4363666.00	LAT 29-25-20 8297	
Welf	E 1612064.45	£ 1560613.34	E 510920 05	LONG -80-52-23 2770	
Well Pad Elevation	1.044.0				

ice of Oi JUL 24 209

Received

COVER SHEET

DATE: 05/27/2015 SCALE: AS SHOWN

SHEET 0/8/07/2015

VAV PT Telephone: (888) 662-4185 | www.NavitusEng.co


REVISED DATE /01/90


COMMENTS

REVISION PER ANTERO

THIS DOCUMENT WAS PREPARED FOR: ANTERO RESOURCES CORPORATION

WELL PAD AND WATER CONTAINMENT PAD CENTERVILLE DISTRICT
IR COUNTY, WEST VIRGINIA EDNA MONROE





SHEET 08/07/2015

EXISTING STRUCTURE



A EXISTING SHOP/GARAGE



A EXISTING SHOP/GARAGE



B EXISTING OCCUPIED DWELLING
X EXISTING GARAGE



© EXISTING OUTDOOR STORAGE



F EXISTING OUTDOOR STORAGE



© EXISTING STORAGE SHED




(H) EXISTING STORAGE SHED



(1) EXISTING OCCUPIED DWELLING



(L) EXISTING STORAGE SHED
(E) EXISTING GARAGE



(N) EXISTING GAS WELL EQUIPMENT
(N) EXISTING TRUCK TRAILER



(N) EXISTING GAS WELL EQUIPMENT



EXISTING PIPELINE METERS A



S EXISTING STORAGE SHED



EXISTING PIPELINE METERS & PIG



EXISTING WATER TROUGH TO BE REMOVED



EXISTING HUNTING BLIND



EXISTING GAS WELL PAD EXISTING STORAGE SHED



EXISTING STORAGE SHED

& FEATURES



DEXISTING OCCUPIED DWELLING



D EXISTING OCCUPIED DWELLING & POOL



E EXISTING STORAGE SHED



DEXISTING STORAGE SHED



(K) EXISTING GARAGE



(L) EXISTING STORAGE SHED



P EXISTING PIPELINE RISER



@ EXISTING WATER TROUGH



R EXISTING FENCE ENCLOSURE



EXISTING GAS WELL EQUIPMENT



EXISTING GARAGE



Y EXISTING GAS WELL PAD

4/20/13



REVISED PER ANTERO COMMENTS

EDNA MONROE

WELL PAD AND WATER CONTAINMENT PAD

CENTERVILLE DISTRICT


TYLER COUNTY, WEST VIRGINIA

NAV TU ENERGY ENGINEERING




Office


DATE: 05/27/2015 SCALE: N/A




EX TANK PIPELINE (TEXAS KEYSTONE INC.) APPROX. LOCATION APPROX. PROPERTY LINE TM 8-2
WILLIAM C. &
AMANDA M. LEASEHURG
DH 408 PG 210
77.25 AC NAV TU ENERGY ENGINEERING 662-4185 | www.NavitusEng.com PIPELINE (TEXAS 65F KEYSTONE INC.)
PPROX LOCATION TO
BE RELOCATED AS GAI CONSULTANTS WETLAND DELINEATI STUDY AREA TIE-IN PERE SURVEY WELLHEAD INDEX DISTURBANCE -1070 SECKMAN UNIT 1H CRID MORTH AND E SHOWN HIGHDON WE ESTABLISHED BY ST GRADE GPS SECKMAN UNIT 2H 1000 SECKMAN UNIT 3H d (B) DUELLY UNIT SH EPHEMERAL STREAM 20 elephone: (888) 1060 DUELLY UNIT 2H EPHEMERAL STREAM 21 DUELLY UNIT 1H LEASEBURG UNIT 2H LEASEBURG UNIT 1H BEAD UNIT 2H BEAD UNIT 1H FUTURE WELL LOCATION (BL) WELL PAD-DEWATERING SYSTEM (TYP.) (SEE DETAIL) FUTURE WELL LOCATION EPHEMERAL STREAM 22 FUTURE WELL LOCATION FUTURE WELL LOCATION FUTURE WELL LOCATION STREAM 20 (6) FUTURE WELL LOCATION COMMENTS EPHEMERAL STREAM 42 220 1400 PAD 100 - (S) REVISION TM 8-1 EDNA MONROE VB 40 PG 326 87 AC ANTERO M CONTAINMEN BERM (SEE DETAIL) PER PROPOSED PIPEUNE RELOCATION (TEXAS KEYSTONE INC.) 1040 1030 STREAM 23 REVISED EH+27 WELL PAD DEWATERING SYSTEM (TYP.) (SEE DETAIL) DATE (5SF) (58) STREAM 24 EPHEMERAL STREAM 43 Antero INTERMITTENT STREAM 20 THIS DOCUMENT WAS PREPARED FOR: ANTERO RESOURCES CORPORATION INTERMITTENT STREAM 25 AD AND WATER CONTAINMENT PAD CENTERVILLE DISTRICT TYLER COUNTY, WEST VIRGINIA PLAN PAD 62.3 GAI CONSULTANTS
WETLAND DELINEATION
STUDY AREA CONTAINMENT WELL PAD-EDNA MONRO EW-23 SYSTEM (TYP.) (SEE DETAIL) 1690 EGGSS MATTERS
STOCKPILE AREA TO
LAPROX 8.080 C.T.)
Z.25.1 ELOPES
(TOP OF STOCKPILE SHILL HAVE
A MINISTER SHILL HAVE
EX. 3. PLASTIC PIPELINE
(TRIBS RESTORE ISC.)
APPROX TOCATION TO HE
RELOCATION M. SHOWLE DI 1040 WATER 1000 LIMITS OF 080 8 SLOPE (8) Dietos PAD PAD 1010 PIPELINE WELL WELL DIV) 1000 EX. WATERLINE (ANTERO) STREAM 20 ACCESS ROAD A EN White S. White EX. PIPELINE SIZE UNKNOWN (ANTERO) EM-30 EX WATER
ROUGH TO BE DL
REMOVED
OL
STORM D 25 ROAD OL 43 (82) PE (83) CIN SONAL ENGIN INTERMITTENT STREAM 27 (HE) MATCHLINE DATE: 05/27/2015 SEE SHEET 10 SCALE: 1" = 50' SHEE 08/077/90

7/22/3







1/60/1c

