

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Monday, May 08, 2017 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION (A) 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for BOUNTY UNIT 1H

47-095-02411-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: BOUNTY UNIT 1H Farm Name: GARY D. DAWSON ET UX U.S. WELL NUMBER: 47-095-02411-00-00

Horizontal 6A / New Drill

Date Issued: 5/8/2017

Promoting a healthy environment.

API Number:	

PERMIT CONDITIONS 0 0 5 0 2 6 1 1

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS 0 0 5 0 2 4 3 1

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



February 1, 2017

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Office of Oil and Gas Attn: Ms. Laura Adkins 601 57th Street Charleston, WV 25304

Ms. Laura Adkins:

Antero Resources Corporation (Antero) would like to submit the following applications for new well work permits to explore for Marcellus Shale potential. Our **Middlebourne** project is located in Tyler County, WV. On the **approved Dawson Pad** consists **six new horizontal** shallow well (Bounty Unit 1H & 2H and Pierson Unit 1H-4H) that we are requesting approval to drill.

Attached you will find the following:

- Permit Application packages
- > CD with copy of permit applications

If you have any questions please feel free to contact me at (303) 357-7233.

Thank you in advance for your consideration.

Sincerely,

Kara Quackenbush Permitting Agent

Antero Resources Corporation

Enclosures

Grice of Oil and Gas

FEB 0 2 2017

WV Department of Environmental Protection WW-6AW (1-12)

API NO. 47-095 -	
OPERATOR WELL NO.	Bounty Unit 1H
Well Pad Name: Dawson Pad	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION , hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows: West Virginia State: Easting: UTM NAD 83 County: Tyler Northing: 4359045m District: Public Road Access: State Route 18 Centerville Quadrangle: Shirley 7.5' Generally used farm name: Gary D. Dawson, et ux Watershed: Headwaters Middle Island Creek I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON *Please check the box that applies ☐ SURFACE OWNER Print Name: ☐ SURFACE OWNER (Road and/or Other Disturbance) ☐ SURFACE OWNER (Impoundments/Pits) FOR EXECUTION BY A CORPORATION, ETC. Company:____ ☐ COAL OWNER OR LESSEE ☐ COAL OPERATOR ☐ WATER PURVEYOR Signature: Date: □ OPERATOR OF ANY NATURAL GAS STORAGE FIELD

Oil and Gas Privacy Notice:

Office of Oil and Gas

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information information. If you have any questions about our use or your personal information. DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

API NO. 47-095 - 02411
OPERATOR WELL NO. Bounty Unit 1H
Well Pad Name: Dawson Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Res	sources Corpora	494507062	095 - Tyler	Centervil	Shirley 7.5'
,		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Bo	ounty Unit 1H	Well P	ad Name: Daw	son Pad	
3) Farm Name/Surface Owner:	Gary D. Dawson	, et ux Public Ro	oad Access: Sta	te Route 1	8
4) Elevation, current ground:	~1011' E	levation, propose	d post-construct	ion: 1010'	
5) Well Type (a) Gas X		Un	막후 시간에 "NOT 사용이다.		
Other					
(b)If Gas Sha	allow X	Deep	-		
	rizontal X				Dm 14
6) Existing Pad: Yes or No No	with a transfer of				2-14-17
7) Proposed Target Formation(s Marcellus Shale: 6700' TVD, A		2			
3) Proposed Total Vertical Dept	th: 6700' TVD		100		
) Formation at Total Vertical I	Depth: Marcellus	3			
0) Proposed Total Measured D	epth: 16200' M	D	- 0	10.7	
11) Proposed Horizontal Leg Le	ength: 9046'		20934		
2) Approximate Fresh Water S	trata Depths:	115', 320', 455	K 1		
3) Method to Determine Fresh	Water Depths:	Offset well records. D	epths have been ac	ljusted accordi	ng to surface elevation
4) Approximate Saltwater Dep	ths: 652', 1583',	1830			
5) Approximate Coal Seam De	pths: 275', 424',	975			
6) Approximate Depth to Possi	ble Void (coal mi	ne, karst, other):	None Anticipa	ted	
(7) Does Proposed well location				~	
lirectly overlying or adjacent to	an active mine?	Yes	No	^	
(a) If Yes, provide Mine Info:	Name:				
	Depth:			0.00	Received
	Seam:			Office	of Oil & Gas
	Owner:				B 1 7 2017
			.DG		
			185		
			2/16/17		

WW-6B	
(04/15)	

API NO. 47095	
OPERATOR WELL NO.	Bounty Unit 1H

Well Pad Name: Dawson Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80'	80'	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	505' *see #19	505' *see #19	CTS, 702 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	16200'	16200'	4047 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

185 2/16/17

4709502411 Dall 2-16-17

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	3000	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	2500	Lead-HPOZ & Tall - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners	300						

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

Received Office of Oil & Gas

FEB 17 2017

Page 2 of 3

APIN	VO.	47-	095
------	-----	-----	-----

OPERATOR WELL NO. Bounty Unit 1H

Well Pad Name: Dawson Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure

4709502411

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

that all fresh water zones are covered.

XS 2/11/17

Dm17 2-14-17

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 28.65 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 9.14 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th Joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement,

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tall cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, proceed barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

FEB 17 2017



No wells exist within a 500' radius of the wellbore that are reasonably expected to penetrate a depth that could be within the range of fracture propagation; therefore no additional details (perforated formation, producing zones etc.) are required as outlined in 35CSR8-5.11

ounty Unit 1H 4709502411

REGEIVED Office of Oil and Gas

FEB 0 2 2017

WV Department of Environmental Protection

05/f2/2017

API	Number	47	095

Operator's Well No. Bounty Unit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 494507062	
Watershed (HUC 10) Headwaters Middle Island Creek Quadrangle Shirley 7.5'	6
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes	No 🗇
Will a pit be used? Yes No	
If so, please describe anticipated pit waste: No pit will be used at this site (Orilling and Flowbrick Fluids will be stored in tanks. Cuttings w	ill be tanked and hauted off site.)
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Number *UIC Permit # will be provided on Form	
Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfil	
Other (Explain Northwestern Landfi	11 Permit #SWF-1025/
WV0109410	185 all6/17
Will closed loop system be used? If so, describe: Yes	J. FI
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Surface - Air,	Freshweter, Intermediate - arm, Production - Water Based Mud
-If oil based, what type? Synthetic, petroleum, etc. N/A	Dayl
Additives to be used in drilling medium? Please See Attachment	Var
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Stored in tanks, removed offsite an	d taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit	# SWF-1025/WV0109410)
The state of the s	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permitt where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLE on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protect provisions of the permit are enforceable by law. Violations of any term or condition of the general permit aw or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information form and all attachments thereto and that, based on my inquiry of those individuals important of the information, I believe that the information is true, accurate, and complete. I am aware penalties for submitting false information, including the possibility of fine or imprisonment.	ion. I understand that the it and/or other applicable mation submitted on this nediately responsible for that there are significant
Company Official Signature	QUA
Company Official (Typed Name) Cole Kilstrom	TARY PINALIS
Company Official Title Environmental & Regulatory Manager	COLORICON
	(PIRES 12020)
Subscribed and sworn before me this day of FEDMAM, 20 17	21 2010
KONAVIIIII KMVONSP Notary Public	Received
	Office of Oil & Gas
My commission expires JUN 21.2018	FEB 1 7 2017
	05/12/2017

Proposed Revegeration Treatme	ent: Acres Disturbed 28.65 a	Prevegetation pH	
Lime 2-4	Tons/acre or to correct to pl		
Fertilizer type Hay or s	straw or Wood Fiber (will be used	where needed)	
Fertilizer amount 500		bs/acre	
Mulch 2-3 Access Road "A" (7.02 acres) + Access F	Tons/ tond "B" (0,14 acres) + Acress Road "C" (2 Excess/Topsoil Material S	acre .05 acres) + Access Road "D" (3.21 acres) + Staging A stockpiles (5.53 acres) = 28.65 Acres	ren (1,56 acres) + Well Pad (9,14
	See	d Mixtures	500
Тетр	orary	Perman	
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
See attached Table IV-3 for additional seed	type (Dawson Pad Design Page 27)	See attached Table IV-4A for additional seed to	ype (Dawson Pad Design Page 27
*or type of grass seed requ	ested by surface owner	*or type of grass seed reques	ited by surface owner
Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a	will be land applied, include di arca.	eation (unless engineered plans including mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a	will be land applied, include di arca.	eation (unless engineered plans including mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Attach: Maps(s) of road, location, pit and provided). If water from the pit water acreage, of the land application a Photocopied section of involved	will be land applied, include di arca.	eation (unless engineered plans includi mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans including mensions (L x W x D) of the pit, and	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	will be land applied, include di arca.	eation (unless engineered plans including mensions (L x W x D) of the pit, and	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans including mensions (L x W x D) of the pit, and	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans including mensions (L x W x D) of the pit, and	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	cation (unless engineered plans includi mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans includi mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans includi mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans includi mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di arca.	eation (unless engineered plans includi mensions (L x W x D) of the pit, and o	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved Plan Approved by:	will be land applied, include di area. 7.5' topographic sheet.	Date: 2/11/17	ng this info have been limensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit water acreage, of the land application a Photocopied section of involved Plan Approved by: Comments:	will be land applied, include di area. 7.5' topographic sheet.	mensions (L x W x D) of the pit, and o	Rec Office of

FEB 17 2017

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Congor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent ** >005000 A ** 7
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

RECEIVED Office of Oil and Gas

FEB 0 2 2017

WV Department of Environmental Protection 05/12/2017 13. Escaid 110

Drilling Fluild Solvent – Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

23. Walnut Shells

Fluid Loss Reduce.

lex D

Polysaccharide Polymer – Drilling Fluid Viscosiffer

t Shells

Ground Cellulosic Material – Ground Walnut Shells – Lem 0

24. Mil-Graphite

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt - Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube


Drilling Fluid Lubricant

BEGEIVED Office of Oil and Gas

FEB 0 2 2017

WV Department of **Environmental Protection**

05/12/2017





911 Address 13114 Middle Island Rd. Alma, WV 26456

Well Site Safety Plan Antero Resources

Well Name: Pierson Unit 1H-4H, Bounty Unit 1H-3H,

Future Utica 1-6

Pad Location: DAWSON PAD

Tyler County/Centerville District

GPS Coordinates:

\$700502411 Entrance - Lat 39°22'43.83"/Long -80°52'9.39" (NAD83)

Pad Center - Lat 39°22'49.72"/Long -80°52'23.78" (NAD83)

Driving Directions:

Day 2-16-17

From Clarksburg: Drive west on US-50 W for 25 miles. At the town of West Union, turn right onto WV-18 N, go 0.6 miles. Turn left onto Davis St/Old U.S. 50 W, go 0.4 miles. Turn right onto WV-18 N/Sistersville Pike, go 12.4 miles. Access road will be on the left.


Alternate Route:

From Middlebourne: Head southwest on WV-18 S/Main St toward Bridgeway Rd. Go 13.2 miles, access road will be on the right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373
Received

Office of Oil & Gas

FEB 17 2017



Operator's Well Number

Bounty Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Comp Bounce of well-			
Gary D. Dawson, et ux Lease	A-4 D C	1/0.	0450/0422
Gary D. Dawson, et ux	Antero Resources Corporation	1/8+	0459/0133
Robert C. Dean Lease		6 3	
Robert C. Dean	Antero Resources Corporation	1/8+ 0 0 5	0481/0807
		418 0 9 5 0 2 4	
Carl Ash Lease			3 1
Carl W. Ash	Antero Resources Corporation	1/8+	0483/0681
Karla R. Spencer Lease			
Karla R. Spencer	Sancho Oil & Gas Corporatoin	1/8	0362/0259
Sancho Oil & Gas Corporation	Chesapeake Appalachia, LLC	Assignment	0370/0154
Chesapeake Appalachia, LLC	SWN Production Company, LLC	Assignment	0362/0259
SWN Production Company LLC	Antero Resources Corporation	Assignment	0544/0242
David E. Bowyer Lease			
David E. Bowyer	Antero Resource Appalachian Corporation	1/8	0399/0369
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Wilma J. Howard, et al Lease			
Wilma J. Howard	Coastal Corporation	1/8+	DB 0281/0317
Coastal Corporation	Pardee Exploration Company	Assignment	DB 0282/0458
Pardee Exploration Company	Paul E. Pierson	Assignment	DB 0328/0052
Paul E. Pierson	Adeline T. Pierson	Assignment	WB 0031/0064
William P. Pierson, Attorney in Fact for Adeline T.	William P. Pierson	Assignment	DB 0363/0452
Pierson			
William P. Pierson	Sancho Oil & Gas Company	Assignment	DB 0375/0239
Sancho Oil & Gas Company	Antero Resources Corporation	Assignment	0377/0235

Office of Oil and Gas

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and Gas it impered accellus and any other formations completed with this well.

CONTINUED ON NEXT PAGE

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name of Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Carl W. Ash Lease				
	Carl W. Ash & Judith A. Ash	Chesapeake Appalachian, LLC	1/8	0368/0631
	Chesapeake Appalachian, LLC	SWN Production Co., LLC	Assignment	0465/0463
	SWN Production Co. LLC	Antero Resources Corporation	Assignment	0538/0578

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

4709502411

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation Office of Oil and Gas

Kevin Kilstrom

Senior VP of Production

Senior VP of Production

WV Department of Environคุณอุศเส Protection

FORM WW-6A1 EXHIBIT 1


FILED

JUN 1 0 2013

Natalie E. Tennant Scoretary of State 1900 Kanawha Bivd E Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25.60

1. Name under which the corporation was



Antero Resources Appalachian Corporation

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. ET

**** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby ****
applies for an Amended Cortificate of Authority and submits the following statement:

Any	Alvyn A. Schopp Contact Name Signature information (See below *Important) Print Name of Signer: Abyn A. Schopp Signature: Abyn A. Schopp Signature: Abyn A. Schopp Person who signs a document he or she knows is false in any the secretary of state for filing is guilty of a misdementor and, as secretary of state for filing is guilty of a misdementor and.	Title/Capacity: Authorized Person Date: June 10, 2013 The Code \$\frac{5311}{2}\$. Penalty for signing false document. The property of the comment is to be delivered.
7.	Alvyn A. Schopp Contact Name Signature information (See below *Important) Print Name of Signer: Alayn A. Schopp	Phone Number Legal Notice Regarding Signature): Title/Capacity: Authorized Person
7.	Alvyn A. Schopp Contact Name Signature information (See below *Important)	Phone Number Legal Notice Regarding Signature): Title/Capacity: Authorized Person
7.	Alvyn A. Schopp Contact Name Signature information (See below *Important)	Phone Number Legal Notice Regarding Signature):
7.	Alvyn A. Schopp Contact Name	Phone Number
	Alvyn A. Schopp	
		(303) 357-7310
	document.)	and the second s
6.	the filing, listing a contact person and phone num	This is optional, however, if there is a problem with abor may avoid having to return or reject the
	(attach additional pages if necessary)	
5.	Other amendments:	2000
	(due to home state name not being available)	47000
4	Name the corporation elects to use in WV:	Antero Resources Corporation
	(Attach one Certified Conv of Name Change as filed in home State of incorporation.)	
3,		Antero Resources Corporation
	issued in West Virginia:	6/25/2008
	Date Certificate of Authority was	

listed by the Office of the Secretary of Sinto

WYG12 - 044 6/2011 Walters Klanver Ordine

Form CF-4

Office of Oil and Gas

FEB 0 2 2017

WV Department of Environmental Pro5/12/2017



February 1, 2017

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

47095024++

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Bounty Unit 1H

Quadrangle: Shirley 7.5°

Tyler County/Centerville District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Bounty Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Bounty Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Kenneth Vaughn Senior Landman

Kenned Vargh

Office of Oil and Gas

FEB 0 2 2017

WV Department of
Environmental Protection
05/12/2017

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

Date of Notic	ce Certification: 01/31/2017	A	PI No. 47	- 095 -	
		О	perator's	Well No. Boun	ty Unit 1H
		v	Vell Pad N	ame: Dawson	Pad
Notice has I					
Pursuant to th	ne provisions in West Virginia Code §	22-6A, the Operator has provide	ded the req	uired parties v	vith the Notice Forms listed
	tract of land as follows:	_			
State:	West Virginia		asting:	510878m	
County:	Tyler	N	Vorthing:	4359045m	
District:	Centerville	Public Road Access		State Route 18	
Quadrangle:	Shirley 7.5'	Generally used farm	n name:	Gary D. Dawson,	et ux
Watershed:	Headwaters Middle Island Creek				
prescribed by it has provide information of giving the requirements Virginia Code	West Virginia Code § 22-6A-7(b), the secretary, shall be verified and sided the owners of the surface describe equired by subsections (b) and (c), see surface owner notice of entry to su of subsection (b), section sixteen on e § 22-6A-11(b), the applicant shall the have been completed by the applicant	hall contain the following information in subdivisions (1), (2) and ction sixteen of this article; (ii) to try pursuant to subsection (a) of this article were waived in wender proof of and certify to the	nation: (14 l (4), subsethat the reconstruction to the price of the pr	A) A certification (b), security and the certification (b), security and the certification of this article of the surface ow	on from the operator that (i) ction ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice oner; and Pursuant to West
	West Virginia Code § 22-6A, the Operator has properly served the require		s Notice Co	ertification	
*PLEASE CHI	ECK ALL THAT APPLY				OOG OFFICE USE ONLY
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRE SEISMIC ACTIVITY WAS			☐ RECEIVED/ NOT REQUIRED
■ 2. NO	TICE OF ENTRY FOR PLAT SURV	TEY or NO PLAT SURVE	Y WAS CO	NDUCTED	☐ RECEIVED
☐ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRE NOTICE OF ENTRY FOR PL WAS CONDUCTED or			☐ RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER BY (PLEASE ATTACH)	Y SURFAC	CE OWNER	
■ 4. NO	TICE OF PLANNED OPERATION				☐ RECEIVED
■ 5. PUI	BLIC NOTICE				☐ RECEIVED
■ 6. NO	TICE OF APPLICATION	7	• •		☐ RECEIVED
Required A	attachments:		ne de la companya de		MEO

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WV Department of Protection 05/12/2017

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation By:

Kevin Kilstrom

Its: Senior VP of Production

Telephone: 303-357-7310 Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: kquackenbush@anteroresources.com

NOTARY SEAL

KARA QUACKENBUSH NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20144028297 MY COMMISSION EXPIRES JULY 21, 2018 Subscribed and sworn before me this

day of Janyary

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

4709502477

REGEIVED
Office of Oil and Gas
FEB 0 2 2017
WV Department of
Environmental Protestal 2017

WW-6A (9-13)

API NO. 47- <u>095</u>	-	
OPERATOR WE	ELL NO.	Bounty Unit 1H
Well Pad Name:	Dawson Pa	ad

05/12/2017

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 2/1/2017 Date Permit Application Filed: 2/1/2017 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ REGISTERED ☐ PERSONAL ☑ METHOD OF DELIVERY THAT REQUIRES A **SERVICE** MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams: (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any 027 water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: PLEASE SEE ATTACHMENT Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: COAL OPERATOR Name: Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: SURFACE OWNER(s) (Road and/or Other Disturbance) Name: PLEASE SEE ATTACHMENT MATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Address: Name: PLEASE SEE ATTACHMENT Address:

OPERATOR OF ANY NATURATIONS STONAMEDIELD

OF ONLY OF Name: Address: ☐ SURFACE OWNER(s) (Impoundments or Pits) *Please attach additional forms if necessary ** CUI/

**Environment of Name: Address: Environmental Protection

OPERATOR WELL NO. Bounty Unit 1H

Well Pad Name: Dawson Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water, Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31,22012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Epon a finding if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-095

OPERATOR WELL NO. Bounty Unit 1H

Well Pad Name: Dawson Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary,

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Vincents
comments with the secretary as to the location of secretary as to the location of secretary as to the location of secretary at the secretary. All persons described in West Virginia collocation or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas

Department of Environmental Protection
601 57th St. SE

Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

FEB 0 2 100 And Gas

FEB Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written

WW-6A (8-13)

API NO. 47- 095 OPERATOR WELL NO. Bounty Unit 1H
Well Pad Name: Dawson Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office of Oil and Gas

FEB 0 2 2017

WV Department of
Environmental Proto5/3/2/2017

WW-6A (8-13)

API NO. 47- 995 OPERATOR WELL NO. Bounty Unit 1H
Well Pad Name: Dawson Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7310

Email: kquackenbush@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deepprivacyofficer@wv.gov.

KARA QUACKENBUSH
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 20144028297
MY COMMISSION EXPIRES JULY 21, 2018

Subscribed and sworn before me this ____ day of _February 2017

My Commission Expires JMN 21.2018

4709502411

Office of Oil and Gas

FEB 0 2 2017

Environmental Profibility 2017

WW-6A Notice of Application Attachment (DAWSON PAD):

List of Surface Owner(s) with Proposed Disturbance associated with Dawson Well Pad:

WELL PAD - This owner was notified of all well work permit applications, and has executed a signed Surface Use Agreement with Antero Resources Corporation.

TM 15 PCL 1

Owner: Gary D. & Rella A. Dawson Address: 13033 Middle Island Road

Alma, WV 26320

Owner:

Gary D. & Rella A. Dawson (2nd Address)

Address: 17579 Middle Island Road

Alma, WV 26320

ROAD AND/OR OTHER DISTURBANCE - These owners have executed signed agreements with Antero Resources Corporation. However, they were only notified if their tract is overlying the oil and gas leasehold being developed by the proposed well work as outlined in WV Code 22-6A-10(b)(2).

TM 15 PCL 1 (ON LEASE)

Owner: Gary D. & Rella A. Dawson Address: 13033 Middle Island Road

Alma, WV 26320

Owner:

Gary D. & Rella A. Dawson (2nd Address)

Address: 17579 Middle Island Road

Alma, WV 26320

TM 15 PCL 1.2 (OFF LEASE)

Larry & Mary L. Robinson Owner:

Address: 38195 State 7 Route

Sardis, OH 43946

TM 15 PCL 1.7 (OFF LEASE)*

Antero Resources Corporation Owner:

1615 Wynkoop Street Address:

Denver, CO 80202

*Antero Resources Corporation recently purchased this property from William B/& Julie A. Markle

*Please note that existing disturbance located within WVDOH right-of-way is covered by Antero's approved permit with WVDOH.

WATER SOURCE OWNERS: Within 1500'

TM 15 PCL 1.7

1 Water Well: 1031' (WW3)

Owner:

Antero Resources Corporation

Address:

1615 Wynkoop Street

Denver, CO 80202

TM 15 PCL 1

2 Water Well: 935' (WW2) & 961' (WW1)

Owner:

Gary D. & Rella A. Dawson

Address: 13033 Middle Island Road

Alma, WV 26320

Owner:


Gary D. & Rella A. Dawson (2nd Address)

Address: 17579 Middle Island Road

Alma, WV 26320

REGENVED Office of Oil and Gas

Environmental Protection



Operator Well No.	Bounty Unit 1H
Multiple Wells on the I	Dawson Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

	equirement: Notice shall be prov	ided at least SEVEN (7) days b	out no more than FORTY-FIVE (45)	days prior to
entry Date of Notice:	8/19/2015 Date of Plan	nned Entry: *8/29/2015	*Please note that this is an estimated date. Antero may begin surveying seven (7) days but	
Delivery metho	od pursuant to West Virginia Co	ode § 22-6A-10a	more than forty-five (45) after your receipt of notice (whichever comes first).	this
☐ PERSONA	AL REGISTERED	■ METHOD OF DELIVE	ERY THAT REQUIRES A	
SERVICE	MAIL		URE CONFIRMATION	
on to the surface but no more that beneath such tra owner of minera and Sediment C Secretary, which enable the surface	e tract to conduct any plat surveys in forty-five days prior to such ent let that has filed a declaration purs als underlying such tract in the co- ontrol Manual and the statutes and in statement shall include contact if the contact in the contact if the contact in the contac	required pursuant to this article ry to: (1) The surface owner of suant to section thirty-six, article unty tax records. The notice she d rules related to oil and gas ex- information, including the address	on, the operator shall provide notice of e. Such notice shall be provided at leasuch tract; (2) to any owner or lessee the six, chapter twenty-two of this code all include a statement that copies of ploration and production may be obtainess for a web page on the Secretary's	ast seven days of coal seams or, and (3) any the state Erosion ined from the
Notice is hereby	y provided to:	72/00/		
SURFACE	,		WNER OR LESSEE	
	& Rella A. Dawson		LARATIONS ON RECORD WITH COUNTY	
The second secon	fiddle Island Creek Rd. VV 26320	Address:		
	& Rella A, Dawson (2nd Address)		_ _	
Address: 17579 N		■ MINERA	AL OWNER(s)	1
The second secon	VV 26320		D. & Rella A. Dawson (2nd Address)	/
Name:			Middle Island Creek Rd. 17579 Middle Island Rd.	1
			, WV 26320 Alma, WV 26320	
		*please attach add	ditional forms if necessary	
		otice is hereby given that the ur	ndersigned well operator is planning e	entry to conduct
	Vest Virginia	Approx. Latitude	& Longitude: Approx. 39.380457, -80.8733	64
County: T	yler	Public Road Acce	ess: WV 18	
District:	Centerville	Watershed:	Headwaters Middle Island Cr	eek
Quadrangle: s	hirley 7.5'	Generally used fa	nrm name: Dawson, Gary D. & Rella A.	
may be obtained Charleston, WV obtained from th	I from the Secretary, at the WV D 25304 (304-926-0450). Copies ne Secretary by visiting <u>www.dep</u>	department of Environmental Pr of such documents or additional	eles related to oil and gas exploration a rotection headquarters, located at 601 al information related to horizontal dri ault.aspx.	57th Street, SE,
Notice is here		2.19		
Well Operator:	Antero Resources Corporation		15 Wynkoop Street	
	(303) 357- 7310		enver, CO 80202	
Email:	kquackenbush@anteroresources.com	Facsimile: (30	03) 357-7315 Offic HECE	
Telephone: Email: Oil and Gas P The Office of O	kquackenbush@anteroresources.com Privacy Notice: and Gas processes your persona			CEIVE Oil and

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use any your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notice	Requirement: notice shall be provided no la ee: 02/01/2017 Date Permit Appl			application.
Delivery met	hod pursuant to West Virginia Code § 22-	6A-16(c)		
■ CERTI	FIED MAIL	AND		
KETUI	RN RECEIPT REQUESTED D	DELIVERY		
return receipt the planned or required to be drilling of a damages to the	V. Va. Code § 22-6A-16(c), no later than the requested or hand delivery, give the surface operation. The notice required by this subset provided by subsection (b), section ten of the horizontal well; and (3) A proposed surface we surface affected by oil and gas operations the required by this section shall be given to the	owner whose land section shall include his article to a surfa- tuse and compens- to the extent the da	will be used for le: (1) A copy ace owner whos ation agreemen mages are comp	or the drilling of a horizontal well notice of of this code section; (2) The information we land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter.
Notice is her	eby provided to the SURFACE OWNER(s	1)		
	s listed in the records of the sheriff at the tim			
	D. & Rella A. Dawson	Name:	Gary D. Rella A. Da	awson (2nd address)
	3 Middle Island Road		: 17579 Middle Islan	nd Rd.
The second secon	, WV 26320		Alma, WV 26320	1
Notice is her Pursuant to W	eby given: Vest Virginia Code § 22-6A-16(c), notice is h	ereby given that th	e undersigned v	well operator has developed a planned
	the surface owner's land for the purpose of c	drilling a horizontal	well on the tra	ct of land as follows:
State:	West Virginia	UTM NAD 8	Easting:	510878m
County:	Tyler	O IM MAD 6.	Northing:	4359045m
District:	Centerville	Public Road A		State Route 18
Quadrangle:	Shirley 7.5'	Generally use	d farm name:	Gary D. Dawson, et ux
Watershed:	Headwaters Middle Island Creek			
Pursuant to V to be provide horizontal we surface affect information r	Shall Include: Vest Virginia Code § 22-6A-16(c), this notice of by W. Va. Code § 22-6A-10(b) to a surell; and (3) A proposed surface use and compared by oil and gas operations to the extent the elated to horizontal drilling may be obtained located at 601 57th Street, SE, Charlest ault.aspx.	face owner whose bensation agreement he damages are could from the Secret	land will be un at containing an empensable und ary, at the WV	ased in conjunction with the drilling of a n offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection
Well Operato	Antero Resources Corporation	Address:	1615 Wynkoop Stre	et
Telephone:	(303) 357-7310	_	Denver, CO 80202	
Email:	kquackenbush@anteroresources.com	Facsimile:	303-357-7315	
The Office of duties. Your needed to co appropriately	Privacy Notice: Oil and Gas processes your personal inform personal information may be disclosed to comply with statutory or regulatory require secure your personal information. If you ha Privacy Officer at depprivacyofficer@wv.go	other State agencie ements, including eve any questions a	es or third parti Freedom of Ir	es in the normal course of business or as aformation Act requests. Our office will

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

FEB 0 2 2017

Office of Oil and Gas

WV Department of Environmental Prote5/102/2017



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Reissued January 30, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Dawson Pad, Tyler County

Bounty Unit 1H Well Site

47-095-02411

Dear Mr. Martin,

Jim Justice

Governor

This well site will be accessed from a DOH permit #06-2015-0404 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of WV 18 Feeder in Tyler County.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Kara Quackenbush

Antero Resources Corporation

CH, OM, D-6

File

Office of Oil and Gas
FEB 0 2 2017

WV Department of Environmental Protection

List of Anticipated Additives Used for Fracturing or Stimulating Well

A 1 144	Chemical Abstract Service Number		
Additives	(CAS #)		
Fresh Water	7732-18-5		
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1		
Ammonium Persulfate	7727-54-0		
Anionic copolymer	Proprietary		
Anionic polymer	Proprietary		
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9		
Cellulase enzyme	Proprietary		
Demulsifier Base	Proprietary		
Ethoxylated alcohol blend	Mixture		
Ethoxylated Nonylphenol	68412-54-4		
Ethoxylated oleylamine	26635-93-8		
Ethylene Glycol	107-21-1		
Glycol Ethers	111-76-2		
Guar gum	9000-30-0		
Hydrogen Chloride	7647-01-0		
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8		
Isopropyl alcohol	67-63-0		
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2		
Microparticle	Proprietary		
Petroleum Distillates (BTEX Below Detect)	64742-47-8		
Polyacrylamide	57-55-6		
Propargyl Alcohol	107-19-7		
Propylene Glycol	57-55-6		
Quartz	14808-60-7		
Sillica, crystalline quartz	7631-86-9		
Sodium Chloride	7647-14-5		
Sodium Hydroxide	1310-73-2		
Sugar	57-50-1		
Surfactant	68439-51-0		
Suspending agent (solid)	14808-60-7		
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7		
Solvent Naphtha, petroleum, heavy aliph	64742-96-7		
Soybean Oil, Me ester	67784-80-9		
Copolymer of Maleic and Acrylic Acid	<i>5</i> 2255-49-9		
DETA phosphonate	15827,60(8 >		
Hexamthylene Triamine Penta	34690-00-1 0 0 2		
Phosphino Carboxylic acid polymer	71050-62-9		
Hexamethylene Diamine Tetra	23605-75-5		
2-Propenoic acid, polymer with 2 propenamide	9003-06-9		
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5		
Diethylene Glycol	111-46-6 MEGENISO		
Methenamine	111-46-6 FE GENCED 100-97-6-9 Of Oil and C		
Polyethylene polyamine	68603-67-8		
Coco amine	61791-14-8 5 8 0 2 2017		
2-Propyn-1-olcompound with methyloxirane	381/4-77		
	En. Vepartma		

381程程 Department of Environmental Protection/2017

LOCATION COORDINATES:

ACCESS ROAD ENTRANCE

LATITUDE: 39.378843 LONGITUDE: -80.869276 (NAD 83)

N 4358826.70 E 511258.99 (UTM ZONE 17 METERS)

CENTER OF TANK

LATITUDE: 39.380150 LONGITUDE: -80.872835 (NAD 83) N 4358971.34 E 510952.29 (UTM ZONE 17 METERS (UTM ZONE 17 METERS)

LATITUDE: 39.380477 LONGITUDE: -80.873272 (NAD 83) N 4359007.56 E 510914.56 (UTM ZONE 17 METERS)

GENERAL DESCRIPTION:

THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

APPROVED

VDEP OOG

8/18/2016

MISS UTILITY STATEMENT:
ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF
UTILITIES PRIOR TO THIS PROJECT DESIGN: TICKET #1533799573. IN ADDITION, MISS UTILITY WILL BE
CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

THE PROPOSED SITE IS LOCATED IN FLOOD ZONES "X" & "A" PER FEMA MAP NUMBERS #54095C0150C & #54095C0175C. THE SITE ENTRANCE IS LOCATED IN FLOOD ZONE "A" AND THE REST OF THE SITE IS LOCATED IN FLOOD ZONE "X". MINOR EXCAVATION IS REQUIRED FOR THE INSTALLATION OF THE ENTRANCE AND E&S CONTROL IS THE ONLY DISTURBANCE PROPOSED IN FLOOD ZONE "A". NO FILL IS PROPOSED IN FLOOD ZONE "A".

PROPOSED IN FLOOD ZONE "A".

ENVIRONMENTAL NOTES:
STREAM AND WETLAND DELINEATIONS WERE PERFORMED IN JULY & NOVEMBER 2016 BY KC HARVEY ENVIRONMENTAL, LLC TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WODED). THE NOVEMBER 10, 2015 STREAM AND WETLAND DELINEATION INDEX MAP WAS PREPARED BY KC HARVEY ENVIRONMENTAL, LLC AND SUMMARIZES THE RESULTS OF THE FIELD DELINEATION. THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LIMITS OF WATERS AND WETLANDS WHICH MAY BE REGULATED BY THE USACE OR THE WYDEP. IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL DETAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

DAWSON EPHEMERAL STREAM IMPACT (LINEAR FEET)					
	Perma	nent Impacts	Temp. Impacts	Temp. Disturb.	Total
Stream and Impact Cause	Culvert / Fill (LF)	Inlets/Outlets Structures (LF)	Cofferdam/ E&S Controls (LF)	Distance to L.O.D. (LF)	Disturbance (LF)
Stream 2 (Access Road "A")	0	0	21	5	26

DAWSON WETLAND IMPACT (SQUARE FEET)				
Wetland and Impact Cause	Fill (SF)	Total Impact (SF)	Total Impact (AC)	
Wetland 2 (Access Road "A")	1,146	1,146	0.03	
Wetland 3 (Well Pad)	3,565	3,565	0.08	
Wetland 4 (Well Pad)	1 235	1 235	0.03	

GEOTECHNICAL NOTES:

THE PROPOSED ACCESS ROAD CUT SLOPE (1.5:1) SHALL BE FIELD VERIFIED BY A CERTIFIED GEOTECHNICAL ENGINEER TO ENSURE THE PROPOSED SLOPES ARE ADEQUATE PRIOR TO CONSTRUCTION. ACCESS ROAD CONSTRUCTION SHALL BE MONITORED BY A REPRESENTATIVE OF THE GEOTECHNICAL ENGINEER OF PROJECT DESIGN ENGINEER DURING CONSTRUCTION.

A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. ON DECEMBER 17-23, AND 29, 2015. THE REPORT PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED JANUARY 29, 2016 REVISED MARCH 16, 2016, REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS

PROJECT CONTACTS:

OPERATOR:
ANTERO RESOURCES CORPORATION
535 WHITE OAKS BLVD.
BRIDGEPORT, WV 26330
PHONE: (304) 842-4100
FAX: (304) 842-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4068 CELL: (304) 476-9770

JON MCEVERS - OPERATIONS SUPERINTENDENT OFFICE: (303) 357-6799 CELL: (303) 808-2423

AARON KUNZLER - CONSTRUCTION SUPERVISOR CELL: (405) 227-8344

ROBERT B. WIRKS - FIELD ENGINEER OFFICE: (304) 842-4100 CELL: (304) 627-7405

(304) 719-6449

JIM WILSON - LAND AGENT OFFICE: (304) 842-4419 CELL: (304) 671-2708

ENGINEER/SURVEYOR: NAVITUS ENGINEERING, INC. CYRUS S. KUMP, PE - PROJECT MANAGER/ENGINEER

OFFICE: (888) 662-4185 CELL: (540) 686-6747

ENVIRONMENTAL: KC HARVEY ENVIRONMENTAL, LLC SHANNON THOMPSON — STAFF SCIENTIST (740) 373-1970 CELL: (970) 396-8250

GEOTECHNICAL:
PENNSYLVANIA SOIL & ROCK, INC.
CHRISTOPHER W. SAMIOS - PROJECT ENGINEER
OFFICE: (412) 372-4000 CELL: (412) 589-0662

CHARLES E. COMPTON, III - SURVEYING COORDINATOR

- RESTRICTIONS NOTES:

 1. THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD. THERE ARE WETLAND IMPACTS THAT WILL NEED TO BE PERMITTED BY THE APPROPRIATE AGENCIES.

 2. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL.
- PAD AND LOD.
- THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.


 THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250

- THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELLS, BEING BRILLED.
 THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.
 THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

DAWSON WELL PAD & WATE SITE DESIGN & CONSTI **EROSION & SEDIMENT O**

CENTERVILLE DISTRICT, TYLER COL CONAWAY RUN-MIDDLE ISLAND O

USGS 7.5 MIDDLEBOURNE, SHIRLEY, PENNSBOR



WEST VIRGINIA COUNTY MAP



(NOT TO SCALE)

DESIGN CERTIFICATION:
THE DRAWINGS, CONSTRUCTION NOTES, AND
REFERENCE DIAGRAMS ATTACHED HERETO HAVE
BEEN PREPARED IN ACCORDANCE WITH THE
WEST VIRGINIA CODE OF STATE RULES, DIVISION
OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CRS 35-8

SCALE:

= 2000

R CONTAINMENT PAD RUCTION PLAN, ONTROL PLANS

NTY, WEST VIRGINIA REEK WATERSHED

& WEST UNION QUAD MAPS



NORTH ZONE, NADB3
ELEVATION BASED ON NAVDBB
ESTABLISHED BY SURVEY GRADE
POST-PROCESSING STATE PLANE

WVDOH COUNTY ROAD MAP



MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C)
Requires that you call two
business days before you dig in
the state of West Virginia. IT'S THE LAW!!



REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON 22"X34" (ANSI D) PAPER. HALF SCALE DRAWINGS ARE ON 11"X17" (ANSI B) PAPER.

THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES.

SHEET INDEX:

- SHEET INDEX:

 1 COVER SHEET
 2 CONSTRUCTION AND E&S CONTROL NOTES
 3 LEGEND
 4 MATERIAL QUANTITIES
 5 STORM DRAINAGE COMPUTATIONS
 6 EXISTING CONDITIONS
 7 EXISTING STRUCTURES & FEATURES
 8 OVERALL PLAN SHEET INDEX & VOLUMES
 9 ACCESS ROAD PLAN
 10 WELL PAD/WATER CONTAINMENT PAD PLAN
 11 WELL PAD/WATER CONTAINMENT PAD GRADING PLAN
 12-13 ACCESS ROAD PROFILES
 14-16 ACCESS ROAD SECTIONS
 17-18 WELL PAD & WATER CONTAINMENT PAD SECTIONS
 19 STOCKPILE & STAGING AREA SECTIONS
 20-27 CONSTRUCTION DETAILS
 28 ACCESS ROAD RECLAMATION PLAN
 29 WELL PAD/WATER CONTAINMENT PAD RECLAMATION PL
 29 WELL PAD/WATER CONTAINMENT PAD RECLAMATION PL
 29 WELL PAD/WATER CONTAINMENT PAD RECLAMATION PL
 20 WELL PAD/WATER CONTAINMENT PAD RECLAMATION PL
 20 WELL PAD/WATER CONTAINMENT PAD RECLAMATION PL

- WELL PAD/WATER CONTAINMENT PAD RECLAMATION PLAN

GE500-GE506 - GEOTECHNICAL DETAILS

DAWSON LIMITS OF DISTURBANCE A	REA (AC)
Total Site	
Access Road "A" (2,094")	7.02
Access Road "B" (51')	0.14
Access Road "C" (998')	2.05
Access Road "D" (1,387')	3.21
Staging Area	1.56
Well Pad	9.14
Excess/Topsoil Material Stockpiles	5.53
Total Affected Area	28.65
Total Wooded Acres Disturbed	25.44
Impacts to Co. Rt. 18 R.O.W.	
Access Road "A" (19')	0.11
Total Affected Area	0.11
Total Wooded Acres Disturbed	0.01
Impacts to William B. & Julie A. Markle	TM 15-1.7
Access Road "A"	0.10
Total Affected Area	0.10
Total Wooded Acres Disturbed	0.06
Impacts to Gary D. & Rella A. Dawson	TM 15-1
Access Road "A" (1,162')	4.01
Access Road "B" (51')	0.14
Access Road "C" (998')	2.05
Access Road "D" (1,387')	3.21
Staging Area	1.56
Well Pad	9.14
Excess/Topsoil Material Stockpiles	5.40
Total Affected Area	25.51
Total Wooded Acres Disturbed	22,45
Impacts to Larry & Mary J. Robinson	TM 15-1.2
Access Rcad "A" (913')	2.80
Excess/Topsoil Material Stockpiles	0.13
Total Affected Area	2.93
Total Wooded Acres Disturbed	2.92

Proposed Well Name	WV North NAD 27	WV North NAD 83	UTM (METERS) Zone 17	NAD 83 Lat & Long
Pierson	N 323778.27	N 323812.98	N 4359053.22	LAT 39-22-51.2002
Unit 1H	E 1611633.79	E 1580192.67	E 510868.86	LONG -80-52-25.6880
Pierson	N 323771.26	N 323805.97	N 4359051.12	LAT 39-22-51.1320
Unit 2H	E 1611640.92	E 1580199.80	E 510871.07	LONG -80-52-25.5958
Pierson	N 323764 26	N 323798.96	N 4359049.02	LAT 39-22-51 0638
Unit 3H	E 1611648.05	E 1580206.94	E 510873.28	LONG -80-52-25,5036
Pierson	N 323757.25	N 323791.95	N 4359046.92	LAT 39-22-50.9956
Unit 4H	E 1611655.18	E 1580214.07	E 510875.48	LONG -80-52-25.4114
Bounty	N 323750 24	N 323784 94	N 4359044.82	LAT 39-22-50 9274
Unit 1H	E 1611662.32	E 1580221.20	E 510877.69	LONG -80-52-25.3192
Bounty	N323743.23	N 323777.93	N 4359042.72	LAT 39-22-50 8592
Unit 2H	E 1611669.45	E 1580228.34	E 510879.90	LONG -80-52-25.2270
Bounty	N 323736 22	N 323770.92	N 4359040.62	LAT 39-22-50.7911
Unit 3H	E 1611676.58	E 1580235.47	E 510882.11	LONG -80-52-25.1348
Future	N 323725.71	N 323760.41	N 4359037.48	LAT 39-22-50.6888
Utica 1	E 1611687.28	E 1580246.17	E 510885.42	LONG -80-52-24.9965
Future	N 323715.19	N 323749.90	N 4359034.33	LAT 39-22-50.5865
Utica 2	E 1611697.98	E 1580256.87	E 510888.74	LONG -80-52-24.8582
Future	N 323704.68	N 323739.39	N 4359031.18	LAT 39-22-50.4842
Utica 3	E 1611708.68	E 1580267.57	E 510892.05	LONG -80-52-24.7199
Future	N 323694.17	N 32372E 87	N 4359028.03	LAT 39-22-50.3819
Utica 4	E 1611719.38	E 1580278 27	E 510895.36	LONG -80-52-24.5817
Future	N 323683.65	N 32371E.36	N 4359024.88	LAT 39-22-50.2797
Utica 5	E 1611730.08	E 1580288.96	E 510898.68	LONG -80-52-24.4434
Future	N 323673.14	N 323707.85	N 4359021.73	LAT 39-22-50.1774
Utica 6	E 1611740.78	E 1580299.66	E 510901.99	LONG -80-52-24.3051
Well Pad Elevation	1,010.0			



DATE	REVISION
04/26/2016	REVISED SURFACE CONFIGURATION
05/08/2016	REVISED WATER TANK LOCATION
9102/41/80	REVISED PER DEP COMMENTS





THIS DOCUMENT WAS PREPARED FOR: ANTERO RESOURCES CORPORATION

WELL PAD & WATER CONTAINMENT PAD CENTERVILLE DISTRICT TYLER COUNTY, WEST VIRGINIA DAWSON



DATE: 03/18/2016 SCALE: AS SHOWN





Antero Resources Corporation Erosion and Sediment Control Plan for Dawson Well Pad & Water Containment Pad


Antero Resources Corporation (Antero) is submitting the following narrative and set of drawings in compliance with §35-8-5.4. This plan is submitted in conjunction with the Dawson Well Pad &Water Containment Pad Site Design & Construction Plan, Erosion & Sediment Control Plans prepared in accordance with the West Virginia Code of State Rules, Division of Environmental Protection and Office of Oil and Gas, and certified by Navitus Engineering Inc., a West Virginia registered professional engineer.

Requirement §5.4.b.1. A general sequence of events that describe in relative terms how and when each construction phase (i.e. clearing and grubbing, mass grading, stabilization) will occur and when each erosion and sediment control best management practice ("BMP") will be installed;

Antero Response:

The following includes a general sequence of events that describe in relative terms how and when each construction phase is anticipated to occur and erosion and sediment control BMPs to be installed. Please refer to the Dawson Well Pad & Water Containment Pad Site Design & Construction Plan, Erosion & Sediment Control Plans (Site Design) prepared and certified by Navitus Engineering Inc. for specific construction measures. Compliance with the measures outlined in the Site Construction Plan (§35-8-5.4) submitted in conjunction with this plan will also be maintained.

- A pre-construction conference with the contactor and the appropriate erosion and sediment control inspector 48 hours prior to beginning work to review the construction drawings and provide any requested guidance.
- Stake the limits of construction and mark/flag all identified wetlands, streams, utilities, and
 other areas of concern for construction activities. Install signs to designate the areas and orange
 safety fence to identify important project attributes such as approved access roads, no refueling
 zones, wetlands/steam bounds, Etc.
- Construct the rock construction entrance. All vehicles entering and exiting the site shall do so via the rock construction entrance.
- 4. Construct all BMP's as soon as clearing and grubbing operations allow. Diversions and sediment trap(s)/basin(s) shall be seeded and mulched immediately.
- 5. If applicable, convey upslope drainage around the Access Road, Well Pad, and Water Containment pad areas by constructing all diversion berm(s) and/or compost filter sock diversion(s) as shown on the plans.
- 6. Clear and grub the site. All woody material, brush, trees, stumps, large roots, boulders, and debris shall be cleared from the site area and kept to the minimum necessary for proper construction, including the installation of necessary sediment controls. Trees six inches in diameter and larger shall be cut and logs stacked. Smaller trees, brush, & stumps shall be cut and/or grubbed and windrowed in appropriate areas for use as sediment barriers at water drainage outlets (as shown on the plans), windrowed below the well site used for wildlife habitat, burned (as per WV forest fire laws), removed from site, or disposed of by other Gas methods approved by WV DEP.



- 7. If applicable, install all wetland or stream crossings as shown on the plans.
- 8. Strip the topsoil from the access road. Prior to placing any fill, the exposed subgrade shall be compacted and proof rolled to produce a stable and unyielding site. All stripped topsoil shall be stockpiled in areas shown in the plans, or re-spread at an approximate depth of 2-4 inches on all proposed 2:1 or flatter slopes, and immediately stabilized. Additional BMP measures shall be constructed around topsoil stockpiles, if necessary.
- 9. Construct the access road. All fill areas, including excess material stockpiles, shall be "Keyed In" and compacted in horizontal lifts with a maximum loose lift thickness of 12" and maximum particle size as outlined in the geotechnical report. All fill shall be compacted by a vibrating sheepsfoot roller to 95% per the standard proctor test (ASTM D698). Moisture content will be controlled in accordance with the standard proctor test (ASTM D698) results. It is also recommended that each lift be proof rolled with a loaded haul truck where applicable. Ditch relief culverts shall be installed at a grade of 1-8% to minimize outlet velocities to the extent possible. Install outlet protection once ditch relief culverts are installed, as shown on plans. Stabilize the road with geotextile fabric & stone and side slopes as specified with permanent seeding. Excess material shall be stockpiled (if necessary) in areas shown in the plans and immediately stabilized. Topsoil shall be stripped from all stockpile areas prior to construction of stockpiles. After stockpiles are constructed, topsoil is to be reapplied at a depth of 2"-4". Slopes shall be tracked by running tracked machinery up and down the slope, leaving tread marks parallel to the contour. All ditch lines shall be cleaned prior to installation of lined protection.
- 10. Strip the topsoil from the well pad and water containment pad. Prior to placing any fill, the exposed subgrade shall be compacted and proof rolled to produce a stable and unyielding site. All stripped topsoil shall be stockpiled in areas shown in the plans, or re-spread at an approximate depth of 2-4 inches on all proposed 2:1 or flatter slopes, and immediately stabilized. Additional BMP measures shall be constructed around topsoil stockpiles, if necessary.
- 11. Grade the well pad and water containment pad areas as shown on the plans. Install pad sumps (with 4" PVC drain pipe and outlet protection) and containment berm liner system. Immediately stabilize the outer areas of the well pad and water containment pad. The well pad and water containment pad areas shall be stabilized with geotextile fabric & stone and the side slopes with seed and mulch. Install all straw wattles as shown on plans. Apply seed and mulch to all disturbed areas. This shall include all areas that will not be subject to regular traffic activity to be stabilized with stone), or any disturbed area that will not be re-disturbed before site reclamation begins.
- 12. Commence well drilling activity.
- 13. All BMP's must remain in place and functional until all areas within the limit of disturbance are complete and permanently stabilized. Maintenance must include inspection of all erosion and sediment controls after each runoff event in excess of 0.5" and on a biweekly basis.
- 14. The construction site should be stabilized as soon as possible after completion. Establishment of final stabilization must be initiated no later than 7 days after reaching final grade. Final stabilization means that all soil-disturbing activities are completed, and that either a permanent vegetative cover with a density of 70% or greater has been established or that the surface had been stabilized by hard cover such as pavement or buildings. It should be noted that the 70% requirement refers to the total area vegetated and not just a percent of the site.
- requirement refers to the total area vegetated and not just a permanently stabilized and approval is received from the WVDEP.
- 16. Any areas disturbed by removal of controls shall be repaired, stabilized, and permanently and Gas seeded.

FEB 0 2 2017

Requirement §5.4.b.2. A description of the stabilization methods to be used, including the application rates for temporary and permanent seeding and mulching, and provide the timeframes for establishing stabilization

Antero Response:

Stabilization methods used include seeding and mulching of disturbed areas as well as the implementation of erosion and sediment control BMPs. Please refer to "Construction and E&S Control Notes" on page 2 and "Construction Details" on pages 20-26 for detailed descriptions of the different stabilization methods to be used. Seeding and mulching is to be in accordance with the WVDOT Standard Specifications unless specified otherwise in the plans or unless specified otherwise by the construction engineer or Antero representative. Please refer to "Erosion and Sediment Control Narrative" under Construction and "E&S Control Notes" on page 2 as well as "Revegetation" on page 27 of the Site Design for more specific information regarding application, liming, and mulching rates.

Erosion and sediment BMPs will be constructed, stabilized, and functional before site disturbance begins within the tributary areas of those BMPs. In a timely manner after earth disturbance activities cease, Antero shall stabilize any areas disturbed by the activities. During non-germination periods, mulch must be applied at the specified rates. Disturbed areas which are not at finish grade and which will be redisturbed within 1 year will be stabilized in accordance with the temporary vegetative stabilization and specifications. Disturbed areas which are finished grade or which will not be re-disturbed within 1 year will be stabilized in accordance with the permanent vegetative stabilization specification. Please refer to "Construction and E&S Control Notes" on page 2 for more information regarding timeframes for establishing stabilization and erosion and sediment BMPs.

The site shall be considered to have achieved full stabilization when it has a minimum uniform 70% perennial vegetative cover or other permanent non-vegetative cover with a density sufficient to resist accelerated surface erosion and subsurface characteristics to resist sliding and other movements. Until the site achieves final stabilization, Antero will assure that the best management practices (BMPs) are implemented, inspected, operated, and maintained. As such, Antero will maintain written inspection logs. All maintenance work, including cleaning, repair, replacement, regarding, and re-stabilization shall be performed immediately upon discovery of deficiency. After final stabilization has been achieved, temporary erosion and sediment BMPs controls will be removed. Areas disturbed during removal of the BMPs will be stabilized immediately.

Requirement §5.4.b.3. Details of specifications for the erosion and sediment control BMPs employed on the project.

Antero Response:

Please refer to the "Construction and E&S Control Notes," and "Construction Details" on pages 2 and 20-26 in the Site Design for specifications including instructions for installation, inspection, and maintenance for erosion and sediment control BMPs employed at this site.

Requirement §5.4.b.3. A vicinity map locating the site in relation to the surrounding the end reads; Office of Oil and Gas

Antero Response:

A vicinity map locating the site in relation to the surrounding area and roads is included to the Site Design.

WV Department of Environmental Protection 2/2017

Requirement §5.4.c.2 A plan view site map at a scale of one inch equal to one hundred feet (1"=100') or greater, showing appropriate detail of all site features, including the identification of site access that provides for a stabilized construction entrance and exit to reduce tracking of sediment onto public or private roads; and

Antero Response:

"Overall Plan Sheet Index & Volumes," "Access Road Plan," "Well Pad/Water Containment Pad Plan," and "Well Pad/Water Containment Pad Grading Plan" maps are included on pages 8-11 of the Site Design. Specific design, layout and inspection and maintenance notes for a stabilized construction entrance are included in the "Construction and E&S Control Notes" verbiage on page 2.

Requirement §5.4.c.3. The location of all proposed erosion and sediment control BMPs

Antero Response:

"Overall Plan Sheet Index & Volumes," "Access Road Plan," "Well Pad/Water Containment Pad Plan," and "Well Pad/Water Containment Pad Grading Plan" maps included on pages 8-11 of the Site Design locate all proposed erosion and sediment control BMPs.

4700502417

PECEIVED
Office of Oil and Gas
FEB 0 2 2017

WV Department of Environmental Protection 2017