

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton , Cabinet Secretary www.dep.wv.gov

Friday, February 09, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for ORVIS UNIT 2H

47-095-02482-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: ORVIS UNIT-2H

Farm Name: JAMES SINE ET AL

U.S. WELL NUMBER: 47-095-02482-00-00

Horizontal 6A / New Drill

Date Issued: 2/9/2018

Promoting a healthy environment.

API Number:	

PERMIT CONDITIONS 4709502482

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers
 (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed
 activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 470950246

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47- 095 -	
OPERATOR WELL	NO. Orvis Unit 2H
Well Pad Name:	Sine Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero	Resources Corpor	494507062	095 - Tyler	Meade	Middlebourne 7.5'
		Operator ID	County	District	Quadrangle
2) Operator's Well Number	: Orvis Unit 2H	Well Pa	ad Name: Sine	Pad	
3) Farm Name/Surface Own	ner: James Sine et	al Public Ro	ad Access: CR	7 (Middle	bourne-Wick)
4) Elevation, current ground	l: <u>~791'</u> I	Elevation, proposed	d post-construct	ion: 799'	
5) Well Type (a) Gas Other	X Oil _	Uno	derground Stora	ge	
(b)If Gas	Shallow X	Deep			-
	Horizontal X				DMH
6) Existing Pad: Yes or No	No		_		11-27-17
Proposed Target Formatic					
Marcellus Shale: 6700' TV	D, Anticipated Thickn	ess- 55 feet, Assoc	iated Pressure- 2	2800#	QOB_
8) Proposed Total Vertical I	Depth: 6700' TVD				/11/27/2017
9) Formation at Total Vertic	al Depth: Marcellu	ıs			
10) Proposed Total Measure	d Depth: 15100' N	MD			
11) Proposed Horizontal Leg	g Length: 7648'				
12) Approximate Fresh Wat	er Strata Depths:	42'		nigo I	
13) Method to Determine Fr	esh Water Depths:	Offset well records. De	epths have been ac	justed accord	ding to surface elevations.
14) Approximate Saltwater I	Depths: 1269', 127	4'	***************************************		
15) Approximate Coal Seam	Depths: 154', 278	ı			
16) Approximate Depth to P	ossible Void (coal n	nine, karst, other):	None Anticipa	ted	
17) Does Proposed well loca directly overlying or adjacen		Yes	No.	X Office	RECEIVED Gas
(a) If Yes, provide Mine In	fo: Name:				tment of tion
	Depth:				W Dabata Prote
	Seam:			E	M.
	Owner:				

WW-6B (04/15) API NO. 47- 095

OPERATOR WELL NO. Orvis Unit 2H
Well Pad Name: Sine Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	95' *see #19	95' *see #19	CTS, 91 Cu. Ft.
Fresh Water							
Coal	13-3/8"	New	J-55	54.5#	308'	308'	CTS, 428 Cu. Ft.
Intermediate	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Production	5-1/2"	New	P-110	23#	15100'	15100'	CTS, 3745 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

Dr.4 11-27-17 ges 1/27/2017

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water							
Coal	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Intermediate	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-H/POZ & Tell • H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

N/A	
N/A	RECEIVED Office of Oil and Gas
N/A	DEC 1 2017

Environmental Protection

4709502482

API NO. 47- 095

OPERATOR WELL NO. Orvis Unit 2H

Well Pad Name: Sine Pad

Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 14.88 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 5.55 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing; one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 Joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

RECEIVED Office of Oil and Gas

WV Department of Environmental Protection ORVIS UNIT 2H (SINE PAD) - AREA OF REVIEW 35-8-5.11 PAGE 1




No wells exist within a 500' radius of the wellbore that are reasonably expected to penetrate a depth that could be within the range of fracture propagation; therefore no additional details (perforated formation, producing zones etc.) are required as outlined in 35CSR8-5.11

Orvis Unit 2H



Orvis Unit 2H - AOR





REMARKS
No wells of intereste within area of Review

October 25, 2017

RECEIVED
Office of Oil and Gas

OCT 31 2017

WV Department of Environmental Protection

02/09/2018

WW-9 (4/16)

API Numb	er 47	- 1	095

Operator's Well No. Orvis Unit 2H STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name Antero Resources Corporation OP Code 494507062
Watershed (HUC 10) Outlet Middle Island Creek Quadrangle Middlebourne 7.5
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No No
If so, please describe anticipated pit waste: No pit will be used at this site (Drilling and Flowback Fluids will be stored in tanks. Custings will be tended and haused out site.)
Will a synthetic liner be used in the pit? Yes No _ ✓ If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:
Land Application
Underground Injection (UIC Permit Number *UIC Permit # will be provided on Form WR-34)
Rcuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34
Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Other (Explain Northwestern Landfill Permit #SWF-1025/ WV0109410
Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Surface Aff Trashwater, Indemnediate-DungStiff Fourt, Production - Water Based Mucl
-If oil based, what type? Synthetic, petroleum, etc. Synthetic
Additives to be used in drilling medium? Please See Attachment
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit #SWF-1025/WV0109410)
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant oil and Gas penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature DEC 1 2017
Company Official (Typed Name) Gletchen Kohler WV Department of Environmental Protection Environmental Protection
Company Official Title Regulatory & Environmental Manager
Subscribed and sworn before me this 2.7 day of OCtober , 20.7 Notary Public
My commission expires 7 8 2020

Form WW-9

Proposed Revegetation Treatme	nt: Acres Disturbed 14.88	acres Prevegetation p	н
	Tons/acre or to correct to p		
Fertilizer type Hay or s	traw or Wood Fiber (will be used	d where needed)	
Fertilizer amount 500		lbs/acre	
Mulch 2-3	Tons	/acre	
Access Road "A" (0.43 acres) + + Borro	ow Area (4.76 acres) + Excess/Topsoil Ma	Road "C" (0.17 acres) + Well Pad (5.55 acres) + Waterial Stockpiles (0.25 acres) = 14.88 Total Affected ed Mixtures	r Containment Pad (1.4 acres) Aeres
Temp	orary	Perm	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
See attached Table 3 for additional seed	type (Page 22 Sine Pad Design)	See attached Table 4A for additional see	ed type (Page 22 Sine Pad Design)
*or type of grass seed reque	ested by surface owner	*or type of grass seed requi	ested by surface owner
Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a	vill be land applied, include durea,	cation (unless engineered plans incluimensions (L x W x D) of the pit, and	ding this info have been didimensions (L x W), and
provided). If water from the pit vacreage, of the land application a	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been
Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and Alb 11/27/201
Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application a Photocopied section of involved	vill be land applied, include durea. 7.5' topographic sheet.	cation (unless engineered plans inclu	ding this info have been didimensions (L x W), and

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

RECEIVED
Office of Oil and Gas

UCT **31** 2017

WV Department of Environmental Protection

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite – Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive – Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite – LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant

RECEIVED
Office of Oil and Gas

UCT 31 2017

WV Department of Environmental Protection 02/09/2018



911 Address 8086 Wick Rd Middlebourne, WV 26149

Well Site Safety Plan Antero Resources

Well Name: Alpine Unit 1H - 4H, Garmin Unit 1H - 2H,

Remington Unit 1H - 2H, Winchester Unit 1H -

2H, Orvis Unit 1H - 2H

Pad Location: Sine Pad

Tyler County/Meade District

1/27/201 11/27/201

GPS Coordinates:

Entrance - Lat 39°24′56.6634″/Long -80°57′28.5696″ (NAD83)

Pad Center - Lat 39°24′54.4032″/Long -80°57′24.4866″ (NAD83)

Driving Directions:

From the intersection of I79 and HWY 50: Travel west on US-50 for 28.7 miles. Turn right onto WV-18 N for 0.6 miles. Turn left onto Davis St/Old U.S. 50W for 0.4 miles. Turn right onto Wv-18N/Sistersville Pike for 12.2 miles. Turn left onto WV-74 S for 3.7 miles. Turn right onto Stull Hill Rd for 1.0 mile. Continue onto Big Shank Rd for 0.8 miles. Continue onto Big Sanka Rd for 1.6 miles. Continue onto Bearsville Rd for 1.8 miles. Turn left onto Middlebourne Wick/Wick Rd for 1.8 miles. The access road will be on the RECEIVED left.


Alternate Route:


From the Volunteer Fire Department in Middlebourne: Head southwest on WV-18 S/Main St toward WV Department of Wilcox Ave for 0.3 miles. Turn right onto Bridgeway Rd for 0.1 miles. Turn left onto Middlebourne-Wick/Wick Rd for 2.0 miles. Turn left onto Middlebourne-Wick for 5.8 miles. The access road will be on

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

1 2017

DEC





Operator's Well Number

Orvis Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
James L. Sine et ux Lease			
James L. Sine et ux	Antero Resources Appalachian Corporation	1/8+	400/422
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Robert S. Carse et ux Lease			
Robert S. Carse et ux	Antero Resources Appalachian Corporation	1/8+	428/21
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Antero hesources Apparachian corporation	Antero nesources corporation	Name Change	CAILIDIT 1
Jason Greathouse Lease			
Jason Greathouse	Antero Resources Corporation	1/8+	538/337
	·		
David W. Judge Lease			
David W. Judge	Antero Resources Corporation	1/8+	580/247
Robert S. Carse et ux Lease			
Robert S. Carse et ux	Antero Resources Appalachian Corporation	1/8+	428/21
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
David Carse Lease (TM 8 PCL 16)			
David Carse	Antero Resources Appalachian Corporation	1/8+	413/710
Antero Resources Appalachian Corporation	Antero Resources Corporaton	Name Change	Exhibit 1
David Carse Lease (TM 8 PCL 25)			
David Carse	Antero Resources Corporation	1/8	437/814
David Carse Lease (TM8 PCL 17)			
David Carse	Antero Resources Corporation	1/8+	436/369
Cariton G. Carse		4/0.	455.143
Carlton G. Carse	Antero Resources Corporation	1/8+	466/43
Charles E. Stull et ux Lease			
Charles E. Stull et ux	Antero Resources Appalachian Corporation	1/8+	433/508
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Antero resources Apparachian corporation	Antero Resources Corporation	Name Change	LAIIIDIC 2
Thomas W. Moore et al Lease (TM 8 PCL 22)			
Thomas W. Moore et al	Antero Resources Corporation	1/8+	442/588
		-,-	•
Leeman W. Mason et ux Lease			
Leeman W. Mason et ux	Antero Resources Corporation	1/8+	456/417
	·	·	
Grace Sewell DeCarlo Lease			
Grace Sewell DeCarlo	Antero Resources Corporation	1/8+	430/470

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

CONTINUED ON NEXT PAGE

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

ease	N	21	ne	or

Number Grantor, Lessor, etc.		Grantee, Lessee, etc.	Royalty	Book/Page	
James McCullough et ux L	ease	The second secon			
J	ames McCullough et ux	Chesapeake Appalachia, LLC	1/8	376/366	
C	hesapeake Appalachia, LLC	SWN Production Company, LLC	Assignment	465/463	
S	WN Production Company, LLC	Antero Exhange Properties, LLC	Assignement	544/242	
А	ntero Exchange Properties, LLC	Antero Resources Corporation	Merger	552/315	

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

> RECEIVED Office of Oil and Gas

> > OCT 31 2017

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas WV Department of Environmental Protection

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Kevin Kilstrom

Senior Vice President - Production

Page 1 of ____

RM WW-6A1

FILED

Natalle B. Tennant. Scoretary of State 1900 Kanawha Blvd B Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25:00



Penney Barker, Manager IN THE OFFICE OF Corporations Division CRETARY OF STATE Feb: (304)558-8000

Website: www.wysos.com · B-mall: business@wvsos.com

Office Hours: Monday - Friday 8:30 e.m. - 5:00 p.m. BT

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

**** In accordance with the providious of the West Virginia Code, the undersigned corporation hereby **** applies for an Amended Certificate of Authority and submits the following statement: 1. Name under which the corporation was Antero Resources Appalachian Corporation authorized to transact business in WV: Date Certificate of Authority was 6/25/2008 issued in West Virginia: Antero Resources Corporation 3. Corporate name has been changed to: (Attach one Certified Copy of Name Change as filed in home State of incorporation.) Antero Resources Corporation 4. Name the corporation elects to use in WV: (due to home state name not being available) Other amendments: (attach additional pages if necessary) 6. Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.) (303) 357-7310 Alwn A. Schopp Contact Name Phone Number 7. Signature information (See below * Important Legal Notice Regarding Signature): Title/Capacity: Authorized Person Print Name of Signer: Abyn A. Schop Date: June 10, 2013 Signature: * Important Legal Notice Regarding Standard: Per West Virginia Code 5310-1-129. Penalty for signing false document. Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdomesner and, upon conviction thereof, shall be fixed not more than one

thousand dollars or confined in the county or regional jull not more than one year, or both

Form CF-4

listed by the Office of the fictretary of Sinto

REVISED Office of Oil and Gas

OCT 31 2017

WV012 - 0446/2017 Wakin Kkmyr Odlise

WV Department of 8 Environmental Protection



October 27, 2017

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Orvis Unit 2H

Quadrangle: Middlebourne 7.5'

Tyler County/Meade District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Orvis Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Orvis Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Thomas Kuhn Senior Landman

RECEIVED
Office of Oil and Gas

OCT 31 2017

WV Department of Environmental Protecti

Data of Notice Cartification: 10/26/2017

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

ADINA 47 005

					50.000	
				Well No. Orvis		
			Well Pad ?	Name: Sine Pa	1	
	been given:	. 22 4 7 4 7 7 7 7 1 2 7				
ursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has pr	ovided the red	quired parties v	ith the Notice Forms list	
	tract of land as follows:		E 4.	Name of the last		
tate:	West Virginia	UTM NAD 83	Easting:	503747m		
ounty:	Tyler		Northing:	4362850m		
istrict:	Meade Public Road Access: gle: Middlebourne 7.5 Generally used farm name			CR 7 (Middlebourne-Wick)		
ouadrangle: Vatershed:	Middlebourne 7.5'	Generally used	farm name:	James Sine et al		
atersned:	Outlet Middle Island Creek					
has provide formation refigiving the equirements firginia Code	the secretary, shall be verified and ed the owners of the surface descr- equired by subsections (b) and (c), s surface owner notice of entry to s of subsection (b), section sixteen e § 22-6A-11(b), the applicant shall have been completed by the applica	ibed in subdivisions (1), (2) ection sixteen of this article; urvey pursuant to subsection of this article were waived it tender proof of and certify to	and (4), sub- (ii) that the re (a), section in writing by	section (b), sec quirement was ten of this arti- the surface ov	etion ten of this article, to deemed satisfied as a res- cle six-a; or (iii) the not wner; and Pursuant to W	
that the Ope	West Virginia Code § 22-6A, the O rator has properly served the require ECK ALL THAT APPLY	perator has attached proof to ed parties with the following:	this Notice C	Certification	OOG OFFICE USE	
☐ 1. NO	TICE OF SEISMIC ACTIVITY OF	NOTICE NOT REQU SEISMIC ACTIVITY WA			RECEIVED/ NOT REQUIRED	
	TICE OF SEISMIC ACTIVITY OF	SEISMIC ACTIVITY WA	S CONDUC	TED	□ RECEIVED/	
■ 2. NO		SEISMIC ACTIVITY WA	AS CONDUC VEY WAS C VIRED BECA	TED ONDUCTED USE	RECEIVED/ NOT REQUIRED	
■ 2. NO	TICE OF ENTRY FOR PLAT SUR	SEISMIC ACTIVITY WA VEY or NO PLAT SUR NOTICE NOT REQUIRED NOTICE OF ENTRY FOR	S CONDUC VEY WAS CHIRED BECA R PLAT SUR	TED ONDUCTED USE VEY	RECEIVED/ NOT REQUIRED RECEIVED RECEIVED/	
■ 2. NO	TICE OF ENTRY FOR PLAT SUR	SEISMIC ACTIVITY WA VEY or NO PLAT SUR NOTICE NOT REQUINATION NOTICE OF ENTRY FOR WAS CONDUCTED OR WRITTEN WAIVER (PLEASE ATTACK	S CONDUC VEY WAS CHIRED BECA R PLAT SUR	TED ONDUCTED USE VEY	RECEIVED/ NOT REQUIRED RECEIVED RECEIVED/	
■ 2. NO' □ 3. NO' ■ 4. NO'	TICE OF ENTRY FOR PLAT SUR	SEISMIC ACTIVITY WA VEY or NO PLAT SUR NOTICE NOT REQUINATION NOTICE OF ENTRY FOR WAS CONDUCTED OR WRITTEN WAIVER (PLEASE ATTACK	S CONDUC VEY WAS CHIRED BECA R PLAT SUR	TED ONDUCTED USE VEY	RECEIVED/ NOT REQUIRED RECEIVED RECEIVED/ NOT REQUIRED	

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by afficiently Gas the return receipt card or other postal receipt for certified mailing.

OCT 31 2017

Telephone:

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation By: Kevin Kilstrom Its: Senior Vice President - Production

303-357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: shjohnson@anteroresources.com

SHELBY MARIE JOHNSON NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20164026060 MY COMMISSION EXPIRES JULY 8, 2020 Subscribed and sworn before me this 20 day of October 2017

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

> > OCT 31 2017

WV Department of Environmental Protection

API NO. 47- 095 OPERATOR WELL NO. Orvis Unit 2H
Well Pad Name: Sine Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice	Time Requireme	ent: notice shall be provided i	no later than	the filing date of permit application.	
Date of	f Notice: 10/27/2017	Date Permit Application	Filed: 10/27	/2017	
Notice	of:				
	ERMIT FOR AN			ROVAL FOR THE	
W	VELL WORK	CONSTRUC	TION OF A	N IMPOUNDMENT OR PIT	
Deliver	ry method pursu	ant to West Virginia Code §	§ 22-6A-10(b)	
□ PI	ERSONAL	☐ REGISTERED ☐	METHO	DD OF DELIVERY THAT REQUIRES A	
S	ERVICE	MAIL	RECEI	PT OR SIGNATURE CONFIRMATION	
sedimer the surfi- oil and p describe operator more co- well wo impoun- have a v provide propose subsecti- records provisic Code R	and control plan required control plan required confidence of the tract on gas leasehold being ed in the erosion are or lessee, in the erosion are or lessee, in the erosion are or lessee, in the erosion and seams; (4) The ork, if the surface to diment or pit as determined water well, spring a water for consumed well work activition (b) of this sect of the sheriff required on of this article to the specific spring in the strict of the sheriff required to the	which the well is or is propose g developed by the proposed wind sediment control plan submit event the tract of land on which owners of record of the surface ract is to be used for the placen scribed in section nine of this a for water supply source located ption by humans or domestic at ty is to take place. (c)(1) If more ion hold interests in the lands, the contrary, notice to a lien hours, in part, that the operator is	rticle, and the doto be located work, if itted pursuant the well properties tract or tracement, constructions; (5) A within one to mimals; and re than three the applicant to section e older is not a shall also properties.	r signature confirmation, copies of the application, the well plat to each of the following persons: (1) The ted; (2) The owners of record of the surface tract or the surface tract is to be used for roads or other land in to subsection (c), section seven of this article; (3) possed to be drilled is located [sic] is known to be used soverlying the oil and gas leasehold being develop action, enlargement, alteration, repair, removal or about a surface owner or water purveyor who is known to housand five hundred feet of the center of the well person in the operator of any natural gas storage field with the tenants in common or other co-owners of interests of the traction in the person ight, article one, chapter eleven-a of this code. (2) No notice to a landowner, unless the lien holder is the lateral ovide the Well Site Safety Plan ("WSSP") to the surface provided in section 15 of this rule.	owners of record of racts overlying the disturbance as The coal owner, aderlain by one or ed by the proposed andonment of any the applicant to ad which is used to an which the described in described in the otwithstanding any andowner. W. Va.
☑ App	olication Notice	☑ WSSP Notice ☑ E&S PI	lan Notice	☑ Well Plat Notice is hereby provided to:	
	FACE OWNER(s	1		COAL OWNER OR LESSEE	
Name:		. Sine		Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:	
Addres	SS: 7914 Wick Rd. Middlebourne, WV	26149		Address.	3
Name:	Middlebouris, FFF	20140		COAL OPERATOR	3
Addres	is:			Name: NO DECLARATIONS ON RECORD WITH COUNTY	
				Address:	
SUR	FACE OWNER(s	s) (Road and/or Other Disturb	ance)		
Name:	James L. & Kathy J SS: 7914 Wick Rd.				
Addres	Middlebourne, WV	26149		Name: PLEASE SEE ATTACHMENT	
Name:				Address:	
Addres	SS:				
				OPERATOR OF ANY NATURAL GAS STOL	RAGE FIELD
☐ SUR Name:		s) (Impoundments or Pits)		Name:Address:	RECEIVED
Addres	SS:			O#F	ee of Oil and Gas
				*Please attach additional forms if necessary	ce of Oil and das

OCT 31 2017

API NO. 47- 095

OPERATOR WELL NO. Orvis Unit 2H

Well Pad Name: Sine Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include; (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2,c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas refugiced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (c) The secretary shall, by December Office of the Gas Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the sector and the section will be section.

the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items



API NO. 47-095

OPERATOR WELL NO. Orvis Unit 2H

Well Pad Name: Sine Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written the large of the Office of Oil and Gas location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

OCT 31 2017

WV Department of

Such persons may request, at the time of submitting written comments, notice of the permit decision an Environmental and extension test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 095

OPERATOR WELL NO. Orvis Unit 2H

Well Pad Name: Sine Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

OCT 31 2017

WV Department of Environmental Protection 02/09/2018

API NO. 47- 095 OPERATOR WELL NO. Orvis Unit 2H
Well Pad Name: Sine Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation Telephone: (303) 357-7310

Email: shjohnson@antercresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

SHELBY MARIE JOHNSON
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 20164026060
MY COMMISSION EXPIRES JULY 8, 2020

Subscribed and sworn before me this 27 day of October 2017

Subscribed and sworn before me this 27 day of October 2017

Notary Public My Commission Expires 7 8 2020

RECEIVED
Office of Oil and Gas

ULT 31 2017

WV Department of Environmental Protection 02/09/2018

WW-6A Notice of Application Attachment (Sine Pad):

List of Owners with Proposed Disturbance associated with Sine Well Pad:

WATER SOURCE OWNERS -

Owner:

Donald Robinson

Address:

3029 Sellers Rd

Middlebourne, WV 26149

Owner: Address: Raymond Moore RR 1 Box 568

Middlebourne, WV 26149

Owner:

James Sine

Address:

7914 Wick Rd

Middlebourne, WV 26149

Owner:

Destry Nelson

Address:

GENERAL DELIVERY

Middlebourne, WV 26149


*Please note there are 2 additional water sources shown on the attached map, however they are located greater than 1500' from the proposed well location

/

RECEIVED
Office of Oil and Gas

OCT 31 2017

WV Department of Environmental Protection



047 - 095 - 02482 Operator Well No. Orvis Unit 2H Multiple Wells on the Sine Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

	Requirement: Not	tice shall be provi	ided at least SEVEN (7) day	s but no more than	FORTY-FIVE (45) days prior to
entry Date of Notice	e: 1/18/2016	Date of Plan	ned Entry: *1/28/2016		at this is an estimated date.
		_ Date of Fran	ned Entry.		gin surveying seven (7) days but no y-five (45) after your receipt of this
Delivery metl	nod pursuant to V	Vest Virginia Co	de § 22-6A-10a	notice (whicher	ver comes first).
☐ PERSON	IAL D RE	EGISTERED	■ METHOD OF DEL	IVERY THAT RE	OURES A
SERVICE		AIL	RECEIPT OR SIGN		
on to the surfactor of more the beneath such to where of mine and Sediment Secretary, which which is here Surfactor of the s	ce tract to conduct an forty-five days ract that has filed a rals underlying succentral Manual arch statement shall face owner to obtain by provided to: E OWNER(s) s & Kalhy Sine (Life)	any plat surveys prior to such entra a declaration purs ch tract in the cound the statutes and include contact in	required pursuant to this arry to: (1) The surface owner tuant to section thirty-six, are not tax records. The notice of rules related to oil and gas information, including the act is secretary. COAI Name: NO	ticle. Such notice s of such tract; (2) to ticle six, chapter to shall include a state exploration and p	CORD WITH COUNTY
	ebourne, WV 26149		-		
Address:			■ MINE	ERAL OWNER(s)	
- Tadi ebbi				es & Kathy Sine (Life)	
Name:					
A .I.I.				Middlebourne, WV 26149	
				additional forms if ne	cessary
	reby given: est Virginia Code on the tract of land West Virginia Tyler Meade			ude & Longitude:	Operator is planning entry to conduct Approx. Pad Center 39.415162, -80.956872 CR 7 Outlet Middle Island Creek
Quadrangle:	Middlebourne 7.5'		Generally use	d farm name	James L Sine et al
may be obtain Charleston, W obtained from Notice is her Well Operator	ed from the Secret V 25304 (304-92) the Secretary by v reby given by: Antero Resources Co	ary, at the WV D 6-0450). Copies visiting <u>www.dep.</u>	epartment of Environmenta	l Protection headq onal information r	il and gas exploration and production parters, located at 601 57th Street, SE, elated to horizontal drilling may be RECEIVED Office of Oil and Gas
	-	ross onm	Facsimile		OCT 31 2017
Well Operator Telephone: Email:	Antero Resources Co (303) 357-7310 asteele@anteroresou	irces.com	Address: Facsimile: al information, such as name	Denver, CO 80202 (303) 357-7315	Office of OCTWV Dep

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Tax Map 8 Parcel 30

WW-6A5 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

	ce: 10/27/2017 Date Po	vided no later than the filing ermit Application Filed: 10		
Delivery me	thod pursuant to West Virginia	Code § 22-6A-16(c)		
CERTI	FIED MAIL	☐ HAND		
	RN RECEIPT REQUESTED	DELIVERY		
return receipt the planned of required to be drilling of a damages to tl (d) The notic of notice.	requested or hand delivery, give to operation. The notice required by e provided by subsection (b), secti- horizontal well; and (3) A propos- ne surface affected by oil and gas of es required by this section shall be	the surface owner whose lar y this subsection shall inclu- on ten of this article to a sur- sed surface use and comper operations to the extent the comper- given to the surface owner	d will be used for ide: (1) A copy face owner whose sation agreement amages are com	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information see land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
	eby provided to the SURFACE is listed in the records of the sherif			
Contract to the second	es L. & Kathy J. Sine	Name:		
Address: 7914		Addre		
Midd	llebourne_WV 26149			
State:	the surface owner's land for the p	— UTM NAD	Facting:	503747m
District:	Tyler Meade	Public Road	Access:	4362850m CR 7 (Middlebourne-Wick)
District: Quadrangle:	Meade Middlebourne 7.5 ^t		Northing:	
District: Quadrangle:	Meade		Access:	CR 7 (Middlebourne-Wick)
Pursuant to V to be provid horizontal we surface affect information	Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(lell; and (3) A proposed surface us ted by oil and gas operations to t related to horizontal drilling may, located at 601 57th Street, SE,	generally uses, this notice shall include: (b) to a surface owner whose and compensation agreem the extent the damages are of the obtained from the Secretary states.	Access: sed farm name: Accepy of this se land will be sent containing ascompensable uncetary, at the WV	CR 7 (Middlebourne-Wick)
District: Quadrangle: Watershed: This Notice: Pursuant to V to be provid horizontal we surface affect information to headquarters gas/pages/de	Meade Middleboume 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(lell; and (3) A proposed surface us ted by oil and gas operations to tellite to horizontal drilling may located at 601 57th Street, SE, fault.aspx.	Generally uses, this notice shall include: (a) to a surface owner whose and compensation agreem the extent the damages are as be obtained from the Secretary Charleston, WV 25304	Access: sed farm name: (1) A copy of this se land will be sent containing as compensable uncertary, at the WV (304-926-0450)	CR7 (Middlebourne-Wick) James Sine et al code section; (2) The information required used in conjunction with the drilling of an offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
District: Quadrangle: Watershed: This Notice: Pursuant to V to be provide horizontal we surface affect information to the adquarters gas/pages/de Well Operator	Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(lell; and (3) A proposed surface us ted by oil and gas operations to telested to horizontal drilling may located at 601 57th Street, SE, fault.aspx. Or: Antero Resources Corporation	generally uses, this notice shall include: (b) to a surface owner whose and compensation agreem the extent the damages are of the obtained from the Secretary states.	Access: sed farm name: Access: sed farm name:	CR7 (Middlebourne-Wick) James Sine et al code section; (2) The information required used in conjunction with the drilling of an offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
District: Quadrangle: Watershed: This Notice: Pursuant to V to be provide horizontal we surface affect information the adquarters.	Meade Middleboume 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(lell; and (3) A proposed surface us ted by oil and gas operations to tellite to horizontal drilling may located at 601 57th Street, SE, fault.aspx.	Generally uses, this notice shall include: (a) to a surface owner whose and compensation agreem the extent the damages are of the obtained from the Secretarileston, WV 25304 Address:	Access: sed farm name: (1) A copy of this se land will be sent containing as compensable uncertary, at the WV (304-926-0450)	CR7 (Middlebourne-Wick) James Sine et al code section; (2) The information required used in conjunction with the drilling of an offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-

needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information.

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

OCT 31 2017

Office of Oil and Gas

WV Department of Environmental Protections WW-6RW (1-12)

The well operator, Antero Reosurces Corporation

OFFICIAL SEAL Notar) Fulfic Brate Tewest Virginia

JAMES O. WILSON

1151 Crest Drive
Morgantown, WV 26501
My Commission Expires March 23, 2019

ATTN: JIM WILSON ANTERO RESOURCES 535 WHITE OAKS BLUD

API NO. 47-095

is applying for a permit from the State of West Virginia to conduct oil or gas well

535 WHITE (IAKS BLU) OPERATOR WELL NO. Multiple Wells on Sine Pac BRIDGEPIRT, W 26330-4649Well Pad Name: Sine Pad

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WELL LOCATION RESTRICTION WAIVER

work. Please be advised that well work permits are valid for twenty-four (24) months. **Well Location Restrictions** Pursuant to West Virginia Code § 22-6A-12(a), Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. JAMES L SINC WAIVER , hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form , including the erosion and sediment control plan, if WW-6A and attachments consisting of pages one (1) through required, and the well plat, all for proposed well work on the tract of land as follows: UTM NAD 83 Easting: 504215.83m (pad center) State: West Virginia UTM NAD 83 Northing: 4359553.97m (pad center) County: Tyler Public Road Access: CR 7 (Middlebourne Wick) District: Meade Quadrangle: Middlebourne 7.5' Generally used farm name: James Sine et al Watershed: Outlet Middle Island Creek I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials and I therefore waive all well site restrictions listed under West Virginia Code § 22-6A-12(a). FOR EXECUTION BY A NATURAL PERSON WELL SITE RESTRICTIONS BEING WAIVED Signature 2 *Please check all that apply Print Name: Lamas □ EXISTING WATER WELLS FOR EXECUTION BY A CORPORATION, ETC. □ DEVELOPED SPRINGS Neil A Archer II Company: By: TYLER County 11:52:32 AM DWELLINGS Its: Instrument No 1167068 Signature: ☐ AGRICULTURAL BUILDINGS Date Recorded 02/06/2017 Date: Document Type 05 Signature: Well Operator: Pages Recorded 1 Telephone: By: Book-Page Its: Recording Fee \$5.00

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needeline of information. If you or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deportive volume and the privacy of the

My Commission Expires

Subscribed and sworn before me this

\$6.00

Notary Public

Adjitional Perouse



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Jim Justice Governor

October 23, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Sine Pad, Tyler County

Orvis Unit 2H Well site

47-095-02482

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2014-0702 which has been issued to Antero Resources Corporation for access to the State Road for a site located off of Tyler County Route 7 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Day K. Clayton

RECEIVED

Regional Maintenance Engineer Office of Oil and Gas

Central Office O&G Coordinator

OCT 31 2017

Cc: Shelly Johnson

Antero Resources Corporation

CH, OM, D-6

File

WV Department of Environmental Protection

List of Anticipated Additives Used for Fracturing or Stimulating Well 047-095-02482

Additives	Chemical Abstract Service Number
Fresh Water	(CAS #) 7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Ammonium Persulfate	7727-54-0
Anionic copolymer	Proprietary
Anionic copolymer	Proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	Proprietary
Demulsifier Base	Proprietary
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
Guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Microparticle	Proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7
Solvent Naphtha, petroleum, heavy aliph	64742-96-7
Soybean Oil, Me ester	67784-80-9
Copolymer of Maleic and Acrylic Acid	52255-49-9
DETA phosphonate	15827-60-8
Hexamthylene Triamine Penta	34690-00-1
Phosphino Carboxylic acid polymer	71050-62-9
Hexamethylene Diamine Tetra	23605-75-5
2-Propenoic acid, polymer with 2 propenamide	9003-06-9
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5
Diethylene Glycol	111-46-6
Methenamine	100-97-0 RECEI
Polyethylene polyamine	68603-67-8 Office of Oil
Coco amine	61791-14-8
2-Propyn-1-olcompound with methyloxirane	38172-91-7 UC 31

LOCATION COORDINATES

ACCESS ROAD ENTRANCE (ROAD "A") LATITUDE: 39.415740 LONGITUDE: -60.957936 (NAD 83) E 503621,00 (UTM ZONE 17 METERS) N 4382914.18

ACCESS ROAD ENTRANCE (ROAD "B")
LATITUDE: 39.415785 LONGITUDE: -80.957940 (NAD 83)
N 4362919.17 E 8503620.60 (UTM ZONE 17 METERS)

ACCESS ROAD ENTRANCE (ROAD "G") LATITUDE: 39.415858 LONGITUDE: -80.955580 (NAD 83) N 4352905.30 E 503825.49 (UTM ZONE 17 METERS)

CENTER OF TANK LATITUDE: 39.414978 LONGITUDE: -80.955256 (NAD 83) N 4362829.77 E 503851.73 (UTM ZONE 17 MSTERS)


CENTROID OF PAD LATITUDE: 39.415112 LONGITUDE -80.956802 (NAD 83) N 4362844.58 E 503718.66 (UTM ZONE 17 METERS)

VDEP OOG 3/17/2017

SINE WELL PAD & WATER SITE DESIGN & CONST **EROSION & SEDIMENT (**

> MEADE DISTRICT, TYLER COUNT SUGAR CREEK WATE

> > USGS 7.5 MIDDLEBOURNE







(NOT TO SCALE)

GENERAL DESCRIPTION:

THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

FLOODPLAIN NOTES

THE PROPOSED SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" PER FEMA FLOOD MAP #5409500150C.

MISS UTILITY STATEMENT:
ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF
UTILITIES PRIOR TO THIS PROJECT DESIGN: TICKET #14280686P7. IN ADDITION, MISS UTILITY WILL BE
CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:
STREAM AND WETLAND DELINEATIONS WERE PERFORMED IN DECEMBER, 2015 BY KC HARVEY ENVIRONMENTAL,
LLC TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY
PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF PURILEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WWDEP). THE OCTOBER 21, 2016 POTENTIALLY JURISDICTIONAL WATERS MAP WAS PREPARED BY KC HARVEY ENVIRONMENTAL, LLC AND SUMMARIZES THE RESULTS OF THE FIELD DELINEATION. THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LIMITS OF WATERS AND WETLANDS WHICH MAY BE REGULATED BY THE USACE OR THE WWDEP. IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT FRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPERTE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTES:
A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. BETWEEN SEPTEMBER 25, 2014 & OCTOBER 1, 2014. THE REPORT FREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED OCTOBER 13, 2014. REVISED MARCH 15, 2017. REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL

PROJECT CONTACTS:

OFERATOR:
ANTERO RESOURCES CORPORATION
535 WHITE DAKS BLVD.
BRIDGEPORT, WV 26330
PHONE: (304) 842-4100 FAX. (304) B42-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4068 CELL: (304) 476-9770

ION MCEVERS - OPERATIONS SUPERINTENDENT OFFICE: (303) 357-6799 CELL (303) 808-2423

AARON KUNZLER - CONSTRUCTION SUPERVISOR CELL (405) 227-8344

ROBERT B. WIRKS - FIELD ENGINEER OFFICE: (304) 842-4100 CELL; (304) 627-7405

CHARLES E. COMPTON, III - SURVEYING COORDINATOR CELL: (304) 719-6449

JIM WILSON - LAND AGENT OFFICE: (304) 842-4419 CELL: (304) 671-2708

ENGINEER/SURVEYOR.
NAVTUS ENGINEERING, INC.
CYRUS S. KUMP, PE - PROJECT MANAGER/ENGINEER
OFFICE: (888) 662-4185 CELL: (540) 686-8747

ENVIRONMENTAL:
RC HARVEY ENVIRONMENTAL, LLC
SHANNON THOMPSON - STAFF SCIENTIST
OFFICE: (740) 373-1970 CELL (970) 396-0250

GEOTECHNICAL:

PENNSYLVANIA SOIL & ROCK, INC. CHRISTOPHER W. SAMIOS-PROJECT ENGINEER OFFICE: (412) 372-4000 CELL: (412) 589-0662

- RESTRICTIONS NOTES:

 1 THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD. THERE ARE WETLAND IMPACTS THAT WILL NEED TO BE PERMITTED BY THE
- THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL(S) BEING DRILLED.
- THERE IS AN OCCUPIED DWELLING 398 B' PEET AWAY FROM THE CENTER OF THE PROPOSED WELL PAD. 5 A DEP WAIVER IS REQUIRED.
- THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2.500 SQUARE FEST WITHIN 886 FEET OF THE CENTER OF THE WELL PAD.

THESE PLANS WERE CHEATED TO BE PLOTTED ON 22"X34" (ANSI D) PAPER HALF SCALE DRAWINGS ARE ON 11"X17" (ANSI D) PAPER.

THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPORES

DESIGN CERTIFICATION:
THE DRAWINGS, CONSTRUCTION NOTES, AND
REFERENCE DIAGRAMS ATTACHED HERETO HAVE
BEEN PREPARED IN ACCORDANCE WITH THE
WEST VIRGINIA CODE OF STATE RULES, DIVISION
OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL
AND GAS CRS 35-8.

REPRODUCTION NOTE

MISS Util 1-8 West V (Section Requires business de the stat

CONTAINMENT PAD RUCTION PLAN, CONTROL PLANS

Y, WEST VIRGINIA SHED

QUAD MAP



WVDOH COUNTY ROAD MAP

= 5000

y of West Virginia 0-245-4848 ginia State Law IV: Chapter 24-C)

that you call two
s before you dig in
of West Virginia.

THE LAW!!

RECEIVED Office of Oil and Gas

DEC 1 2017

WEST VRCAINA STATE PLANE COORDINATE SYSTEM
WEST YOUR, NADBS
ELEVATION BASED ON NAVDSB
STABLISHED BY SHIVEY GRADE GPS & OPUS
POST-PROCESSING

SHEET INDEX:

- 1 COVER SHEET
- 2 CONSTRUCTION AND E&S CONTROL NOTES
- 3 LEGEND
- 4 MATERIAL QUANTITIES
- 5 STORM DRAINAGE COMPUTATIONS
- EXISTING CONDITIONS
- EXISTING STRUCTURES AND FEATURES
- OVERALL PLAN SHEET INDEX & VOLUMES
- 9 ACCESS ROAD, WELL PAD, & WATER CONTAINMENT PAD PLAN
- 10 WELL PAD GRADING PLAN
- 11 WATER CONTAINMENT PAD GRADING PLAN
- 12 ACCESS ROAD PROFILES, ACCESS ROAD SECTIONS, & BORROW AREA SECTIONS
- 13 WELL PAD, WATER CONTAINMENT PAD, & STOCKPILE SECTIONS
- 14 WELL PAD DEWATERING PIPE SECTIONS
- 15-22 CONSTRUCTION DETAILS
- 23 ACCESS ROAD, WELL PAD, & WATER CONTAINMENT PAD RECLAMATION PLAN
- GE500-GE504 GEOTECHNICAL DETAILS

SINE LIMITS OF DISTURBANCE ARE	n (no)
Total Site	
Access Road "A" (157")	0.43
Access Road "B" (601')	2.32
Access Road "C" (100')	0.17
Well Pad	5.55
Water Containment Pad	1.40
Borrow Area	4.76
Excess/Topsoil Material Stockpiles	0.25
Total Affected Area	14.88
Total Wooded Acres Disturbed	1.14
Impacts to James L. & Kathy J. Sine T	M 8-30
Access Road "A" (157')	0.43
Access Road "C" (100')	0.17
Well Pad	5.55
Water Containment Pad	1.40
Excess/Topscil Material Stockpiles	0.25
Total Affected Area	7.80
Total Wooded Acres Disturbed	0.00
Impacts to James L. & Kathy J. Sine T	M 8-29
Access Road "B" (601')	2.32
Borrow Area	4.76
Total Affected Area	7.08
Total Wooded Acres Disturbed	1.14

Proposed	WV North	WW North	The second secon	NAD 83 Lat & Long
Well Name	NAD 27	NAD 83	Zone 17	
Alpine	N 336635.61	N 336669.72	N 4362851.70	LAT 39-24-54.6355
Unit 1H	E 1588363 12	E 1556922,07	E 503714.03	LONG -80-57-24,6795
Alpine	N 338634.85	N 336668.96	N 4362851.52	LAT 39-24-54,6296
Unit 2H	E 1588373 09	E 1556932.05	E 503717.08	LONG -80-57-24-5523
Alpine	N 336634.09	N 336668.20	N 4382851.34	LAT 39-24-54.6237
Unit 3H	E 1588383 06	E 1556942.02	E 503720.12	LONG -80-57-24-4251
Alpine	N 336633 33	N 336667.44	N 4362851.16	LAT 39-24-54.6178
Unit 4H	E 1588393.03	E 1556951.99	E 503723.16	LONG 80-57-24 2979
Garmin	N 336632 57	N 336666 68	N 4352550 98	LAT 39-24-54-6119
Unit 1H	E 1588403 00	E 1556961,96	E 503726.20	LONG -80-57-24.1707
Garmin	N 336631.81	N 336665.92	N 4362850.80	LAT 39-24-54,6060
Unit 2H	E 1588412.97	E 155697 1.93	E 503729.24	LONG -80-57-24 0435
Remington	N 336631 05	N 336685.16	N 4362850.62	LAT 39-24-54.6000
Unit 1H	E 1588422.94	E 1556981.90	E 503732.28	LONG -80-57-23.9163
Remington	N 336630 29	N 336664.40	N 4352550.44	LAT 39-24-54,5941
Unit 2H	E 1588432.91	E 1556991.87	E 503735.33	LONG -80-57-23.7891
Winchester	N 336629.53	N 336683,64	N 4362850.26	LAT 39-24-54,5882
Unit 1H	E 1588442.89	E 1557001.84	E 503738.37	LONG -80-57-23.6619
Winchester	N 336628.77	N 336682.88	N 4362850.08	LAT 39-24-54,5823
Unit 2H	E 1588452 86	E 1557011.81	E 503741.41	LONG -80-57-23 5347
Orvis	N 336628.01	N 336682.12	N 4362549.89	LAT 39-24-54.5764
Unit 1H	E 1588462.83	E 1557021.79	E 503744,45	LONG -80-57-23.4075
Orvis	N 336627.25	N 336651.36	N 4362849.71	LAT 39-24-54,5705
Unit 2H	E 1588472.80	E 1557031.76	E 503747.49	LONG -80-57-23 2803
Well Pad Elevation	799.0			

SINE WETLAND IMPACT (SQUARE FEET)					
Wetland and Impact Cause	Fill (SF)	Total Impact (SF)	Total Impact (AC)		
KLF-Wetland 219 (Well Pad)	148	148	0.00		
Wetland 6 (Well Pad)	459	459	0.01		
Wetland 7 (Well Pad)	1,718	1,718	0.04		

in	WV Department of	SINE EPHEMERAL STREAM IMPACT (LINEAR FEET)						
				nent Impacts	Temp. Impacts	Temp. Disturb.	Total	
E	vironmental Protection	Stream and Impact Cause	Culvert / Fill (LF)	Inlets/Outlets Structures (LF)	Cofferdam/ E&S Controls (LF)	Distance to L.O.D. (LF)	Disturbance (LF)	
		KLF-Stream 246 (Well Pad)	0	0	0	32	32	

NAVOT U ENERGY ENGINEERING



THIS DOCUMENT WAS PREPARED FOR: ANTERO RESOURCES CORPORATION

WELL PAD & WATER CONTAINMENT PAD DISTRICT WEST VIRGINIA

COVER SHEET



DATE: 02/24/2016 SCALE: AS SHOWN

