

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, August 8, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Permit approval for WINCHESTER UNIT 1H Re: 47-095-02515-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

WINCHESTER UNIT 1H Farm Name: JAMES SINE, ET AL

U.S. WELL NUMBER: 47-095-02515-00-00

Horizontal 6A New Drill Date Issued: 8/8/2018

API Number:	

## PERMIT CONDITIONS 4709502515

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action</u>.

#### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:	
uniiooi.	

## PERMIT CONDITIONS 4709502515

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

API NO. 47- 095 -	
OPERATOR WELL	NO. Winchester Unit 1H
Well Pad Name:	Sine Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operate	or: Antero	Resources	Corpora	494507062	095-Tyler	Meade	Middlebourne 7.5'
				Operator ID	County	District	Quadrangle
2) Operator's V	Vell Numbe	r: Wincheste	er Unit 1H	Well P	ad Name: Sine	Pad	
3) Farm Name/	Surface Ow	ner: James	Sine, et a	al Public Ro	oad Access: Wi	ck Rd.	
4) Elevation, cu	rrent groun	d: 799'	El	evation, propose	d post-construct	tion:	
5) Well Type	(a) Gas Other	Х	Oil	Un	derground Stora	ige	
	(b)If Gas	Shallow Horizontal	X	Deep		M	ichael Day
6) Existing Pad	Yes or No	Yes	-				6-12-18
7) Proposed Tar	rget Format	ion(s), Depth		pated Thickness ss- 55 feet, Assoc		ressure(s):	SUB /12/2018
8) Proposed To	tal Vertical	Depth: 6600	D' TVD				
9) Formation at			Marcellus				
10) Proposed To	otal Measur	ed Depth:	18400' MI	)			
11) Proposed H	orizontal Le	g Length:	10656'				
12) Approximat	e Fresh Wa	ter Strata De	oths:	42'			
13) Method to I 14) Approximat			-I	ffset well records. D	epths have been a	djusted accord	ling to surface elevations.
15) Approximat	e Coal Sean	n Depths: 15	54, 278				
16) Approximat	e Depth to I	Possible Void	(coal mir	ne, karst, other):	None Anticipa	ited	
17) Does Propos lirectly overlyin				Yes	No	, <u>x</u>	
(a) If Yes, prov	vide Mine I	afo: Name:					
		Depth:					
		Seam:					
		Owner					

4709502515

OPERATOR WELL NO. Winchester Unit 1H Well Pad Name: Sine Pad

18)

#### CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20°	New	H-40	94#	95'	95'	CTS, 91 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	330	330	CTS, 458 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	18400	18400	CTS, 4652 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners					-		

96/12/2018 MDG-18

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-HPOZ & Tail - H	H/POZ~1.44 & H~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

#### **PACKERS**

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

WW-6B (10/14)

API NO. 47- 095

OPERATOR WELL NO. Winchester Unit 1H

Well Pad Name: Sine Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

\*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 20.99 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 5.55 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

\*Note: Attach additional sheets as needed

08/10/2018 08/10/2018



4709502515

No wells exist within a 500' radius of the wellbore that are reasonably expected to penetrate a depth that could be within the range of fracture propagation; therefore no additional details (perforated formation, producing zones etc.) are required as outlined in 35CSR8-5.11

Winchester Unit 1H

Antero Resources Corporation

Winchester Unit 1H - AOR

1.000
FEET

REMARKS

March 26, 2018

RECEIVED
Office of Oil and Gas

JUN 0 4 2019

WV Department of Environmental Protection

08/10/2018

WW-9 (4/16)

API Number 47 - 095

Operator's Well No. Winchester Unit 1H

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation  Watershed (HUC 10) Outlet Middle Island Creek	OP Code 494507062
	Quadrangle Middlebourne 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the Will a pit be used? Yes No	e proposed well work? Yes No No
	site (Ortlling and Flowbook Fluids will be stored in tunks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes No_	If so, what ml.? N/A  UIC Posselt if will be accorded an Energy N/S 24
Proposed Disposal Method For Treated Pit Wastes:	6
Land Application	ber *UIC Permit # will be provided on Form WR-34
	calions when applicable. AP# will be provided on Form WR-34
	disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Northwestern Landfill Permit #SWF-1025/ WV0109410
Will closed loop system be used? If so, describe: Yes, fluids stored in	tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)? A	ir, freshwater, oil based, etc.  Surface - Als/Freshwater, intermediate- Dust/Surf Foam, Production - Water Based Mud or synthetic Based Mud
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite,	etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used?	(cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfill Lancfill (Pen	mit #SWF-1032-88), Northwestern Landfül (Permit # SWF-1025/WV0109410)
Permittee shall provide written notice to the Office of Oil and Gas of a West Virginia solid waste facility. The notice shall be provided within where it was properly disposed.	any load of drill cuttings or associated waste rejected at any 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West Virginia I provisions of the permit are enforceable by law. Violations of any te aw or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined.	erm or condition of the general permit and/or other applicable ined and am familiar with the information submitted on this
company Official Title. Sr. Environmental & Regulatory Manager	curate, and complete. I am aware that there are significant
obtaining the information, I believe that the information is true, acceptable of the submitting false information, including the possibility of the company Official Signature	curate, and complete. I am aware that there are significant
Company Official (Typed Name) Greichen Kohler  Company Official Title Sr. Environmental & Regulatory Manager	curate, and complete. I am aware that there are significant fine or imprisonment.
Detaining the information, I believe that the information is true, according to submitting false information, including the possibility of the Company Official Signature  Company Official (Typed Name) Greichen Kohler	curate, and complete. I am aware that there are significant fine or imprisonment.
Company Official (Typed Name) Greichen Kohler  Company Official Title Sr. Environmental & Regulatory Manager	curate, and complete. I am aware that there are significant fine or imprisonment.

Operator's Well No. Winchester Unit 1H

Proposed Revegetation Treatme	ent: Acres Disturbed 20.99	acres Prevegetation pl	T F
Lime 2-4	_ Tons/acre or to correct to p	H 6.5	
Fertilizer type Hay or s	straw or Wood Fiber (will be used	d where needed)	
Fertilizer amount 500		lbs/acre	
Mulch 2-3	Tons	/acre	
Access Road "A" (0.43 acros) + Access Water Containment Pad (4.36acres) +	s Road "B" (2.38 acres) + Access Road "C Production Equipment Pad (1.40) + Borre	" (0.17) + Access Road "D" (0.15) + Access Road "E ow Arca (4.76 acres) + Excess/Topsoil Material Stock	" (0.43) + Well Pad (5.55 acres) +
		ed Mixtures	1000 (1124 0000) - 29:22 (16:32
Temp	orary	Perma	nent
Sced Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
See attached Table IV-3 for additions	I seed type (Sine Pad Design)	See attached Table IV-4A for additional	al seed type (Sine Pad Design
rovided). If water from the pit was creage, of the land application a	d proposed area for land appli will be land applied, include d area.	*or type of grass seed reque cation (unless engineered plans including imensions (L x W x D) of the pit, and	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit water	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit water application a	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit and provided). If water from the pit vacreage, of the land application a Photocopied section of involved	d proposed area for land appli will be land applied, include d area.	cation (unless engineered plans include	ling this info have been

#### Form WW-9 Additives Attachment

#### **SURFACE INTERVAL**

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

#### **INTERMEDIATE INTERVAL**

#### STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

#### PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

RECEIVED
Office of Oil and Gas

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

JUN 0 4 2018

6. Xan-Plex

Viscosifier For Water Based Muds

WV Department of Environmental Protection

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

13. Escaid 110

Drilling Fluild Solvent – Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene – Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

**Inorganic Salt** 

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer – Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

**Drilling Fluid Lubricant** 

RECEIVED
Office of Oil and Gas

JUN 0 4 2018

WV Department of Environmental Protection



911 Address 8086 Wick Rd Middlebourne, WV 26149

# Well Site Safety Plan Antero Resources

Well Name: Alpine Unit 1H - 4H, Garmin Unit 1H - 2H,

Remington Unit 1H - 2H, Winchester Unit 1H -

2H, Orvis Unit 1H - 2H

Pad Location: Sine Pad

Tyler County/Meade District

**GPS Coordinates:** 

Entrance - Lat 39°24′56.6634″/Long -80°57′28.5696″ (NAD83)

Pad Center - Lat 39°24′54.4032″/Long -80°57′24.4866″ (NAD83)


### **Driving Directions:**


From the intersection of I79 and HWY 50: Travel west on US-50 for 28.7 miles. Turn right onto WV-18 N for 0.6 miles. Turn left onto Davis St/Old U.S. 50W for 0.4 miles. Turn right onto Wv-18N/Sistersville Pike for 12.2 miles. Turn left onto WV-74 S for 3.7 miles. Turn right onto Stull Hill Rd for 1.0 mile. Continue onto Big Shank Rd for 0.8 miles. Continue onto Big Sanka Rd for 1.6 miles. Continue onto Bearsville Rd for 1.8 miles. Turn left onto Middlebourne Wick/Wick Rd for 1.8 miles. The access road will be on the left.

#### **Alternate Route:**

From the Volunteer Fire Department in Middlebourne: Head southwest on WV-18 S/Main St toward Wilcox Ave for 0.3 miles. Turn right onto Bridgeway Rd for 0.1 miles. Turn left onto Middlebourne-Wick/Wick Rd for 2.0 miles. Turn left onto Middlebourne-Wick for 5.8 miles. The access road will be on the left.

**EMERGENCY (24 HOUR) CONTACT 1-800-878-1373** 





Operator's Well Number

Winchester Unit 1H

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
James L. Sine et ux Lease			
James L. Sine et ux	Antero Resources Appalachian Corporation	1/8+	400/422
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Raymond L. Moore, et ux Lease			
Raymond L. Moore, et ux	Antero Resources Corporation	1/8+	504/82
Robert S. Carse et ux Lease			
Robert S. Carse et ux	Antero Resources Appalachian Corporation	1/8+	428/21
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
TSAR-WV LLC Lease			
TSAR-WV LLC Lease	Chesapeake Appalachian LLC	1/8	403/419
Chesapeake Appalachian LLC	SWN Production Company	Assignment	465/463
SWN Production Company	Antero Resources Corporation	Assignment	544/242
Thomas W. Moore et al Lease (TM 8 PCL 22)			
Thomas W. Moore et al	Antero Resources Corporation	1/8+	442/588
Thomas Moore et al Lease (TM 11 PCL 9)			
Thomas Moore et al	Antero Resources Corporation	1/8+	442/590
Thomas W. Moore et al Lease (TM 11 PLC 9.1)		R	ECEIVED
Thomas W. Moore et al	Antero Resources Corporation	1/8+ Office	ECEIVED of Oil and Gas
Charles F. Mossor et ux Lease			and Gas
Charles F. Mossor et ux tease Charles F. Mossor et ux	Antero Resources Corporation	1/8+ JUI	V 1 4 20 562/154
			. •
The Joelynn Family Preservation Trust Lease The Joelynn Family Preservation Trust	Antero Resources Corporation	<sub>1/8+</sub> _ WV D <sub>6</sub>	Ppartme <del>rr/////</del> Phartmerral Protection
•	·	Environme	ental Drot
Gary A. Barnard et ux Lease	A	4/0	rival Flotection
Gary A. Barnard et ux	Antero Resources Corporation	1/8+	442/77

<sup>\*</sup>Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name o Number	r Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Joe-Dom Inc. Lease				
	Joe-Dom, Inc	Gene Stainaker, inc	1/8	0160/0672
	Gene Stalnaker, Inc	Angus Energy, Inc	Assignment	0212/0137
	Angus Energy, Inc	Stalnaker Energy Corporation	Name Change	0002/0225
	Stalnaker Energy Corporation	Antero Resources Appalachian Corporation	Assignment	0258/0084
	Antero Resources Appalachian Corporation		Name Change	Exhibit 1

<sup>\*</sup>Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED
Office of Oil and Gas

JUN 9 4 2018

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed artiment of permits/approvals should be acquired from the appropriate authority before the affected activity is will full entail Protection

Well Operator:	Antero Resources Corporation
By:	Kevin Kilstrom
Its:	Senior Vice President - Production

Page 1 of

### FORM WW-6A1 EXHIBIT 1



JUN 1 0 2013

Natalio E. Tennant Scoretary of State 1900 Kanawha Bivd E Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Twe if you want a filed stamped copy returned to yea) FEE: \$25.00



Penney Barker, Manager
IN THE OFFICE OF Corporations Division
SECRETARY OF STATE Tel: (304)558-8000
Wahaita: www.uysod.com

Website: www.wvsos.com
B-mail: business@wvsos.com

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. ET

\*\*\*\* In accordance with the providious of the West Virginia Code, the undersigned corporation hereby \*\*\*\* applies for an Amended Certificate of Authority and submits the following statement: 1. Name under which the corporation was Antero Resources Appalachian Corporation authorized to transact business in WV: 2. Date Certificate of Authority was 6/25/2008 issued in West Virginia: Antero Resources Corporation 3. Corporate name has been changed to: (Attach one Certified Copy of Name Change as filed in home State of heorporation.) Antero Resources Corporation Name the corporation elects to use in WV: (due to home state name not being available) Other amendments: (attach additional pages if necessary) Office of Oil and Gas Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.) (303) 357-7310 Alvyn A. Schopp WV Department of Phone Number Contact Name Environmental Protection 7. Signature information (See below \*Important Legal Notice Regarding Signature): Title/Capacity: Authorized Person Print Name of Signer: Allyn A. Schop; June 10, 2013 Signature: Date: \*Innoctant Legal Notice Reparting Standards: For West Virginia Code <u>\$310-1-129</u>. Penalty for eigaing faits document.

Any person vide algos a document he or she knows is faite in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdemosnor and, upon conviction theseof, shall be fined not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.

listed by the Office of the Secretary of Sinte

Form CF-4



Antero Resources

1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

June 1st, 2018

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57<sup>th</sup> Street SE Charleston, WV 25304

RE: Winchester Unit 1H

Quadrangle: Middlebourne 7.5'

Tyler County/Meade District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Winchester Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Winchester Unit 1H horizontal lateral will drill through including any and all roads crossed under OFFICE of OFFICE of OFFICE OFFICE

Sincerely.

JUN 9 4 2018

WV Department of Environmental Protection

Thomas Kuhn Senior Landman

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notice Certification: 05/31/2018 API No. 47- 095						
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	O	Operator's Well No. Winchester Unit 1H			
		W	ell Pad Nan	e: Sine Pa	d	
Notice has I	oeen given:					
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provid	ed the requir	ed parties v	with the Notice Forms listed	
	tract of land as follows:					
State:	West Virginia			3753m		
County:	Tyler	CIMINAD 83 N	orthing: 43	62847m		
District:	Meade	Public Road Access	s: Wi	ck Rd.		
Quadrangle:	Middlebourne 7.5'	Generally used farm	n name: Ja	nes Sine et al		
Watershed:	Outlet Middle Island Creek					
it has provid information r of giving the requirements Virginia Cod	the secretary, shall be verified and a sed the owners of the surface described and (c), so surface owner notice of entry to so of subsection (b), section sixteen (c) and (c), so subsection (b), section sixteen (c) and (c), so subsection (b), the applicant shall have been completed by the applicant	bed in subdivisions (1), (2) and ection sixteen of this article; (ii) to arvey pursuant to subsection (a), of this article were waived in we tender proof of and certify to the	(4), subsect that the require, section ten riting by the	ion (b), sec ement was of this arti surface ov	etion ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice wher; and Pursuant to West	
that the Ope	West Virginia Code § 22-6A, the O rator has properly served the require ECK ALL THAT APPLY		Notice Certi	fication	OOG OFFICE USE ONLY	
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRE SEISMIC ACTIVITY WAS C			☐ RECEIVED/ NOT REQUIRED	
☐ 2. NO	TICE OF ENTRY FOR PLAT SUR	VEY or  NO PLAT SURVEY	WAS CON	DUCTED	☐ RECEIVED	
■ 3. NO	TICE OF INTENT TO DRILL or	☐ NOTICE NOT REQUIRE NOTICE OF ENTRY FOR PL WAS CONDUCTED or			RECEIVED/ NOT REQUIRED	
		☐ WRITTEN WAIVER BY (PLEASE ATTACH)	SURFACE	OWNER		
■ 4. NO	TICE OF PLANNED OPERATION				ECHALEDED	
■ 5. PUI	BLIC NOTICE			Office	of Oil and Gas	
■ 6. NO	TICE OF APPLICATION			J	PRECEIVED	

Required Attachments:

WV Department of Environmental Protection

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

#### Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penaltics for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation

By: Kevin Kilstrom

Its: Senior Vice President - Production

Telephone: 303-357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: mstanton@anteroresources.com

KANNATOX SEAL

NOTARY PUBLIC

STATE OF COLORADO

NOTARY ID 20184014160

MY COMMISSION EXPIRES MARCH 28, 2022

Subscribed and sworn before me this 3

1 100

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deepprivacyofficer@wv.gov">deepprivacyofficer@wv.gov</a>.

WW-6A (9-13) API NO. 47- 095 - OPERATOR WELL NO. Winchester Unit 1H

Well Pad Name: Sine Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 6/01/2018 Date Permit Application Filed: 6/01/2018 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☑ METHOD OF DELIVERY THAT REQUIRES A ☐ REGISTERED PERSONAL **SERVICE** MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams: (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the field provided in section 15 of this rule.

RECEIVED Office of Oil and Gas ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: COAL OWNER OR LESSEE
Name: NO DECLARATIONS ON RECORD WITH COUNTY
WV Department of FI SURFACE OWNER(s) Name: James Sine et al Address: 7914 Wick Road Environmental Protection Middlebourne, WV 26419 ☐ COAL OPERATOR Name: Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: \_\_\_\_\_ Address: ☐ SURFACE OWNER(s) (Road and/or Other Disturbance) WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Address: Name: SEE ATTACHED Name: Address: Address: OPERATOR OF ANY NATURAL GAS STORAGE FIELD SURFACE OWNER(s) (Impoundments or Pits) Name: Address: Address: \*Please attach additional forms if necessary

API NO. 47-095 OPERATOR WELL NO. Winchester Unit 1H Well Pad Name: Sine Pad

Nonce is nereby given:

47 0 9 5 0 2 5 1 5

Pursuant to West Virginia Code § 22-6A-10(h), notice is hereby given that the undersigned well operator has applied for a permit for 1 5 well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided at section of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this desired was provided. whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the glerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms diff to the property of department requires to ensure the safety and protection of affected persons and property. The terms and comorners may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one to the control of the hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-095 OPERATOR WELL NO. Winchester Unit 1H Well Pad Name: Sine ag

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative value 5 establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement variety supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section against the costs incurred by the real property owner in securing a water supply. provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of the status of any appeal on determination of the status of any appeal or determination of the status of the s damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction. WV Department of

Written Comment:

Environmental Projection

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

OPERATOR WELL NO. Winchester Unit 1H

Well Pad Name: Sine Pad

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit of the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, Didusting that applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

WV Department of

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary parameter subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A (8-13) 4709502515

OPERATOR WELL NO. Winchester Unit 1H Well Pad Name: Sine Pad

Notice is hereby given, by:

Well Operator: Antero Resources Corporation Telephone: (303) 357-7182

Email: mstanton@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

KARIN COX NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184014160 MY COMMISSION EXPIRES MARCH 29, 2022 Subscribed and sworn before me this \_\_\_\_\_ day of \_\_\_\_\_\_ Notary Public

My Commission Expires March 29, 2022

RECEIVED
Office of Oil and Gas

JUN 9 4 2018

WV Department of Environmental Protection

#### WW-6A Notice of Application Attachment (Sine Pad):

#### List of Owners with Proposed Disturbance associated with Sine Well Pad:

#### WATER SOURCE OWNERS -

Owner: Address:

Donald Robinson 3029 Sellers Rd

Middlebourne, WV 26149

Owner: Address:

Raymond Moore 7764 Wick Rd

Middlebourne, WV 26149

Owner: Address:

James Sine 7914 Wick Rd


Middlebourne, WV 26149

Owner: Address:

Destry Nelson 7760 Wick Rd

Middlebourne, WV 26149

\*Please note there are 2 additional water sources shown on the attached map, however they are located greater than 1500' from the proposed well location



Operator Well No. Winchester Unit 1H

Multiple Wells on Sine Pad

47 69 3 U 2 5 1 5

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Notic		ded at least TEN (10) days prior to filing a te Permit Application Filed: 06/01/2018	permit application.
Delivery met	hod pursuant to West Virginia Co	de § 22-6A-16(b)	
☐ HAND	■ CERTIFIED MAIL		
DELIVE		T REQUESTED	
receipt request drilling a hore of this subsect subsection ma	sted or hand delivery, give the surfaction as of the date the notice was property be waived in writing by the surfaction as of the date the notice was property be waived in writing by the surfaction.	ten days prior to filing a permit application, to owner notice of its intent to enter upon the given pursuant to subsection (a), section to evided to the surface owner: <i>Provided, how</i> the owner. The notice, if required, shall included address of the operator and the operator	ne surface owner's land for the purpose of n of this article satisfies the requirements never, That the notice requirements of this and the name, address, telephone number,
Notice is he	reby provided to the SURFACI	E OWNER(s):	
Name: James L		Name:	BECEIVED
Address: 7914		Address:	RECEIVED
Middlebourne, W	V 26419	-	Office of Oil and Gas
Pursuant to V the surface ov State:	Vest Virginia Code § 22-6A-16(b), no vner's land for the purpose of drilling West Virginia	notice is hereby given that the undersigned g a horizontal well on the tract of land as fo	llows: WV Dengrin
County: District:	Tyler Meade	Public Road Access:	Wick Rd.
County:	Tyler	UIM NAD 83 Northing:	4302047III Profection
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor	Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b), aber and electronic mail address of izontal drilling may be obtained from	Public Road Access:	Wick Rd.  James Sine et al  ess, telephone number, and if available, d representative. Additional information f Environmental Protection headquarters,
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601	Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b), aber and electronic mail address of izontal drilling may be obtained from	Public Road Access:  Generally used farm name:  , this notice shall include the name, addr f the operator and the operator's authorize om the Secretary, at the WV Department of	Wick Rd.  James Sine et al  ess, telephone number, and if available, d representative. Additional information f Environmental Protection headquarters,
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he	Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b) her and electronic mail address of izontal drilling may be obtained from 57th Street, SE, Charleston, WV 25	Public Road Access:  Generally used farm name:  this notice shall include the name, address authorize on the Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de	Wick Rd.  James Sine et al  ess, telephone number, and if available, d representative. Additional information f Environmental Protection headquarters,
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he	Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b)  aber and electronic mail address of izontal drilling may be obtained fro 57th Street, SE, Charleston, WV 25treby given by:	Public Road Access:  Generally used farm name:  this notice shall include the name, address authorize on the Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de	Wick Rd.  James Sine et al  ess, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato	Tyler  Meade  Middlebourne 7.5' Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b), aber and electronic mail address of izontal drilling may be obtained from 57th Street, SE, Charleston, WV 25 reby given by:  T: Antero Resources Appalachian Corporation	Public Road Access:  Generally used farm name:  this notice shall include the name, addr the operator and the operator's authorize om the Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de	Wick Rd.  James Sine et al  ess, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.  Mallory Stanton
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato	Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b)  aber and electronic mail address of izontal drilling may be obtained fro 57th Street, SE, Charleston, WV 25th S	Public Road Access:  Generally used farm name:  this notice shall include the name, addr the operator and the operator's authorize om the Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de	Wick Rd.  James Sine et al  ess, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.  Mallory Stanton 1615 Wynkoop St.
County: District: Quadrangle: Watershed:  This Notice Pursuant to V facsimile nur related to hor located at 601  Notice is he Well Operato Address:	Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  West Virginia Code § 22-6A-16(b)  aber and electronic mail address of izontal drilling may be obtained fro 57th Street, SE, Charleston, WV 25th S	Public Road Access:  Generally used farm name:  , this notice shall include the name, addr f the operator and the operator's authorize m the Secretary, at the WV Department or 304 (304-926-0450) or by visiting www.de  Authorized Representative:  Address:	Wick Rd.  James Sine et al  ess, telephone number, and if available, and representative. Additional information of Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.  Mallory Stanton  1615 Wynkoop St.  Denver, CO 80202

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deepprivacyofficer@wv.gov">deepprivacyofficer@wv.gov</a>.

WW-6A5 (1/12) Operator Well No. Winchester Unit 1H

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Delivery met	hod pursuant to West Virginia Co	de § 22-6A-16(c)		
■ CERTI	FIED MAIL	☐ HAND		
	RN RECEIPT REQUESTED	DELIVERY		
				1.11.1
return receipt the planned or required to be drilling of a damages to the	requested or hand delivery, give the operation. The notice required by to provided by subsection (b), section horizontal well; and (3) A proposed he surface affected by oil and gas open	surface owner whose land this subsection shall inclu- ten of this article to a surf I surface use and compense erations to the extent the da	I will be used for de: (1) A copy ace owner whose sation agreement amages are com	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
Notice is her	eby provided to the SURFACE OV	WNER(s)		
	s listed in the records of the sheriff a			Office
Name: James S		Name:		Office of Ou
1 11 7044	Wick Road	Address		Dhana A
Address: 7914		Address	o	GIN CIAS
Middlebourne, W	V 26419	1		Office of OH and Gas
Notice is her Pursuant to V operation on State: County:	eby given:  Vest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Tyler	otice is hereby given that the pose of drilling a horizonta	ne undersigned Il well on the tra Easting: Northing:	well operator haddoveloped a planned act of landar follows:  503753m  4362847m
Notice is her Pursuant to V operation on State: County: District:	eby given:  Vest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Tyler  Meade	otice is hereby given that the pose of drilling a horizonta  UTM NAD 8  Public Road	ne undersigned il well on the tra Basting: Northing: Access:	well operator has/developed a planned act of landarfollows:  503753m  4362847m  Wick Rd.
Notice is her Pursuant to V operation on State: County:	eby given:  Vest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Tyler	otice is hereby given that the pose of drilling a horizonta  UTM NAD 8  Public Road	ne undersigned Il well on the tra Easting: Northing:	well operator haddoveloped a planned act of landar follows:  503753m  4362847m
Notice is her Pursuant to V operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information theadquarters, gas/pages/def	eby given: Vest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp West Virginia  Tyler  Meade Middlebourne 7.5  Outlet Middle Island Creek  Shall Include: Vest Virginia Code § 22-6A-16(c), the ed by W. Va. Code § 22-6A-10(b) sell; and (3) A proposed surface use a ted by oil and gas operations to the related to horizontal drilling may be located at 601 57th Street, SE, fault.aspx.	Detice is hereby given that the pose of drilling a horizonta UTM NAD 8  Public Road Generally use the series of th	ne undersigned all well on the trainers.  Easting: Northing: Access: and farm name:  A copy of thise land will be understanded and arry, at the WV (304-926-0450)	well operator has developed a planned act of land art follows:  503753/m  4362847m  Wick Rd.  James Sine et al  code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
Notice is her Pursuant to V operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information the headquarters, gas/pages/def	eby given:  Vest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Tyler  Meade  Middlebourne 7.5'  Outlet Middle Island Creek  Shall Include:  Vest Virginia Code § 22-6A-16(c), the d by W. Va. Code § 22-6A-10(b) ell; and (3) A proposed surface use a ted by oil and gas operations to the related to horizontal drilling may be located at 601 57th Street, SE, ault.aspx.  T: Antero Resources Corporation	potice is hereby given that the pose of drilling a horizontal UTM NAD 8  Public Road Generally use this notice shall include: (1) to a surface owner whose and compensation agreement the damages are contained from the Secret	ne undersigned all well on the traces and farm name:  Access:  Accepy of this all land will be an ampensable undersigned ary, at the WV (304-926-0450)	well operator has developed a planned act of land art follows:  503753/m  4362847m  Wick Rd.  James Sine et al  code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
Notice is her Pursuant to V operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information theadquarters, gas/pages/def	eby given: Vest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp West Virginia  Tyler  Meade Middlebourne 7.5  Outlet Middle Island Creek  Shall Include: Vest Virginia Code § 22-6A-16(c), the ed by W. Va. Code § 22-6A-10(b) sell; and (3) A proposed surface use a ted by oil and gas operations to the related to horizontal drilling may be located at 601 57th Street, SE, fault.aspx.	Detice is hereby given that the pose of drilling a horizonta UTM NAD 8  Public Road Generally use the series of th	ne undersigned all well on the traces and farm name:  Access: ad farm name:  A copy of this all land will be an ampensable undersigned ary, at the WV (304-926-0450)  1615 Wynkoop Strepenver, CO 80202	well operator has developed a planned act of land art follows:  503753m  4362847m  Wick Rd.  James Sine et al  code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

WW-6RW (1-12)

The well operator, Antero Ressurces Corporation

ATTN: JIM WILSON ANTERO RESOURCES

API NO. 47- 095

535 HILLE OAKS BUI) OPERATOR WELL NO. Multiple Welts on Stine Pad

BRIDGEPORT, W 26330-4649Well Pad Name: Sine Pad

is applying for a permit from the State of West Virginia to conduct oil or gas well

#### STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

## WELL LOCATION RESTRICTION WAIVER

work. Please be advised that well work permits are valid	for twenty-four (24) months.	
Well Location Restrictions  Pursuant to West Virginia Code § 22-6A-12(a), Wells rany existing water well or developed spring used for he located within six hundred twenty-five feet of an occupilarger used to house or shelter dairy cattle or poultry lawellings or agricultural buildings that existed on the daprovided in section ten of this article or a notice of intentarticle was provided, whichever occurs first, and to any object with the county commission for the county in which variance by the secretary from these distance restrictions or practices to be employed during well site construction conditions the department requires to ensure the safety are include insurance, bonding and indemnification, as well as	uman or domestic animal consumed dwelling structure, or a buildin husbandry. This limitation is appare a notice to the surface owner of to drill a horizontal well as providwelling under construction prior the department and recorded in the such property is located. Further upon submission of a plan which m, drilling and operations. The value technical requirements.	aption. The center of well pads may not be ag two thousand five hundred square feet or plicable to those wells, developed springs, of planned entry for surveying or staking as ded in subsection (b), section sixteen of this to that date. This limitation may be waived the real property records maintained by the ermore, the well operator may be granted a dentifies the sufficient measures, facilities variance, if granted, shall include terms and
	WAIVER	med on Page WW-6A and the associated
provisions listed above, and that I have received copies o WW-6A and attachments consisting of pages one (1) throrequired, and the well plat, all for proposed well work on State:  West Virginia County: Tyler District:  Meade	ough, including the of the tract of land as follows:  UTM NAD 83 Easting:  UTM NAD 83 Northing:  Public Road Access:	504215.83m (pad center) 4359553.97m (pad center) CR 7 (Middlebourne Wick)
Quadrangle: Middlebourne 7.5'	_ Generally used farm name:	James Sine et al
Watershed: Outlet Middle Island Creek  I further state that I have no objection to the planned wor issued on those materials and I therefore waive all well si  WELL SITE RESTRICTIONS BEING WAIVED	ite restrictions listed under West \   FOR EXECUT	Virginia Code § 22-6A-12(a). FIQN BY A NATURAL PERSON
*Please check all that apply	Print Name:	nas L. Sine / Kathy J. Dine
☐ EXISTING WATER WELLS	Date: 2/10/	13017 TION BY A CORPORATION, ETC.
☐ DEVELOPED SPRINGS	FOR EXECUT	
DWELLINGS	Ву:	TYLER County 11:52:32 AM
☐ AGRICULTURAL BUILDINGS	Its: Signature: Date:	Date Recorded 02/06/2017
Well Operator:	Signature:	Page Decarded 1
Ву:	Telephone:	Book Page 554-469
Notary Public, States It was I virginia JAMES O, WILSON 1151 Crest Drive Morrantown, WV 26501	scribed and sworn before me this_	Recording Fee \$5.00 Additional \$6.00 Leave 1  Notary Public
I St. Committee of the state of	Commission Expires WACL	n 23,2019

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficen@wv.gov.



## WEST VIRGINIA DEPARTMENT OF TRANSPORTATION 4709 02515

**Division of Highways** 

1900 Kanawha Boulevard East . Building Five . Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Reissued March 26, 2018

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Sine Pad, Tyler County

Winchester Unit 1H Well site

RECEIVED Office of OH and Gas

JUN 0 4 2018

WV Department of Environmental Protection

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2014-0702 which has been issued to Antero Resources Corporation for access to the State Road for a site located off of Tyler County Route 7 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

> Very Truly Yours, Dary K. Clayton

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Megan Griffith

Antero Resources Corporation

CH, OM, D-6

File

# List of Anticipated Additives Used for Fracturing or Stimulating Well

Presh Water   3732-36-5   3797136-1   37	Additives	Chemical Abstract Service Number (CAS #)
Anionic copolymer Anionic polymer Anionic polymer Anionic polymer Proprietary BTEX Free Hydrotreated Heavy Naphtha G6742-48-9 Cellulase enzyme Proprietary Bemulsifier Base Ethoxylated alcohol blend Bthoxylated alcohol blend Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthylene Glycol Giycol Ethers J111-76-2 Gizer Given Gircol Title-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Fresh Water	7732-18-5
Anionic copolymer Anionic polymer Anionic polymer Anionic polymer Proprietary BTEX Free Hydrotreated Heavy Naphtha G6742-48-9 Cellulase enzyme Proprietary Bemulsifier Base Ethoxylated alcohol blend Bthoxylated alcohol blend Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthoxylated oleylamine Bthylene Glycol Giycol Ethers J111-76-2 Gizer Given Gircol Title-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	2 Phosphobutane 1,2,4 tricarboxylic acid	3797136/1 0 9 3 6 6 7 7 5
Anionic polymer  BTEX Free Hydrotreated Heavy Naphtha  64742-48-9  64742-48-9  Proprietary  Proprietary  Demulsifier Base  Proprietary  Ethoxylated alcohol blend  Ethoxylated alcohol blend  Ethoxylated Nonylphenol  68412-54-4  Ethoxylated oleylamine  26635-93-8  Ethyline Giycol  107-21-1  Glycol Ethers  9000-30-0 Office of OHL and Gas  Hydrogen Chloride  Hydrogen Chloride  Hydrogen Chloride  Hydrogen Chloride  Hydrogen Chloride  1022-01-2 WV Departmeent of Microparticle  Petroleum Distillates, non-aromatic, BTEX free  64742-47-8  Sopropyl alcohol  1022-01-2 WV Departmeent of Microparticle  Petroleum Distillates (BTEX Below Detect)  Petroleum Distillates (BTEX Below Detect)  Propried Glycol  107-19-7  Propargyl Alcohol  Propylene Glycol  Quart  11808-60-7  Solium Chloride  Sodium Hydroxide  1310-73-2  Sugar  1310-73-2  Sugar  1310-73-2  Sugar  57-50-1  Surfactant  Suspending agent (solid)  14808-60-7  Tar bases, quinoline derive, benzyl chloride-quaternized  57-80-90-90-90-90-90-90-90-90-90-90-90-90-90	Ammonium Persulfate	
STEX Free Hydrotreated Heavy Naphtha   64742-48-9		
Proprietary   Proprietary   Demulsifier Base   Proprietary		
Demulsifier Base		
Ethoxylated alcohol blend   Mixture		
Ethoxylated Nonylphenol   68412-54-4   Ethoxylated oleylamine   26635-93-8   Ethoylated oleylamine   107-21-1   Glycol Ethers   111-76-2   RECEIV ED   Guar gum   9000-30-0 Office of OH and Gas   Phydrogen Chloride   7647-01-0   Phydrogen Chloride   7647-01-0   Phydrotreated light distillates, non-aromatic, BTEX free   64742-47-8   JUN () 4 20   18   Isopropyl alcohol   10222-01-2 WV Department		
Ethoxylated oleylamine         26635-93-8           Ethylene Glycol         107-21-1           Glycol Ethers         9000-30-0 Office of OH on office of OH office		
Ethylene Glycol		
Silvan   S		
Guar gum Hydrogen Chloride Hydrogen Chloride Hydrotreated light distillates, non-aromatic, BTEX free Indicated light distillates, non-aromatic ent of office distillates, and office di		
Hydrotreated light distillates, non-aromatic, BTEX free		111-76-2 HECFIVED
Hydrotreated light distillates, non-aromatic, BTEX free   64742-47-8   JUN		9000-30-0 Office of Oil and Gas
Isopropyl alcohol   10222-01-2 WV Departm   10222-01		
Iiquid, 2,2-dibromo-3-nitrilopropionamide   10222-01-2 WV Departm Proprie		64/42-4/-8 JUN (1 4 2018
Microparticle         Propriete Nuronmental Entropertor           Petroleum Distillates (BTEX Below Detect)         64742-47-8           Polyacrylamide         57-55-6           Propargyl Alcohol         107-19-7           Propylene Glycol         57-55-6           Quartz         14808-60-7           Sillica, crystalline quartz         7631-86-9           Sodium Chloride         7647-14-5           Sodium Hydroxide         1310-73-2           Sugar         57-50-1           Surfactant         68439-51-0           Suspending agent (solid)         14808-60-7           Tar bases, quinoline derivs, benzyl chloride-quaternized         72480-70-7           Solvent Naphtha, petroleum, heavy aliph         64742-96-7           Soybean Oil, Me ester         67784-80-9           Copolymer of Maleic and Acrylic Acid         52255-49-9           DETA phosphonate         15827-60-8           Hexamthylene Triamine Penta         34690-00-1           Phosphino Carboxylic acid polymer         71050-62-9           Hexamethylene Diamine Tetra         23605-75-5           2-Propencic acid, polymer with 2 propenamide         9003-06-9           Hexamethylene Glycol         111-46-6           Methenamine         100-97-0		6/-63-0
Petroleum Distillates (BTEX Below Detect)  Polyacrylamide  57-55-6  Propargyl Alcohol  Propylene Glycol  57-55-6  Quartz  14808-60-7  Sillica, crystalline quartz  7631-86-9  Sodium Chloride  7647-14-5  Sodium Hydroxide  1310-73-2  Sugar  57-50-1  Surfactant  68439-51-0  Suspending agent (solid)  Tar bases, quinoline derivs, benzyl chloride-quaternized  72480-70-7  Solvent Naphtha, petroleum, heavy aliph  64742-96-7  Soybean Oil, Me ester  Copolymer of Maleic and Acrylic Acid  DETA phosphonate  Hexamthylene Triamine Penta  Hexamthylene Triamine Penta  Phosphino Carboxylic acid polymer  Hexamethylene Diamine Tetra  2-Propenoic acid, polymer with 2 propenamide  Hexamethylene Diamine Tetra  2-Propenoic acid, polymer with 2 propenamide  Hexamethylene diamine penta (methylene phosphonic acid)  Diethylene Glycol  Methenamine  100-97-0  Polyethylene polyamine  68603-67-8  Coco amine		10222-01-2 VV Department of
Polyacrylamide         57-55-6           Propargyl Alcohol         107-19-7           Propylene Glycol         57-55-6           Quartz         14808-60-7           Sillica, crystalline quartz         7631-86-9           Sodium Chloride         7647-14-5           Sodium Hydroxide         1310-73-2           Sugar         57-50-1           Surfactant         68439-51-0           Suspending agent (solid)         14808-60-7           Tar bases, quinoline derivs, benzyl chloride-quaternized         72480-70-7           Solvent Naphtha, petroleum, heavy aliph         64742-96-7           Soybean Oil, Me ester         67784-80-9           Copolymer of Maleic and Acrylic Acid         52255-49-9           DETA phosphonate         15827-60-8           Hexamthylene Triamine Penta         34690-00-1           Phosphino Carboxylic acid polymer         71050-62-9           Hexamethylene Diamine Tetra         23605-75-5           2-Propencic acid, polymer with 2 propenamide         9003-06-9           Hexamethylene diamine penta (methylene phosphonic acid)         23605-74-5           Diethylene Glycol         111-46-6           Methenamine         100-97-0           Polyethylene polyamine         68603-67-8		Proprietary VITOn mental Protection
Propargyl Alcohol         107-19-7           Propylene Glycol         57-55-6           Quartz         14808-60-7           Sillica, crystalline quartz         7631-86-9           Sodium Chloride         7647-14-5           Sodium Hydroxide         1310-73-2           Sugar         57-50-1           Surfactant         68439-51-0           Suspending agent (solid)         14808-60-7           Tar bases, quinoline derivs, benzyl chloride-quaternized         72480-70-7           Solvent Naphtha, petroleum, heavy aliph         64742-96-7           Soybean Oil, Me ester         67784-80-9           Copolymer of Maleic and Acrylic Acid         52255-49-9           DETA phosphonate         15827-60-8           Hexamthylene Triamine Penta         34690-00-1           Phosphino Carboxylic acid polymer         71050-62-9           Hexamethylene Diamine Tetra         23605-75-5           2-Propenoic acid, polymer with 2 propenamide         9003-06-9           Hexamethylene diamine penta (methylene phosphonic acid)         23605-74-5           Diethylene Glycol         111-46-6           Methenamine         100-97-0           Polyethylene polyamine         68603-67-8           Coco amine         61791-14-8		
Propylene Glycol         57-55-6           Quartz         14808-60-7           Sillica, crystalline quartz         7631-86-9           Sodium Chloride         7647-14-5           Sodium Hydroxide         1310-73-2           Sugar         57-50-1           Surfactant         68439-51-0           Suspending agent (solid)         14808-60-7           Tar bases, quinoline derivs, benzyl chloride-quaternized         72480-70-7           Solvent Naphtha, petroleum, heavy aliph         64742-96-7           Soybean Oil, Me ester         67784-80-9           Copolymer of Maleic and Acrylic Acid         52255-49-9           DETA phosphonate         15827-60-8           Hexamthylene Triamine Penta         34690-00-1           Phosphino Carboxylic acid polymer         71050-62-9           Hexamethylene Diamine Tetra         23605-75-5           2-Propenoic acid, polymer with 2 propenamide         9003-06-9           Hexamethylene diamine penta (methylene phosphonic acid)         23605-74-5           Diethylene Glycol         111-46-6           Methenamine         100-97-0           Polyethylene polyamine         68603-67-8           Coco amine         61791-14-8		
Quartz       14808-60-7         Sillica, crystalline quartz       7631-86-9         Sodium Chloride       7647-14-5         Sodium Hydroxide       1310-73-2         Sugar       57-50-1         Surfactant       68439-51-0         Suspending agent (solid)       14808-60-7         Tar bases, quinoline derivs, benzyl chloride-quaternized       72480-70-7         Solvent Naphtha, petroleum, heavy aliph       64742-96-7         Soybean Oil, Me ester       67784-80-9         Copolymer of Maleic and Acrylic Acid       52255-49-9         DETA phosphonate       15827-60-8         Hexamthylene Triamine Penta       34690-00-1         Phosphino Carboxylic acid polymer       71050-62-9         Hexamethylene Diamine Tetra       23605-75-5         2-Propenoic acid, polymer with 2 propenamide       9003-06-9         Hexamethylene diamine penta (methylene phosphonic acid)       23605-74-5         Diethylene Glycol       111-46-6         Methenamine       100-97-0         Polyethylene polyamine       68603-67-8         Coco amine       61791-14-8		
Sillica, crystalline quartz  Sodium Chloride  To47-14-5  Sodium Hydroxide  Sugar  Surfactant  Suspending agent (solid)  Tar bases, quinoline derivs, benzyl chloride-quaternized  Solvent Naphtha, petroleum, heavy aliph  Solvent Naphtha, petroleum, heavy aliph  Solvent Naphtha, petroleum, heavy aliph  Copolymer of Maleic and Acrylic Acid  DETA phosphonate  Hexamthylene Triamine Penta  Hexamthylene Triamine Penta  Phosphino Carboxylic acid polymer  Hexamethylene Diamine Tetra  23605-75-5  2-Propenoic acid, polymer with 2 propenamide  Hexamethylene diamine penta (methylene phosphonic acid)  Diethylene Glycol  Methenamine  Polyethylene polyamine  68603-67-8  Coco amine		
Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8		
Sodium Hydroxide         1310-73-2           Sugar         57-50-1           Surfactant         68439-51-0           Suspending agent (solid)         14808-60-7           Tar bases, quinoline derivs, benzyl chloride-quaternized         72480-70-7           Solvent Naphtha, petroleum, heavy aliph         64742-96-7           Soybean Oil, Me ester         67784-80-9           Copolymer of Maleic and Acrylic Acid         52255-49-9           DETA phosphonate         15827-60-8           Hexamthylene Triamine Penta         34690-00-1           Phosphino Carboxylic acid polymer         71050-62-9           Hexamethylene Diamine Tetra         23605-75-5           2-Propenoic acid, polymer with 2 propenamide         9003-06-9           Hexamethylene diamine penta (methylene phosphonic acid)         23605-74-5           Diethylene Glycol         111-46-6           Methenamine         100-97-0           Polyethylene polyamine         68603-67-8           Coco amine         61791-14-8		
Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8		
Surfactant Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer Phosphino Carboxylic acid polymer 17050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8		
Suspending agent (solid)  Tar bases, quinolline derivs, benzyl chloride-quaternized  72480-70-7  Solvent Naphtha, petroleum, heavy aliph  64742-96-7  Soybean Oil, Me ester  67784-80-9  Copolymer of Maleic and Acrylic Acid  52255-49-9  DETA phosphonate  15827-60-8  Hexamthylene Triamine Penta  94690-00-1  Phosphino Carboxylic acid polymer  Hexamethylene Diamine Tetra  23605-75-5  2-Propenoic acid, polymer with 2 propenamide  9003-06-9  Hexamethylene Glycol  111-46-6  Methenamine  100-97-0  Polyethylene polyamine  68603-67-8  Coco amine		
Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 44690-00-1 Phosphino Carboxylic acid polymer Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine		· · · · · · · · · · · · · · · · · · ·
Solvent Naphtha, petroleum, heavy aliph  Soybean Oil, Me ester  Copolymer of Maleic and Acrylic Acid  DETA phosphonate  Hexamthylene Triamine Penta  Phosphino Carboxylic acid polymer  Hexamethylene Diamine Tetra  23605-75-5  2-Propenoic acid, polymer with 2 propenamide  Hexamethylene diamine penta (methylene phosphonic acid)  Diethylene Glycol  Methenamine  Polyethylene polyamine  Coco amine  64742-96-7  67784-80-9  67784-80-9  67784-80-9  52255-49-9  15827-60-8  44690-00-1  71050-62-9  23605-75-5  23605-75-5  23605-74-5  Diethylene Glycol  111-46-6  Methenamine  68603-67-8  Coco amine		
Soybean Oil, Me ester Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8		· · · · · · · · · · · · · · · · · · ·
Copolymer of Maleic and Acrylic Acid  DETA phosphonate  Hexamthylene Triamine Penta  Phosphino Carboxylic acid polymer  Hexamethylene Diamine Tetra  23605-75-5  2-Propenoic acid, polymer with 2 propenamide  Hexamethylene diamine penta (methylene phosphonic acid)  Diethylene Glycol  Methenamine  Polyethylene polyamine  68603-67-8  Coco amine		
DETA phosphonate  Hexamthylene Triamine Penta  Phosphino Carboxylic acid polymer  Hexamethylene Diamine Tetra  23605-75-5  2-Propenoic acid, polymer with 2 propenamide  Hexamethylene diamine penta (methylene phosphonic acid)  Diethylene Glycol  Methenamine  100-97-0  Polyethylene polyamine  Coco amine  15827-60-8  34690-00-1  71050-62-9  23605-75-5  23605-75-5  23605-75-5  23605-74-5  24605-74-5  24		
Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8		
Phosphino Carboxylic acid polymer 71050-62-9  Hexamethylene Diamine Tetra 23605-75-5  2-Propenoic acid, polymer with 2 propenamide 9003-06-9  Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5  Diethylene Glycol 111-46-6  Methenamine 100-97-0  Polyethylene polyamine 68603-67-8  Coco amine 61791-14-8	· · · · · · · · · · · · · · · · · · ·	
Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	· · · · · · · · · · · · · · · · · · ·	
2-Propenoic acid, polymer with 2 propenamide 9003-06-9  Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5  Diethylene Glycol 111-46-6  Methenamine 100-97-0  Polyethylene polyamine 68603-67-8  Coco amine 61791-14-8		
Hexamethylene diamine penta (methylene phosphonic acid)  Diethylene Glycol  Methenamine  100-97-0  Polyethylene polyamine  68603-67-8  Coco amine  61791-14-8		
Methenamine         100-97-0           Polyethylene polyamine         68603-67-8           Coco amine         61791-14-8	Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5
Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8		_
Coco amine 61791-14-8	Methenamine	100-97-0
	Polyethylene polyamine	68603-67-8
2-Propyn-1-olcompound with methyloxirane 38172-91-7	Coco amíne	61791-14-8
	2-Propyn-1-olcompound with methyloxirane	38172-91-7

ACCESS ROAD ENTRANCE (ROAD TO")
LATITUDE 39 51/76% LINCOTHER ROGOTHER (WAD ES)
LATITUDE 59 51/707 LINCOTHER ROGOTHER (WAD ES)
F 555/2017 E 559/2017 UNIT 2011 T METERS

ACCESS ESIAN ENTRANCE (ROAD "C") ACTUAL CONTRACT (STAD C)

LATITUDE 29 415636 LOWESTUDY - SOMESIAG (MAD FC)

ACTED BOAD ENTRANCE (BOAD TO)

ASTITUDE 03-14555 LONGITUDE - COSCHARZ (MAD DS)

LATITUDE 03-14555 LONGITUDE - CONCANT (MAD DS)

A COSCAL 22 E COMMONDO (MITHER DOMESTIC METTRE)

ACCESS EDAD ENTRANET (BOAD "E")
LIVITUSE DO SISOTE LENGTIFEE MILESCHIPE (MAD DO)
LIVITUSE DO SISOTE LENGTIFEE (BLUESCHIV (NA) ET)
W 636300 47 E 65423020 (ITCH FORE 17 MECKES)

CENTROLO DP PAIL
LATTIUDE 39-425418 LONGITUDE -60-95-9600 (MAB 80)
LATTIUDE 38-415-684 LONGITUDE -60-95-9617 (MAD 27)
1-50-524-5-8 E-50-318-80 9419 2015 (MAD 27)

CENERAL DESCRIPTION:

THE MCCESS MODES, MATER CONTAINENT PAR, AND WELL PAD WERE CONSTRUCTED TO AND 19 LAND PROFESSIONARY OF INDIVIDUAL MARKETALIST THREE CAS WELLS.

WVDEP OOG

ACCEPTED AS-BUILT

B/1/2018

FLOODPLAIN NOTES

THE SITE IS LOCATED WITHEN FEWA HAND FOVE "I" PER FEWA FLOOR WAS ANADASSINATED.

MISS UTILITY STATEMENT.

ANTERS RESULTED STEPPORTON WILL MODITY MISS CITILITY OF MEST VIRGINIA FOR THE LECKTING CITUTILITIES PROOF TO THIS TRANSFOR DESIGN. A MODITION MISS UTILITY WILL HIS CONTACTIVE BY THE
CONTRACTOR FROM TO THE STARY OF LOWSTERCHING WIS PRODUCT.

ENTRANCE PERMIT

ANTRIO REGIONAL ANTRION WILL COTAIN AN EXCEPAINMENT PRIORIT (FORM MIN-100) FROM THE MEST VIRGINIA DEPURITMENT OF TRANSPORTATION DIFFICING IF TROTINGAY, PRIOR TO COMMISSIONAL OF TRANSPORTATION DIFFICING IF TROTINGAY, PRIOR TO COMMISSIONAL OF TRANSPORTATION DIFFICING IN TRANSPORTATION DIFFICING DIFFICING

CONTECCION ACTIVITIES

ENVIRONMENTAL NOTES

TIESAN ACT STRAND DEUGENOMO SEE PRICONED IN DECIMER 2015 OF DE HARVE DOVIGORISMAN.

LICAND IS APPEL DOED DE CULL ENVIRONMENTAL FORDITANTE INC. TO RETURN THE SITE DO SANTES

AND RELIGIOS THE REE MOST LIVEL ENVIRONMENTAL FORDITANTE INC. TO RETURN THE SITE DO SANTES

AND RELIGIOS THE REE MOST LIVEL WITHIN THE RELIGIORISM PRICE OF THE DIS ARM CORPS OF

CONSTRUCT CLURCH AND/OUR THE ART THE AREA LIVELY NOW OF EXPRONMENTAL PROPRIETOR OF VITELS

ENVIRONMENTAL LIE AND THE ARTS. 10, 2019 CARSE STREAMS AREA DELIBER MAY WAS REPARRO DY CIVIL DEVIRONMENTAL LIE AND THE ARTS. 10, 2019 CARSE STREAMS OF THE LABORATION DELIBERATOR. HIS MAY

BOTE, DOT, DE ANY MAY, REFERENCE AS URBENCHONNES THE EXCHANGED OF THE LABORATIO HART OF THE CARSE

ENCOUNTED THAT THE AREAS PROPRIETORS OF THE EXERCIT OF THE FIRST TO GARN WRITTEN

COMPRIANTOR OR THE PLANCATION SHEWS OF THE EXHIBIT THOSE TO ESPACIAL CONTINUENTS

FOR PROPRIETOR STREAMS OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR STREAMS OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR STREAMS OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR STREAMS OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR STREAMS OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR STREAMS OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE MOST THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE MOST THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE MOST THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE MOST THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE MOST THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR PROPRIETOR OF THE MOST THE PROPRIETOR OF THE PROPRIETOR OF THE MOST TO CARS WRITTEN

FOR

GEOTECHNICAL NOTES

A SUBSTRIATE ENVENTIATION OF THE SITE AND PERFORMER BY PERMYLINARIA BOIL & FOCK, INC.
BEFFELDS SAFIBLINGS 29, 200 & OCTOBER 1, 2014. THE REPORT PROPRIED BY TONESTANDAR BOIL
A BOCK, INC. BATCH OCTOBER 13 COME REFIRES MARCH 12, 2017, REFLECTS THE REQUISE OF HIS
A BOCK, INC. BATCH OCTOBER 13 COME REFIRES MARCH 12, 2017, REFLECTS THE REQUISE OF HIS
A BOCK TO THE PERMANDON OF THESE TARKS PLACES FASTER TO THE VERYING SEPORT
BY STREET MARCH STATE PERMANDON OF THESE TARKS PLACES FASTER TO THE VERYING THE
BY STREET MARCH THE PERMANDON OF THE PERMANDO

HM WILSON LAND MIEST

PROTETT SUBVEYOR

DITIGE (201) 812-4010 LTLL (201) 171 2703

ENVIRONMENTAL CONSULTANTS, INC. DIFFOR (201) 933-0119

HAVITUS ENCINERING. NO CYRUS & KUNF. PE - PROJECT MANAGEN/ENCINEER THETES (ESS) MS-4155 CELL (140) ESS-5747 ENVIRONMENTAL ECHARMY ENVIRONMENTAL LIC SHANKS THOMPSON - SHALT BURNING CONTROL (140) 572-1970 CRL (1909) 308-0530

#### PROJECT CONTACTS

DIFFRATOR
ANTERO RESCUERTES COMPORATION
COM WHITE DAKS WANTE
RESIDENCEPORT, MY 20000

ELI WACONER - ELWIROGMENTAL ENGINEEN DIFFEE 1504) D4E-4085 EELL (004) 470-0710

SON MCEVERS - OPTHATIONS SUPPRONTENDENT OFFICE (200) 1557-6799 CRLL (2003) 404-2423

AAROM XUNZLER - CONSTRUCTION FURTHERNISCH CSLL (606) 227-8044

#### RESTRICTIONS NOTES


- THERE ARE NO PERCHANAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN HIS FEET OF THE WELL. PAD AND LOG THERE ARE WETLAND IMPACTS THAT HAVE BEEN PERMITTED BY THE APPROPRIATE
- PAD AND LCD THIRD AND WITHARD WHATE THAT HAVE BEEN BETTER DESCRIBED BY THE APPROPRIATE OF BEEN APPROPRIATE AND THE SCALE PROPRIATE AND THE SCALE PROPR

#### SINE WELL PAD & WATER CONTAINMENT PAD


AS-BUILT AND EROSION & SEDIMENT CONTROL IMPROVEMENT PLAN

> MEADE DISTRICT, TYLER COUNTY, WEST VIRGINIA SUGAR CREEK WATERSHED

> > USGS 7.5 MIDDLERGURNE QUAD MAP




WEST VIRGINIA COUNTY MAP



DESIGN CERTIFICATION:
THE DELATHOR CONTRICTION NOTES, AND
REFERENCE DAGRAMS STATEMED HERETO HAVE
BEEN PREPAIRD IN ACCORDANCE WITH DIE
WELT VIENTUM, COOR OF STATE BUILES, DIVISION
DEL SENTROMENTAL PROTECTION, OFFICE OF DIL
AND CAN ENS 33-8

WYDOH COUNTY ROAD MAP



MISS Dtillty of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV. Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia IT'S THE LAW!!

CONSTRUCTION AND FAS CONTROL NOTES

DEGEND

ECRND

MATERIA CUANTIFES, STORM DRANAGE & KAR COMPUTATIONS
OVERAL PLAN SHEET SMEET & VOLUMES
ACCOSS ROAM, PELL 28. R. PURCHCHON EQUIPMENT PAR PLAN
ACCOSS ROAMS FILL PURL & PRODUCTION EQUIPMENT PAR ACCOSS ROAMS FILL PURL & PRODUCTION EQUIPMENT PAR AS-BUILT
ACCESS ROAMS FILL PURL & PRODUCTION EQUIPMENT PAR AS-BUILT
ACCESS ROAMS & \$7.75 CONTRIVENT PAR SECTIONS
OF CONSTRUCTION BUILDING.

SINE LIMITS OF DIS	TURBANCE	AREAIRCE	
Total Site	Permitted	Modification	Total
Access Road "AT(157)	0.43	0.00	0.43
Access Road "B" (601)	2.32	0.06	738
Access Floed "C" (107)	017	0.00	0.47
Access Road 'D' (125)	0.00	0.15	0.15
Access Road 'E" (216)	0.00	0.43	5,43
Well Part	5 55	0.00	5.55
Water Containment Part	0.00	4.36	4.36
Production Equipment Psq.	7.40	0.00	7,40
Borrow Arta	4.78	0.00	4.76
Exman/Topsoil Waterial Stoopins	0.25	111	136
Total Affected Area	14.2.5	6.01	20,95
Total Wooded Arres Distured	114	0.00	1.14
imparts to Jan	me L. Sire T	# 5-GO:	
Abotes Float "A" (1571)	0.43	0.00	0.43
Access Road "C" (100")	0.17	0.00	017
Access Road 'D' (123)	0.00	0.15	015
Access Hoad 'E" (2'5')	0.00	043	0.43
Well Pad	5.55	0.00	5.55
Water Containment Flad	3000	4.35	4.36
Production Equipment Pad	145	0.00	1.40
Expens/Jopanii Matenda Stockpiles	0.25	2.71	136
Total Affected Area	7.85	665	13.25
Fotal Wooded Acres Disturbed	0.00	0.00	0.00
Imparts to Jan	nes I. Sine Ti	11.71	10000
Access Rose "B" (601)	2.32	9.06	2.38
Barrow Area	4.75	0.00	4.78
Total Affected Area	7.08	0.06	7.14
Total Wooded Acres Dist med	1.14	0.00	1.14

Proposed With Name	W North	W North NAC EX	DTM (METERS) Zine 17	NAD #3 Las & Long
Apine West Unit 1H	N 335023-49	N 300857.50	N 4362647-41	LAT 29 GH 54 4906
	D STANZER DO	E. 1300004 67	E RECEIN ST	DNO-60-81-95 1734
Joyanne Willest Unit 244	11 230929-63	N 338853 64	R-082549-02	CAT 39 24 84 5489
	E 1688250.70	E 1558818.74	E 5000E2:50	LONG 80-81-24 5015
Notw East Mur Sti	H 20/603 57	14 \$35067.68	54-8363656 E3	LAT 380454 6010
	E 1584271.91	E 1596Aut at	E 905000.87	LONG 80-57-25 8159.
Name East Most 291	11 308836 A1	N \$30672.73	N (MDM2.24	AT 20-24-84 8631
	E 1558255 54	E 1568647.00	E NODER1 15	LDH4G-80-57-25-5366
Garren Brist 1H	14 339843 (18	N-398871 FT	N 436262 84	AT 192454 7061
	E 1508302.17	E 1988001.12	E 30008-k2	_040-60-81-25 45TT
Chemen Unit 2%	1/20/649-79	NAMES OF	N-CHORS IS	LAT 20-24-54-7574
	E 1000312.29	E 1500879.25	E 100508 70	DH 65 -80-87-25 276T
Renewgran Unit 161	N 29W(922	\$ 3399833A	NAMED IT	AT SINJA-SK 4885
	i 1000404.25	\$.156/EUT.20	E 9704 37	(LINES 40/21/22 412"
Remington Unit 2H	N 200618 09	N 296860 DD	N-1352645 For	JAT 36 24 64 4806
	E 1366477.20	E 1557606 16	E 503746 6a	DHG -60-01-21 2223
Windows for Unit 194	NUMBER OF	Names of	OF ENGINEERS OF	AT 387454 9717
	E 15554,01.15	E 1567051 '2	E 802753.44	21121E18409 EMOL
Watherland Line 201	N 339615 33	11330549-02	IN EXIST 25	LAT 30 24.54 M23
	E 15N/607.12	E-15570ec a7	E (1/3375A D)	1574G-80-67-22 6457
Dryla Unit 1H	11 200014 00	N STONE TO	19-4302048 13	LAT 39-04-54 4540
	E 1518525.07	E isstimt dx	E. 900752.57	LONG 40:57-22/5499
Dove Unit 2H	N 230013 52	N STREATER	N SMCHE M	LAT 79 25 M 6401
	E. 1500537.53	E 19270W6-911	E 500261.19	LCMG 40167-22-4581
got Pad Elevation	290.0			

- 51	NE EPHEM	TRAL STREAM IS	PACTILIHEAR P	EET)	
	Perma	nent Impacts	Temp Impacts	Twop Disturp.	**********
Sheam and Impact Cause		Structures (LF)	Controls (LF)	LOD.(LF)	(LF)
KLF-Stram 246 (Well Patt)	. 0	0	0	37	0
384	E INTERM	TENT STREAM	IMPACT (LINEAR	PERT	
	Parres	cent impacts	Married Property	Toronto Platente	

. 304	E INTERM	TTENT STREAM	MPACT (LINEAR	PERT	
	Perma	nent impacts	Temp Impacts	Temp: Disturb:	********
Stream and Impact Cause	GUIVEEL	Structures (LF)	COMMUNICATIVE EAST	LOD (LF)	(LF)
Sine WP Stream 19	0	0	0	116	V.

Wedlend and Impact Cause	PHISH	Total Impact	Total Impact
KLF-Weterd 219 (Well Pad)	148	148	0.00
Westind & (Well Pad)	459	459	0.01
Weitend 7 (Weil Pad)	1.715	1.718	0.04

#### REPRODUCTION NOTE

THE PLANS THE CHARGE TO BE FACTOR ON SECURITIONS OF

THESE PLACE TEST TESTED FOR TOTAL AND LAY HE WAS THE GRAP TO THE A LINE OF PERSONNEL AND LOSS OF THE TOTAL AND

S EERING ENGINE ENERGY

REVISION	SEVERT PER WIP & WILL DONNE	REVISED PER DEP COMMENTS		
DATE	\$718/SD\$	1/22/2013	1	



THE DOCUMENT DORFORATION

> WATER CONTAINMENT PAD SINE

SHEE

COVER :

44 WELL PAD



ATE 04/23/2018 CALE AS SHOWN MEET 1 OF 17

