

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Thursday, November 29, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for LINDSEY UNIT 2H 47-095-02548-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

hat

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 11/29/2018

Promoting a healthy environment.

API Number:

4709502548

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

4709502548

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

API NO. 47- 095 -

OPERATOR WELL NO. Lindsey Unit 2H Well Pad Name: Alta Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator:	Antero Res	ources Corpor	494507062	095 - Tyler	McElroy	Centerpoint 7.5'
			Operator ID	County	District	Quadrangle
2) Operator's Well	Number: Lir	dsey Unit 2H	Well P	ad Name: Alta	Pad	
3) Farm Name/Surf	ace Owner:	Stephen Grimm	Public Ro	ad Access: CR	23	
4) Elevation, curren	it ground:	848' E	levation, propose	d post-construct	ion: ~827'	
5) Well Type (a) Oth	Gas <u>X</u>	Oil	Un	derground Stora	ge	
(b)I	fGas Sha	llow X	Deep			
6) Existing Pad: Ye		izontal X				Alb
7) Proposed Target	Formation(s)		cipated Thickness ess- 55 feet, Assoc	· · · · · · · · · · · · · · · · · · ·		9/6/2018
8) Proposed Total V	rtical Dept	1: 7100' TVD				
9) Formation at Tota			S			
10) Proposed Total	Measured De	epth: 19900' N	ID	_	_	
11) Proposed Horizo	ontal Leg Le	ngth: 10384'				
12) Approximate Fr	esh Water St	rata Depths:	29', 369'			
13) Method to Deter	rmine Fresh	Water Depths:	Offset well records. D	epths have been ac	ljusted accord	ing to surface elevations.
14) Approximate Sa	ltwater Dept	hs: 1093', 1159) [,] 1260'			
15) Approximate Co	oal Seam Dej	oths: None Ider	ntified			
16) Approximate De	epth to Possi	ble Void (coal m	ine, karst, other):	None Anticipa	ted	
17) Does Proposed v directly overlying or			ms Yes	No	x R	ECEIVED of Oil and Gas
(a) If Yes, provide	Mine Info:	Name:				
		Depth:			3E	P102018
		Seam:		E	WV D	ental Protection
		Owner:			0,111	ental Protection

API NO. 47- 095 -

OPERATOR WELL NO. Lindsey Unit 2H Well Pad Name: Atta Pad

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

TYPE	<u>Size</u> (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	CEMENT: <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80'	80'	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	420' *see #19	420' *see #19	CTS, 583 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	19900'	19900'	5064 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#	1	7100'	
Liners							-

Ne	B	
Tal	16	2018

TYPE	Size (in)	Wellbore Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-H/PO2 & Tell - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A	RECEIVED Office of Oil and Gas
Sizes:	N/A	SEP 1 0 2018
Depths Set:	N/A	WV Department of
		Environmental Duate att

Environmental Protection

WW-6B (10/14) 4709502548 API NO. 47- 095

OPERATOR WELL NO. Lindsey Unit 2H Well Pad Name: Atta Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 17.43 acres

22) Area to be disturbed for well pad only, less access road (acres): 7.28 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.	RECEIVED
Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake	
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat	Office of Oil and Gas
Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C	$-20 \pm 0.05\%$ (-51
Production: Lead cement- 50/50 Class H/Poz + 1.5% sait + 1% C-45 + 0.5% C-164 + 0.2% C-12 + 0.45% C Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% AC	CSA-51 + 0.2% ACR-20


25) Proposed borehole conditioning procedures:	WV Department of
Conductor: blowhole clean with air, run casing, 10 bbis fresh water. Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with	
fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer. Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump hig	e clean with air, trip out, run casing, circulate 40 bbls brine er.
sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, r barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.	run casing, circulate 10 bbls fresh water, pump 48 bbls

*Note: Attach additional sheets as needed.



Lindsey Unit 2H





August 29, 2018

RECEIVED Office of Oil and Gas

SEP 4 2018

WV0109410

(4/16)		API Number 47 - 095	_			
	Operator's Well No. Lindsey Unit 2H					
	STATE	OF WEST VIRGINIA				
		NVIRONMENTAL PROTECTION				
	OFFIC	E OF OIL AND GAS				
	FLUIDS/ CUTTINGS D	ISPOSAL & RECLAMATION PLAN	ſ			
Operator Name_Antero Re	sources Corporation	OP Code 494	4507062			
Watershed (HUC 10) Mc	Elroy Creek	Quadrangle Centerpoint 7.5				
Do you anticipate using n Will a pit be used? Yes		mplete the proposed well work? Yes	s No			
If so, please desc	ribe anticipated pit waste: No pil wi	ill be used at this site (Orilling and Flowback Fluids will be stored in ta	anks. Cultings will be lanked and hauled off sile.)			
Will a synthetic	liner be used in the pit? Yes	No 🖌 If so, what ml.? N	J/A			
			Al.			
Proposed Dispos	al Method For Treated Pit Wastes					
	Land Application		191			
		rmit Number *UIC Permit # will be provide	and the second se			
		mitted well locations when applicable. API# will be p				
		WW-9 for disposal location)(Meadowfi				
	Other (Explain	Northweste	ern Landfill Permit #SWF-1025/			

Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.

Surface - Air/Freshwater, Intermediate -Dust/Stiff Foam, Production - Water Based Mud Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Please See Attachment

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northweatern Landfill (Permit # SWF-1025/WV0109410)

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am avaic that the information is true, accurate, and complete. I am avaic that the information is true, accurate, and complete. penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Aletantole	SEP 1 0 2018
Company Official (Typed Name) Gretchen Kohler	WV Department of
Company Official Title Senior Environmental & Regulatory Manager	Environmental Protection

Subscribed and sworn before me this 3	day of AUQUST	, 20 18	KARIN COX NOTARY PUBLIC
Man a	0	Notary Public	STATE OF COLORADO NOTARY ID 20184014150
My commission expires 3/29/2027			MY COMMISSION EXPIRES MARCH 29. 2022

WW.Q

Operator's Well No. Lindsey Unit 2H

*or type of grass seed requested by surface owner

Form WW-9

Antero Resources Corporation

Lime 2-4 Fertilizer type Hay or s	_ Tons/acre or to correct to pF traw or Wood Fiber (will be used		
Fertilizer amount 500	lt	os/acre	
Mulch 2-3	Tons/	acre	
<u>: Road "A" (3,46 acres) + Staring Area (0,6</u>	and the second	Containment Pad (1.91 acres) + Excess/Topsoil Mat d Mixtures	eria <u>l Stockpiles (4,15 acres)= 17,43</u> Tot
Temp	orary	Perm	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass 40		Tall Fescue	30
See attached Table IV-3 for additional see	d turn (Rean 25 Alta Red Design)	See attached Table IV-4A for additional s	and type (Page 25 Alta Bed Design)

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

*or type of grass seed requested by surface owner

Plan Approved by: Quagin Clerm	
Comments:	
	RECEIVED Office of Oil and Gas
	SEP 1 0,2018
Title: Oild Gas Aspector Date: 9/6	WV Department of 2019 Environmental Protection
Field Reviewed? () Yes () No	

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

Salt Inhibitor

 Mil-Carb Calcium Carbonate
 Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica Hydro-Biotite Mica – LCM RECEIVED Office of Oil and Gas

SEP 4 2018

13. Escaid 110
Drilling Fluild Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filteration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D Balyzaacharida Balyzaar Drilling Elvid Viacosifiar
Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
31. Milstarch
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED Office of Oil and Gas

SEP 4 2018



911 Address 7629 McElroy Creek Rd. Shirley, WV 26434

Well Site Safety Plan

Antero Resources

Well Name:

Braden Unit 1H-3H and Lindsey Unit 1H-2H

Pad Location: ALTA PAD Tyler County/McElroy District

GPS Coordinates:

Entrance - Lat 39°23'51.3924"/Long -80°44'41.1468" (NAD83) Pad Center - Lat 39°23'39.6882"/Long -80°44'48.6024" (NAD83)

Driving Directions:


From the Post Office in Shirley: Head east on WV -23 E toward Braden Hill for 1.4 miles. Lease road will be on your right.

Alternate Route:

From the Post Office in West Union: Take Marie St to Davis St/Old U.S 50 E for 0.3 miles. Turn Gas right onto Davis St/Old U.S 50 E for 0.2 miles. Take Rock Run Rd to Big Flint Rd in Center Point for 6.3 miles. Continue on Big Flint Rd. Drive to WV-23 W in South for 5.0 miles. Lease road will be on your left.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

WV Department of




Antero Resources Corporation Appalachian Basin Lindsey Unit 2H

Tyler County

Quadrangle: Center Point Watershed: McElroy Creek District: McElroy Date: 3-19-2018 RECEIVED Office of Oil and Gas

SEP 4 2018



Operator's Well Number I

4709502548 Lindsey Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc.		Royalty	Book/Page
M.V. B. George Lease	IM Underwood	1/8	0066/0621
M. V. B. George		•	•
IM Underwood	Hope Natural Gas Company	Assignment	0071/0610
Hope Natural Gas Company	Consolidated Gas Supply Corp	Assignment	0169/0026
Consolidated Gas Supply Corp	Consolidated Gas Transmission Corp	Assignment	0249/0287
Consolidated Gas Transmission Corp	CNG Transmission Corp	Name Change	Exhibit 2
CNG Transmission Corp	Dominion Transmission, Inc	Name Change	Exhibit 3
Dominion Transmission, Inc	CONSOL Energy Holding LLC	Assignment	0374/0187
CONSOL Energy Holdings, LLC	CNX Gas Company	Name Change	0293/0252
CNX Gas Company	Antero Resources Appalachian Corp	Assignment	0425/0725
Antero Resources Appalachian Corp	Antero Resources Corp	Name Change	Exhibit 1
Mary Jo Foster Living Trust Lease			
Mary Jo Foster Living Trust	Antero Resources Appalachian Corporation	1/8+	0406/0215
	Antero Resources Corporation	Name Change	0557/0430
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name change	••••
<u>Nelda June Stubbs Lease</u>			
Nelda June Stubbs	Antero Resources Corporation	1/8+	0459/0108
Randi Michael Lease			0474/0777
Randi Michael	Antero Resources Corporation	1/8+	04/4/0///
Perry W. Duckworth Lease			
Perry W. Duckworth	Antero Resources Corporation	1/8	0481/0652
Richard Gatrell et ux Lease		1/0	0316/0150
Richard Gatrell et ux	Drilling Appalachian Corporation	1/8	0391/0416
Drilling Appalachian Corporation	Antero Resources Appalachian Corporation	Assignment	Exhibit 1
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	

RECEIVED Office of Oil and Gas

SEP 4 2018

WV Department of Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

WW-6A1 (5/13)

Operator's Well No. Lindsey Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Donald Lee Sweeney Lease	Donald Lee Sweeney	Four Leaf Land Company	1/8	0370/0605
	Four Leaf Land Company	Antero Resources Appalachian Corporation	Assignment	0403/0561
	Antero Resources Appalachian Corp.	Antero Resources Corporation	Name Change	Exhibit 1

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management .
- WV Division of Natural Resources WV Division of Highways .
- U.S. Army Corps of Engineers .
- U.S. Fish and Wildlife Service .
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation			
By: Its:	Kevin Kilstrom	2		
	Senior Vice President - Production			

Page 1 of

Office of Oil and Gas

WV Department of Environmental Protection

RECEIVED

SEP 4 2018

Xŀ	HIBIT 1		FIL	ED
Sec 19 Bl Cl FI Cl	atalie E. Tennant. coretary of State 100 Kanawha Bivd E dg 1, Suite 157-K tarleston, WV 25305 LE ONE ORIGINAL two if you want a IRed nanced copy returned to you) 2Ei \$25:00	AMENDED C	JUN 1 IN THE OF SECRETARY TION FOR CERTIFICATE HORITY	Penney Barker, Manager
Å	*** In accordance with the pr applies for an Amer	ovisions of the West V aded Certificate of Au	finginia Code, the under thority and submits the	algned corporation hereby **** following statement:
1.	Name under which the cor authorized to transact bush		Antero Resources A	opelechlan Corporation
2.	Date Certificate of Author issued in West Virginia:	'tý was	6/25/2008	
	Corporate name has been o		Antero Resources C	orporation
3.	(Attach one <u>Certified Con</u> as filed in home State of	ov of Name Change incorporation.)		
3.	(Attach one <u>Certified Con</u> as filed in home State of	s to use in WV:	Antero Resources Co	provelion
	(Attach one <u>Certified Co</u> as filed in home State of Name the corporation elect (due to home state name no	heorperation.) is to use in WV: of being available)	Antero Resources Co	protetion
4.	(Attach one <u>Certified Con</u> as filed in home State of Name the corporation elect (due to home state name no Other amendments:	heorperation.) is to use in WV: of being available)	Antero Resources Co	provetion
4.	(Attach one <u>Certified Con</u> as filed in home State of Name the corporation elect (due to home state name no Other amendments:	heorperation.) is to use in WV: of being available)	Antero Resources Co	provetion
4.	(Attach one <u>Certified Cer</u> as filed in home State of Name the corporation elect (due to home state name no Other amendments: (attach additional pages if n	theorporation.) is to use in WV: of being available) necessary) of contact person.	(This is optional, howe	wer, if there is a problem with
4.	(Attach one <u>Certified Co</u> as filed in home State of Name the corporation elect (due to home state name no Other amendments: (attach additional pages if) Name and phone number the filing, listing a contact	theorporation.) is to use in WV: of being available) necessary) of contact person.	(This is optional, howe nber may avoid having	wer, if there is a problem with

Title/Capacity: Authorized Person Print Name of Signer: Abyn A. Schop Date: June 10, 2013 Signature:

*Important Legal Notice Repariting Standards: For West Virginia Code 5311)-1-129. Penalty for signing false document. Any person who signs a document he or she knows in thise in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdomesnor and, upon conviction thereof, shall be fixed not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.

Form CF-4

Issued by the Office of the Secretary of Sinte -

Revised 4/15

5

48

21


117

· · · · ·

WV011 - 0416/2011 Waltins Klower Online

RECEIVED Office of Oil and Gas

SEP 4 2018





riginals of an application by

CNG TRANSMISSION CORPORATION

for an amended certificate of authority to transact business in West Virginia are filed in my office, as required by the provisions of Chapter 31, Article 1, Sections 57 and 59 of the West Virginia Code and conform to law. Therefore, I issue this

AMENDED CERTIFICATE OF AUTHORITY

to transact business in West Virginia under the name of

DOMINION TRANSMISSION, INC.

and I attach to this certificate a duplicate original of the application.

RECEIVED Office of Oil and Gas

SEP 4 2018

WV Department of Environmental Protection



Given under my hand and the Great Seal of the State of West Virginia on

May 10, 2000

In Muchler

Secretary of State



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

August 24, 2018

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Lindsey Unit 2H – Alta Pad Quadrangle: Centerpoint 7.5' Tyler County/McElroy District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Lindsey Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Lindsey Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely

Brett Kuhn Senior Landman

> RECEIVED Office of Oil and Gas

SEP 4 2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 08/30/2018

API No. 47- 095	-
Operator's Well No	D. Lindsey Unit 2H
Well Pad Name:	Alta Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	521820m	
County:	Tyler	UTM NAD 83	Northing:	4360565m	
District:	McElroy	Public Road Acces	ss:	CR 23	
Quadrangle:	Centerpoint 7.5	Generally used far	m name:	Stephen Grimm	
Watershed:	McElroy Creek				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

Pursuant to West Virginia Code § 22-6A, the Op that the Operator has properly served the required *PLEASE CHECK ALL THAT APPLY	erator has attached proof to this Notice Certification d parties with the following:	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
\Box 2. NOTICE OF ENTRY FOR PLAT SURV	YEY or 🔳 NO PLAT SURVEY WAS CONDUCTED	RECEIVED
3. NOTICE OF INTENT TO DRILL or	□ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
	□ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	1
4. NOTICE OF PLANNED OPERATION	RECEIVED Office of Oil and Gas	RECEIVED
5 . PUBLIC NOTICE	SEP 4 2018	RECEIVED
■ 6. NOTICE OF APPLICATION	WV Department of Environmental Protection	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation			Address:	1615 Wynkoop Street	
By:	Kevin Kilstrom	too		Denver, CO 80202	
ts:	Senior Vice President - Production		Facsimile:	303-357-7315	
Telephone:	303-357-7310		Email:	kcox@anteroresources.com	
N	KNALABEX SEAL NOTARY PUBLIC STATE OF COLORADO OTARY ID 20184014160 SSION EXPIRES MARCH 29, 2022	4	ribed and swo YUH /A ommission E	arn before me this <u>30</u> day of <u>August 2018</u> Notary Public xpires <u>3/29/2022</u>	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

4709502548

SEP 4 2018

WW-6A (9-13)

447.09502548

OPERATOR WELL NO. Lindsey Unit 2H Well Pad Name: Atla Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 8/31/2018 Date Permit Application Filed: 8/31/2018

\checkmark	PERMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE	
	WELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR P	ΊT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s) Name: PLEASE SEE ATTACHMENT Address:	COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:
Name:	COAL OPERATOR Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address:	Address:
SURFACE OWNER(s) (Road and/or Other Disturbance) Name: <u>PLEASE SEE ATTACHMENT</u> Address:	WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE
Name:	Name: PLEASE SEE ATTACHMENT Address:
Address:	OPERATOR OF ANY NATURAL GAS STORAGE FIELD Name:
Name: Address:	Address:

RECEIVED Office of Oil and Gas

SEP 4 2018

Office of on and Gas

API NO. 47-09502548

OPERATOR WELL NO. Lindsey Unit 2H

Well Pad Name: Atla Pad

SFP 4 2018

WW-6A (8-13)

> WV Denartment of Environment of Action

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Notice is hereby given:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13) **4709502548** API NO. 47-095

OPERATOR WELL NO. Lindsey Unit 2H Well Pad Name: Atla Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

SEP 4 2018

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

4709502548

API NO. 47- 095 -

OPERATOR WELL NO. Lindsey Unit 2H Well Pad Name: Atla Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

SEP 4 2018

WW-6A	API NO. 47- 095 -
(8-13)	OPERATOR WELL NO. Lindsey Unit 2H
	Well Pad Name: Atla Pad 4709302548
Notice is hereby given by:	
Well Operator: Antero Resources Corporation	Address: 1615 Wynkoop Street
Telephone: (303) 357-7310	Denver, CO 80202
Email: kcox@anteroresources.com	Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

KARIN COX NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184014160 MY COMMISSION EXPIRES MARCH 29, 2022

Subscribed and sworn before me this 3 day of Aug	Notary Public
My Commission Expires 3/29/2023	

RECEIVED Office of Oil and Gas

SEP 4 2018

WW-6A Notice of Application Attachment (ALTA PAD):

List of Surface Owner(s) with Proposed Disturbance associated with ALTA Well Pad:

WELL PAD – These owners were notified of all well work permit applications, and have executed signed Surface Use Agreements with Antero Resources Corporation.

<u>TM 20-17</u>

Owner:	Stephen R. & Tamera K. Grimm 🗸
Address:	3397 Eldersville Rd.
	Colliers, WV 26035

TM 20-17

Owner:	Gary and Lori Dennis	-	
Address:	144 Moore Lane		
	Colliers, WV 26035		

TM 20-17.2

Owner:	Mary L. Lemasters
Address:	3340 Eldersville Rd.
	Colliers, WV 26035

ROAD AND/OR OTHER DISTURBANCE – These owners were only notified if their tract is overlying the oil and gas leasehold being developed by the proposed well work as outlined in WV Code 22-6A-10(b)(2).

TM 20-17 - ON LEASE

Owner:Stephen R. & Tamera K. GrimmAddress:3397 Eldersville Rd
Colliers, WV 26035

TM 20-17 - ON LEASE

Owner: Gary and Lori Dennis Address: 144 Moore Lane Colliers, WV 26035

> RECEIVED Office of Oil and Goo

SEP 4 2018

WW-6A Notice of Application Attachment (ALTA PAD):

WATER SOURCE OWNERS: Within 1500'

*NOTE: On attached water well map 3 other water sources are identified, but they are located greater than 1500' from the subject well pad location.

TM 20 PCL 13

1 Water Well: 1245' (W4) **Owner:** Ralph T. Sweeney Address: PO Box 123 Shirley, WV 26434

TM 20 PCL 17.2

1 Water Well: 614' (W5) Owner: Mary L. Lemasters Address: 3340 Eldersville Rd. Colliers, WV 26035

TM 20 PCL 17.2

1 Water Well: 1156' (W6)Owner:Forest C. Moore, Jr.Address:7782 McElroy Creek Rd.

West Union, WV 26456

RECEIVED Office of Oil and Gas

SEP 4 2018

4709502548 FORM WW-9 PAGE OF ALTA PAD RECEIVED ffice of Oil and Gas ANTERO RESOURCES SEP 4 2018 Davis CORPORATION WV Department of ironmental Protection 8 98 **W**3 W1 ittsbu ittle Underwood Z **W4** Cen umping Stá 0 tW) CENTER W6 OF PAD W5 MCELRO 900 LINE BEARING DISTANCE 1561.7' W1 N 18'19' Ε W2 22.00, E 1772.8 N N 25'38 E 1997.9 W3 NOTE: LATITUDE & N 48°41' 1244.8 W4 Ε LONGITUDE SHOWN 613.6 W5 N 62'35 E HEREON BASED ON W6 N 64'15' E 1156.1 SUBMETER MAPPING GRADE DGPS. BM WELL LONGITUDE WELL LATITUDE DIST-TAX MAP-PAR WELL SURFACE OWNER ADDRESS 80°44'42.47" 7605 MCELROY CREEK RD. WEST UNION WV. 26456 5-20-23 39°23'54.02" W1 JAMIE A. AMERICA ET AL 7605 MCELROY CREEK RD. WEST UNION WV, 26456 80°44'40.29" 5-20-22 W2 DANIEL D. MOORE 39°23'55.64" 80°44'37.77" RT #23 , P.O. BOX 143 , SHIRLEY , WV 25434 W3 TERESA Y. WEEKLY 5-20-6.3 39°23'57.23" P.O. BOX 123 , SHIRLEY , WV 26434 80°44'36.69" W4 5-20-13 39°23'47.64" RALPH T. SWEENEY MARY L. LEMASTERS 3340 ELDERSVILLE RD. COLLIERS, WV 26035 5-20-17.2 39°23'42.26" 80°44'41.57" W5 7782 MCELROY CREEK RD. WEST UNION WV, 26456 80°44'35.28" W6 FOREST C. MOORE JR 5-20-14 39°23'44.50" TOPO SECTION(S) OF ; WILLOW LAND SURVEYING, PLLC SCALE : 1-INCH = 1000-FEET SHIRLEY 7.5' P.O. BOX 17, PENNSBORO, WV 26415 3000' 2000' 1000' 0' (304) 659-1717 JOB #: 16-015WA DRAWN BY: D.L.P. DATE: 03/20/18 FILE: ALTA PAD WW.DWG

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 02/28/2018 Date Permit Application Filed: 08/31/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL	
DELIVERY	RETURN RECEIPT REQUESTEI)

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: Provided, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: Provided, however, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

	Stephen R. Grimm & Tamera K. Grimm and Dennis Gary & Lori Gary	*Please note this	lame:	Mary Lou Lemasters	address has been
Address:	3397 Eldersville Rd.	address for Gary and	ddress:	RR 1 Box 93*	updated to 3340
	Colliers, WV 26035	Lori Dennis has been updated to 144 Moore		Colliers, WV 26035	Eldersville Rd. Colliers, WV 26035.
Notice i	e harahy giyan	Lane. Colliers, WV 26035			

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an interaction upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia		Easting:	521820m	
County:	Tyler	UTM NAD 83	Northing:	4360565m	
District:	McElroy	Public Road Acc	ess:	CR 23	
Quadrangle:	Center Point 7.5'	Generally used fa	arm name:	Stephen Grimm	
Watershed:	McElroy Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator:	Antero Resources Corporation	Authorized Representative:	Karin Cox	
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.	
	Denver, CO 80202	and the second se	Denver, CO 80202	
Telephone:	303-357-6820	Telephone:	303-357-6820	
Email:	kcox@anteroresources.com	Email:	kcox@anteroresources.com	
Facsimile:	303-357-7315	Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> TM 20 PCL 17 TM 20 PCL 17.2 TM 20 PCL 18

RECEIVED Office of Oil and Gas

SEP 4 2018

WV Department of Environmental Protection

*Please note this

STATE OF WEST VIRGINIA 4709502548 DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 08/31/2018 Date Permit Application Filed: 08/31/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

羅	CERTIFIED MAIL	HAND
	RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: Please See Attachment	Name:
Address:	Address:
	· States

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITNANIAD 02	Easting:	521820m				
County:	Tyler	UTM NAD 83	Northing:	4360565m				
District:	McElroy	Public Road Acce	ess:	CR 23				
Quadrangle:	Centerpoint 7.5'	Generally used fa	irm name:	Stephen Grimm				
Watershed:	McElroy Creek							

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street				
Telephone:	(303) 357-7310		Denver, CO 80202	_			
Email:	kcox@anteroresources.com	Facsimile:	303-357-7315				

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

SEP 4 2018

WW-6A5 Notice of Planned Operations (ALTA PAD):

List of Surface Owner(s) ALTA Well Pad:

,

Owner: Address:	Stephen R. & Tamera K. Grimm 3397 Eldersville Rd. Colliers, WV 26035
Owner: Address:	Gary and Lori Dennis 144 Moore Lane Colliers, WV 26035
Owner: Address:	Mary L. Lemasters 3340 Eldersville Rd. Colliers, WV 26035

RECEIVED Office of Oil and Gas

SEP 4 2018

4709502548



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

June 26, 2018

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Alta Pad, Tyler County Lindsey Unit 2H Well Site

RECEIVED Office of Oil and Gas

SEP 4 2018

WV Department of Environmental Protection

Dear Mr. Martin,

This well site will be accessed from a DOH permit 06-2018-0189 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of WV Route 23 in Tyler County.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dacy K. Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Kara Quackenbush Antero Resources Corporation CH, OM, D-6 File

List of Anticipated Additives Used for Fracturing of 2 5 4 8 Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)	
Fresh Water	7732-18-5	
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	
Ammonium Persulfate	7727-54-0	
Anionic copolymer	Proprietary	
Anionic polymer	Proprietary	
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	
Cellulase enzyme	Proprietary	
Demulsifier Base	Proprietary	
Ethoxylated alcohol blend	Mixture	
Ethoxylated Nonylphenol	68412-54-4	
Ethoxylated oleylamine	26635-93-8	
Ethylene Glycol	107-21-1	
Glycol Ethers	111-76-2	
Guar gum	9000-30-0	
Hydrogen Chloride	7647-01-0	
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8	
isopropyl alcohol	67-63-0	
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2	
Microparticle	Proprietary	
Petroleum Distillates (BTEX Below Detect)	<u>64742-47-8</u> 57-55-6 ن	
Polyacrylamide	57-55-6 Ö	2018
Propargyi Alcohol	107-19-7 H E	4 2
Propylene Glycol	107-19-7 107-5-6 14808-60-7 出る の の の の の の の の の の の の の	.
Quartz	14808-60-7	а Ш
Sillica, crystalline quartz	 	S
Sodium Chloride	7647-14-5	
Sodium Hydroxide	1310-73-2	
Sugar	57-50-1	
Surfactant	68439-51-0	
Suspending agent (solid)	14808-60-7	
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7	
Solvent Naphtha, petroleum, heavy aliph	64742-96-7	
Soybean Oil, Me ester	67784-80-9	
Copolymer of Maleic and Acrylic Acid	52255-49-9	
DETA phosphonate	15827-60-8	
Hexamthylene Triamine Penta	34690-00-1	
Phosphino Carboxylic acid polymer	71050-62-9	
Hexamethylene Diamine Tetra	23605-75-5	
2-Propenoic acid, polymer with 2 propenamide	9003-06-9	
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5 111-46-6	
Diethylene Glycol		
Methenamine Polyothylana polyomina	100-97-0	
Polyethylene polyamine	68603-67-8 61791-14-8	
Coco amine	38172-91-7	
2-Propyn-1-olcompound with methyloxirane	381/2-91-7	

REPRODUCTION NOTE THESE PLANS WERE CREATED TO BE PLOTTED ON 22'X34" (ANSI D) PAPER. HALF SCALE DRAWINGS ARE ON 11'X17" (ANSI B) PAPER. THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN CRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES.	TTHE WELL FAD. . THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 . FEET OF THE CENTER OF THE WELL PAD.	, THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FRET OF THE WELL(S) BEING DEULED. THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FRET OF THE CENTER OF	3. THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 PEET OF THE WELL PAD AND LOD.	RESTRICTIONS NOTES: 1. THERE ARE NO PERENNAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL FAD AND DOL THERE IS A WETLAND ADJACENT TO THE PROPOSED WATER CONTAINMENT FAD & STOCKPILE AREA THAT WILL REMAIN UNDISTURBED. 2. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL	CELL: (405) 227-B344 ROBERT B. WIRKS - FVIELD ENGINEER OFFICE: (304) 842-4100 CELL: (304) 627-7405 OFFICE: (412) 372-4000 CELL: (412) 589-0662	ALDON KINTERS - OPERATIONS SUPERINTENDENT OFFICE: (303) 357-6799 CELL: (303) 808-2423 IVAN J. MALDONADO - ENVIRONMENTAL SUPERINLEST OFFICE: (412) 839-1001 CELL: (570) 778-5768	ENGINEER 304) 476–9770	URCES CORPORATION AKS BLVD.	PROJECT CONTACTS: CHARLES E. COMPTON. III - SURVEYING COORDINATOR	ENVIRONMENTAL NOTES: STREAM AND WEILAND DELINGATIONS WERE PERFORMED IN OCTOBER, 2017 BY SWCA ENVIRONMENTAL STREAM AND WEILAND DELINGATIONS WERE PERFORMED IN OCTOBER, 2017 BY SWCA ENVIRONMENTAL STREAM AND WEILAND DELINGATIONS WERE STREAMD WEILANDS THAT ARE MOST LIKELY WITHIN THE RECULATORY PURVEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST THE RECULATORY PURVEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST THE RECULATORY PURVEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST THE RECULATORY PURVEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST URISDICTIONAL DEFERMINATION OF THE FIELD DELINEATION. THE MAYE DO NOT, IN ANY WAY, REPRESENT A SUMMARIZE THE RESULTS OF THE FIELD DELINEATION. THE MAYE DO NOT, IN ANY WAY, REPRESENT A URISDICTIONAL DEFERMINATION OF THE LANDWARD LIMITS OF WATERS AND WEITANDS WHICH MAY BE RECULATED BY THE USACE OR THE WIDED. IT IS STROAUCH RECOMMENDED THAT THE AFOREMENTION ACENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIDMATION OF THE DELINEATION SHOW ON THES EXHIBIT FROM FOR DO SUMAARD CONSTRUCTION ON THE REOPERTY DESCREDE HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PENMITS FROM THE REOPERTY DESCREDE HEREIN THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PENMITS FROM THE REDEEAL AND/OR STATE RECULATORY ACENCIES PEROR TO ANY PROPOSED MEACTS TO WATERS OF THE U.S., INCLUDING WEILAND FILLS AND STREAM CROSSINGS.	ENTRANCE PERMIT: ANTERO RESOURCES CORFORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIECINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.	MISS UTILITY STATEMENT: ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN. IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.	FLOODPLAIN NOTES: THE PROPOSED SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" PER FEMA FLOOD MAP #54095C0200C.	N 4360570.97 E 521799.91 (UTM ZONE 17 METERS) <u>GENERAL DESCRIPTION:</u> THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.	LATITUDE: 39.39688 LONGITUDE: -60.746535 (MAD 83)	LOCATION COORDINATES: ACCESS ROAD ENTRANCE LAUTUDE: 39.397609 LONGITUDE: -80.744763 (NAD B3) N 4360932.28 E 521977.18 (UTX ZONE 17 METERS) CENTER OF TANK		00000
W Department of Environmental Protection DESIGN CERTIFICATION FORECTION THE DRAWINGS, CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINAL CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND CAS CRS 35–8.	(NOT TO SCALE) 2018	Gas	RECEIVED			*- PROPOSED SITE	WEST VIRGINIA COUNTY MAP	2000 0 SCMLE: 1* = 2000	N	and and a second s		succession of the second secon			CENTER POINT & SHIRLEY USG	EROSION & SEDIMENT (MCELROY DISTRICT, TYLER COUL OUTLET MCELROY CREEK	5	ALTA WELL PAD & WATER



ITY, WEST VIRGINIA NATERSHED

7.5 QUAD MAPS



WEST VIRGINIA STATE PLANE COORDINATE SYSTEM NORTH ZONE, NADB3 ELEVATION BASED ON NAVD88 ESTABLISHED BY SURVEY GRADE GPS & OPUS POST-PROCESSING

SHEET INDEX:


- 1 COVER SHEET CONSTRUCTION AND E&S CONTROLS NOTES
- LEGEND
- MATERIAL QUANTITIES
- STORM DRAINAGE & E&S COMPUTATIONS
- EX. STRUCTURES & FEATURES EXISTING CONDITIONS
- OVERALL SHEET INDEX & VOLUMES
- ACCESS ROAD & WATER CONTAINMENT PAD PLAN
- 5 ACCESS ROAD & WELL PAD PLAN
- WATER CONTAINMENT PAD WELL PAD GRADING PLAN GRADING PLAN
- 13 ACCESS ROAD PROFILES
- ACCESS ROAD SECTIONS
- 15 WELL PAD, WATER CONTAINMENT PAD, STAGING AREA, & STOCKPILE SECTIONS
- 16 WELL PAD SECTIONS
- 7 STREAM CROSSING DETAILS
- 18--25 CONSTRUCTION DETAILS
- 27 202 ACCESS ROAD & WATER CONTAINMENT PAD RECLAMATION PLAN ACCESS ROAD & WELL PAD RECLAMATION PLAN

																								ũ	
Well Pad Excess/Topsoil Material Stockoiles	Impacts to Mary L. Lemasters TM 20-17.2	Total Wooded Acres Disturbed	Total Affected Area	Excess/Topsoil Material Stockpiles	Water Containment Pad	Well Pad	Staging Area	Access Road "A" (1,130')	Gary & Lori Dennis TM 20-17	Impacts to Stephen R. & Tamera K. Grimm &	Total Wooded Acres Disturbed	Total Affected Area	Water Containment Pad	Staging Area	Access Road "A"	Impacts to Mary L. LemastersTM 20-18	Total Wooded Acres Disturbed	Total Affected Area	Excess/Topsoil Material Stockpiles	Water Containment Pad	Well Pad	Staging Area	Access Road "A" (1,130')	Total Site	ALTA LIMITS OF DISTURBANCE AREA (AC)
1.76	0-17.2	9.02	13.71	2.39	1.82	6.68	0.24	2.58		rimm &	0.12	1.36	0.09	0.39	0.88	0-18	10.31	17.43	4.15	1,91	7.28	0.63	3,46		A (AC)

WVDOH COUNTY

ROAD MAP

Stream and Impact Cause		AL	Well Pad Elevation	Unit 2H	Lindsey	Unit 1H	Lindsey-	Unit 3H	Braden	Unit 2H	Braden	Unit 1H	Braden	Well Name	Proposed		
Culvert/	Perman	TA EPHEME	on 827.0	E 1647653.11	N 328138.77	E 1647650.63	N 328148.45	E 1647648.14	N 328158.14	E 1647645.66	N 328167.82	E 1647643.17	N 328177.51	NAD 27	WV North	Total W	To
Inlets/Outlets Structures (LF	Permanent Impacts	RAL STREAM		1 E 1616211.90	N 328174,43	3 E 1616209.41	N 328184.12	4 E 1616206.93	N 328193.80	6 E 1616204.44	N 328203.49	7 E 1616201.96	N 328213.18	NAD 83	h WW North	Total Wooded Acres Disturbed	Total Affected Area
Culvert / Inlets/Outlets Cofferdam/ E&S Fill (L.F) Structuras (L.F) Controls (L.F)	Temp. Impacts	ALTA EPHEMERAL STREAM IMPACT (LINEAR FEET)		E 521820.04	N 4360565.07	E 521819.23	N 4360568.01	E 521818.43	N 4360570.94	E 521817.62	N 4360573.88	E 521816.81	N 4360576.82	Zone 17	UTM (METERS	sturbed	
	Temp. Disturb.	R FEET)		LONG -80-44-47.7607	LAT 39-23-39,4957	LONG -80-44-47.7941	LAT 39-23-39 5910	LONG -80-44-47.8274	LAT 39-23-39.6864	LONG -80-44-47.8508	LAT 39-23-39.7818	LONG -80-44-47.8942	LAT 39-23-39.8772		UTM (METERS) NAD 83 Lat & Long	1.17	2.36
(LF)	Total Impact			L											ā		



SHEET

j.

OF

27

SCALE: AS SHOWN DATE: 02/16/2018 business

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!!

Stream 3 (Access Rd. "A")

FIII (LF) 99

Structures (LF)

Controls (LF)

L.O.D. (LF)

5000 SCALE:

1" = 5000

5000

