

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Tuesday, March 12, 2019 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re:

Permit approval for RODZINA UNIT 3H

47-095-02587-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: RODZINA UNIT 3H

Farm Name: GARY D. DAWSON ET UX

U.S. WELL NUMBER: 47-095-02587-00-00

Horizontal 6A New Drill

Date Issued: 3/12/2019

Promoting a healthy environment.

API Number:

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers
 (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed
 activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

API NO. 47-095		
OPERATOR WELL	NO.	Rodzina Unit 3H
Well Pad Name:	Dawso	on Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Re	sources Corpora	494507062	095 - Tyler	Centervill Shirley 7.5'
		Operator ID	County	District Quadrangle
2) Operator's Well Number: R	odzina Unit 3H	Well Pa	d Name: Daws	son Pad
3) Farm Name/Surface Owner:	Gary D. Dawson	Public Ro	ad Access: Sta	te Route 18
4) Elevation, current ground:	1009' El	evation, proposed	post-constructi	on:
5) Well Type (a) Gas X Other	Oil	Unc	lerground Stora	ge
(b)If Gas Sh	allow X	Deep		
Но	orizontal X			ACB.
6) Existing Pad: Yes or No Yes	s			905/11/1
7) Proposed Target Formation(Marcellus Shale: 6900' TVD,	**			
8) Proposed Total Vertical Dep	th: 6900' TVD			
9) Formation at Total Vertical	STATE OF A DESCRIPTION			
10) Proposed Total Measured I	Depth: 13500' M	D		
11) Proposed Horizontal Leg L	ength: 4677'			
12) Approximate Fresh Water S	Strata Depths:	115', 320' 455'		
13) Method to Determine Fresh	Water Depths: C	Offset well records. De	epths have been ac	justed according to surface elevation
14) Approximate Saltwater Dep	oths: 551', 1583',	1830'		
15) Approximate Coal Seam D	epths: 275', 424',	975'		
16) Approximate Depth to Poss	sible Void (coal mi	ne, karst, other):	None Anticipa	ted
17) Does Proposed well location directly overlying or adjacent to		Yes	No	Office of Oil and X JAN 18 201
(a) If Yes, provide Mine Info:	Name:			- 0 ZIII
	Depth:			WV Department of Environmental Protect
	Seam:			
	Owner:			

WW-6B (04/15) API NO. 47-497 0 9 5 0 2 5 8 7

OPERATOR WELL NO. Rodzina Unit 3H
Well Pad Name: Dawson Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	505 *see # 19	505 *see # 19	CTS, 702 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	13500	13500	3305 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							



ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A	Office of Oil and Gas
Sizes:	N/A	9 2019
Depths Set:	N/A	Environmental Protection

4709502587

API NO. 47- 095

OPERATOR WELL NO. Rodzina Unit 3H

Well Pad Name: Dawson Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): Existing 28.65 acres

22) Area to be disturbed for well pad only, less access road (acres): Existing 9.14 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

Office of Oil and Gas

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

RODZINA UNIT 3H (DAWSON PAD) - AREA OF REVIEW 35-8-5.11 PAGE 1 4709502587 47095012330000 47095011760000 47095011690000 47095011140000 47095011530000 47095010590000 RECEIVED Office of Oil and Gas DEC 21 2018 **Antero Resources Corporation** Rodzina Unit 3H - AOR W Department of Environmental Protection 2,000 FEET WELL SYMBOLS Gas Well November 30, 2018 47017067970000

UVM! (APINum) Well Name Well Number Operator Hist Oper TD Perforated Introduction 47095012330000 HADLEY RUBY 2 CONSOL GAS COMPANY ANVIL OIL COMPANY 5,135 47095011360000 HADLEY CLARENCE 1A TRIAD HUNTER ILC APPALACHIAN ENERGY 5,100 47095011360000 HADLEY CLARENCE 2 CONSOL GAS COMPANY 18 L ENTERPRISES 5,050 47095011360000 HESS GARNET IE TAL 1K-1242 ALLIANCE PETR CORP 18 L ENTERPRISES 5,050 47095011360000 GREGG MILDRED ET A. 1 CONSOL GAS COMPANY COASTAL CORP THE 5,149 47095011360000 HILL ELUGENE & JACK 1-880 ALLIANCE PETR CORP LR J ENTERPRISES 5,995				
2 CONSOL GAS COMPANY ANVIL OIL COMPANY 5,135 1A TRIAD HUNTER LLC APPALACHIAN ENERGY 5,100 2 CONSOL GAS COMPANY ANVIL OIL COMPANY 5,500 AL		TD Perforated Interval (shallowest, deepest)	Perforated Formation(s)	Producible Formation(s) not perfid
14 TRIAD HUNTER LLC APPALACHIAN ENERGY 5,100 2 CONSOL GAS COMPANY ANVIL OIL COMPANY 5,050 3 ALLIANCE PETR CORP 1,8 J ENTERRISES 5,976 4 1 CONSOL GAS COMPANY COASTAL CORP THE 5,149 5 ALLIANCE PETR CORP 1,8 J ENTERRISES 5,955 5 ALLIANCE PETR CORP 1,8 J ENTERRISES 5,955 6 ALLIANCE PETR CORP 1,8 J ENTERRISES 5,955	4		Rilev. Benson	Big Injun. Weir. Alexander
2 CONSOL GAS COMPANY ANVIL OIL COMPANY 5,050 ALL 1.5-1242 ALLIANCE PETR CORP 1,8, I ENTERPRISES 5,976 T.AL 1 CONSOL GAS COMPANY COASTAL CORP THE 5,149 T.AL 180 ALLIANCE PETR CORP 1,8, I ENTREPRISES 5,995		5,100 4519 - 4923	Riley, Benson	Big Injun. Weir. Alexander
JK-1242 ALLIANCE PETR CORP J. 8. J ENTERPRISES 5,976 JL 1 CONSOL GAS COMPANY COASTAL CORP THE 5,149 J-880 ALLIANCE PETR CORP J. 8. J ENTERPRISES 5,995		5,050 4511 - 4929	Riley, Benson	Big Injun. Weir. Alexander
SREGG MILDRED ET AL CONSOL GAS COMPANY COASTAL CORP THE 5,149 HILL EUGENE & JACK 1-880 ALLIANCE PETR CORP J. & J ENTERPRISES 5,995	ſ	5,976 4540 - 5883	Rilev. Benson. Alexander. Angola	Big Iniun. Weir
HILL EUGENE & JACK J-880 ALLIANCE PETR CORP J. & J ENTERPRISES 5			Riley, Benson	Big Injun, Weir, Alexander
	-	5,995	Riley, Benson, Alexander, Rhinestreet	Big Iniun. Weir
47017067970000 CALIFORNIA UNIT 24 ANTERO RESOURCES CORPORATION 20,600 6	10 RESOURCES CORPORATION	20,600 6914 - 20498	Marcellus	

PECEIVED
Office of Oil and Gas
DEC 21 2018
W Department of Environmental Protection

WW-9 (4/16)

API Number 47 -	095		
Operator's	Well No.	Rodzina Unit H	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

FLUIDS/ CUTTINGS DISPUSAL & RECLAMATION FLAN
Operator Name Antero Resources Corporation OP Code 494507062
Watershed (HUC 10) Conaway Run-Middle Island Creek Quadrangle Shirley 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No No
If so, please describe anticipated pit waste:No pil will be used at this alte (Drilling and Flowback Fluids will be stored in tanks. Cultings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:
Land Application Underground Injection (UIC Permit Number *UIC Permit # will be provided on Form WR-34
Reuse (at API Number_Future permitted well locations when applicable. API# will be provided on Form WR-34
Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Other (Explain Northwestern Landfill Permit #SWF-1025/WV0109410
Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Surface - Air/Freshwater, intermediate- Dunt/Stiff Foam, Production - Water Based Mud
-If oil based, what type? Synthetic, petroleum, etc. Synthetic
Additives to be used in drilling medium? Please See Attachment
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410)
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Office of Oil and Gas
Company Official (Typed Name) Gretchen Kohler Company Official Title Senior Environmental & Regulatory Manager JAN 1 8 2019
Company Official Title
Subscribed and sworm refore me this 20th day of DECEMBER , 20 18 WV Department of Environmental Protection
My commission expires MIVEM 73 12022 Notary Public MEGAN GRIFFITH NOTARY PUBLIC STATE OF COLORADO NOTARY 10 20184011686 MY COMMISSION EXPIRES MAPCH 13 2022

Proposed Revegetation Treatment: Acres Disturbed 28.65 acres Prevegetation pH Lime 2-4 Tons/acre or to correct to pH 6.5 Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 lbs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 acres) + Access Road "B" (0.14 acres) + Access Road "C" (2.05) + Access Road "D" (3.21 acres) + Singing Area (1.36 acres) - Well had (9.14 acres) + Decess/Topsoil Material Steekpiles (5.23 acres) = 28.65 Acres Seed Mixtures Temporary Permanent Seed Type lbs/acre Seed Type lbs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Proposed Revegetation Treatment: Acres Disturbed 28.65 acres Prevegetation pH Lime 2-4 Tons/acre or to correct to pH 6.5 Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 street) + Access Road "P" (0.14 street) + Access Road "C" (2.05) + Access Road "D" (3.21 street) + Staging Arts (1.56 street) + Woll. Had. (9.14 street) - Rocess Topscall Material Stackpline (5.53 street) - 28.65 Acress Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(\$) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a careage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Antero Resources Cor	rporation	Optimited a	Well No. Rodzina Unit &H
Lime 2-4 Tons/acre or to correct to pH 6.5 Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Access Read "A" (7.02 stres) + Access Read "B" (0.14 stres) + Access Read "C" (2.05) + Access Read "D" (3.21 serse) + Staging Area (1.56 acres) + Well Pad (0.14 stres) + Eccess Topsoil Material Steckpiles (5.53 stres) = 28.65 Acres Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Lime 2-4 Tons/acre or to correct to pH 6.5 Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 serse) + Access Road "B" (0.14 serse) + Access Road "C" (2.05) + Access Road "D" (3.21 serse) + Staging Area (1.56 serse) - Well Pad (9.14 serse) + Excess/Topacil Material Stockpiles (5.53 serse) = 28.65 Acres Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a nacreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.			cres Prevegetation p	Н
Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 scree) + Access Road "B" (0.14 scree) + Access Road "C" (2.05) + Access Road "D" (3.21 scree) + Steping Arcs (1.56 scree) + Well Pad (9.14 scree) + Excess/Topsoil Meterial Stockpiles (5.53 acces) = 28.65 Acces Temporary Permanent	Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 scree) + Access Road "B" (0.14 acres) + Access Road "C" (2.05) + Access Road "D" (3.21 scree) + Staging Area (1.56 acres) + Well Paul (9.14 acres) + Excess Topsaul Material Steekpiles (5.53 acres) = 28.65 Acres Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) See attached Table IV-4A for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.				
Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 scree) + Access Road "B" (0.14 acres) + Access Road "C" (2.05) + Access Road "D" (3.21 acres) + Staging Area (1.56 acres) + Well Pad (9.14 acres) + Excess/Topsoil Material Steckprizes (5.53 acres) = 28.65 Acres Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) See attached Table IV-4A for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Fertilizer amount 500 1bs/acre Mulch 2-3 Tons/acre Access Road "A" (7.02 scree) + Access Road "B" (0.14 scree) + Access Road "C" (2.05) + Access Road "D" (3.21 scree) + Steging Arca (1.56 scree) + Well Pad (9.14 scree) + Excess/Topacil Material Stockplies (5.53 scree) = 28.65 Acres Seed Mixtures	Hav or at			
Mulch 2-3 Tons/acre Access Road "A" (7.02 scres) + Access Road "B" (0.14 scres) + Access Road "C" (2.05) + Access Road "D" (3.21 scres) + Staging Area (1.56 scres) + Well Pad (9.14 scres) + Excess/Topsoil Material Stockpiles (5.53 scres) = 28.65 Acres Seed Mixtures	Mulch 2-3 Tons/acre Access Road "A" (7.02 scree) + Access Road "B" (0.14 scree) + Access Road "C" (2.05) + Access Road "D" (3.21 scree) + Staging Area (1.56 scree) + Well Ind (9.14 scree) + Becess/Topsoil Material Stockplies (5.53 scree) = 28.65 Acres Seed Mixtures		1h	os/acre	
Access Road "A" (7.02 scres) + Access Road "B" (0.14 scres) + Access Road "C" (2.05) + Access Road "D" (3.21 scres) + Staging Area (1.36 scres) + Well Pad (9.14 scres) + Facess/Topsoil Material Stockpiles (5.53 scres) = 28.65 Acres Seed Mixtures	Access Read "A" (7.02 scree) + Access Road "B" (0.14 scree) + Access Road "C" (2.05) + Access Road "D" (3.21 scree) + Staging Area (1.56 scree) + Well Pad (9.14 scree) + Excess/Topsoil Material Stockpiles (5.53 scree) = 28.65 Acres Seed Mixtures	0.0			
Temporary Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Temporary Seed Type Ibs/acre Seed Type Annual Ryegrass 40 Crownvetch Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a careage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	11101011	02 acres) + Acress Road "B" (0.14 acres) +	+ Access Road "C" (2.05) + Access Road "D" (3.2)	Lacres) + Staging Area (1.56 Acres
Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) See attached Table IV-4A for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a careage, of the land application area. Photocopied section of involved 7.5' topographic sheet.				
Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Tempo	orary	Perm	anent
Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) See attached Table IV-4A for additional seed type (Dawson Pad Design)	Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Seed Type	Ibs/acre	Seed Type	lbs/acre
See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	See attached Table IV-3 for additional seed type (Dawson Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Annual Ryegrass	40	Crownvetch	10-15
*or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	*or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Field Bromegrass	40	Tall Fescue	30
Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	See attached Table IV-3 for additional sa	eed type (Dawson Pad Design)	See attached Table IV-4A for additional	Il seed type (Dawson Pad Design)
Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and a acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.				
	Comments:	*or type of grass seed reque Attach: Maps(s) of road, location, pit and	proposed area for land application	ation (unless engineered plans inclu	ding this info have been
		*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit wacreage, of the land application at Photocopied section of involved '	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been
		*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application at Photocopied section of involved of	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been
		*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit wacreage, of the land application at Photocopied section of involved	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been
		*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application at Photocopied section of involved of	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been
Offic	Offic	*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit watereage, of the land application at Photocopied section of involved '	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been d dimensions (L x W), and
Offic . IA	Offic .IA	*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit wacreage, of the land application at Photocopied section of involved '	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been d dimensions (L x W), and a
Offic JAN Environme Date: 1/11/2019	JA)	*or type of grass seed reque Attach: Maps(s) of road, location, pit and provided). If water from the pit wacreage, of the land application at Photocopied section of involved '	proposed area for land application proposed area for land applied, include directions.	ation (unless engineered plans inclu	ding this info have been d dimensions (L x W), and a constant of the constant

Field Reviewed?

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Congor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose – Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol - Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

RECEIVED
Office of Oil and Gas

DEC 21 2018

13. Escaid 110

Drilling Fluild Solvent – Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite – Filteration Control Agent

15. Super Sweep

Polypropylene – Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer – Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite – Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant

Office of Oil and Gas
DEC 21 2018



911 Address 13114 Middle Island Rd. Alma, WV 26456

Well Site Safety Plan Antero Resources

Well Name: Pierson Unit 1H-4H, Bounty Unit 1H-3H, Gabitalalek Unit 1H-2H, Kilska Unit 1H-2H & Rodzina Unit 1H-3H

Pad Location: DAWSON PAD

Tyler County/Centerville District

GPS Coordinates:

Entrance - Lat 39°22'43.83"/Long -80°52'9.39" (NAD83)

Pad Center - Lat 39°22'49.72"/Long -80°52'23.78" (NAD83)

Driving Directions:


From Clarksburg: Drive west on US-50 W for 25 miles. At the town of West Union, turn right onto WV-18 N, go 0.6 miles. Turn left onto Davis St/Old U.S. 50 W, go 0.4 miles. Turn right onto WV-18 N/Sistersville Pike, go 12.4 miles. Access road will be on the left.


Alternate Route:

From Middlebourne: Head southwest on WV-18 S/Main St toward Bridgeway Rd. Go 13.2 miles, access road will be on the right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

JeB 1/11/2019





Operator's Well Number

Rodzina Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Gary D. Dawson et ux Lease			
Gary D. Dawson et ux	Antero Resources Corporation	1/8+	0459/0133
Coastal Forest Resources Co. Lease (TM 15 P 28)			
Coastal Forest Resources Co.	Noble Energy Inc	1/8+	0534/0250
Noble Energy Inc	CNX Gas Co. LLC	Assignment	0549/0523
CNX Gas Co. LLC	Antero Resources Corporation	Assignment	0564/0704
BRC Appalachian Minerals I LLC Lease			
BRC Appalachian Minerals I LLC	BRC Working Interest Company LLC	1/8+	0369/0300
BRC Working Interest Company LLC	Chesapeake Appalachia LLC	Assignment	0369/0784
Chesapeake Appalachia LLC	SWN Production Company	Assignment	0465/0463
SWN Production Company	Antero Exchange Properties LLC	Assignment	0544/0242
Antero Exchange Properties LLC	Antero Resources Corporation	Merger	0552/0315
Raiph J. Underwood et ux Lease			
Ralph J. Underwood et ux	Chesterfield Energy Corporation	1/8+	0265/0430
Chesterfield Energy Corporation	Dominion Appalachian Development Properties	Assignment	312/0505
Dominion Appalachian Development Properties	CONSOL Gas Appalachian Development Properties	Name Change	0009/0124
CONSOL Gas Appalachian Development Properties	CONSOL Gas Reserves Inc	Merger	0009/0144
CONSOL Gas Reserves Inc	CONSOL Gas Company	Merger	0009/0156
CONSOL Gas Company	CNX Gas Company LLC	Name Change	0009/0206
CNX Gas Company LLC	Antero Resources Corporation	Agreement	0626/0386
Coastal Forest Resources Co. Lease (TM 15 P 28)			
Coastal Forest Resources Co.	Noble Energy Inc	1/8+	0534/0250
Noble Energy Inc	CNX Gas Co. LLC	Assignment	0549/0523
CNX Gas Co. LLC	Antero Resources Corporation	Assignment	0564/0704
Ann Martinelli et vir Lease			
Ann Martinelli et vir	Noble Energy Inc	1/8+	0541/0484
Noble Energy Inc	CNX Gas Company LLC	Name Change	0009/0206
CNX Gas Company LLC	Antero Resources Corporation	Agreement	0626/0386

RECEIVED
Office of Oil and Gas

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the ment of Marcellus and any other formations completed with this well.

Environmental Protection

Operator's	Well No.	Rodzina	Unit 3H
------------	----------	---------	---------

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Clarence Hadley et ux Lease				
	Clarence Hadley et ux	Jack Burg	1/8+	0264/0637
	Jack Burg	Anvil Oil Company Inc	Agreement	0265/0055
	Anvil Oil Company Inc	Anvil Oil & Gas Company Inc	Name Change	WVSOS
	Anvil Oil & Gas Company Inc	Dominio Appalachian Development Inc	Assignment	0232/0383
	Dominio Appalachian Development Inc	Dominion Appalachian Development LLC	Name Change	WVSOS
	Dominion Appalachian Development LLC	Consol Gas Appalachian Development LLC	Name Change	0009/0131
	Consol Gas Appalachian Development LLC	Consol Gas Reserves Inc	Merger	0009/0144
	Consol Gas Reserves Inc	Consol Gas Company	Merger	0009/0156
	Consol Gas Company	CNX Gas Company LLC	Merger	0009/0206
	CNX Gas Company LLC	Noble Energy Inc	Assignment	0388/0286
	Noble Energy Inc	CNX Gas Company LLC	Assignment	0550/0273
	CNX Gas Company LLC	Antero Resources Corporation	Agreement	0262/0386

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Kevin Kilstrom

Its: Senior Vice President Production

DEC. 21 2018

RECEIVED lice of Oil and Gas

Page I of Department of Environmental Protection

FILED

JUN 1 0 2013

Nateljo B. Tomant. remnije is. Temant. Secretary of State 1900 Kanawina Bivd E Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Twe if you want a Bled . stamped copy returned to you) FEE: \$25:00



nacy Barker, l IN THE OFFICE OF Corporations Division BECHETARY OF STATE Post (304)558-8000

Weblish www.wvscs.com

Bensils business@wvios.com

APPLICATION FOR . Office Hours: Monday - Friday 8:30 c.m. - 5:00 p.m. ET AMENDED CERTIFICATE OF AUTHORITY

heat in accordance with the provisions of the West Virginia Code, the undersigned corporation hereby the applies for an Amended Cartificate of Amitority and submits the following statements

te Cartificate of Authority was used in West Virginia: rpossis name has been changed to: tinch one Cartified Conv of Name Change filed in home Statu of incorporation.) me the corporation elects to use in WV: se to home state name not being available) her amendments; such additional pages if necessary)	Antero Resources Corporation Antero Resources Corporation
rinch one Cartified Conv of Name Change filed in home Statu of heorperation.) me the corporation elects to use in WV: to home state name not being available) her amendments;	
se to home state name not being available) ser amendments:	Arriera Resources Colporation
me and phone number of contact param. (filing, listing a contact person and phone num nument.)	This is optimist, however, if there is a problem with abor may avoid having to return or reject the
yn A. Bchopp	(803) 357-7310
itact Name	Phone Number
nature information (See below *Innertant	Lend Notice Raparitus Signature):
it Name of Signer: Ahryn A. Schopp	Title/Capselty: Authorized Person
natures Az-Hackorbb	Date: June 10, 2013
	filing, listing a contact person and phone nur ument.) yn A. Schopp tact Name inture information (See below * <i>Ingertant</i> .

thousand dollars or octafined in the county or regional jail not more than one year, or both.

Form CP-4

famed by the Office of the Secretary of Sinte -

Office of Oil and Gas

· DEC 2 1 2018



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

December 20, 2018

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE:

Rodzina Unit 3H

Quadrangle: Middlebourne 7.5'

Tyler County/Centerville District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Rodzina Unit 3H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Rodzina Unit 3H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely.

Tyler Adams Landman

> RECEIVED Office of Oil and Gas

DEC 2 1 2018

Date of Notice Certification: 12/19/2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47- 095

	 		Operator's	Well No. Rodz	ina Unit 3H
			Well Pad N	lame: Dawson	Pad
	ne provisions in West Virginia Code §	§ 22-6A, the Operator has prov	rided the req	uired parties v	vith the Notice Forms listed
	tract of land as follows:		Dartina	540045	
State:	West Virginia	UTM NAD 83	Easting:	510945m	
County: District:	Tyler Centerville	Public Road Acce	Northing:	4358981m State Route 18	
Quadrangle:	Shirley 7.5'	Generally used fa		Gary D. Dawson	et IIX
Watershed:	Headwaters Middle Island Creek	Generally used to	im name.	Cary D. Dawoon	0.00
prescribed by it has provide information re of giving the requirements Virginia Code	West Virginia Code § 22-6A-7(b), the secretary, shall be verified and sleed the owners of the surface describe equired by subsections (b) and (c), se surface owner notice of entry to su of subsection (b), section sixteen one § 22-6A-11(b), the applicant shall to have been completed by the applicant	hall contain the following info bed in subdivisions (1), (2) and ection sixteen of this article; (iintry pursuant to subsection (and fit is article were waived in ender proof of and certify to the	rmation: (14 nd (4), subs) that the rea a), section to writing by	4) A certification (b), security appropriate (b), security appropriate (c), security appropriate	on from the operator that (i) ction ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice wher; and Pursuant to West
that the Ope	West Virginia Code § 22-6A, the Oprator has properly served the required ECK ALL THAT APPLY		nis Notice C	ertification	OOG OFFICE USE ONLY
☐ 1. NOT	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIR SEISMIC ACTIVITY WAS			☐ RECEIVED/ NOT REQUIRED
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	EY or 🔳 NO PLAT SURVE	EY WAS CO	ONDUCTED	☐ RECEIVED
■ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIR NOTICE OF ENTRY FOR F			RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER E (PLEASE ATTACH)	BY SURFAC	CE OWNER	
4. NOT	TICE OF PLANNED OPERATION				RECEIVED
■ 5. PUB	BLIC NOTICE				RECEIVED
	TICE OF APPLICATION				RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

RECEIVED
Office of Oil and Gas

By:

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation

Kevin Kilstrom

Its: Senior Vice President - Production

Telephone: 303-357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: mgriffith@anteroresources.com

NOTARY SEAL

MEGAN GRIFFITH NOTARY PUBLIC STATE OF COLORADO

NOTARY ID 20184011666 MY COMMISSION EXPIRES MARCH 13, 2022 Subscribed and sworn before me this

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

DEC 2 1 2018

API NO. 47- 4709502587
OPERATOR WELL NO. Rodzina Unit 3H
Well Pad Name: Dawson Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later	than the filing date of permit application.
Date of Notice: 12/20/2018 Date Permit Application Filed: 1 Notice of:	2/20/2018
✓ PERMIT FOR ANY ☐ CERTIFICATE OF A	PPROVAL FOR THE
	F AN IMPOUNDMENT OR PIT
Delivery method pursuant to West Virginia Code § 22-6A	-10(b)
☐ PERSONAL ☐ REGISTERED ☑ ME	THOD OF DELIVERY THAT REQUIRES A
1	CEIPT OR SIGNATURE CONFIRMATION
sediment control plan required by section seven of this article, are the surface of the tract on which the well is or is proposed to be loil and gas leasehold being developed by the proposed well work described in the erosion and sediment control plan submitted pur operator or lessee, in the event the tract of land on which the well more coal seams; (4) The owners of record of the surface tract or well work, if the surface tract is to be used for the placement, cor impoundment or pit as described in section nine of this article; (5 have a water well, spring or water supply source located within a provide water for consumption by humans or domestic animals; a proposed well work activity is to take place. (c)(1) If more than the subsection (b) of this section hold interests in the lands, the appliance of the sheriff required to be maintained pursuant to section provision of this article to the contrary, notice to a lien holder is	ot or signature confirmation, copies of the application, the erosion and d the well plat to each of the following persons: (1) The owners of record of ocated; (2) The owners of record of the surface tract or tracts overlying the standard to subsection (c), section seven of this article; (3) The coal owner, a proposed to be drilled is located [sic] is known to be underlain by one or tracts overlying the oil and gas leasehold being developed by the proposed astruction, enlargement, alteration, repair, removal or abandonment of any (1) Any surface owner or water purveyor who is known to the applicant to ne thousand five hundred feet of the center of the well pad which is used to and (6) The operator of any natural gas storage field within which the aree tenants in common or other co-owners of interests described in cant may serve the documents required upon the person described in the on eight, article one, chapter eleven-a of this code. (2) Notwithstanding any not notice to a landowner, unless the lien holder is the landowner. W. Va. to provide the Well Site Safety Plan ("WSSP") to the surface owner and any not as provided in section 15 of this rule.
☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Not	ce ☑ Well Plat Notice is hereby provided to:
☑ SURFACE OWNER(s)	☐ COAL OWNER OR LESSEE
Name: Gary D. Dawson & Rella A. Dawson	Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: 13033 Middle Island Road	Address:
Alma, WV 26320 Name:	□ COAL OPERATOR
Address:	
71dd1033.	Name: NO DECLARATIONS ON RECORD WITH COUNTY
SURFACE OWNER(s) (Road and/or Other Disturbance)	Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:
	Address:
Name: Gary D. Dawson & Rella A. Dawson	Address: Z WATER PURVEYOR(s)/OWNER(s) OF WATER WELL,
	Address:
Name: Gary D. Dawson & Rella A. Dawson	Address: Z WATER PURVEYOR(s)/OWNER(s) OF WATER WELL,
Name: Gary D. Dawson & Relia A. Dawson Address: 13033 Middle Island Road Alma, WV 26320 Name:	Address: WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Name: Gary D. Dawson & Rella A. Dawson Address: 13033 Middle Island Road
Name: Gary D. Dawson & Rella A. Dawson Address: 13033 Middle Island Road Alma, WV 26320	Address: WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Name: Gary D. Dawson & Rella A. Dawson Address: 13033 Middle Island Road Alma, WV 26320
Name: Gary D. Dawson & Rella A. Dawson Address: 13033 Middle Island Road Alma, WV 26320 Name:	Address: WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Name: Gary D. Dawson & Rella A. Dawson Address: 13033 Middle Island Road Alma, WV 26320 OPERATOR OF ANY NATURAL GAS STORAGE FIELD Name:
Name: Gary D. Dawson & Relia A. Dawson Address: 13033 Middle Island Road Alma, WV 26320 Name: Address:	Address: WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Name: Gary D. Dawson & Rella A. Dawson Address: 13033 Middle Island Road Alma, WV 26320 OPERATOR OF ANY NATURAL GAS STORAGE FIELD

RECEIVED Office of Oil and Gas

WW-6A (8-13) 4709502587

API NO. 47- 095

OPERATOR WELL NO. Rodzina Unit 3H

Well Pad Name: Dawson Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal well as the drilling of horizontal wells as they related to the drilling of horizontal wells as they related to the drilling of horizontal wells as the drilling of horizontal wells are drived to the drilling of horizontal wells as the drilling of horizontal wells as the drilling of horizontal wells as the drilling of horizontal wells are drived to the drilling of horizontal wells as the drilling of horizontal wells as the drilling of horizontal well as the drilling of horizontal wel well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the keths 2018

API NO. 47-795 0 9 5 0 2 5 8 7 OPERATOR WELL NO. Rodzina Unit 3H

Well Pad Name: Dawson Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Office of Oil and Gas

WW-6A (8-13) API NO. 47-095 0 9 5 0 2 5 8 7 OPERATOR WELL NO. Rodzina Unit 3H Well Pad Name: Dawson Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

WW-6A (8-13)

API NO. 47

OPERATOR WELL NO. Rodzina Unit 3H Well Pad Name: Dawson Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7310 Email: mgriffith@anteroresources.com Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315


Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

MEGAN GRIFFITH NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184011666 MY COMMISSION EXPIRES MARCH 13, 2022

Notary Public

RECEIVED Office of Oil and Gas



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Notice			ed at least TEN (10) days prior to filing a Permit Application Filed: 12/20/2018	permit application.
Delivery met	hod pursuant to	West Virginia Code	e § 22-6A-16(b)	
☐ HAND		CERTIFIED MAIL		
DELIVE		RETURN RECEIPT	REQUESTED	
receipt request drilling a hor of this subsection mand if availab Notice is he Name: Gary DAddress: 1303	sted or hand delivizontal well: Pro- tion as of the date ay be waived in vole, facsimile num	ery, give the surface wided, That notice gite the notice was provoriting by the surface ber and electronic materials to the SURFACE	owner notice of its intent to enter upon to even pursuant to subsection (a), section to ided to the surface owner: <i>Provided, how</i> owner. The notice, if required, shall inclaid address of the operator and the operator	, an operator shall, by certified mail return he surface owner's land for the purpose of en of this article satisfies the requirements wever, That the notice requirements of this lude the name, address, telephone number, or's authorized representative.
San Are			-	
the surface of State:	Vest Virginia Coo vner's land for th West Virginia		a horizontal well on the tract of land as for	510945m
Pursuant to V the surface of State: County:	Vest Virginia Coo wner's land for th West Virginia		a horizontal well on the tract of land as for the boundary of	bllows: 510945m 4358981m
Pursuant to V the surface of State: County: District:	Vest Virginia Coo vner's land for th West Virginia Tyler Centerville		a horizontal well on the tract of land as for	510945m 4358981m CR 18
Pursuant to V the surface ov	Vest Virginia Coo wner's land for th West Virginia	e purpose of drilling	a horizontal well on the tract of land as for the boundary of	bllows: 510945m 4358981m
Pursuant to V the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor	Vest Virginia Coc vner's land for th West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: West Virginia Conber and electronizontal drilling n	sland Creek ode § 22-6A-16(b), the mail address of the pay be obtained from	a horizontal well on the tract of land as for Land NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, addithe operator and the operator's authorized the Secretary, at the WV Department of the Secretary, at the WV Department of the Secretary.	510945m 4358981m CR 18
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601	Vest Virginia Coc vner's land for th West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: Vest Virginia Comber and electronizontal drilling in 57th Street, SE, G	sland Creek ode § 22-6A-16(b), the mail address of the pay be obtained from	a horizontal well on the tract of land as for Land NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, addithe operator and the operator's authorized the Secretary, at the WV Department of the Secretary, at the WV Department of the Secretary.	ollows: 510945m 4358981m CR 18 Gary D. Dawson, et ux ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters,
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 600 Notice is he	Vest Virginia Coc vner's land for th West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: West Virginia Comber and electronizontal drilling in 57th Street, SE, Greby given by:	sland Creek ode § 22-6A-16(b), to a compare the standard from the control of the compare	a horizontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, addithe operator and the operator's authorized the Secretary, at the WV Department of the Secretary at the WV Department of the Secr	ollows: 510945m 4358981m CR 18 Gary D. Dawson, et ux ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato	Vest Virginia Coc vner's land for th West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: Vest Virginia Comber and electronizontal drilling in 57th Street, SE, G	sland Creek ode § 22-6A-16(b), to mail address of to may be obtained from Charleston, WV 2530	a horizontal well on the tract of land as for Land NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, addithe operator and the operator's authorized the Secretary, at the WV Department of the Secretary, at the WV Department of the Secretary.	billows: 510945m 4358981m CR 18 Gary D. Dawson, et ux ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato	Vest Virginia Coovers's land for the West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: West Virginia Comber and electronizontal drilling medicates of the Street, SE, Coreby given by: The Antero Resources of the Street of th	sland Creek ode § 22-6A-16(b), the mail address of the stand from Charleston, WV 2530 Corporation	a horizontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address and the operator's authorized the Secretary, at the WV Department of Secretary at the WV De	ollows: 510945m 4358981m CR 18 Gary D. Dawson, et ux ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato Address:	Vest Virginia Coover's land for the West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: West Virginia Cooper and electronizontal drilling in 57th Street, SE, Greby given by: Antero Resources 1615 Wynkoop Si	sland Creek ode § 22-6A-16(b), the mail address of the stand from Charleston, WV 2530 Corporation	a horizontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address and the operator's authorized the Secretary, at the WV Department of Secretary at the WV D	ollows: 510945m 4358981m CR 18 Gary D. Dawson, et ux ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Megan Griffith 1615 Wynkoop St.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato	Vest Virginia Coc vner's land for th West Virginia Tyler Centerville Shirley 7.5' Headwaters Middle I Shall Include: Vest Virginia Co nber and electron izontal drilling n 57 th Street, SE, G reby given by: T: Antero Resources 1615 Wynkoop St Denver, CO 8020	sland Creek ode § 22-6A-16(b), to mail address of to lay be obtained from Charleston, WV 2530 s Corporation	a horizontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, addithe operator and the operator's authorized the Secretary, at the WV Department of 104 (304-926-0450) or by visiting www.de Authorized Representative: Address:	ollows: 510945m 4358981m CR 18 Gary D. Dawson, et ux ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Megan Griffith 1615 Wynkoop St. Denver, CO 80202

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas

Operator Well No. Rodzina Unit 3H 4 7 0 9 5 0 2 5 8 7

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Delivery n	nethod pursuant to West Virginia	Code §	22-6A-16(c)		
■ CER	TIFIED MAIL	П	HAND		
	URN RECEIPT REQUESTED		DELIVERY		
return rece the planne required to drilling of damages to (d) The no of notice.	ipt requested or hand delivery, give d operation. The notice required b be provided by subsection (b), section a horizontal well; and (3) A propositive surface affected by oil and gas a cices required by this section shall be	the surfa y this su on ten o sed surfa operation e given t	ace owner whose lan absection shall inclused this article to a sur- ace use and compent in the distribution of the extent the distribution of the surface owner.	d will be used for ide: (1) A copy face owner whos sation agreement amages are com	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
at the addi	ereby provided to the SURFACE ress listed in the records of the sherif				
Vame Gar	D. Dawson & Rella A. Dawson	,	Name:		
Address: 1. A	and Middle Island Road ma, WV 26320 ereby given: West Virginia Code § 22-6A-16(c),	notice i	Addres	he undersigned v	well operator has developed a planned
Notice is he pursuant to operation of State:	ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the p West Virginia	notice i	s hereby given that t	he undersigned valuell on the tra	510945m
Notice is h Pursuant to operation of State: County:	ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the p West Virginia Tyler	notice i	s hereby given that t of drilling a horizonta UTM NAD 8	he undersigned valuell on the tra Easting: Northing:	ct of land as follows: 510945m 4358981m
Notice is heursuant to peration (State: County; District:	ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the p West Virginia Tyler Centerville	notice i	s hereby given that to of drilling a horizonta UTM NAD 8 Public Road	he undersigned valued well on the tra Basting: Northing: Access:	ct of land as follows: 510945m 4358981m State Route 18
Address: 1 A Notice is h Oursuant to	ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the p West Virginia Tyler Centerville Shirley 7.5'	notice i urpose o	s hereby given that to of drilling a horizonta UTM NAD 8 Public Road	he undersigned valuell on the tra Easting: Northing:	ct of land as follows: 510945m 4358981m
Notice is heursuant to operation of State: County: District: Quadrangle Watershed: Pursuant to obe provincionizontal surface affen formation leadquarter	ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the public limits and the surface owner's land for the public limits and the surface owner's land for the public limits and	this not to a se and cone extens	s hereby given that to find the first of drilling a horizonta with the first of the	he undersigned valuell on the tra Easting: Northing: Access: ed farm name: OA copy of this estand will be undered to the containing an ompensable under vary, at the WV	ct of land as follows: 510945m 4358981m State Route 18
Notice is heursuant to operation of State: County: District: Quadrangle Watershed: Pursuant to obe provincionizontal surface affen formation leadquarter	ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the puber Virginia Tyler Centerville Shirley 7.5' Headwaters Middle Island Creek e Shall Include: West Virginia Code § 22-6A-16(c) ded by W. Va. Code § 22-6A-10(f) well; and (3) A proposed surface use cetted by oil and gas operations to the related to horizontal drilling may so, located at 601 57th Street, SE, refault.aspx.	this not to a se and cone extens be obtain	s hereby given that to f drilling a horizontal UTM NAD 8 Public Road Generally use tice shall include: (1 turface owner whose mentation agreement the damages are coined from the Secret eston, WV 25304	he undersigned valuell on the tra Easting: Northing: Access: ed farm name: Acopy of this de land will be und containing an ompensable und tary, at the WV (304-926-0450)	code section; (2) The information required ased in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting <a href="https://www.gov/oil-and-www.gov/oil</td></tr><tr><td>Notice is here and the peration of the peratio</td><td>ereby given: West Virginia Code § 22-6A-16(c), on the surface owner's land for the puber Virginia Tyler Centerville Shirley 7.5' Headwaters Middle Island Creek e Shall Include: West Virginia Code § 22-6A-16(c) ded by W. Va. Code § 22-6A-10(f) well; and (3) A proposed surface use cetted by oil and gas operations to the related to horizontal drilling may so, located at 601 57th Street, SE, refault.aspx.</td><td>this not to a se and cone extens be obtain</td><td>s hereby given that to find the first of drilling a horizonta with the first of the</td><td>he undersigned valuell on the tra Easting: Northing: Access: ed farm name: OA copy of this estand will be undered to the containing an ompensable under vary, at the WV</td><td>code section; (2) The information required ased in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting <a href=" https:="" oil-and-www.gov="" oil<="" td="" www.gov="">

appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas

DEC 2 1 2018



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

November 15, 2018

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Dawson Pad, Tyler County Rodzina Unit 3H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2015-0404 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of WV 18 Feeder in Tyler County.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Megan Griffith

Antero Resources Corporation

CH, OM, D-6

File

Office of Oil and Gas
DEC 2 1 2018

List of Anticipated Additives Used for Fracturing or Stimulating Well 4709502587

Additives	Chemical Abstract Service Number (CAS #)
Fresh Water	7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Ammonium Persulfate	7727-54-0
Anionic copolymer	Proprietary
Anionic polymer	Proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	Proprietary
Demulsifier Base	Proprietary
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
Guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Microparticle	Proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7
Solvent Naphtha, petroleum, heavy aliph	64742-96-7
Soybean Oil, Me ester	67784-80-9
Copolymer of Maleic and Acrylic Acid	52255-49-9
DETA phosphonate	15827-60-8
Hexamthylene Triamine Penta	34690-00-1
Phosphino Carboxylic acid polymer	71050-62-9
Hexamethylene Diamine Tetra	23605-75-5
2-Propenoic acid, polymer with 2 propenamide	9003-06-9
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5
Diethylene Glycol	111-46-6
Methenamine	100-97-0
Polyethylene polyamine	68603-67-8
Coco amine	61791-14-8 Offi
2-Propyn-1-olcompound with methyloxirane	38172-91-7

Office of Oil and Gas

WVDEP OOG LOCATION COORDINATES: ACCEPTED AS-BUILT ACCESS ROAD ENTRANCE. LATITUDE: 39.378643 LONGITUDE: -60.869276 (NAD 83) N 435826 70 E 511258 99 (UTM ZONE 17 METERS

WAL 3/7/2019

CHARLES E, COMPTON, III - SURVEYING DOORDINATOR (204) 719-8449

ENGINEER/SURVEYOR:
NAVITUS ENGINEERING INC.
CYBUS S KUMP, PE — PROJECT MANAGER/ENGINEER
OFFICE. (688) 682-4185 CELL (549) 686-6747

ENVIRONMENTAL:
KC HARVEY ENVIRONMENTAL LLC
SHANNON THOMPSON - STAFF SCIENTIST
(740) 373-1870 CELL (970) 396-8250

IIN WILSON - LAND AGENT OFFICE: (304) 642-4419 CELL (304) 671-2708

CENTROID OF PAD
LATTIUDE: 39.380477 LONGITUDE: -80.873272 (NAD B3)
N 4358007.56 E 510914.56 (UTN ZONE 17 METERS)

N 435907-56 E 51594-56 (UN 20NE 17 METERS)

GENERAL DESCRIPTION.

THE ACCESS ROADS) AND WELL PAR HAVE BEEN CONSTRUCTED TO AID IN THE DEVELOPMENT OF INNVIOLA. MERCHAUS SAME GAS WELLS.

MISS LYTLITY STATEMENT:

ANTERO RESOURCES CORPORATION HAS NOTIFIED MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF ENTRANCE. PERMIT:

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION HAS OBTAINED AN ENCROACHMENT PERMIT (FORM MM-150) FROM THE REST MIGHINA DEVALUATION OF TRANSPORTATION DIVISION OF HIGHWAYS. PRIOR TO COMMERCEMENT OF TRANSPORTATION DIVISION OF HIGHWAYS. PRIOR TO COMMERCEMENT OF

FLOODPLAIN NOTES:

FLOODPIAN NOTES:
THE SITE IS LOCATED IN PLOOD ZONES "X" & "A" PER PEMA MAP NUMBERS #64006C0150C & #54006C0150C THE SITE ENTRANCE IS LOCATED IN FLOOD ZONE" "A" AND THE REST OF THE SITE IS LOCATED IN FLOOD ZONE "A".

ENVIRONMENTAL NOTES:
FROM MAP WELFARD DELINATIONS WERE PERFORMED IN JULY & NOVEMBER 2015 BY KC HARVEY ENVIRONMENTAL LLC TO REVIEW THE SITE FOR WATERS AND STATLANGE THAT ARE MOST LIKELY WITHIN THE RESULT OF THE STATE OF

RECULATED BY THE USAGE OR THE NUMBER OF THE STORE AS PERFORMED BY PENNSYLVANIA SOI, & ROCK, INC.
A SUBSURFACE ENVESTIGATION OF THE SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC.
DATED ANULARY ED, 2016 BEVIETE MARCH 16, 2018, REPLECTS THE RESULTS OF THE SUBSURFACE
BYESTICATION. THE INFORMATION AND RECOMMENSIATIONS CONTAINED IN THE REPORT WERE USED
IN THE PREPARATION OF THESE PLANS. PLEASE REPORT FOR EVENTS
FERNOMENAND SOIL & NOOLE MIC TOR ADDITIONAL ROPEMBATION, AS NEEDED.

PROJECT CONTACTS:

OPERATOR: ANTERO RESOURCES CORPORATION 505 WHITE OAXS BLVD. BRIDGEPORT, WV 2633D PHONE: (304) 842-4100 FAX: (304) 842-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4088 CELL: (304) 476-9770

JON MCEVERS - OPERATIONS SUPERINTENDENT OFFICE (303) 357-8799 CELL (303) 808-2423 AARDN KUNZLER - CONSTRUCTION SUPERVISOR

OFFICE. (304) 642-4100 CELL. (304) 627-7405 OFFICE. (412) 972-4000 CELL (412) 599-4000 CELL (412) CELL (4

NOTES:

NOTES:

ALL BUSY REMAIN IN PLACE LINE TUNCTIONAL DIST. ALL AREAS WITTEN THE LIMIT OF SPECIAL DISTRIBUTION OF LIMIT OF SECURITY OF ALL AREAS WITTEN THE LIMIT OF SPECIAL DISTRIBUTION. ALL AREAS WITTEN THE LIMIT OF SPECIAL DISTRIBUTION AND SUBMERT AND TERMANISTIC MERITARY REPORTS.

OF ALL RESIDENCE AND SUBMERT AND TERMANISTIC WASHINGTON MAINTAINED WHEN IN LICESS OF DY AND ON A DIFFERENCE DISTRIBUTION. THE DISTRIBUTION FROM THE STREET LIMIT OF THAT THE PROPERTY OF THAT THE PROPERTY OF THAT THE LIMIT AND A DISTRIBUTION OF THAT THE LIMIT LIMIT OF HIGH THAT LIMIT AND THAT THE STREET LIMIT OF THAT THAT LIMIT AND THAT THE STREET LIMIT OF THAT THAT LIMIT OF THAT THAT LIMIT AND THAT THE STREET COMPLETED. AND THAT THE STREET LIMIT OF THAT THAT ALL SIZE SEXULUSIED OF THAT THE STREET LIMIT OF THE STREET OF THAT THE STREET COMPLETED. AND THAT THE STREET LIMIT OF THE STREET OF THE STREET LIMIT OF THE STREET L

AS -RULLT CERTIFICATIONS:
THE DEARNICS CONSTRUCTION NOTES AND REPERENCE DIAGRAMS ATTACHED HERETY
HAVE BEEN PERPARED IN ACCORDANCE WHE THE WEST VINCINIA CODE OF STATE FULLSE
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CES 35-8.

DAWSON WELL PAD AS-BUILT AND EROSION & SEDIMENT CONTROL IMPROVEMENT PLAN

CENTERVILLE DISTRICT, TYLER COUNTY, WEST VIRGINIA CONAWAY RUN-MIDDLE ISLAND CREEK WATERSHED

USGS 7.5 MIDDLEBOURNE, SHIRLEY, PENNSBORO & WEST UNION QUAD MAPS



WEST VIRGINIA COUNTY MAP



(NOT TO SCALE)

WVDOH COUNTY ROAD MAP

REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLUTTED ON 22"X34" (ANSI D)
PAPER HALF SCALE DRAWINGS ARE ON 11"XID" (ANSI B) PAPER.

THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN CRAY SCALE OF COLOH MAY RESULT IN 4 LOSS OF MFORMATION AND SHOULD NOT US USED FOR CONSTRUCTION PURPOSES

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!!

SHEET INDEX:

COURT SHEET

COURT SHEET

OVERALL FLAN SHEET INDEX

OVERALL FLAN SHEET INDEX

OVERALL FLAN SHEET

OVERALL FLAN SHEET

VELL FAD AS-BULLT PLAN

WELL FAD AS-BULLT SECTIONS

STOCKPILE & STADING AREA AS-BULLT SECTIONS

CONSTRUCTION DETAILS

ACCESS ROAD RECLAMATION PLAN WELL PAD RECLAMATION PLAN

DAWSON LIMITS OF DISTURBANCE Total Site	E AREA (AC)		
Access Road "A" (2.094")	7.02		
Access Road "B" (51")	0.14		
Access Road "C" (9981)	2.05	Impacts to Gary D. & Reils A. Daws	on TM 15-1
Access Road "D" (1,387")	3.21	Access Road "A" (1,162)	4.01
Staging Area	1.56	Access Road "B" (51")	0.14
Well Pad	9.14	Access Road "C" (998')	2 05
Excess/Topsoil Material Stockpiles	5.53	Access Road "D" (1,387)	3.21
Total Affected Area	28.65	Staging Area	1.56
Total Wooded Acres Disturbed	25 44	Well Pad	9.14
Impacts to Co. Rt. 18 R.O.	W.	Excess/Topsoil Material Stockpiles	5.40
Access Road "A" (19")	0.11	Total Affected Area	25.51
Yotal Affected Area	0.11	Total Wooded Acres Disturbed	22.45
Total Wooded Agree Disturbed	0.01	Impacts to Larry & Mary J. Robinso	n TM 15-1,2
Impacts to Antero Resources Corp	TM 15-1.7	Access Road "A" (913')	2.83
Access Road "A"	0.10	Excess/Topsoll Material Stockpiles	0.13
Total Affected Area	0.10	Total Affected Area	2.93
Total Wooded Acres Disturged	0.08	Total Wooded Acres Disturbed	2.92

Well Name	NAD 27	WW North	Zone 17	NAO 83 Let & Long
		As	-Drilled Location	TAX PRE
(belind) Ht tint normer	N 323778 41	N 323813 11	N 4359013 28	LAT 36-22-34 2019
AP96 47-085-02413	E 1611633 74	E 1580192.62	E 610666 84	LCNG-80-62-28-6867
Pierson Unit 2H (Drilled)	¥ 323771 23	N 325855 Q3	N 4350051 11	LA7 30-22-51 1316
APM 47-895-02414	E 1611640.95	E 1560199.85	E 610671.08	LCN2-80-62-25.5952
Pierson Unit 3H (Drilled)	N 323764 58	N 323799 27	N 4350049 11	LAT 39-22-81 0668
APM 47-095-02415	E 1611648.07	E 1580206.95	E 510577.28	LONG -80 52-25.5034
Pierson Unit 4H (Drilled)	N.323757.36	N 323792 CB	N 4350045 95	LAT 39-22-00 PHEE
APS# 47-095-02415	E 1011000 11	E 1580213 99	E 510675 40	LONG 40-52-25 4124
Bounty Unit 1H (Onlied)	N 373756 42	N 323785 13	N 4359044 db	LA 39-72-50 9750
AP1# 47-095-02411	L 1811982 03	E 1580220.02	II 510677.90	LONG -80-82-25 3220
Bounty Unit 2H (Orilled)	N 323743 44	N 323778 15	N 4356042.78	LAT 39 22 50 9614
API# 47-095-02412	E 161 1059 47	E 1580228.35	E 310678.91	LCNG-90-52-25.2269
Bounty Unit 3H (Drilled)	N 323736.42	N 323771,12	N 4359040.65	LAT 39-22-50 7930
APIN 47-095-02384	€ 1011878.78	E 1580235,66	E 510692 to	I CNS -80-67-25 1398
Well Pad Elevation	1,009.1			

Well Name	W North	WW North NAC 85	UTM (METERS) Zone 17	NAD 65 Lat & Long
		Pe	rarelted Lucation	1
Pierson Unit 1H (Drilled)	N 323774 27	N 325612.96	N 4359053 22	LAT 39-22-51 2002
AP1# 47-095-02413	E 1611633 79	E 1580192.67	E 510968.66	LIDN/3 -80-52-25 8680
Pierson Unit 211 (Drillett)	N 3/3775 28	N 303805 07	N 4356051 17	(AT 39-22-51 1390)
APIN 47-095-02414	E 1511540.92	E 1660199 60	E 510871.07	LONG -60-62-25.6066
Pierson Unit 3H (Drillad)	N 323764.26	N 323798 98	N 4359G49.02	LAT 33-22-01-0038
AP18 47-095-02415	E 1611646.05	E 1580205 94	£ 510672 20	LONG-80-52-25-5035
Pierson Unit 4H (Drilled)	N 323757 25	N 323791 98	N 4359046 92	LAT 39-22-50 9958
API# 47-065-02416	E 1611655.18	E 1580214.07	E 510875.48	LONG -80 52-25,4114
Bounty Unit 1H (Orilled)	N 323750.24	N 323784 94	N 4366044 82	LAT 39-22-50 9274
AP16 47-095-02411	E 1011062 32	E 1560221 20	E 510877.00	LONG 46-62-25-3162
Bounty Unit 2H (Orilled)	N 323743 23	N 323777 93	N 4359042.72	LAT 37 72-50 8592
APIS 47-095-02812	E 1011669 45	E 1580078 34	E 5108/9.90	LONG-80-89-25 2978
Bounty Unit 3H (Drille d)	N 323736.22	N 323770 92	H 4359040 82	LAT 39-22-50 7911
API# 47-095-02364	E 1511676.58	E 1590236 47	E 510882.11	LONG -80 62-25,1346
Rodzina	N 323559.50	N 323594 30	N 4356987.76	LAT 37-22-49 0734
Unit 1H	E 1011801.22	E 1580420.11	8 510938.26	LONG -80-52-22, 7/92
Rodzina	N 323548 18	N 329582 80	N 4958984.33	LAT 91-22-48 9022
Unit 2H	E 1611870.97	E 1580429 85	E 510942.29	LONG -80-62-22,6229
Rodrina	N 323536 7B	N 323571 40	N 4358080 90	LAT 39-22-48 8500
Unit 3H	E 1611580.71	E 1050439 59	E 510945.31	LONG 80 62-22,4909
Kiliska	N 323525-37	N 323560.08	N 4356077,48	LAT 39-22-48 7307
Unit 1H	E 1611890.45	E 1080449 34	E 510948 34	LONG -80-52-22-3703
Kliska	N 323513.97	N 323648 68	N 4358974.05	LAT 37-22-48 5284
Linit 2H	E METRICO N	E 1560459 08	£ 510951 St	LONG-#0 62-72 2440
Gabitalalek	N 323502.56	14 323637 27	N 4358970.63	LAT 39-22-48.5172
Unit 1H	E 1611909 94	E 1580468 82	E 510054.30	LONG -80-52-22 (177)
Gabitalalek	N 323481 16	4323925 67	N 4358987.20	LAT 39-22-48 4059
Unit 2H	E 1611819 08	E 1560478.50	E 510957.42	LONG 80 62-21 8915

DAWS	ON EPHE	MERAL STREAM	MIMPACT (LINEA	R FEET)	
THE R. LEWIS CO., LANSING, LANSING, P.	Perm	ment Impacts	Temp. Impacts	Temp. Disturb.	Total
Stream and Impact Cause		Inlets/Outlets Structures (LF)		Distance to L.O.D. (LF)	Disturbence (LF)
Stream 2 (Access Proof "A")	0	0	21	5	26

Well Pari Elevation 1,010.0

DAWSON WETLAND IMPACT (SQUARE FEET)				
Wetland and Impact Cause	FIII (SF)	Total Impact (SF)	Total Impact (AC)	
Wetland 2 (Access Road *A*)	1,146	1,146	0.03	
Wetland 3 (Well Pad)	3.565	3,565	90.0	
Wetland 4 (Well Pad)	1,235	1.235	0.03	

S ENGINEERING A ENERGY

06/05/2017 REVISED PER SURPACE CONTIGURATION 10/09/2018 REVISED SUFFACE CONTIGURATION 11/09/2018 REVISED SUFFACE CONTIGURATION	8 1 10	DAIL	REVISION
1 10	1 10	7105/20/20	SURFACE
-	-	08/14/2017	REVISED PER LANDOWNER CHANCE
		H/09/2018	HEVISED SURFACE CONFIGURATION



THIS DOCUMENT WAS PREPARED FOR ANTERO RESOURCES CORFORATION



COVER SHEET



DATE: 05/11/2017 SHEET 1 OF 12

