

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, August 22, 2022 WELL WORK PLUGGING PERMIT Horizontal 6A Plugging

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for PHAETON UNIT 2H

47-095-02683-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: PHAETON UNIT 2H

Farm Name: ELDON J. & RUTH A. HELM

U.S. WELL NUMBER: 47-095-02683-00-00

Horizontal 6A Plugging Date Issued: 8/22/2022

Promoting a healthy environment.

08/26/2022

PERMIT CONDITIONS 4709502683

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	e 6/24			,	20 22	
2) Ope:	rator	's				
Wel	l No.	Phaetor	Unit 2H			
3)API	Well	No.	47 - 095		- 02683	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas x/ Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallowx
5)	Location: Elevation 880' District Ellsworth	Watershed Middle Island Creek County Tyler Quadrangle Middlebourne & Paden 7.5'
6)	Well Operator Address Address Antero Resources Corporation 1615 Wynkoop Street Denver, CO 80202	7) Designated Agent CT Corporation System - Dianna Stamper Address 5400 D Big Tyler Road Charleston, WV 25313
8)	Oil and Gas Inspector to be notified Name Doug Newlon Address 601 57th Street SE Charleston, WV 25304	9) Plugging Contractor Name N/A - Antero will plug well Address
10)	Work Order: The work order for the mann	ner of plugging this well is as follows:
		RECEIVED Office of Oil & Gas JUL 05 2022 WV Department of Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector Wangles Newlan Date 8-22-22

47 0 9 5 0 2 6 8 3 P Antero Resources

Antero

1615 Wynkoop St. Denver, CO 80202 **Office**: 303.357.7310 **Fax**: 303.357.7315

Phaeton Unit 2H Tyler County, WV API #47-095-02683

Objective: Plug and Abandon Conductor

Well Design:

20" OD Conductor, ID 19.124" @ 80' (28" hole) – Cemented to Surface

Oil and Gas Zones:

1. N/A

Procedure:

- 1. Notify WV DEP 24 hours prior to commencing work.
- 2. Hold JSA Pre Job Meeting.
- 3. MIRU cement services. Mix and pump Class A cement plug to surface.
 - a. 80' conductor- approximately 140 sacks @ yield of 1.15 ft3/sk
- 4. Install Monument Marker with API #47-095-02683

Office of Oil & Gas

JUL 05 2022

WV Department of Environmental Protection

DCN N

08/26/2022

State of West Virginia Department of Environmental Protection - Office of Oil and Gas Well Operator's Report of Well Work

API 47 - 085 - 02683 County Ritchie	Dist	rict Ellsworth	
Quad Middlebourne & Paden 7.5' Pad Name Eldon	Pad Fiel	d/Pool Name	
Farm name Eldon J Helman	We	ll Number Phaeto	on Unit 2H
Operator (as registered with the OOG) Antero Resources	Corporation		
Address 1615 Wynkoop Street City Der		State CO	Zip 80202
Top hole Northing 4,357,1548m		503,659m	
Landing Point of Curve Northing Bottom Hole Northing			
Elevation (ft) 880' GL Type of Well	■New □ Existing	Type of Report □	Interim Final
Permit Type Deviated Horizontal Horizon	ntal 6A D Vertical	Depth Type	Deep Shallow
Type of Operation □ Convert □ Deepen ■ Drill □	Plug Back 🗆 Redrilling	g □ Rework 🛔	Stimulate
Well Type □ Brine Disposal □ CBM ■ Gas ■ Oil □ Sec	condary Recovery	on Mining 🗆 Storag	ge 🗆 Other
Type of Completion ■ Single □ Multiple Fluids Produ	iced □ Brine ■Gas □	NGL ₫Oil □	Other
Drilled with □ Cable ■ Rotary			,
Drilling Media Surface hole ■ Air □ Mud □Fresh Wa	ter Intermediate hole	■ Air □ Mud □	□ Fresh Water □ Brine
Production hole	e		
Mud Type(s) and Additive(s) Air - Foam & 4% KCL			
Mud - Polymer			
Date permit issued 2/21/2020 Date drilling comm	menced 2/23/2020	_ Date drilling ceas	sed 2/23/2020
Date completion activities began	_ Date completion activitie	es ceased	
Verbal plugging (Y/N)N/A Date permission grante	dN/A	Granted by	N/A
Please note: Operator is required to submit a plugging applic	ation within 5 days of verba	ıl permission to plug	
Freshwater depth(s) ft	Open mine(s) (Y/N) depth	ns	N
Salt water depth(s) ft	Void(s) encountered (Y/N) depths	N
Coal depth(s) ft	Cavern(s) encountered (Y	/N) depths	N
Is coal being mined in area (Y/N) N			Reviewed by:

WR-35 Rev. 8/23/13

DATA of Cement of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lead) Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A	New of Used New New New New New 15.6 15.6	d wt/ft w 94 w 48 w 36 w 20#			woc (hrs) 8 Hrs. 8 Hrs.
Conductor 24" 20" 80'	Nev Nev	Yield (ft ³ /sks)	#/J-55 #/H-40 #/J-55 #/P-110 #/N-80 Volume (ft ³) Cu. Ft.	N/A N/A N/A N/A Cement Top (MD) 0'	Y Y Y WOC (hrs) 8 Hrs.
Coal Intermediate 1 12-1/4" 9-5/8" Intermediate 2 Intermediate 3 Production 8-3/4"/8-1/2" 5-1/2" Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type Number of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Leat Class Tubing 13.5 (Leat	Nev	Yield (ft ³ /sks) 1.18	#/J-55 #/P-110 #/N-80 Volume (ft 3) Cu. Ft.	N/A N/A Cement Top (MD) 0'	Y WOC (hrs) 8 Hrs.
Intermediate 1 12-1/4" 9-5/8" Intermediate 2 Intermediate 3 Production 8-3/4"/8-1/2" 5-1/2" Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type Number of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lead of the content of the c	Nev	Yield (ft 3/sks)	Volume (ft ³) Cu. Ft.	Cement Top (MD)	WOC (hrs) 8 Hrs.
Intermediate 2 Intermediate 3 Production 8-3/4"/8-1/2" 5-1/2" Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type of Sacks wt Of Sacks	Nev	Yield (ft 3/sks)	Volume (ft ³) Cu. Ft.	Cement Top (MD)	WOC (hrs) 8 Hrs.
Intermediate 2 Intermediate 3 Production 8-3/4"/8-1/2" 5-1/2" Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type of Sacks wt Of Sacks	Slurry (ppg) 15.6	Yield (ft 3/sks)	Volume (ft ³) Cu. Ft.	Cement Top (MD)	WOC (hrs) 8 Hrs.
Production 8-3/4"/8-1/2" 5-1/2" Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type Number of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Leat Class A sy 1) Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A	Slurry (ppg) 15.6	Yield (ft 3/sks)	Volume (ft ³) Cu. Ft.	Cement Top (MD)	WOC (hrs) 8 Hrs.
Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lead) Tubing Deepest formation penetrated Plug back procedure N/A	Slurry (ppg) 15.6	Yield (ft 3/sks)	Volume (ft ³) Cu. Ft.	Cement Top (MD)	WOC (hrs) 8 Hrs.
Tubing 2-3/8" Packer type and depth set N/A Comment Details CEMENT Class/Type Number of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Leat Class A sy 1) Tubing Deepest formation penetrated Plug back procedure N/A	Slurry (ppg) 15.6	Yield (ft 3/sks)	Volume (ft ³) Cu. Ft.	Cement Top (MD)	(hrs) 8 Hrs.
Packer type and depth set N/A	(ppg) 15.6	Yield (ft ³/sks)	Volume (ft.³) Cu. Ft.	Top (MD)	(hrs) 8 Hrs.
Cement Details CEMENT Class/Type Number S Of Sacks wt Of Sacks wt Of Sacks wt Of Sacks wt Of Sacks Conductor Class A 97 sx 1 Surface Class A sx 1 Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lead) Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A	(ppg) 15.6	(ft ³ /sks)	(<u>ft ³</u>) Cu. Ft.	Top (MD)	(hrs) 8 Hrs.
DATA of Cement of Sacks wt Conductor Class A 97 sx 1 Surface Class A sx 1 Coal Intermediate I Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lead) Tubing Drillers TD (ft) 80° Deepest formation penetrated Plug back procedure N/A	(ppg) 15.6	(ft ³ /sks)	(<u>ft ³</u>) Cu. Ft.	Top (MD)	(hrs) 8 Hrs.
Conductor Class A 97 sx 1 Surface Class A sx 1 Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Leather the company of t	15.6	1.18	Cu. Ft.	0'	8 Hrs.
Surface Class A sx 1 Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lead) Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A	15.6				
Coal Intermediate 1 Class A sx 1 Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lea Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A			04.11		0 1 1101
Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lea Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A	15.6				
Intermediate 2 Intermediate 3 Production Class H sx (Lead), sx (Tail) 13.5 (Lea Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A		1.18	Cu. Ft.	0'	8 Hrs.
Production Class H sx (Lead), sx (Tail) 13.5 (Lead) Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A				1	01110.
Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A					
Tubing Drillers TD (ft) 80' Deepest formation penetrated Plug back procedure N/A	nd), 15.2 (Tail) 1.4	.44 (Lead), 1,80 (Tail)	Cu. Ft.	~500' into Intermediate Casing	8 Hrs.
Deepest formation penetrated			04.7.4		
William (Charata (A)		ers TD (ft) back to (ft)			
Kick off depth (ft)					
Check all wireline logs run □ caliper □ density □ neutron □ resistiv		eviated/directi amma ray		uction nperature son	ic
Well cored □ Yes ■ No Conventional Si	dewall	W	ere cuttings o	ollected Yes	■ No
DESCRIBE THE CENTRALIZER PLACEMENT USED	FOR EACI	H CASING S	TRING		
WAS WELL COMPLETED AS SHOT HOLE — Yes	■ No	DETAILS			
WAS WELL COMPLETED OPEN HOLE? □ Yes ■	No I	DETAILS _			
WERE TRACERS USED □ Yes ■ No TYPE OF					

WR-35 Rev. 8/23/13

API 47- 085 - 02683 Farm name Eldon J Helman Well number Phaeton Unit 2H	API 4	₄₇₋ 085 _	02683	Farm name Eldon J Helman	Well number Phaeton Unit 2H
--	-------	----------------------	-------	--------------------------	-----------------------------

PERFORATION RECORD

SEE ATTACH	HED EXHIBIT	1
SEE ATTACH	HED EXHIBIT	1
SEE ATTACH	HED EXHIBIT	1
I		

Please insert additional pages as applicable.

STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
			SEE	ATTACHED	EXHIBIT 2			
						_		
-								
			·					
	• • •							
				!				
								
						·		
					-			

Please insert additional pages as applicable.

4709502683^D

WR-35 Page ___ of ___ Rev. 8/23/13 API 47- 085 _ 02683 Farm name Eldon J Helman Well number Phaeton Unit 2H PRODUCING FORMATION(S) **DEPTHS** TVD Please insert additional pages as applicable. **GAS TEST** □ Build up □ Drawdown ■ Open Flow OIL TEST Flow Pump SHUT-IN PRESSURE Surface psi Bottom Hole — psi DURATION OF TEST _____ hrs Oil **OPEN FLOW** NGL Gas Water GAS MEASURED BY mcfpd bpd ---bpd □ Estimated # Orifice □ Pilot bpd LITHOLOGY/ TOP BOTTOM TOP **BOTTOM FORMATION** DEPTH IN FT DEPTH IN FT DEPTH IN FT DEPTH IN FT DESCRIBE ROCK TYPE AND RECORD QUANTITYAND NAME TVD MD MD TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H2S, ETC) 0 0 **SEE ATTACHED EXHIBIT 3** Please insert additional pages as applicable. Drilling Contractor H&P 519 Address 1437 South Boulder Ave City Tulsa State OK Zip 74119____ Logging Company _____ Address _____ City ___ _____ State _____ Zip ____ Cementing Company Allied Oil & Gas Services, LLC City Bridgeport Address 1036 East Main Street State WV Zip 26330 Stimulating Company City State Zip Please insert additional pages as applicable. Completed by Mallory Stanton Telephone 303-357-7310

Signature Mallory Stanton Title Permitting Manager

Date 8/22/2022

WW-4A Revised 6-07

Date: 6/24/2022
 Operator's Well Number
Phaeton Unit 2H

3) API Well No.: 47 -

095 - 02683

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL.

D. 1.
Declaration
checetioed
ce of Oil & Gas
L 0 F 2022
L 05 2022
Department of mandalt Reclieby ing documents:
ummarized in the instructions on the reverses side. to file or has filed this Notice and Application and d Gas, West Virginia Department of Environmental in the attached Form WW-6. Copies of this Notice, of the person(s) named above (or by publication in
Odouthal
. Odenthal
Odenthal
Odenthal

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Phaeton Unit 2H Plugging Permit Data

7/1/2022

Unit/ Pad:

Phaeton Unit/ Eldon Pad

County and State:

Tyler County, West Virginia

SURFACE INFORMATION:

Well Pad Distrubance

Tax Parcel ID:

2-19-1

Owner:

Address:

Address:

Eldon J. & Ruth A. Helman

3647 Next Road

Sistersville, WV 26175-7076

Related Surface Distrubance

Tax Parcel ID:

2-13-10 & 10-6-1

Owner: Eldon J. & Ruth A. Helman

3647 Next Road

Sistersville, WV 26175-7076

COAL INFORMATION:

(ONLY FOR DRILL SITE TRACT)

Tax Parcel ID:

2-19-1, 2-13-10, & 10-6-1

Owner:

Do not need to notify coal owners/operators/lessees per ARC

RECEIVED
Office of Oil & Gas

JUL 05 2022

WV Department of Environmental Protection

RECEIVED Office of Oil & Gas

JUL 05 2022

WV Department of Environmental Protection

Cut on dotted line.

Instructions

- Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- Place your label so it does not wrap around the edge of the package.
- Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0286 9013 11

Trans. #: Print Date: Ship Date: Expected Delivery Date:

566766108 07/01/2022 07/01/2022 07/06/2022 Priority Mail® Postage: \$8.95
Total: \$8.95

From: JOH

JOHN GIANNAULA 1615 WYNKOOP ST DENVER CO 80202-1106

To:

ELDON J & RUTH A HELMAN

3647 NEXT RD

SISTERSVILLE WV 26175-7076

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

SURFACE OWNER WAIVER

Operator's Well Number

Phaeton Unit 2H

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection $601\ 57^{\text{th}}\ \text{St.}\ \text{SE}$ Charleston, WV 25304 (304) 926-0450 RECEIVED
Office of Oil & Gas

JUL 05 2022

WV Department of Environmental Protection

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have **FIVE (5) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on thos		e planned work	described in these materials, and \boldsymbol{I} have no
FOR EXECUTION BY A NATURAL PERETC.			FOR EXECUTION BY A CORPORATION,
	Date	Name	
Signature		By _	
		Its _	Date

API No.	47-095-02683	
Farm Name	Eldon	
Well No.	Phaeton Unit 2H	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operatorhas examined this proposed plugging worldone at this location, provided, the well Virginia Code and the governing regulation	k order. The undersigned ha operator has complied with	
Date:		
	By:	
	Its	

RECEIVED Office of Oil & Gas

JUL **05** 2022

WV Department of Environmental Protection WW-9 (5/16)

API Number 47 - 09	95 _ 02683
Operator's Well No.	
•	Phaeton Unit 2H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN		
Operator Name_ Antero Resources Corporation	OP Code 494507062	
Watershed (HUC 10) Middle Island Creek	Quadrangle Middlebourne & Paden 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete		
Will a pit be used? Yes No V		
If so, please describe anticipated pit waste: Will a synthetic liner be used in the pit? Yes No If so, what ml.?		
Will a synthetic liner be used in the pit? Yes No If so, what ml.?		
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number *UIC Permit # will be provided on Form WR-34		
Reuse (at API Number Future permitted well	locations when applicable. API# will be provided on Form WR-34	
Off Site Disposal (Supply form WW-9	for disposal location) (Meadowfill Landfill Permit	
Other (Explain	Northwestern Landfill Permit	
Var fielde store	#SWF-1025/WV0109410	
Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed off site and taken to landfill.		
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.		
-If oil based, what type? Synthetic, petroleum, etc.		
Additives to be used in drilling medium?	Office of Oil & Gas	
Drill cuttings disposal method? Leave in pit, landfill, removed off	JUL UB ZUZZ	
-If left in pit and plan to solidify what medium will be use	ed? (cement, lime, sawdust)	
-Landfill or offsite name/permit number?	WV Department of Environmental Protection	
Permittee shall provide written notice to the Office of Oil and Gas West Virginia solid waste facility. The notice shall be provided wi where it was properly disposed.	of any load of drill cuttings or associated waste rejected at any thin 24 hours of rejection and the permittee shall also disclose	
on April 1, 2016, by the Office of Oil and Gas of the West Virgin provisions of the permit are enforceable by law. Violations of any or regulation can lead to enforcement action. I certify under penalty of law that I have personally experient form and all attachments thereto and that based on my		
Subscribed and sworn before me this day of	July , 2022	
Cione Blair	Notary Public DIANE BLAIR NOTARY PUBLIC	
My commission expires 27 Apr 2021	STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 37/405-2924	

Attach:

Field Reviewed?

Phaeton Unit 2H Operator's Well No._ Proposed Revegetation Treatment: Acres Disturbed 35.04 Preveg etation pH _____ Lime 2-3 Tons/acre or to correct to pH 6.5 Fertilizer type Fertilizer amount 500 lbs/acre Mulch 2-3 **Seed Mixtures Temporary** Permanent Seed Type lbs/acre Seed Type lbs/acre **Annual Ryegrass** 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 Please reference Table IV-3 on page 7 of the Well #1 Plugging Plan Please reference Table IV-4A on page 7 of the Well #1 Plugging Plan *or type of grass seed requested by surface owner Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Hongas Newlan Comments: WV Department of Environmental Protection

Title: Oil or bas Inspector Date: 5-22-22


____) Yes

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS		
_{API:} 47-095-02683	WELL NO.:_P	haeton 2H
FARM NAME: Eldon		
RESPONSIBLE PARTY NAME	Antero Resources C	Corporation
COUNTY: Tyler	bistrict: Ells	worth
QUADRANGLE: Middlebo	ourne & Paden City	RECEIVED Office of Oil & Gas
SURFACE OWNER: Eldon	J. Helman	JUL 05 2022
ROYALTY OWNER:		WV Department of Environmental Protection
UTM GPS NORTHING: 437	1548.27 m	
UTM GPS EASTING: 50365	59.27 m GPS ELEVATION	_{ON:} 880.0 ft
preparing a new well location plat above well. The Office of Oil and the following requirements:	3.05 meters d:	PI number on the s that do not meet
	-Time Differential X	
	ost Processed Differential	
R	eal-Time Differential X	
I the undersigned, hereby certify the	e topography map showing the well his data is correct to the best of my keep to require by law and the regulation d Gas.	nowledge and
Signature	Permitting Manager	7/1/22 Date





Kennedy, James P < james.p.kennedy@wv.gov>

Plugging permits approved 4709502685 and 09502683

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Mon, Aug 22, 2022 at 3:24 PM

To: ddevito@shalepro.com, Mallory Stanton <mstanton@anteroresources.com>, Jeffrey W McLaughlin <jeffrey.w.mclaughlin@wv.gov>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, ljackson@wvassessor.com, jturner@wvassessor.com

To whom it may concern, Plugging permits have been approved for 4709502685 and 09502683.

James Kennedy

WVDEP OOG

3 attachments



4709502685.pdf 2144K



4709502683.pdf 3098K



IR-8 Blank.pdf 237K