

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, June 5, 2020 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for PROSPER 1H 47-095-02699-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well NumberPROSPER 1HFarm Name:RICHARD D. PYLESU.S. WELL NUMBER:47-095-02699-00-00Horizontal 6ANew DrillDate Issued:6/5/2020

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47-095 - 02699 OPERATOR WELL NO. Prosper Unit 1H

Well Pad Name: Pyles Pad

Page 1 of 3

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Res	sources Corporat	494507062	095 - Tyler	Ellsworth	Porter Falls 7.5'
		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Pr	rosper Unit 1H	Well Pa	ad Name: Pyles	s Pad	
3) Farm Name/Surface Owner:	Richard D. Pyles	Public Ro	ad Access: US	Route 34	
4) Elevation, current ground:	1113' El	evation, proposed	l post-construct	ion: ~1081	
5) Well Type (a) Gas X Other	Oil	Unc	lerground Stora		
(b)If Gas Sh	allow X	Deep	· · · · · ·		
Ho	rizontal X				
6) Existing Pad: Yes or No No)				
7) Proposed Target Formation(Marcellus Shale: 7100' TVD,		C	the second s		
8) Proposed Total Vertical Dep	th: 7100' TVD				
9) Formation at Total Vertical I	Depth: Marcellus			-	
10) Proposed Total Measured D	Depth: 10200' M	D			
11) Proposed Horizontal Leg L	ength: 1626' 🗸				
12) Approximate Fresh Water S	Strata Depths:	61' 🗸			Office of Oil and (
13) Method to Determine Fresh	Water Depths: 4	7-095-01958 🗸			MAY - 1 200
14) Approximate Saltwater Dep	oths: 2200'	1		-	1 2020
15) Approximate Coal Seam D	epths: None Iden	tified			WV Department o Environmental Protec
16) Approximate Depth to Poss	sible Void (coal mi	ne, karst, other):	None Anticipa	ated	
17) Does Proposed well locatio	n contain coal sear	ns Yes	N	» X	
directly overlying or adjacent to	an active mine?				
•					
lirectly overlying or adjacent to					
directly overlying or adjacent to	Name:				

WW-6B (04/15)

API NO. 47- 095

\$129/2020

OPERATOR WELL NO. Prosper Unit 1H Well Pad Name: Pyles Pad

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	<u>New</u> or <u>Used</u>	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80 🗸	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	300	300 🗸	CTS, 417 Cu. Ft.
Coal	9-5/8*	New	J-55	36#	2500	2500 🗸	CTS, 1018 Cu. Ft.
Intermediate				1922			
Production	5-1/2"	New	P-110	23#	10200	10200 🗸	2398 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	<u>Wall</u> <u>Thickness</u> (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-H/POZ & Tall - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			Pa 19 (19)
Liners							ECEIVED of Oil and Gas

MAY - 1 2020

PACKERS

WV Department of Environmental Protection

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

WW-6B (10/14) API NO. 47- 095 -OPERATOR WELL NO. Prosper Unit 1H Well Pad Name: Pyles Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole: Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80/bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 23.71 acres

22) Area to be disturbed for well pad only, less access road (acres): 10.00 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:	Office of Oil and O
Conductor: no additives, Class A cement. Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20	MAY - 1 2020 WV Department of Environmental Protection

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.


Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump hlgh viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump hlgh viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

4709502699



PETRA 4/14/2020 3-10-35 PM

WW-9 (4/16)

÷.

(4/16)		API Number	47 - 095 -		
	CTLA T	and the the stand of the stand in the stands with the	rator's Well No. Prospi	ar Unit 1H	
		E OF WEST VIRGINIA FENVIRONMENTAL PRO	DTECTION		
	OFF	ICE OF OIL AND GAS			
	FLUIDS/ CUTTINGS	S DISPOSAL & RECLAMA	TION PLAN		
Operator Name Antero Resource	as Corporation	C	P Code 494507062		
Watershed (HUC 10) Outlet N		Quadrangle Po	rter Falls 7.5'		
Do you anticipate using more t	han 5,000 bbls of water to		17	No	
Will a pit be used? Yes	No V				
If so, please describe a	anticipated pit waste:	pit will be used at this site (Driting and Flowbeck Fl	uids will be stored in tanks, Guttings v	vil be lariked and hauted off elia.)	
Will a synthetic liner	be used in the pit? Yes	No V If so,	what ml.7 N/A	(CB
Proposed Disposal Me	ethod For Treated Pit Was	stes:		1.	20/2020
	d Application	The Article of the Article		H/.	29/2020
		Permit Number_*UIC Permit			
		m WW-9 for disposal location	A CARL COMPANY AND A CARL COMPANY		
	er (Explain	m www-9101 disposal locatio		ill Permit #SWF-1032-98)	
Will closed loop system be use	d? If so, describe: Yes, f	fluids stored in tanks, cuttings	removed offsite and te	aken to landfill.	
Drilling medium anticipated fo	r this well (vertica) and he	orizontal)? Air, freshwater, o		r/Freshwatar, Intermediata - cierr, Production - Water Based Mud	
-If oil based, what typ	e? Synthetic, petroleum,	etc. Synthetic			
Additives to be used in drilling	medium? Please See Atta	achment			
Drill cuttings disposal method?	? Leave in pit, landfill, rer	moved offsite, etc. Drill cutting	gs stored in tanks, removed	offsite and taken to landfill.	
		will be used? (cement, lime,			
-Landfill or offsite na	me/permit number?	dowfill Landfill (Permit #SWF-1032-98),	Northwestern Landfill (Permi	1# SWF-1025/WV0109410)	
Permittee shall provide written West Virginia solid waste facil where it was properly disposed	lity. The notice shall be pro	il and Gas of any load of drill ovided within 24 hours of rej	cuttings or associate ection and the permi	d waste rejected at any ttee shall also disclose	-
on August 1, 2005, by the Offi provisions of the permit are en law or regulation can lead to en	ice of Oil and Gas of the W nforceable by law. Violat nforcement action. ty of law that I have per- chments thereto and that believe that the information	tions of any term or condition sonally examined and am for t, based on my inquiry of ion is true, accurate, and co	Environmental Protect on of the general perm amiliar with the info those individuals in mplete. I am aware	ction. I understand that the mit and/or other applicab symmetion submitted on the unediately responsible for that there are significa	ne le Mice of Oil and Gas MAY ~ 1 2020
Company Official Signature_	Orates	u vole		- W	- 2020
Company Official (Typed Nas	me) Gretchen Kohler			Enviro	V Department of nmental Protection
Company Official Title Senio	r Environmental & Regulato	ory Manager			rotection
	nigt	Amoil	, 20 20		
Subscribed and sworn before r	ne this M day	y of TIPY-II	, 20_10		
			Notary Public		
My commission expires	3.13.202	2		MEGAN GRIFFITH NOTARY PUBLIC	
wy commission expires			MY COM	STATE OF COLORADO NOTARY ID 20184011666 MISSION EXPIRES MARCH 1	3, 2022
					<u> </u>

Form WW-9

*or type of grass seed requested by surface owner

Antero Resources Corporation

roposed Revegetation Treatment	Prevegetation p	DH	
Lime 2-4	_ Tons/acre or to correct to pH	6.5	
Fertilizer type Hay or s	traw or Wood Fiber (will be used	where needed)	
Fertilizer amount 500	11	os/acre	
Mulch 2-3	Tons/	acre	
Access	Road "A" (4.60 acres) + Well Pad (10.00 ac	res) + Excess/Topsoil Material Stockpile (9.11 acr	res) = 23.71 Acres
	See	d Mixtures	
Temp	orary	Pern	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
See attached Table IV-3 for additional	seed type (Pyles Pad Design)	See attached Table IV-4A for addition	onal seed type (Pyles Pad I

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions ($L \times W \times D$) of the pit, and dimensions ($L \times W$), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

*or type of grass seed requested by surface owner

Plan Approved by: <u><i>Gragin Blevin</i></u> Comments:	4	
		Office of Oil
		Office of Oil and Ga MAY - 1 2020 WV Department of Environmental Protection
Title: Oil & Gas Inspector	Date: 4/29/2020	

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1.	Alpha	1655
T •	1 mpma	1000

Salt Inhibitor

 Mil-Carb Calcium Carbonate
 Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

- 11. LD-9 Polyether Polyol – Drilling Fluid Defoamer
- 12. Mil Mica Hydro-Biotite Mica – LCM

RECEIVED Office of Oil and Gas APR 29 2020 WV Department of Environmental Protection

 13. Escaid 110 Drilling Fluild Solvent – Aliphatic Hydrocarbon 14. Ligco Highly Oxidized Leonardite – Filteration Control Agent 15. Super Sweep Polypropylene – Hole Cleaning Agent 16. Sulfatrol K Drilling Fluid Additive – Sulfonated Asphalt Residuum 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent 28. Clay Trol
 14. Ligco Highly Oxidized Leonardite – Filteration Control Agent 15. Super Sweep Polypropylene – Hole Cleaning Agent 16. Sulfatrol K Drilling Fluid Additive – Sulfonated Asphalt Residuum 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 15. Super Sweep Polypropylene – Hole Cleaning Agent 16. Sulfatrol K Drilling Fluid Additive – Sulfonated Asphalt Residuum 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Polypropylene – Hole Cleaning Agent 16. Sulfatrol K Drilling Fluid Additive – Sulfonated Asphalt Residuum 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 16. Sulfatrol K Drilling Fluid Additive – Sulfonated Asphalt Residuum 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Drilling Fluid Additive – Sulfonated Asphalt Residuum 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 17. Sodium Chloride, Anhydrous Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Inorganic Salt 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 18. D-D Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Drilling Detergent – Surfactant 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 19. Terra-Rate Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Organic Surfactant Blend 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 20. W.O. Defoam Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Alcohol-Based Defoamer 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 21. Perma-Lose HT Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Fluid Loss Reducer For Water-Based Muds 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 22. Xan-Plex D Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Polysaccharide Polymer – Drilling Fluid Viscosifier 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 23. Walnut Shells Ground Cellulosic Material – Ground Walnut Shells – LCM 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 24. Mil-Graphite Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Natural Graphite – LCM 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 25. Mil Bar Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Barite – Weighting Agent 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
 26. X-Cide 102 Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Biocide 27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
27. Soda Ash Sodium Carbonate – Alkalinity Control Agent
Sodium Carbonate – Alkalinity Control Agent
• •
28. Clay I fol
•
Amine Acid complex – Shale Stabilizer 29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
Viscosifier For Water-Based Muds 31. Milstarch
31. Milstarch

RECEIVED Office of Oil and Gas APR 29 2020 WV Department of Environmental Protection



911 Address 509 Nash Run Road Middleboure, WV 26149

Well Site Safety Plan

Antero Resources

Pyles Unit 5H, Friend Unit 1H-2H, Prosper Unit 1H-2H, Well Name: Seagrave Unit 1H-2H & Vulcan Unit 1H-2H

Pad Location: PYLES PAD

Tyler County/West Union District

GPS Coordinates:

Entrance - Lat 39°50'09.36"/Long -80°83'99.27" (NAD83) Pad Center - Lat 39°50'38.15"/Long -80°83'71.12" (NAD83)

Driving Directions:

W Department of Environmental Protection From Middlebourne: Head northwest on Main Street toward Court Street/Dodd Street for 0.2 miles - turn right onto Park Avenue for 397 feet - turn left onto Gorrell Run Road for 0.4 miles - turn left onto Gorrell Run Road for 0.2 miles - continue onto Gorrell Run Road for 2.8 miles continue straight onto Co Road 34/3 for 0.8 miles - lease road will be on your left.


Alternate Route:


From Sisterville: Head southeast on Diamond Street toward Wells Street for 308 feet - follow WV-18 to Park Avenue in Middlebourne for 11.9 miles - take Gorrell Run Road to Co Road 34/3 for 4.2 miles - lease road will be on your left.


EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

1

Office of Oil and Gas







Operator's Well Number Prosper Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Richard D. Pyles Lease			
Richard D. Pyles	Antero Resources Corporation	1/8+	0562/0590

RECEIVED Office of Oil and Gas APR 29 20:20

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the protection Marcellus and any other formations completed with this well.

****CONTINUED ON NEXT PAGE****

WW-6A1 (5/13) Operator's Well No. Prosper Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Richard D. Pyles Lease				
	Richard D. Pyles	Antero Resources Corporation	1/8+	0562/0590

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Intero Resources Corporation	L'an-	
ïm Rady	han lech)
P of Land		(
	im Rady P of Land	im Rady

4709502699



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

April 21, 2020

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Prosper Unit 1H Quadrangle: Porter Falls 7.5' Tyler County/Ellsworth District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Prosper Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Prosper Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Thomas Kuhn Senior Landman

APR 29 2020 WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: $\underbrace{4 \cdot 20 \cdot 20}$

API No. 47- 095	-
Operator's Well No.	Prosper Unit 1H
Well Pad Name: P	/les Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	514002.734m
County:	Tyler	UTIVI INAD 65	Northing:	4372720.041m
District:	Ellsworth	Public Road Ac	cess:	US Route 34
Quadrangle:	Porter Falls 7.5'	Generally used t	farm name:	Richard D. Pyles
Watershed:	Outlet Middle Island Creek			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

that the Operator has properly served the require *PLEASE CHECK ALL THAT APPLY 1. NOTICE OF SEISMIC ACTIVITY or	 NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED VEY or INO PLAT SURVEY WAS CONDUCTED 	OOG OFFICE USE ONLY RECEIVED/ NOT REQUIRED RECEIVED RECEIVED/ NOT REQUIRED RECEIVED/ NOT REQUIRED Gas
 4. NOTICE OF PLANNED OPERATION 5. PUBLIC NOTICE 6. NOTICE OF APPLICATION 	(PLEASE ATTACH)	APR 29 2020 RECEIVED WV Department of WV Departmental Protection RECEIVED RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Diana Hoff ________, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Antero Resources Corporation		Address:	1615 Wynkoop Street
By:	Diana Hoff Diana	Holl		Denver, CO 80202
ts:	VP of Production	W	Facsimile:	303-357-7315
elephone:	303-357-7223		Email:	mgriffith@anteroresources.com
	NOTARY SEAL MEGAN GRIFFITH NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184011666 ISSION EXPIRES MARCH 13. 2022	6	ribed and swo ommission E	orn before me this 21 st day of APLI 2020. Notary Public xpires 3.13.2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

APR 29 2020

WV Department of Environmental Protection WW-6A (9-13)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: <u>4.2.2</u> 0	Date Permit Application	Filed: <u>4·U·2</u> 0
Notice of:		

PERMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE
WELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams: (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

☑ SURFACE OWNER(s) Name:	COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:	-11 FD
Name: Joseph L. Sitko Jr. Address: 315 Airport Drive Sellerville, PA 18960	Address:	Office of Oil and Gas APR 29 2020
SURFACE OWNER(s) (Road and/or Other Disturbance) Name: Richard D. Pyles Address: 803 Nash Run Road Middlebourne, WV 26149	UWATER PURVEYOR(s)/OWNER(s) OF WATER WELL, JSPRING OR OTHER WATER SUPPLY SOURCE Name: NONE IDENTIFIED WITHIN 1500	W Department of W Department of Environmental Protection
Name: Joseph L. Silko Jr. Address: <u>315 Airport Drive</u> Sellerville, PA 18960	Address:	GE FIELD
SURFACE OWNER(s) (Impoundments or Pits) Name: Address:	Name:	
	*Please attach additional forms if necessary	

709502699

WW-6A (8-13)

API NO. 47- 095 OPERATOR WELL NO. Prosper Unit 1H Well Pad Name: Pyles Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental VED and Gas Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wy.go.dof.pl and gas/pages/default.aspx.

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing Protect hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13) API NO. 47-095 -OPERATOR WELL NO. Prosper Unit 1H Well Pad Name: Pyles Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

4709502699

API NO. 47- 095 -

OPERATOR WELL NO, Prosper Unit 1H Well Pad Name: Pyles Pad

WW-6A (8-13)

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

APR 29 2020

4709502699

W	W-6A
(8-	-13)

API NO. 47- 095 OPERATOR WELL NO. Prosper Unit 1H Well Pad Name: Pyles Pad

Notice is hereby given by:

Notice is hereby given by:	
Well Operator: Antero Resources Corporation	Diana Holl
Telephone: (303) 357-7223	0
Email: mgriffith@anteroresources.com	

Address: 1	615 Wynkoop Street	
D	enver, CO 80202	
Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

MEGAN GRIFFITH NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184011666 MY COMMISSION EXPIRES MARCH 13, 2022

Subscribed and sworn before me this 215t day of APRI, 2020 Notary Public My Commission Expires

Office of Oil and Gas

WV Department of Environmental Protection

WW-6A Notice of Application to Surface Owner Attachment:

Surface Owner:

Tax Parcel ID: 2-16-42 & 2-16-22

Owner:	Richard D. Pyles
Address:	803 Nash Run Road
	Middlebourne, WV 26149

Owner:	Joseph L. Silko Jr.
Address:	315 Airport Drive
	Sellerville, PA 18960

Office of Oil and Gas APR 29 2020 WV Department of Environmental Protection

CERTIFIED MAIL RECEIPT MULTIPLE WELLS - PYLES PAD WW-6A NOTICE OF APPLICATION TO SURFACE OWNER

Cut on dotted line.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record



CERTIFIED MAIL RECEIPT MULTIPLE WELLS - PYLES PAD WW-6A NOTICE OF APPLICATION TO SURFACE OWNER

Cut on dotted line.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record



WW-6A3 (1/12)

Multiple Wells on the Pyles Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF ENTRY FOR PLAT SURVEY</u>

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to

entry Date of Notice: <u>12/6/2019</u> Date of Plan Delivery method pursuant to West Virginia Co		nned Entry: <u>*12/13/2019</u>	*Please note that this is an estimated date. Antero may begin surveying seven (7) days but no more than forty-five (45) after your receipt of this
		ode § 22-6A-10a	notice (whichever comes first).
D PERSONAL SERVICE	REGISTERED MAIL		VERY THAT REQUIRES A ATURE CONFIRMATION
on to the surface trac but no more than for beneath such tract the owner of minerals un and Sediment Contro Secretary, which stat	t to conduct any plat survey y-five days prior to such en at has filed a declaration pur derlying such tract in the co l Manual and the statutes an	s required pursuant to this arti- try to: (1) The surface owner rsuant to section thirty-six, art bunty tax records. The notice ad rules related to oil and gas information, including the add	ition, the operator shall provide notice of planned entry icle. Such notice shall be provided at least seven days of such tract; (2) to any owner or lessee of coal seams icle six, chapter twenty-two of this code; and (3) any shall include a statement that copies of the state Erosion exploration and production may be obtained from the dress for a web page on the Secretary's web site, to
Notice is hereby pro	ovided to:		

□ SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: Richard D. Pyles	Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: 803 Nash Run Road	Address:
Middlebourne, WV 26149	
Name: Joseph L. Sitko Jr.	
Address: 315 Airport Drive	MINERAL OWNER(s)
Sellerville, PA 18960	Name: PLEASE SEE ATTACHMENT
Name:	Address:
Address:	
	*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	Approx. 39.503815, ~80.837112 (Pad Center Coordinates)
County:	Tyler	Public Road Access:	US Route 34
District:	Ellsworth	Watershed:	Outlet Middle Island Creek
Quadrangle:	Porter Falls 7.5	Generally used farm name:	Richard D. Pyles

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is here	by given by:			Office of a 2020
Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street	APR
Telephone:	(303) 357-7223		Denver, CO 80202	entment of light
Email:	mgriffith@anteroresources.com	Facsimile:	(303) 357-7315	WN Depintal From
				FAUL

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

WW-6A3 Notice of Entry For Plat Survey Attachment:

Mineral Owner:

Tax Parcel ID: 2-16-42

Owner:	Richard D. Pyles
Address:	803 Nash Run Road
	Middlebourne, WV 26149

Mineral Owner:

Tax Parcel ID: 2-16-44

Owner:	Stone Hill Minerals, LLC
Address:	PO Box 470426
	Fort Worth, TX 76147

Mineral Owner:

Tax Parcel ID: 2-16-22

Owner:	Joseph L. Sitko Jr. 🛝
Address:	315 Airport Drive
	Sellerville, PA 18960

Surface Owner:

Tax Parcel ID: 2-16-42

Owner:	Richard D. Pyles
Address:	803 Nash Run Road
	Middlebourne, WV 26149

Surface Owner:

Tax Parcel ID: 2-16-22


Owner:	Joseph L. Sitko Jr.	
Address:	315 Airport Drive	
	Sellerville, PA 18960	

cut on dotted ime.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record




VUI UN UULICU III.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record




Gui un uoneu ime.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record




our on uoneu mie.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record



4709502699


CERTIFIED MAIL RECEIPT PYLES UNIT 5H - PYLES PAD WW-6A3 NOTICE OF ENTRY FOR PLAT SURVEY TO SURFACE & MINERAL OWNER

Cut on dotted line.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record



-NED MAS

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 04/21/2020 Date Permit Application Filed: 04/21/2020

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: Richard D. Pyles	Name: Joseph L. Sitko Jr.
Address: 803 Nash Run Road	Address: 315 Airport Drive
Middlebourne, WV 26149	Sellerville, PA 18960

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTMANIAD 02	Easting:	514002.734m	
County:	Tyler	UTM NAD 83	Northing:	4372720.041m	
District:	Ellsworth	Public Road Acc	ess:	US Roule 34	
Quadrangle:	Porter Falls 7.5'	Generally used f	arm name:	Richard D. Pyles	
Watershed:	Outlet Middle Island Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-andgas/pages/default.aspx.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street	RECEIViand Gas
Telephone:	(303) 357-7223		Denver, CO 80202	011102 0 2020
Email:	mgriffith@anteroresources.com	Facsimile:	303-357-7315	APR 20
Oil and Gas Pr The Office of O	rivacy Notice: Dil and Gas processes your personal in	information, such as nan	ne address and telephone nur	W Department Site

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our egulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

CERTIFIED MAIL RECEIPT MULTIPLE WELLS - PYLES PAD WW-6A5 NOTICE OF PLANNED OPERATION TO SURFACE OWNER

Cut on dotted line.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record




CERTIFIED MAIL RECEIPT MULTIPLE WELLS - PYLES PAD WW-6A5 NOTICE OF PLANNED OPERATION TO SURFACE OWNER

Cut on dotted line.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record





WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

April 17, 2020

Byrd E. White, III Secretary of Transportation/ Commissioner of Highways

> Jimmy Wriston, P. E. Deputy Secretary/ Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Pyles Pad, Tyler County Prosper Unit 1H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2014-0553 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off Tyler County Route 34/3 SLS.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018.

Very Truly Yours,

Inuton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator APR 29 2020 WV Department of Environmental Protection

Cc: Megan Griffith Antero Resources Corporation CH, OM, D-6 File

List of Anticipated Additives Used for Fracturing or $_0 2699$ Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)		
Fresh Water	7732-18-5		
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1		
Ammonium Persulfate	7727-54-0		
Anionic copolymer	Proprietary		
Anionic polymer	Proprietary		
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9		
Cellulase enzyme	Proprietary		
Demulsifier Base	Proprietary		
Ethoxylated alcohol blend	Mixture		
Ethoxylated Nonylphenol	68412-54-4		
Ethoxylated oleylamine	26635-93-8		
Ethylene Glycol	107-21-1		
Glycol Ethers	111-76-2		
Guar gum	9000-30-0		
Hydrogen Chloride	7647-01-0		
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8		
isopropyl alcohol	67-63-0		
iquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2		
Microparticle	Proprietary		
Petroleum Distillates (BTEX Below Detect)	64742-47-8		
Polyacrylamide	57-55-6		
Propargyl Alcohol	107-19-7		
Propylene Glycol	57-55-6		
Quartz	14808-60-7		
Sillica, crystalline quartz	7631-86-9		
Sodium Chloride	7647-14-5		
Sodium Hydroxide	1310-73-2		
Sugar	57-50-1		
Surfactant	68439-51-0		
Suspending agent (solid)	14808-60-7		
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7		
Solvent Naphtha, petroleum, heavy aliph	64742-96-7		
Soybean Oil, Me ester	67784-80-9		
Copolymer of Maleic and Acrylic Acid	52255-49-9		
DETA phosphonate	15827-60-8 34690-00-1 O ^{ffice}		
Hexamthylene Triamine Penta	34690-00-1 Offide		
Phosphino Carboxylic acid polymer	71050-62-9		
Hexamethylene Diamine Tetra	23605-75-5		
2-Propenoic acid, polymer with 2 propenamide	9003-00-9		
Hexamethylene diamine penta (methylene phosphonic acid)	23003-74-3		
Diethylene Glycol	111-46-6		
Methenamine	100-97-0		
Polyethylene polyamine	68603-67-8		
Coco amine	61791-14-8		
2-Propyn-1-olcompound with methyloxirane	38172-91-7		

EIVED Oil and Gas 2 9 2020

Department of Inmental Protection

