

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, June 28, 2021 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for RAPIDS UNIT 1H 47-095-02739-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

A. Martin James Chief

Operator's Well Number: RAPIDS UNIT 1H Farm Name: JOHN SHEPHERD U.S. WELL NUMBER: 47-095-02739-00-00 Horizontal 6A New Drill Date Issued: 6/28/2021

Promoting a healthy environment.

PERMIT CONDITIONS 4709502739

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

.

Ŧ

••

API NO. 47-09502739

OPERATOR WELL NO. Rapids Unit 1H Well Pad Name: Shepherd Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

I) Well Operator: Ant	tero Resources	Corporat	494507062	095-Tyler	McElroy	Shirley 7.5'
			Operator ID	County	District	Quadrangle
2) Operator's Well Nu	mber: Rapids Ur	nit 1H	Well Pa	ad Name: She	pherd Pad	
3) Farm Name/Surface	Owner: John S	hepherd	Public Ro	ad Access: Sa	andy Creek	Rd.
4) Elevation, current g	round: 935'	El	evation, proposed	l post-construc	tion: ~935'	
5) Well Type (a) Gas Other	s X	_ Oil	Une	derground Stor	age	
(b)If G	Gas Shallow	Х	Deep			
	Horizontal	X				DAH 6-8-21
6) Existing Pad: Yes of	and the second second second second			-		0
7) Proposed Target For Marcellus Shale: 710						
3) Proposed Total Vert	tical Depth: 710	0' TVD				
9) Formation at Total V	Vertical Depth:	Marcellus	8			
0) Proposed Total Me	easured Depth:	21000' M	D			
11) Proposed Horizont	al Leg Length:	16672'				
2) Approximate Fresh	n Water Strata De	epths:	98'			
13) Method to Determi	ine Fresh Water I	Depths: 4	47-095-01482, 4	7-095-01434		
14) Approximate Saltv	vater Depths: 15	586'				
15) Approximate Coal	Seam Depths: N	lone Ider	ntified			
16) Approximate Dept	h to Possible Voi	d (coal mi	ine, karst, other):	None Anticip	bated	
17) Does Proposed we directly overlying or ac	Il location contain	n coal sea			lo X	
(a) If Yes, provide M	line Info: Name	:				
	Depth	i:				
	Seam	i				
	Owne	r:				
			RECE	Win-		
			Office of Oil			Page 1 of 3
			JUN 0 9	2021		, age a or a

07/02/2021

WW-6B (04/15)

APINO. 44 3 0 9 5 0 2 7 3 9

OPERATOR WELL NO. Rapids Unit 1H Well Pad Name: Shepherd Pad

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	300	300	CTS, 417 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500	CTS, 1018 Cu. Ft.
Intermediate			1				
Production	5-1/2"	New	P-110	23#	21000	21000	CTS, 5367 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			11.1.
Liners							

Dm H 6-8-21

TYPE	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-H/PO2 & Fail - H	H/POZ~1.44 & H~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners					1		

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

RECEIVER Office of Oll Section

JUN 0 9 2021

Page 2 of 3

WV Department of Environmental Protection

WW-6B (10/14)

4709502739

API NO. 47- 095 ~ OPERATOR WELL NO. Rapids Unit 1H Well Pad Name: Shepherd Pad

19) Describe proposed well work, including the drilling and p	olugging back of any pilot hole:
Drill, perforate, fracture a new horizontal shallow well an	d complete Marcellus Shale.
20) Describe fracturing/stimulating methods in detail, includ	ling anticipated max pressure and max rate:
Antero plans to pump Slickwater into the Marcellus Sha production. The fluid will be comprised of approximately percent special-purpose additives as shown in the attac Fracturing or Stimulating Well."	y 99 percent water and sand, with less than 1
Anticipated Max Pressure - 9300 lbs	Dat 16-8-21
Anticipated Max Rate - 80 bpm	6-8-91
21) Total Area to be disturbed, including roads, stockpile are	a, pits, etc., (acres): 26.43 acres
22) Area to be disturbed for well pad only, less access road (a	2.10
23) Describe centralizer placement for each casing string:	
Conductor: no centralizers Surface Casing: one centralizer 10' above the float shoe, one on the insert float co to surface.	ollar and one every 4th joint spaced up the hole
Intermediate Casing: one centralizer above float joint, one centralizer 5' above flo Production Casing: one centralizer at shoe joint and one every 3 joints to top of c	s and the state of a log which have a state of the state
24) Describe all cement additives associated with each cement Conductor: no additives, Class A cement.	nt type:
Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake	
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat	- 0.20% C 12 + 0.45% C 20 + 0.05% C 51

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.


*Note: Attach additional sheets as needed.

RECEIVER Office of Oil and Gas

Page 3 of 3

JUN 0 9 2021

WV Department of Environmental Protection



UWI (APINum)	Well Name	Well Number	Operator	Historical Operator	TD	Perforated interval (shallowest, deepest)	Perforated Formation(s)	Producible Formation(s) not perf'd
47095301540000	J B SPENCER 2	2188	PITTSBURGH&W VA GAS	PITTSBURGH&W VA GAS	2,606	Unknown	Big Injun, Gordon	Weir, Benson, Alexander
47095016530000	WILLIAMS HEIRS	1	ALLIANCE PET CO LLC	DAC CORP	2,242	1936 - 2242	Big Injun	Weir, Benson, Alexander
47095016520000	WILLIAMS HEIRS	2	ALLIANCE PET CO LLC	DAC CORP	2,080	2064 - 2080	Big Injun	Weir, Benson, Alexander
47095016850000	WILLIAMS HEIRS	1	ALLIANCE PET CO LLC	DAC CORP	2,040	1718 - 1812	Big Injun	Weir, Benson, Alexander
47095016400000	MALLOY JAMES P ETAL	4	ALLIANCE PET CO LLC	DAC CORP	2,061	1750 - 1840	Big Injun	Weir, Benson, Alexander
47095015400000	ALLIANCE COFFMAN GWENDOLYN SWEEN	1-B	ALLIANCE PET CO LLC	DAC CORP	2,250	2048 - 2054	Big Injun	Weir, Benson, Alexander
47095016220000	ALLIANCE WILLIAMS MARION HEIRS 1	1	ALLIANCE PET CO LLC	DAC CORP	2,584	1778 - 2530	Big Injun, Gordon	Weir, Benson, Alexander
47095013080000	ALLIANCE COFFMAN GWENDOLYN SWEEN	2-A	ALLIANCE PET CO LLC	DAC CORP	2,606	2463 - 2467	Big Injun, Gordon	Weir, Benson, Alexander
47095014450000	ALLIANCE COFFMAN GWENDOLYN SWEEN	3	ALLIANCE PET CO LLC	DAC CORP	2,163	2024 - 2048	Big Injun	Weir, Benson, Alexander

WW-9	and a start and shall	
(4/16)	API Number 47 - 095 -	
CTP /	Operator's Well No. Repids Unit 1H	
	OF ENVIRONMENTAL PROTECTION	
	FFICE OF OIL AND GAS	
FLUIDS/ CUTTIN	GS DISPOSAL & RECLAMATION PLAN	
Operator Name Antero Resources Corporation	OP Code 494507062	_
Watershed (HUC 10) McElroy Creek	Quadrangle Shirley 7.5'	
Do you anticipate using more than 5,000 bbls of water	r to complete the proposed well work? Yes 🗸 No	
Will a pit be used? Yes No V		
If so, please describe anticipated pit waste:	No pit will be used at this site (Dritting and Flowback Fluids will be stored in tanks, Cuttings will be tanked and haved off site	a.)
Will a synthetic liner be used in the pit? Yes	No 🗸 If so, what ml.? N/A	S
Proposed Disposal Method For Treated Pit W	Vastes:	Dm 4
Land Application		4.1.4
	IC Permit Number *UIC Permit # will be provided on Form WR-34	2
	ture permitted well locations when applicable. API# will be provided on Form WR-34 form WW-9 for disposal location)(Meadowfill Landfill Permit #SWF-103	
Other (Explain	Northwestern Landfill Permit #SWF-10 WV0109410	
Will closed loop system be used? If so, describe: Ye	s, fluids stored in tanks, cuttings removed offsite and taken to landfill.	_
Drilling medium anticipated for this well (vertical and	horizontal)? Air, freshwater, oil based, etc.	id or
-If oil based, what type? Synthetic, petroleur	n, etc. Synthetic	
Additives to be used in drilling medium? Please See	Attachment	
Drill cuttings disposal method? Leave in pit, landfill,	removed offsite, etcDrill cuttings stored in tanks, removed offsite and taken to lan	ıdfill.
-If left in pit and plan to solidify what mediu	m will be used? (cement, lime, sawdust) N/A	-
-Landfill or offsite name/permit number?	leadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV01094	110)
	Oil and Gas of any load of drill cuttings or associated waste rejected a provided within 24 hours of rejection and the permittee shall also disc	
on August 1, 2005, by the Office of Oil and Gas of the provisions of the permit are enforceable by law. Vic law or regulation can lead to enforcement action. I certify under penalty of law that I have p	rms and conditions of the GENERAL WATER POLLUTION PERM e West Virginia Department of Environmental Protection. I understand plations of any term or condition of the general permit and/or other a personally examined and am familiar with the information submitted	d that the pplicable d on this

application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Gretchen Kohler	
Company Official (Typed Name) Gretchen Kohler	
Company Official Title Sr. Environmental & Regulatory Manager	
21112 111	
Subscribed and every hefere me this the day of MMM	2021
Subscribed and every before me this day of day of	, 20
FEGEIVED_1	Notary Public MEGAN GRIFFITH
Wolfier of Oil and gas 2 2002	NOTARY PUBLIC STATE OF COLORADO
Ay commission expires	NOTARY ID 20184011666
JUN 0 9 2021	MY COMMISSION EXPIRES MARCH 10 2013
And an a state of the state of	01/02/20
WV Department of	
Environmental Protection	

Form WW-9

Operator's Well No. Rapids Unit 1H

Antero Resources Corporation			
Proposed Revegetation Treatment: Acres Disturbe	d 26.43 acres	Prevegetation pH	
Lime 2-4 Tons/acre or to c	correct to pH 6.5		
Fertilizer type	(will be used where needed)		
Fertilizer amount 500	lbs/acre		
Mulch 2-3	Tons/acre		
Access Road "A" (8.34 acres) + Access Road acres) + Ex	"B" (1.82 acres) + Staging Area (0. ccess/Topsoil Material Stockpiles (3		er Containment Pad (4.21
	Seed Mixtures		
Temporary		Perma	nent
Seed Type lbs/acre		Seed Type	lbs/acre
Annual Ryegrass 40	Crow	/nvetch	10-15
Field Bromegrass 40	Tall F	escue	30
See attached Table IV-3 for additional seed type (Shepherd Pad	Design) See attack	ned Table IV-4A for additional s	eed type (Shepherd Pad Design)
*or type of grass seed requested by surface	owner *or type	of grass seed reque	sted by surface owner

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions ($L \times W \times D$) of the pit, and dimensions ($L \times W$), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:		
Comments:		
Title: 01 + Ges Inspect	Date: 6-8-31	
Field Reviewed?	Yes ()No	
	RECEIVED Office of Oil and Gas	
	JUN 0 9 2021	
		07/0

WV Department of Environmental Protection

07/02/2021

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1.	Alpha 1655	
	Salt Inhibitor	
2.	Mil-Carb	
	Calcium Carbonate	
3.	Cottonseed Hulls	
	Cellulose-Cottonseed Pellets – LCM	
4.	Mil-Seal	
	Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM	
5.	Clay-Trol	
	Amine Acid Complex – Shale Stabilizer	
6.	Xan-Plex	
	Viscosifier For Water Based Muds	
7.	Mil-Pac (All Grades)	
_	Sodium Carboxymethylcellulose – Filtration Control Agent	
8.	New Drill	
~	Anionic Polyacrylamide Copolymer Emulsion – Shale Stabil	lizer
9.	Caustic Soda	RECEIVED Office of Oil and Gas
10	Sodium Hydroxide – Alkalinity Control	
10.	Mil-Lime	MAY 2 5 2021
11	Calcium Hydroxide – Lime	a tmont of
11.	LD-9	WV Department of Environmental Protection
10	Toryetter Toryor – Drining Fluid Deroamer	
12.	Mil Mica	
	Hydro-Biotite Mica – LCM	
		i -

13. Escaid 110
Drilling Fluild Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filteration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
31. Milstarch
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED Office of Oil and Gas

MAY 2 5 2021

WV Department of Environmental Protection



911 Address 120 Sandys Run Rd Shirley, WV 26434

Well Site Safety Plan

Antero Resources

Well Name: Gatrell Unit 1H-3H & Rapids Unit 1H-2H

Pad Location: SHEPHERD PAD Tyler County/McElroy District

GPS Coordinates:

Entrance - Lat 39°23'29.3"/Long -80°45'55.9" (NAD83) Pad Center - Lat 39°23'37.2"/Long -80°45'39.9" (NAD83)

Driving Directions:

From Post Office in Shirley: Travel West on WV-23 W towards Co Rd 6/2. Turn left onto Rd 6/2 for 0.1 miles. Slight right to stay on Co Rd 6/2 for 0.5 miles. Turn left for 0.2 miles. Lease road will be on your left.

Alternate Route:

From the intersection of McElroy Creek Road and Big Flint Rd: Head west on WV-23 W toward Braden Hill for 2.3 miles. Turn left onto Rd 6/2 for 0.1 miles. Slight right to stay on Co Rd 6/2 for 0.5 miles. Turn left for 0.2 miles. Lease road will be on your left.

Dm H 1-8-21


EMERGENCY (24 HOUR) CONTACT 1-800-878-137

RECEIVED Office of Oil and Gas


JUN 0 9 2021


05/23/2021

WV Department of Environmental Protection



Quadrangle: Shirley Watershed: McElroy Creek District: McElroy Date: 5-19-2021 V/V Department of Environmental Protection 07/02/2021





Operator's Well Number

Rapids Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Lamoyne Sweeney Lease			
Lamoyne Sweeney	Four Leaf Land Company	1/8	0370/0617
Four Leaf Land Company	Antero Resources Appalachian Corporation	Assignment	0403/0566
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	0557/0430
Edgar B. Hartley Lease			
Edgar B. Hartley	Antero Resources Corporation	1/8+	0498/0326
Erma Mabel Pitts Lease			
Erma Mabel Pitts	Consol Gas Company	1/8	0271/0686
Consol Gas Company	CNX Gas Company	Assignment	0009/0206
CNX Gas Company	Antero Resources Corporation	Assignment	0425/0725
Bayard Sweeney Jr. et ux Lease			
Bayard Sweeney Jr. et ux	Consol Gas Company	1/8	0287/0554
Consol Gas Company	CNX Gas Company LLC	Name Change	0009/0206
CNX Gas Company LLC	Antero Resources Corporation	Assignment	0425/0725
James Jeffers et ux Lease			
James Jeffers et ux	Antero Resources Corporation	1/8+	0557/0430
Noble Energy Inc. et al Lease			
Noble Energy Inc. et al	Antero Resources Corporation	1/8+	0433/0529
Robert Smith Lease			
Robert Smith	Antero Resources Corporation	1/8+	0595/0809
Glen Duckworth Jr. Lease			
Glen Duckworth Jr.	Antero Resources Corporation	1/8+	0489/0587
Shannon S. Adams Lease Shannon S. Adams	Antero Resources Corporation	1/8+	614/314
	Antero Resources Corporation	1/04	014/314
Tom Williams et ux Lease		the second	
Tom Williams et ux	Antero Resources Corporation	1/8+	0557/0430
James Malloy et ux Lease			
James Malloy et ux	Antero Resources Corporation	1/8+	0557/0430
Rebecca Williams Lease		1.00	in the second
Rebecca Williams	Antero Resources Corporation	1/8+	0311/0344

Operator's Well Number

Rapids Unit 1H 0 9 5 0 2 7 3 9

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Rosemary Haught Lease			
Rosemary Haught	Antero Resources Corporation	1/8+	0627/0409
Henry M. Wallace et ux Lease			
Henry M. Wallace et ux	Equitrans Inc.	1/8	0283/0338
Equitrans Inc.	EQT Production Company	Agreement	0369/0640
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
Jimmy J. Griffin et ux Lease			
Jimmy J. Griffin et ux	Seneca Upshur Petroleum LLC	1/8	0258/0046
Seneca Upshur Petroleum LLC	Antero Resources Corporation	Assignment	0555/0190
Bounty Minerals LLC Lease			
Bounty Minerals LLC	Antero Resources Corporation	1/8+	0551/0373
BRC Appalachian Minerals LLC Lease			
BRC Appalachian Minerals LLC	Statoil USA Onshore Properties	1/8	0369/0648
Statoil USA Onshore Properties	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

CONTINUED ON NEXT PAGE

WW-6A1 (5/13) Operator's Well No. Rapids Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Troy Spencer Underwood Lease	Troy Spencer Underwood	Antero Resources Corporation	1/8+	0427/0095
Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

WV Division of Water and Waste Management

Office of Oil and Cas

MAY 2 5 2021

WV Department of Environmental Protection

- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation		
By:	Tim Rady		
Its:	VP of Land		

Page 1 of 1

*Co-tenancy utilization – At least 7 mineral owners in tract. At least 75% of the royalty owners have executed a lease on the tract. The interests of the remaining co-tenants were acquired pursuant to the Co-tenancy Modernization and Majority Protection Act



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Rapids Unit 1H Quadrangle: Shirley 7.5' Tyler County/McElroy District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Rapids Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Rapids Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Teler Adams

Tyler Adams Landman

RECEIVED Office of Oil and Gas JUN 23 2021 WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notice Certification: 05/23/2021

API No. 47- 095	
Operator's Well N	0. Rapids Unit 1H
Well Pad Name:	Shepherd Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	520567m
County:	Tyler	UTMINAD 85	Northing:	4360476m
District:	McEiroy	Public Road Ac	cess:	Sandy Creek Rd.
Quadrangle:	Shirley 7.5'	Generally used	farm name:	John Shepherd
Watershed:	McEiroy Creek			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

Pursuant to West Virginia Code § 22-6A, the Op that the Operator has properly served the require	OOG OFFICE USE	
*PLEASE CHECK ALL THAT APPLY		ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
\Box 2. NOTICE OF ENTRY FOR PLAT SURV	VEY or NO PLAT SURVEY WAS CONDUCTED	
3. NOTICE OF INTENT TO DRILL or	RECEIVED/	
	□ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
■ 4. NOTICE OF PLANNED OPERATION	RECEIVED Office of Oil and Gas	RECEIVED
5. PUBLIC NOTICE	MAY 2 5 2021	RECEIVED
■ 6. NOTICE OF APPLICATION	WV Department of Environmental Protection	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

4709502739

THEREFORE, I Maria Henry ______, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	: Antero Resources Corporation	Address:	1615 Wynkoop Street	
By:	Maria Henry Maria & Henry		Denver, CO 80202	
Its:	VP of Geology	Facsimile:	303-357-7315	
Telephone:	303-357-7310	Email:	mgriffith@anteroresources.com	
	NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184011666	y Commission E	Notary Public	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

MAY 2 5 2021

WV Department i Environmental Protect an WW-6A (9-13)

4709502739 API NO. 47-095 OPERATOR WELL NO. Rapids Unit 1H

Well Pad Name: Shepherd Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date	of Notice:	5/24/2021	Date Permit Application Filed: 5/24/2021

Notice	of:
--------	-----

\checkmark	PERMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE
	WELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

☑ SURFACE OWNER(s)
Name: John B. Shepherd
Address: 102 Sandys Run Road
West Union, WV 26456
Name: Heith Michael Howell
Address: 686 Doolin Run Road
New Martinsville, WV 26155
SURFACE OWNER(s) (Road and/or Other Disturbance)
Name: John B. Shepherd
Address: 102 Sandys Run Road
West Union, WV 26456
Name: Heith Michael Howell
Address: 686 Doolin Run Road
New Martinsville, WV 26155
□ SURFACE OWNER(s) (Impoundments or Pits)
Name:
Address:

COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:	Office of Ciling Gas - MAY 2 5 2021
COAL OPERATOR	
Name: NO DECLARATIONS ON RECORD WITH COUNTY	
Address:	_
WATER PURVEYOR(s)/OWNER(s) OF WATER WELL SPRING OR OTHER WATER SUPPLY SOURCE	 ,
Name: PLEASE SEE ATTACHMENT	
Address:	_
OPERATOR OF ANY NATURAL GAS STO Name:	RAGE FIELD
Address:	_

*Please attach additional forms if necessary

DEOEN mm

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's arguent to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items



WW-6A (8-13)

4709502739

API NO. 47- 095 -

OPERATOR WELL NO. Rapids Unit 1H Well Pad Name: Shepherd Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 RECEIVED Office of Oil and Gas

MAY 2 5 2021

WAY Department of pronmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

4709502739

API NO. 47- 095 -OPERATOR WELL NO. Rapids Unit 1H

Well Pad Name: Shepherd Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Officer of Gas

MAY 2 5 2021

WA/ Department of Environmental Protection

WW-6A (8-13)

OPERATOR WELL NO. Rapids Unit 1H Well Pad Name: Shepherd Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation	Maria L. Henry
Telephone: (303) 357-7223	infant () int ()
Email: mgriffith@anteroresources.com	

Address: 1615 Wynkoop Street Denver, CO 80202 Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

MEGAN GRIFFITH NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184011666 MY COMMISSION EXPIRES MARCH 13. 2022

Subscribed e this rn hefore Notary Public Mv

Office of Oil and Gas

MAY 2 5 2021

W// Department of Environmental Protection

4709502739 Page 1

WW-6A Notice of Application Attachment (SHEPHERD PAD):

List of Surface Owner(s) with Proposed Disturbance associated with Shepherd Well Pad:

WELL PAD – These owners were notified of all well work permit applications, and have executed signed Surface Use Agreements with Antero Resources Corporation.

<u>TM 19 PCL 29</u>

TM 19 PCL 29

Owner:John B. Shepherd &
Tammy L. ShepherdOwner:Heith Michael HowellAddress:102 Sandys Run Road
West Union, WV 26456Address:686 Doolin Run Road
New Martinsville, WV 26155

ROAD AND/OR OTHER DISTURBANCE - All owners have executed signed Surface Use and/or Road Agreements with Antero Resources Corporation. However, they were only notified if their tracts were overlying the oil and gas leasehold being developed by the proposed well work.

TM 19 PCL 29

Owner: John B. Shepherd & Tammy L. Shepherd Address: 102 Sandys Run Road West Union, WV 26456

TM 19 PCL 55

Owner:Heith Michael HowellAddress:686 Doolin Run RoadNew Martinsville, WV 26155

TM 19 PCL 27 (continued...)

Owner: Address: Sandra Hopper 564 Sandys Run Road West Union, WV 26456

> RECEIVED Office of Oil and Gas

> > MAY 2 5 2021

WV Department of Environmental Protection

Page 2

WW-6A Notice of Application Attachment (SHEPHERD PAD):

WATER SOURCE OWNERS – Within 1500'

*NOTE: On attached water well map 15 other water sources are identified, but they are located greater than 1500' from the subject well pad location.

1 Water Source: W2 – 1435' Owner: Heith Howell Address: 686 Doolin Run Road New Martinsville, WV 26155


 3 Water Sources: W5 – 1237', W6 – 1378', W7 – 1346'
 Owner: Gary Wright
 Address: P.O. Box 347 Middlebourne, WV 26149

2 Water Sources: W10 – 993', W12 – 852'
Owner: John Shepherd
Address: 102 Sandys Run Road West Union, WV 26456

> RECEIVED Office of Chang Gas

MAY 2 5 2021

W/ Department of Environmental Protection



WW-6A4 (1/12)

Operator Well No. Rapids Unit 1H Multiple Wells on Shepherd Pad

4709502739 STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 03/10/2021 Date Permit Application Filed: 05/24/2021

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

CERTIFIED MAIL HAND DELIVERY RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: Provided, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: Provided, however, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Notice i	s hereby provided to the SURFACE OWNER(s):			Office of Oil and Gas
Name:	John B. Shepherd and Tammy L. Shepherd	Name:	Heith Michael Howell	
Address:	102 Sandys Run Rd.	Address:	686 Doolin Run Rd.	MAY 2 5 2021
	West Union, WV 26456		New Martinsville, WV 26155	
				UN/ Department of

Environmental Protection

RECEIVED

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTMANAD 92	Easting:	520567m
County:	Tyler	UTM NAD 83	Northing:	4360476m
District:	McElroy	Public Road Acc	ess:	Sandy Creek Rd.
Quadrangle:	Shirley 7.5'	Generally used fa	arm name:	John B. Shepherd and Tammy L. Shepherd
Watershed-	McElrov Creek			

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator:	Antero Resources Corporation	Authorized Representative:	Megan Griffith
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.
	Denver, CO 80202		Denver, CO 80202
Telephone:	303-357-7233	Telephone:	303-357-7233
Email:	mgriffith@anteroresources.com	Email:	mgriffith@anteroresources.com
Facsimile:	303-357-7315	Facsimile:	303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 05/24/2021 Date Permit Application Filed: 05/24/2021

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	
RETURN RECEIPT REQUESTED	

HAND DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: John B. Shepherd	Name: Heith Michael Howell
Address: 102 Sandys Run Road	Address: 686 Doolin Run Road
West Union, WV 26456	New Martinsville, WV 26155
West Union, WV 20430	NEW WORKING, WY 20130

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITMANAD 82	Easting:	520567m	
County:	Tyler	UTM NAD 83	Northing:	4360476m	
District:	McElroy	Public Road Acce	ess:	Sandy Creek Rd.	
Quadrangle:	Shirley 7.5'	Generally used fa	arm name:	John Shepherd	
Watershed:	McElroy Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street	Office of Oil and Gas
Telephone:	(303) 357-7223		Denver, CO 80202	MAY 2 5 2021
Email:	mgriffith@anteroresources.com	Facsimile:	303-357-7315	
	TO V D THE R .			WV Department of

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

Environmental Protection



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION **Division of Highways**

1900 Kanawha Boulevard East • Building Five • Room 110

Byrd E. White, III Secretary of Transportation/ **Commissioner of Highways**

Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Deputy Secretary/ **Deputy Commissioner**

May 24, 2021

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Shepherd Pad, Tyler County Rapids Unit 1H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2018-0098 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 62 SLS MP 3.66.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Tary K. Clayton

Gary K. Clayton, P.E. **Regional Maintenance Engineer** Central Office O&G Coordinator

Cc: Megan Griffith Antero Resources CH, OM, D-6 File

List of Anticipated Additives Used for Fracturing or Stimulating Well 4709502739

Additives(cA8 #)Fresh Water7732:18-52 hosphobutane 1,2,4 tricarboxylic acid3797:36-1Annoine porpulatary7727:54-0Anionic copolymerProprietaryAnionic copolymerProprietaryAnionic copolymerProprietaryBTEX Free Hydrotreated Heavy Naphtha64742:48-9Cellulase enzymeProprietaryDemulsifier BaseProprietaryEthoxylated dokJamine26635:93-8Ethoxylated dokJamine26635:93-8Ethoxylated dokJamine26635:93-8Ethoylated Indicates, non-aromatic, BTEX free64742:47-8Kapropyl alcohol6742-01-0Hydrogen Chloride7742-0Hydrogen Chloride6742-01-0Hydrogen Chloride6742-01-0Hydrogen Chloride7742-10Hydrogen Chloride7742-10Hydrogen Chloride6742-01-0Hydrogen Chloride7742-10Hydrogen Chloride7743-0Billadi S2 (Dizono-3-nitrilogropionamide10222-01-2Microparticle57-55-6Propylena Gildonol7647-14-5Sodium Chloride7647-14-5Sodium Chloride7647-14-5Sodium Chloride7647-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chloride767-14-5Sodium Chlori			9
2 Phosphobutane 1,2,4 tricarboxylic add 37971-36-1 Anmonium Persulfate 7727-34-0 Anionic copolymer Proprietary Anionic copolymer Proprietary Anionic copolymer Proprietary Anionic copolymer Proprietary BTX Free Hydrodreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethoxylated Monybhenol 68412-54-4 Ethoxylated Monybhenol 68412-54-4 Ethoxylated Monybhenol 68412-54-4 Ethoylated Conversion 107-21-1 Giycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrogen Choride 7647-01-0 Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Isopropi alcohol 1022-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Proparetary 11302-73-2 Sillica, crystalline quartz 7631-86-9 Sodium Hydroxide 1310-73-2 Sillica, crystalline quartz 1480	Additives	Chemical Abstract Service Number (CAS #)	
Armonium Persulfate7722-54-0Anionic polymerProprietaryAnionic polymerProprietaryAnionic polymerProprietaryBTEX Free Hydrotreated Heavy Naphtha66742-48-9Cellulase enzymeProprietaryDemuslifier BaseProprietaryEthoxylated alcohol blendMixtureEthoxylated alcohol blendMixtureEthoxylated oleylamine26635-93-8Ethylene Glycol107-21-1Gluar gum9000-30-0Hydrotreated light distillates, non-aromatic, BTEX free66742-47-8Isopropil alcohol66742-47-8Isopropil alcohol6742-47-8Isopropil alcohol107-21-2MicroparticleProprietaryPetroleum Distillates (BTEX Below Detect)66742-47-8Polyacylamide75-55-6Propargyl Alcohol107-19-7Proprietary14808-60-7Sillica, crystalline quartz7631-86-9Sodium Hydroxide1310-73-2Sugar75-50-1Surgard757-50-1Surgard757-80-1Surgard1312-73-2Sugard57-85-60-7Propertier of Maleis and Acrylic Acid5225-749-9Coolum Hydroxide1312-73-2Sugard57-55-61Propargyl Alcohol107-19-7Propriet of Maleis and Acrylic Acid5225-749-9Coolum Hydroxide1310-73-2Sugard57-55-61Propargyl Alcohol164742-96-7Soldium Hydroxide1312-73-2Sugard57-55	Fresh Water	7732-18-5	
Anionic copolymer Proprietary Anionic copolymer Proprietary Anionic polymer Proprietary BTK Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethosylated alcohol blend Mixture Ethosylated alcohol blend Mixture Ethosylated oleylamine 26635-93-8 Ethylane Gitycol 110-76-2 Guarg um 9000-30-0 Hydrogen Chorde 7647-01-0 Hydrogen Chorde 767-01-0 Hydrogen Chorde 1022-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Pelyacrylamide 755-56 Proparetary 14808-60-7 Sillica, crystalline quartz 14808-60-7 Sudium Hydroxide 1310-73-2	2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	
Antionic polymer Proprietary BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Collulase enzyme Proprietary Demulsifier Base Proprietary Ethosystate dischel blend Mixture Ethosystate dischel blend 64742-54-4 Ethosystate dischel blend 107-721-1 Glycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 64742-47-8 Isopropyl alcohol 674-63-0 Ilguid, 2,2-dibromo-3-nittlopropionamide 10222-01-2 Microparticle Proprietary Peroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propyletary Petroleum Distillates (BTEX Below Detect) Polyacrylamide 75-55-1 Surfactant 64343-51-0 Surfactant 64742-47-8 Sodium Chloride 77848-00-7 Sodium Chloride 72480-70-7 Sodium Schoride 1310-73-2 Surfactant 64734-24-67 Sodium Chloride 7282-60-8 Dift phosphonate <td>Ammonium Persulfate</td> <td>7727-54-0</td> <td></td>	Ammonium Persulfate	7727-54-0	
BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethoxylated lochol blend Mixture Ethoxylated Norylphenol 68412-54-4 Ethoxylated Norylphenol 26635-93-8 Ethoxylated Norylphenol 26635-93-8 Ethoylated oleylamine 26635-93-8 Ethoylated oleylamine 2663-0 Gyrof Ethers 111-76-2 Guar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-14-5 Sopropyl achohol 67-53-0 Iliguid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Currot 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Surfactant 64782-96-7 Surfactant 64782-96-7 Solven Naphtha, petroleu	Anionic copolymer	Proprietary	
Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethoxylated loohol blend Mixture Ethoxylated looplanne 26633-93-8 Ethylene Glycal 107-21-1 Glycal Ethers 111-76-2 Guarg um 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-02-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrotrested light distillates, non-aromatic, BTEX free 64742-47-8 Isoproyl alcohol 67-63-0 Ilquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Pelyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propargyl Alcohol 107-19-7 Propargyl Alcohol 107-19-7 Propargyl Alcohol 107-19-7 Solica, crystalline quartz 7631-86-9 Sodium Hydroxide 1310-73-2 Sodium Hydroxide 1310-	Anionic polymer	Proprietary	
Demulsifier Base Proprietary Ethosylated alcohol blend Mixture Ethosylated Norlybenol 68412-54-4 Ethosylated oleylamine 26635-93-8 Ethylene Giycol 107-21-1 Giycol Ethers 111-76-2 Gaar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 64742-47-8 Sopropri alcohol 67-63-0 liquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Progyrel Alcohol 107-19-7 Proprietary Pretroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 75-56 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Surpanding agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solicen Naphtha, petrojeum, heavy allph 64742-96-7 Solicen Thydroxide 152255-49-9 Dethydphonate 1	BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	
Ethoxylated alcohol blendMixtureEthoxylated Norylphenol68412-54-4Ethoxylated Oleylamine26635-93-8Ethoxylated oleylamine26635-93-8Ethoxylated oleylamine107-21-1Glycol Ethers111-76-2Guar gum9000-30-0Hydrogen Choride7647-01-0Hydrogen Choride64742-47-8Hydrogen Choride10722-01-2MicroparticleProprietanyPetroleum Distillates (BTEX Below Detect)64742-47-8Polyacrylamide57-55-6Propargyl Alcohol107-19-7Proprietany14808-60-7Sillica, crystalline quartz7631-86-9Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Surfactant68439-51-0Suspending agent (solid)12827-60-8MY 2 5 - 02.1DETA phosphnonate15827-60-8MY 2 5 - 02.1DETA phosphonate Penta34690-00-1Hexamethylene Tramine Penta34690-00-1Hexamethylene Diamine Tetra23605-75-52-Propenci acid, polymerr71050-62-9Hexamethylene Diamine Tetra23605-74-5Dicthylene Glycol111-46-6Metamamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8	Cellulase enzyme	Proprietary	
Ethoxylated Nonylphenol 68412-54-4 Ethoxylated Oleylamine 26635-93-8 Ethylene Glycol 107-21-1 Glycol Ethers 1117-6-2 Guar gum 9000-30-0 Hydroreated light distillates, non-aromatic, BTEX free 64742-47-8 Isopropyl alcohol 67-63-0 Iliquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propeylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7643-14-5 Sodium Chloride 66439-51-0 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solyeen OI, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamethylene Priamine Tetra 23605-77-5 2-Propenoic acid, polymer	Demulsifier Base	Proprietary	
Ethoxylated oleylamine26635-93-8Ethylene Glycol107-21-1Glycol Ethers111-76-2Guar gum9000-30-0Hydrogen Chloride7647-01-0Hydrogen Chloride7647-01-0Hydrogen Chloride67-63-0Iiguid, 2,2-dibromo-3-nitrilopropionamide10222-01-2MicroparticleProprietaryPetroleum Distillates (BTEX Below Detect)64742-47-8Polyacrylamide57-55-6Polyacrylamide107-19-7Propregen Glycol57-55-6Quartz14808-60-7Stillica, crystalline quartz763-16Sugar57-50-1Surfactant66439-51-0Surfactant664742-96-7Solvent Naphtha, petroleum, heavy aliph664742-96-7Solvent Naphtha, petroleum, heavy aliph664742-96-7Solvent Naphtha, petroleum, heavy aliph664742-96-7Solvent Naphtha, petroleum, heavy aliph664742-96-7Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamttylene Trainmic Penta34609-00-1Phosphonate Denta34609-00-1Hexamttylene Diamine Tetra23605-75-52-Propenoic acid polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra23605-74-5Diethylene Glycol111-46-6Methylene polyamine68603-67-8Coco anine61791-14-8	Ethoxylated alcohol blend	Mixture	
Ethylene Glycol 107-21-1 Glycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 67-63-0 liquid, 2,2-dibrono-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Proparyl Alcohol 107-19-7 Proparyl Alcohol 107-19-7 Proparyl Alcohol 107-19-7 Proparyl Alcohol 1310-73-2 Solium Chloride 7647-14-5 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Surfactant 64742-96-7 Solyman Mydroxide 1310-73-2 Surfactant 64742-96-7 Solymen Mydroxide 1310-73-2 Surfactant 64742-96-7 Solybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DFTA phosphonate 15827-60-8 Hexamethylene Plamine Tetra 23605-75-5	Ethoxylated Nonylphenol	68412-54-4	
Ethylene Glycol 107-21-1 Glycol Ethers 111.76-2 Guar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 64742.47-8 Isogropyl alcohol 67-63-0 liguid, 2,2-ditromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742.47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 64742-96-7 Solutin Hydroxide 1112-66-8 Copolymer of Maleic and Acrylic Acid 52255-49-9 DTX phosphonate 115227-60-8 Hexamthylene Trainine Penta 23605-77-5 2-Propenoic acid, polymer with 2 propenamide 900	Ethoxylated oleylamine	26635-93-8	1
Giycol Ethers 111-76-2 Gur gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrotzetad light distillates, non-aromatic, BTEX free 664742-47-8 Isopropyl alcohol 67-63-0 liquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 664742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propregyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Gopolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamethylene Tramine Penta 34690-00-1 Phosphino Carboxylic acid		107-21-1	1
Guar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 64742-47-8 Isopropyl alcohol 67-63-0 liquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propoylene Glycol 57-55-6 Quartz 14808-60-7 Solium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solywent Naphtha, petroleum, heavy aliph 64742-96-7 Copolymer of Maleic and Acrylic Acid 52255-49-9 DFIA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-77-5 2-Propencia acid, polymer with 2 propen		111-76-2	1
Hydrogen Chloride7647-01-0Hydroreated light distillates, non-aromatic, BTEX free64742-47-8Isopropyl alcohol67-63-0Ilguid, 2,2-diromo-3-nitrilopropionamide10222-01-2MicroparticleProprietaryPetroleum Distillates (BTEX Below Detect)64742-47-8Polyacrylamide57-55-6Proparyle Alcohol107-19-7Propylene Giycol57-55-6Quartz14808-60-7Sodium Chloride7631-86-9Sodium Chloride7631-86-9Sodium Chloride7632-91Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derives, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Copolymer of Maleic and Acrylic Acid52255-49-9DTA phosphonate15827-60-8Hexamethylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-77-52-Propenci acid, polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra23605-77-52-Propenci acid, polymer with 2 propenamide9003-06-9Hexamethylene Diamine penta (methylene phosphonic acid)23605-78-5Diethylene Giycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8		9000-30-0	1
Hydrotreated light distillates, non-aromatic, BTEX free64742-47-8Isopropyl alcohol67-63-0liquid, 2,2-dibromo-3-nitrilopropionamide1022-01-2MicroparticleProprietaryPetroleum Distillates (BTEX Below Detect)64742-47-8Polyacrylamide57-55-6Propagyl Alcohol107-19-7Propylene Glycol57-55-6Quartz14808-60-7Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Mydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Surfactant67784-80-9Solybean Oll, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamethylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Tiamine Penta34690-00-1Phosphonate Tetra23605-75-52-Propencia acid, polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra23605-77-52-Propencia acid, polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra23605-78-52-Propencia acid, polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra23605-78-5Diethylene Rolyamine68603-67-8Coco amine61791-14-8		7647-01-0	1
Isopropyl alcohol67-63-0Ilquid, 2,2-dibromo-3-nitrilopropionamide10222-01-2MicroparticleProprietaryPetroleum Distillates (BTEX Below Detect)64742-47-8Polyacrylamide57-55-6Propargyl Alcohol107-19-7Propylene Glycol57-55-6Quartz14808-60-7Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solybean Oli, Me ester67742-96-7Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamethylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Ilamine penta (methylene phosphonic acid)23605-74-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene Ilamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine1000-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8		64742-47-8	1
liquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Chloride 757-50-1 Surgar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Gobybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 115827-60-8 Hexamethylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-78-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Diamine Tetra 23605-74-5 Diethylene Glycol 111-46-6 </td <td></td> <td>67-63-0</td> <td>1</td>		67-63-0	1
Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Proparyl Alcohol 107-19-7 Propylene Giycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 132605-75-5 Hexamethylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-77-5 Diethylene Giycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8		10222-01-2	1
Petroleum Distillates (BTEX Below Detect)64742-47-8Polyacrylamide57-55-6Proparyl Alcohol107-19-7Propylene Glycol57-55-6Quartz14808-60-7Sillica, crystalline quartz7631-85-9Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Surfactant68439-51-0Surfactant64742-96-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Triamine Penta23605-75-5Phosphino Carboxylic acid polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine66803-67-8Coco amine61791-14-8		Proprietary	1
Polyacrylamide57-55-6Propargyl Alcohol107-19-7Propylene Glycol57-55-6Quartz14808-60-7Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Chloride57-50-1Sugar57-50-1Surfactant68439-51-0Suypending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solven Naphtha, petroleum, heavy aliph64742-96-7Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate115827-60-8Hexamethylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene Diamine Tetra111-46-6Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene Glycol68603-67-8Coco amine61791-14-8			1
Propargyl Alcohol107-19-7Propargyl Alcohol57-55-6Quartz14808-60-7Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solven Naphtha, petroleum, heavy aliph64742-96-7Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamthylene Diamine Tetra23605-75-52-Propencia acid, polymer with 2 propenamide9003-06-9Hexamthylene diamine penta (methylene phosphonic acid)213605-74-5Diethylene Giycol111-46-6Methenamine100-97-0Polyethylene ofycol68603-67-8Coco amine61791-14-8		57-55-6	1
Propylene Glycol57-55-6Quartz14808-60-7Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamethylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene diamine Tetra23605-73-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene glyamine68603-67-8Coco amine61791-14-8		107-19-7	1
Quartz14808-60-7Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00.1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Sillica, crystalline quartz7631-86-9Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00.1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Sodium Chloride7647-14-5Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			
Sodium Hydroxide1310-73-2Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Sugar57-50-1Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamethylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Surfactant68439-51-0Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			·
Suspending agent (solid)14808-60-7Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Tar bases, quinoline derivs, benzyl chloride-quaternized72480-70-7Solvent Naphtha, petroleum, heavy aliph64742-96-7Soybean Oil, Me ester67784-80-9Copolymer of Maleic and Acrylic Acid52255-49-9DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Solvent Naphtha, petroleum, heavy aliph64742-96-7RECEIVED (co of Oil and GesSoybean Oil, Me ester67784-80-9CoCopolymer of Maleic and Acrylic Acid52255-49-9AY 2 5 - 0(1)DETA phosphonate15827-60-8V Department of Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-50Diethylene Glycol111-46-6100-97-0Polyethylene polyamine68603-67-868603-67-8Coco amine61791-14-80			1
Soybean Oil, Me ester67784-80-9Cilice of Oil and GesCopolymer of Maleic and Acrylic Acid52255-49-9IAY 2.5 - 0.1DETA phosphonate15827-60-8IAY 2.5 - 0.1Hexamthylene Triamine Penta34690-00-1IAY 2.5 - 0.1Phosphino Carboxylic acid polymer71050-62-9IAY 2.5 - 0.1Hexamethylene Diamine Tetra23605-75-5IAY 2.5 - 0.12-Propenoic acid, polymer with 2 propenamide9003-06-9IAY 2.5 - 0.1Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5IAY 2.5 - 0.1Diethylene Glycol111-46-6IAY 2.5 - 0.1Methenamine100-97-0IAY 2.5 - 0.1Polyethylene polyamine68603-67-8IAY 2.5 - 0.1Coco amine61791-14-8IAY 2.5 - 0.1			RECEIVED
Copolymer of Maleic and Acrylic Acid52255-49-9AXY259DETA phosphonate15827-60-8VDepartment ofHexamthylene Triamine Penta34690-00-1VDepartment ofPhosphino Carboxylic acid polymer71050-62-9VDepartment ofHexamethylene Diamine Tetra23605-75-5Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Propenoic acid, polymerDiethylene Glycol111-46-6100-97-0Methenamine100-97-068603-67-8Polyethylene polyamine68603-67-8Coco amineCoco amine61791-14-8Commentation		67784-80-9	lice of Oil ରାଘ ଉଚ୍ଚ
DETA phosphonate15827-60-8Hexamthylene Triamine Penta34690-00-1Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			ANY 2 5 .901
Hexamthylene Triamine Penta34690-00-1M Department of onmental ProtectionPhosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			
Phosphino Carboxylic acid polymer71050-62-9Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			W/ Department of
Hexamethylene Diamine Tetra23605-75-52-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8		71050-62-9	OULDERING FIOLECION
2-Propenoic acid, polymer with 2 propenamide9003-06-9Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Hexamethylene diamine penta (methylene phosphonic acid)23605-74-5Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Diethylene Glycol111-46-6Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			1
Methenamine100-97-0Polyethylene polyamine68603-67-8Coco amine61791-14-8			
Polyethylene polyamine68603-67-8Coco amine61791-14-8			
Coco amine 61791-14-8			1
12-Propyn-1-olcompound with methyloxirane 38172-91-7	2-Propyn-1-olcompound with methyloxirane	38172-91-7	1

