

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, July 29, 2021 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Permit approval for GLAMDRING UNIT 2H Re:

47-095-02743-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Chief

Operator's Well Number: GLAMDRING UNIT 2H

U.S. WELL NUMBER: 47-095-02743-00-00

Farm Name: KAYLA LEEK

Horizontal 6A New Drill

Date Issued: 7/29/2021

API Number:

#### PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers
  (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed
  activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API	Number:	

### **PERMIT CONDITIONS**

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47- 695 - 02743
OPERATOR WELL NO. Glamdring Unit 2H
Well Pad Name: Margery Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator:	Antero Res	ources Corpor	494507062	095 - Tyler Ellswort	Porter Falls 7.5'
			Operator ID	County District	Quadrangle
2) Operator's We	ll Number: Gla	amdring Unit 2	H Well F	ad Name: Margery Pad	
3) Farm Name/Su	rface Owner:	Kayla Leek	Public R	oad Access: CR 11	
4) Elevation, curr	ent ground:	1041'/	Elevation, propose	ed post-construction:	
	a) Gas X	Oil _	Un	derground Storage VED	
(1	Section 1	llow X	Deep	JUL 0 1 2021	
6) Existing Pad: Y		rizontal X		Environmental Protection	1-25-21
				s and Expected Pressure(s): dated Pressure- 2850#	4
8) Proposed Total	Vertical Dept	h: 7100' TVD	1		
9) Formation at T	otal Vertical D	epth: Marcell	us		
10) Proposed Tota	al Measured De	epth: 11,300'	MD /		
11) Proposed Hor	izontal Leg Le	ngth: 298'	/		
12) Approximate	Fresh Water St	trata Depths:	103'		
13) Method to De 14) Approximate			Offset well records.	Depths have been adjusted accord	ling to surface elevations.
15) Approximate	Coal Seam De	pths: None An	ticipated		
16) Approximate	Depth to Possi	ble Void (coal r	nine, karst, other):	None Anticipated	
17) Does Propose directly overlying				No X	
(a) If Yes, provide	de Mine Info:	Name:			
		Depth:			
		Seam:			
		Owner:			

WW-6B (04/15) API NO. 47- 095 - 02743

OPERATOR WELL NO. Glamdring Unit 2H
Well Pad Name: Margery Pad

18)

#### CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	90	90	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	300	300	CTS, 417 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500 <sub>RECE</sub>	CPSGUE 8 Cu. Ft.
Intermediate						Office at ch	2021
Production	5-1/2"	New	P-110	23#	11300	11300 1 0	12700 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		30-	a inmerit of
Liners						Environme	ontainent of one officer

Dm+ 6-29-21

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	LANS-HIPDZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

#### PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

API NO. 47- 095 OPERATOR WELL NO, Glamdring Unit 2H Well Pad Name: Margery Pad

10	D			San and San and San and	42.	4-1111		the state of	1 1		20.01	
13	Describe propos	ed well	WOIK,	meruding	me	grilling	and I	nugging	Dack	or any	DHOLL	iole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

#### 20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 51.65 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 13.44 acres

#### 23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

#### 24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement,

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement-50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.45% C

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACGA-37 90 2% ACR-20

25) Proposed borehole conditioning procedures:

\*Note: Attach additional sheets as needed.

API Number 47 - 096 - 74 - 097 IAN API Number 47 - 096 - 74 - 000

MY COMMISSION ENTINES ALLY 22, 2022

## DEFARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

THE RESIDENCE OF THE PARTY OF T	Motary Pu	My commission expires
	1 20 7 1	Subscribed and sworn before me this 28th day of JULO
		Company Official Title Director, Environmental and Regulatory Compilance
		Company Official (Typed Name) Gretchen Kohler
40/1091	Old IP	Company Official Signature Gretchen Kohler
anderstand that the or other applicable lying submitted on this	tition of the general premitegal	I certify that I understand and agree to the terms and conditions of the Character of the West Virginia Department or August 1, 2005, by the Office of Oil and Gas of the West Virginia Department or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and an application form and all attachments thereto and that, based on my inquiry of braining the information, I believe that the information is true, accurate, and braining the information, I believe that the information is true, accurate, and senablites for submitting false information, including the possibility of fine or impresentations.
		ermittee shall provide written notice to the Office of Oil and Gas of any load of d West Virginia solid waste facility. The notice shall be provided within 24 hours of where it was properly disposed.
S6WV0109410)	08-3WB # Similer (Permit # SWF-10	-Landfill or offsite name/permit number? Meedowill Landfill (Pennit #3WF-1032-
		-If left in pit and plan to solidify what medium will be used? (cement, lin
	Alla Charles	
Jilibnei of nealet	ona etisito bevomen ,evinet ni benote egnittur	Orill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Dall ou
		Additives to be used in drilling medium?
		-If oil based, what type? Synthetic, petroleum, etc. Synthetic
10 Build beautif heartly -	er, oil based, etc. serious seed sed	Milling medium anticipated for this well (vertical and horizontal)? Air, freshwate
	MI CHARLESTER - MARTINE	
- 43A)puvvvs3	ngs removed offelte and taken to la	
- 43A)puvva3	war and beautiful and	Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cutting
#SWP-1025/	Monthwestern Landfill Pennin	Other (Explain  Vill closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttin
#SWF-1022-98) t #SWF-1025/ andfill.	cation) (Mosdowfill Landfill Permit My0109410	Off Site Disposal (Supply form WW-9 for disposal loc Other (Explain Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttin
34 ) #SWF-1022-98) L#SWF-1025/ I#SWF-1025/	plicabie. APW will be provided on Form WR- Morthwestern Landfill Permit MY0109410	Reuse (st API Number Future permitted well focations when step Off Site Disposal (Supply form WW-9 for disposal location Office (Explain  Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cutting
#SWF-1022-98)	plicabie. APW will be provided on Form WR- Morthwestern Landfill Permit MY0109410	Betase (at API Mumber Future permitted well focesions when apply form WW-9 for disposal local Other (Explain  Office Disposal (Supply form WW-9 for disposal local Other (Explain  Office Lead? If so, describe: Yes, fluids stored in tanks, cutting a system be used? If so, describe:
#8WF-1022-98)	plicabie. APW will be provided on Form WR- Morthwestern Landfill Permit MY0109410	Land Application  Underground Injection (UIC Permit Mumber *UIC Pen  Reuse (at API Mumber Future permitted well locations when apply  Off Site Disposal (Supply form WW-9 for disposal locations)  Other (Explain  Other (Explain
48 WF-1022-98)	wmit # will be provided on Form WR-34 plicable. AP# will be provided on Form WR-cation) (Meadowall Landfill Permit Molton Landfill Permit	Proposed Disposal Method For Treated Pit Wastes:  Land Application  Underground Injection ( UIC Permit Mumber "UIC Permit Mumber "UIC Permit Mumber "UIC Permit Mumber "UIC Permit Main Incomment of Site Disposal (Supply form WW-9 for disposal locations when soph  Off Site Disposal (Supply form WW-9 for disposal locations)  Other (Explain  Other (Explain  Other (Explain
48 WF-1022-98)	plicabie. APW will be provided on Form WR- Morthwestern Landfill Permit MY0109410	Proposed Disposal Method For Treated Pit Wastes:  Land Application  Underground Injection ( UIC Permit Mumber "UIC Permit Mumber "UIC Permit Mumber Postons when sopion of Site Disposal (Supply form WW-9 for disposal loc
1 #SWF-1022-98)	wmit # will be provided on Form WR-34 plicable. AP# will be provided on Form WR-cation) (Meadowall Landfill Permit Molton Landfill Permit	Will closed loop system be used in the pit? Yes No Vill a synthetic liner be used in the pit? Yes No Vill a synthetic liner be used in the pit? Yes Land Application  Land Application  Land Application  Underground Injection (UIC Permit Mumber *UIC Permit Mumbe
75201-3AAS#1 (865-201-3AAS#1 (865-201-3AAS#1) (965-201-4AAS#1)	AVA 7.Im the will be stored in tenses, Cuttings will be tensed in AVA.  AVA 7.Im 184 V. Available on Form VR-34 pilosabie. APM will be provided on Form VR-34 pilosabie. APM will be provided on Form VR-34 pilosabie. APM will be provided on Form VR-34 VOISABILITY OF THE PROVIDED OF THE P	Vill a pit be used? Yes  If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes  Proposed Disposal Method For Treated Pit Wastes:  Land Application  Land Application  Off Site Disposal (Supply form WW-9 for disposal locations when application)  Off Site Disposal (Supply form WW-9 for disposal locations when application)  Off Site Disposal (Supply form WW-9 for disposal locations when application)  Other (Explain)  Other (Explain)
24.	well work? Yes W No. Work? Yes W No. What ml.? WA  Too, what ml.? WA  Ploable, APW will be provided on Form WR-34  Cation) (Meadowall Landfill Permit  Porthwestern Landfill Permit	Nill a pit be used? Yes No Poles of water to complete the proposed will a pit be used? Yes No Poles of water to complete the proposed Will a pit be used anticipated pit waste:  Will a synthetic liner be used in the pit? Yes No Proposed Disposal Method For Treated Fit Wastes:  Land Application  Land Application  Off Site Disposal (Supply form WW-9 for disposal local managements of the Carpinian when application (Baplain)  Other (Explain)  Other (Explain)
24.	AVA 7.Im the will be stored in tenses, Cuttings will be tensed in AVA.  AVA 7.Im 184 V. Available on Form VR-34 pilosabie. APM will be provided on Form VR-34 pilosabie. APM will be provided on Form VR-34 pilosabie. APM will be provided on Form VR-34 VOISABILITY OF THE PROVIDED OF THE P	Vill a pit be used? Yes No Mater to complete the proposed we was not be used? Yes No Mater to complete the proposed will a synthetic liner be used in the pit? Yes No Mates:  Will a synthetic liner be used in the pit? Yes No Mates:  Land Application  Land Application (UIC Permit Mumber **UIC Pen Manuer **UIC Pen

roposed Revegetation Treatmen	nt: Acres Disturbed 51.65 a	cres Prevegetation pl	н			
Lime 2-4	_ Tons/acre or to correct to pl-	6.5				
Fertilizer type Hay or st	raw or Wood Fiber (will be used	where needed)				
Fertilizer amount 500		os/acre				
Mulch 2-3	Tons/					
Access Reed "A"	Stockpiles	a) + Staging Area (0.41) + Well Ped (13.44 seres) + 26.03 seres) = 51.65 Agres	- Excess/Topsoli Material			
_	· · · · · · · · · · · · · · · · · · ·	d Mixtures				
Temp	•	Permanent				
Seed Type  Appual Progress	lbs/acre 40	Seed Type  Crownvetch	Ibs/acre			
Annual Ryegrass			10-15			
Field Bromegrass	40	Tall Fescue	30			
See attached Table IV-3 for additional e	ood type (Margery Pad Design)	See attached Table IV-4A for additiona	l seed type (Margary Pad Desig			
ta-t	noted by surface summer	*or type of grass seed requested by surface owner				
	d proposed area for land application	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been			
Attach:  Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water graphication a creage, of the land application a chotocopied section of involved	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	ation (unless engineered plans inclu	ding this info have been			
Attach:  Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water graphication a creage, of the land application a chotocopied section of involved	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	ation (unless engineered plans inclu	ding this info have been			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit w creage, of the land application a	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	ation (unless engineered plans inclu	ding this info have been d dimensions (L x W), an			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	ation (unless engineered plans inclu	ding this info have been d dimensions (L x W), an			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Cill and Ga			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Cill and Ga			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Cill and Ga			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been dimensions (L x W), and office of Gil and office office of Gil and office office of Gil and office off			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Cill and Ga			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicified, include di urea. 7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Cill and Ga			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water and application a chotocopied section of involved lan Approved by:  Comments:	i proposed area for land applicitly include discrete.  7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Oil and Ga			
Attach: Maps(s) of road, location, pit and rovided). If water from the pit water from the pit water application a creage, of the land application a chotocopied section of involved clan Approved by:	i proposed area for land applicitly include discrete.  7.5' topographic sheet.	eation (unless engineered plans inclumensions (L x W x D) of the pit, and	office of Oil and Ga			

#### Form WW-9 Additives Attachment

#### **SURFACE INTERVAL**

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

#### **INTERMEDIATE INTERVAL**

#### STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

#### **PRODUCTION INTERVAL**

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide – Lime

11. LD-9

Polyether Polyol - Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

RECEIVED
Office of Oil and Gas

JUN 2 3 2021

WV Department or Environmental Protection 13. Escaid 110

Drilling Fluild Solvent – Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

**Inorganic Salt** 

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer – Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt - Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

**Drilling Fluid Lubricant** 

RECEIVED
Office of Orland Gas

JUN 2 3 2021



Glamdring Unit 2t



Antero Resources Corporation

Glamdring Unit 2H - AOR



No Wells of Interest REMARKS

June 9, 2021

RECEIVED
Office of Oil and Gas

JUN 2 3 2021

WV Department of Environmental Protection



911 Address 4332 Elk Fork Road Middlebourne, WV 26149

# Well Site Safety Plan Antero Resources

Well Name: Margery Unit 5H, Grapevine Unit 1H-2H, Lemon Unit 1H-2H, Specter Unit 1H-2H, Glamdring Unit 1H-2H, Parr Unit 1H-2H and National Unit 1H-2H

Pad Location: MARGERY PAD Tyler County/Ellsworth District

**GPS Coordinates:** 

Entrance - Lat 39.520117'/ Long -80.834338' (NAD83)
Pad Center - Lat 39.517463'/ Long -80.829413' (NAD83)

### **Driving Directions:**

DMH 6-29-21


From Middlebourne: Head northeast on WV-18 North/Main Street toward Court Street/ Dodd Street for .4 miles - turn right onto CO Rd 18/6 3.9 miles, turn right onto Elk Fork Road for .8 miles -lease road will be on your right.

#### Alternate Route:

From Sisterville: Head southeast on Diamond Street toward Wells Street for 308 feet - turn right onto WV-2 South/Chelsea Street for 0.9 miles - continue straight onto WV-18 South for 6.9 miles - turn left onto WV-180 North for 0.2 miles - turn right onto CO Road 11/6 for 0.4 miles - continue onto Elk Fork Road for 0.2 miles - lease road will be on your right.

**EMERGENCY (24 HOUR) CONTACT 1-800-878-1373** 

1





ACCURACY

WELL TYPE: OIL

DIVISION OF OIL AND GAS

0 Found monument, as noted SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS THOMAS SUMMERS P.S. STATE OF WEST VIRGINIA DATE 06/09/21 DEPARTMENT OF ENERGY OPERATOR'S WELL# GLAMDRING UNIT #2H


WELL NO. 2H (NAD) 27 (UTM) ZONE 17 COORDS:
WELL 2H TOP HOLE INFORMATION:
N: 14,350,407ff E: 1,686,640ff
POINT OF ENTRY INFORMATION:
N: 14,351,167ff E: 1,691,412ff
BOTTOM HOLE INFORMATION:
N: 14,350,905ff E: 1,691,554ff

25,30.1 STAKE/NATIL, SET 1" = 500" API WELL # -02743 HGA 095 PERMIT

GAS X LIQUID INJECTION WASTE DISPOSAL "GAS") PRODUCTION 47 STORAGE DEEP SHALLOW X WATERSHED OUTLET MIDDLE ISLAND CREEK LOCATION: ELEVATION AS BUILT - 1,041' QUADRANGLE PORTER FALLS 7.5' DISTRICT ELLSWORTH COUNTY TYLER SURFACE OWNER KAYLA LEEK ACREAGE 69.06 ACRES +/-LEASE ACREAGE 69.06 AC. +;

OIL & GAS ROYALTY OWNER RIDGETOP CAPITAL LP;
RIDGETOP CAPITAL IV LP;
RIDGETOP CAPITAL IV LP;
RIDGETOP CAPITAL IV LP; NILE DEAN HARRIS
ANTERO RESOURCES CORPORATION
PROPOSED WORK: DRILL X CONVERT DRILL DEEP 43.5 AC.±; 16.5 AC.±; 53.75 AC.±; 40 AC.± FRACTURE OR STIMULATE X DEEPER REDRILL PLUG OFF OLD FORMATION \_ PERFORATE NEW FORMATION OTHER PHYSICAL CHANGE IN WELL PLUG & ABANDON (SPECIFY) CLEAN OUT & REPLUG TARGET FORMATION

MARCELLUS ESTIMATED DEPTH 7,100' TVD 11,300' MD WELL OPERATOR \_ ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM 5400 D BIG TYLER ROAD **ADDRESS** 1615 WYNKOOP ST. FORM WW-6 **DENVER, CO 80202** CHARLESTON, WV 25313



INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Ridgetop Capital LP Lease			
Ridgetop Capital LP	Petroedge Energy LLC	1/8	0420/0643
Petroedge Energy LLC	Statoil USA Onshore Properties Inc.	Assignment	0436/0001
Statoil USA Onshore Properties Inc.	<b>EQT Production Company</b>	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
Ridgetop Capital IV, LP Lease Ridgetop Capital IV, LP	Antero Resources Corporation	1/8+	620/605
Ridgetop Capital IV, LP Lease Ridgetop Capital IV, LP	Antero Resources Corporation	1/8+	632/442
Nile Dean Harris Lease Nile Dean Harris EQT Production Company	EQT Production Company Antero Resources Corporation	1/8 Assignment	546/539 <b>663/1</b>

**Antero Resources Corporation Lease** 

RECEIVED Office of Office And Gal

JUN 2 3 2021

WAY Department of Environmental Protection

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Douglas Scott Funk Sr Lease				
	Douglas Scott Funk Sr	Antero Resources Corporation	1/8+	651/792

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED

Office of Oil and Gas.

JUN 2 3 2021

Wy Decamment of Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation				
By:	Tim Rady	Can Voclas			
Its:	VP of Land				



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

June 8, 2021

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57<sup>th</sup> Street SE Charleston, WV 25304

RE:

Glamdring Unit 2H

Quadrangle: Porter Falls 7.5'

Tyler County/Ellsworth District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Glamdring Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Gramdring Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Tyler Adams

Tyler Adams

Landman

PEGFIVED Office of the and Gas

JUN 2 3 2021

Environment of Protection

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

02748

	e Certification: 06/11/2021	<b>API No. 47-</b> 095	. 02193
	-	Operator's Well	No. Glamdring Unit 2H
		Well Pad Name:	Margery Pad
Notice has be			
		e § 22-6A, the Operator has provided the required	parties with the Notice Forms listed
	tract of land as follows:		
State:	West Virginia	———— UTM NAD 83 Easting: 51471	
County:	Tyler	Northing: <u>43742</u>	
District:	Ellsworth	Public Road Access: CR 11	
Quadrangle: Watershed:	Porter Falls 7.5' Outlet Middle Island Creek	Generally used farm name: Kayla	Leek
watersned:	Outlet Middle Island Creek	<del></del>	
it has provide information re of giving the requirements of Virginia Code	d the owners of the surface desc equired by subsections (b) and (c), surface owner notice of entry to of subsection (b), section sixteen	shall contain the following information: (14) A corribed in subdivisions (1), (2) and (4), subsection section sixteen of this article; (ii) that the requiren survey pursuant to subsection (a), section ten of of this article were waived in writing by the subtender proof of and certify to the secretary that the ant.	n (b), section ten of this article, the nent was deemed satisfied as a result this article six-a; or (iii) the notice arface owner; and Pursuant to West
that the Open	West Virginia Code § 22-6A, the Cator has properly served the requinck ALL THAT APPLY	Operator has attached proof to this Notice Certific red parties with the following:	OOG OFFICE USE ONLY
☐ I. NOT	TICE OF SEISMIC ACTIVITY of	or NOTICE NOT REQUIRED BECAUSE N SEISMIC ACTIVITY WAS CONDUCTED	NO RECEIVED/
☐ 2. NOT	TCE OF ENTRY FOR PLAT SUF	RVEY or 🔳 NO PLAT SURVEY WAS CONDU	JCTED RECEIVED
■ 3. NOT	TICE OF INTENT TO DRILL 0	NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	☐ RECEIVED/ NOT REQUIRED
		WRITTEN WAIVER BY SURFACE ON (PLEASE ATTACH)  RECEIV	II.
4. NOT	TICE OF PLANNED OPERATION		
■ 5. PUB:	LIC NOTICE	JUN 2 3	LI RECEIVED
■ 6. NOT	ICE OF APPLICATION	WV Departnik Environmental Pr	ent of rotection

#### **Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

#### Certification of Notice is hereby given:

THEREFORE, I Diana Hoff have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation

By: Diana Hoff Diana Its: Senior VP of Operations

Telephone: 303-357-7310 Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: mstanton@anteroresources.com

NOTARY SEAL

SYDNEY SWEITZER NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184036008 MY COMMISSION EXPIRES SEPTEMBER 11, 2022

Subscribed and sworn before me this 14 day of June, 2021

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Octand Gas

JUN 2 3 7021

WV December to Environments) Protection WW-6A (9-13)

API NO. 47-085 - 62743
OPERATOR WELL NO. Glamdring Unit 2H
Well Pad Name: Margary Ped

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 8/14/2021 Date Permit Application Filed: 8/14/2021 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ REGISTERED PERSONAL ☑ METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the crosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (e), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☐ Application Notice ☐ WSSP Notice ☐ B&S Plan Notice ☐ Well Plat Notice is hereby provided to: ☐ COAL OWNER OR LESSEE SURFACE OWNER(s) Name: Kayla Leak Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: 127 North 8th Avenue Address: Peden City, WV 28159 COAL OPERATOR Name: Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: SURFACE OWNER(s) (Road and/or Other Disturbance) WATER PURVEYOR(s)/OWNER(s) OF WATER WELL. Name: Keyle Leek SPRING OR OTHER WATER SUPPLY SOURCE Address: 127 North 6th Avenue Paden City, WV 28189 Name: Please see attached Address: DOPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Address: Address: \*Please attach additional forms if necessary

Pursuant to West Virginia Code § 22-6A-10(b), notice is bereby given that the undersigned well operator has applied for a permit for Notice in bereby given:

This Notice Shall Include: well work or for a certificate of approval for the construction of an impoundment or pit.

plan required by section seven of this article; and (3) the well plat Fursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control

permit decision and a list of persons qualified to test water, additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the who may file written comments; (3) the name and address of the secretary for the purpose of thing the comments and obtaining Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2)

purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. PERMINENT to W. Ve. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water

qualified to test water supplies in accordance with standard acceptable methods. and or water purveyor that he or able can obtain from the Chief a list of water testing laboratories in the subject area capable of and purveyor whether or not the operator will milize an independent laboratory to analyze any sample; and (4) advise the surface owner of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right

Protection headquarters, located at 601 57" Street, SB, Charleston, WV 25304 (304-926-0450) or by visiting www.doc.nvv.gov/oil-Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental

Xds a fluidob/somed/uso-bng

well location restrictions regarding occupied dwelling structures purenant to this section. Upon a finding, if any, by the secretary that Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the of the wells was permitted prior to the effective date of this article. (c) The secretary shall, by December 31, 2012, report to the in this section. (d) The well lorations restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section prevents an operator from conducting the activities permitted or sutherized by a Clean Water Act Section 404 permit or permit conditions as the secretary considers necessary, (c) Notwithstanding the foregoing provisions of this section, nothing contained employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient messures, facilities or practices to be surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, (2) For a semicircular rational and a stream, the distance shall be measured from a semicircular radius extending upstream of the follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground hundred feet measured horizontally from any percamial stream, manual or artificial lake, pond or reservoir, or a wetland, or within three framence, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, or initiaings that existed on the date a notice to the surface owner of planned curry for surveying or staking as provided in section ten of or shelter dairy cattle or poultry busbendry. This limitation is applicable to those wells, developed springs, dwellings or agricultural hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six Persuant to W. Vs. Code § 22-6A-12, Wells may not be drilled within two inmured fifty feet measured horizontally from any existing Well Location Restrictions

the well location restrictions regarding occupied dwelling structures are insdequate or otherwise require alteration to address the items

Motice is hereby given:

well work or for a certificate of approval for the construction of an impoundment or pit. Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for

plan required by accition seven of this article; and (3) the well plat. Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the crosion and acdiment control This Notice Shall Include:

permit decision and a list of persons qualified to test water. additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the who may the written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2)

purveyor or surface owner subject to notice and water bearing as provided in section 15 of this rule. Pursuent to W. Vs. Code R. § 35-8-5.7.s, the operator shall provide the Well Site Safety Plan to the surface owner and any water

qualified to test water supplies in accordance with standard acceptable methods. has to start purveyor that he or she can obtain from the Chief's list of water testing laboratories in the subject area capable of and purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner of his or her independent right to sample and analyze any water aupply at his or her own expense; advise the surface owner and water a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuitsble presumption for contamination or Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right

Zava Vinarab/warowy nei-ban Protection headquarters, located at 601 57th Street, SB, Charleston, WV 25304 (304-926-0450) or by visiting www.dep. #2 200000. Additional information related to horizontal drilling may be obtained from the Secarciary, at the WV Department of Environmental

#### Well Location Restrictions

the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items well location restrictions regarding occupied dwelling structures pursuant to this sociton. Upon a finding, if any, by the secretary that Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the of the wells was permitted prior to the effective date of this article. (c) The secretary shall, by December 31, 2012, report to the in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one other approval from the United States Army Corps of Haginesses within any waters of the state or within the restricted areas refusenced in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained employed during well are construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient messures, facilities or practices to be surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the follows: (1) For a suckace water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as hundred feet of a naturally reproducing front stream. No well pad may be located within one thousand feet of a surface or ground hundred feet measured horizontally from any peremial atreem, natural or artificial lake, pond or reservoir, or a wotland, or writhin times insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of this structe or a notice of intent to drill a horizontal well as provided in subscotion (b), section sixteen of this stricte was provided, To not notices at belivorg as garifuls to garyevers tof your bennalq to tenwo costrue aft of cotton a stab and no betein tail significant or shelter dairy cante or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six Purment to W. Ve. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing

API NO. 47-695 - 02743
OPERATOR WELL NO. Glamming Link 2H

Well Pad Name: Margary Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred fest of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57<sup>th</sup> St. SE
Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) APINO. 47-006 ..

OPERATOR WELL NO. Glamdring Unit 2H

Well Pad Name: Margary Pad

#### Time Limits and Methods for Filing Comments,

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### **Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective:
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A (8-13)

API NO. 47-085 OPERATOR WELL NO. Glamdring Unit 2H Well Pad Name: Margary Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7223 Diana

Email: metenton@enterorescurces.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile; 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Subscribed and sworn before me this 28th day of June 2021

My Commission Expires July 23, 2022

### WW-6A Notice of Application to Water Well Owner Attachment:

#### Water Well Owners:

<u>Tax Parcel ID: 2-11-44.3</u>

Owner: Address:

Charles Ferrell 4646 Elk Fork Rd

Middlebourne, WV 26149

<u>Tax Parcel ID: 2-16-06</u>

Owner: Address:


Kayla Leek 127 N 6<sup>th</sup> Ave

Paden City, WV 26159

RECEIVED
Office of Oil and Gas

JUN 2 3 2021

WV Department of Environmental Protection



Operator Well No. Glamdring Unit 2H

WW-6A4 (1/12)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Delivery metho	od pursuant to West	Virginia Code § 22	2-6A-16(b)		
☐ HAND	■ CERTI	IFIED MAIL			
DELIVER	Y RETU	RN RECEIPT REQ	UESTED		
eceipt requested frilling a horized of this subsection ubsection may and if available.	d or hand delivery, g ontal well: Provided, on as of the date the n be waived in writing	tive the surface owner, That notice given protice was provided to by the surface owner ad electronic mail ad		ne surface owner's land on of this article satisfient sever, That the notice roude the name, address,	I for the purpose of es the requirements equirements of this telephone number.
lame: Kayla Leek	Inio Ci		Name:		_
Paden City, WV 261		- J	Address:		_
State: _\	Vest Virginia	oose of drilling a hor	- IIIM NAD 83	514713m	
county:		oose of drilling a hor	izontal well on the tract of land as fo — UTM NAD 83 Easting:		
State: Note that the state: Note that the state: Note that the state that the sta	Vest Virginia "yler	oose of drilling a hor	izontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access:	514713m 4374231m	
State: V County: 1 District: E Quadrangle: F	Vest Virginia Tyler Ellsworth	oose of drilling a hor	izontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access:	514713m 4374231m CR 11	
County: District: Duadrangle: Vatershed: Chis Notice S Pursuant to We acsimile number	Vest Virginia  Fyler  Elisworth  Porter Falls 7.5'  Dutlet Middle Island Creek  hall Include:  est Virginia Code §  er and electronic may  ontal drilling may be	22-6A-16(b), this pail address of the obtained from the	izontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access:	514713m 4374231m CR 11 Kayla Leek ess, telephone numbered representative. Addit Environmental Protes	r, and if available, itional information
County: District: Duadrangle: Patershed: Chis Notice S Pursuant to We assimile number lated to horizocated at 601 5	Vest Virginia  Tyler  Elisworth  Porter Falls 7.5'  Dutlet Middle Island Creek  thall Include: est Virginia Code § er and electronic material drilling may be  7th Street, SE, Charle  thy given by:	22-6A-16(b), this mail address of the obtained from the eston, WV 25304 (3)	izontal well on the tract of land as for Easting:  — UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addreperator and the operator's authorize Secretary, at the WV Department of	514713m 4374231m CR 11 Kayla Leek ess, telephone numbered representative. Addit Environmental Protes	r, and if available, itional information
tate: County: District: Duadrangle: Vatershed: Chis Notice S ursuant to We assimile number to the county of the co	Vest Virginia  Tyler  Ellsworth  Porter Falls 7.5'  Dutlet Middle Island Creek  thall Include:  est Virginia Code §  er and electronic ma  ontal drilling may be  7th Street, SE, Charle	22-6A-16(b), this mail address of the obtained from the eston, WV 25304 (3)	izontal well on the tract of land as for Easting:  — UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addreperator and the operator's authorize Secretary, at the WV Department of 04-926-0450) or by visiting www.de	514713m 4374231m CR 11 Kayla Leek ess, telephone numbered representative. Addit Environmental Protes	r, and if available, itional information
tate:  dounty: District: Duadrangle: Vatershed:  Chis Notice Sursuant to We assimile number lated to horizocated at 601 5  lotice is here Vell Operator:	Vest Virginia  Tyler  Elisworth  Porter Falls 7.5'  Dutlet Middle Island Creek  thall Include: est Virginia Code § er and electronic material drilling may be  7th Street, SE, Charle  thy given by:	22-6A-16(b), this mail address of the obtained from the eston, WV 25304 (3)	izontal well on the tract of land as for Easting:  — UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addreperator and the operator's authorize Secretary, at the WV Department of 04-926-0450) or by visiting www.de	514713m 4374231m CR 11 Kayla Leek ess, telephone numbered representative. Addit Environmental Protect.	r, and if available, itional information
tate:  dounty: District: Duadrangle: Vatershed:  Chis Notice S  ursuant to We assimile number to horize betated to horize betated at 601 5  lotice is here Vell Operator: ddress:	Vest Virginia  Fyler  Ellsworth  Porter Falls 7.5'  Dutlet Middle Island Creek  hall Include: est Virginia Code § er and electronic ma ontal drilling may be 7th Street, SE, Charle  by given by: Antero Resources Corpor	22-6A-16(b), this mail address of the obtained from the eston, WV 25304 (3)	izontal well on the tract of land as for Easting:  — UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  — notice shall include the name, addreperator and the operator's authorize Secretary, at the WV Department of 04-926-0450) or by visiting www.de  — Authorized Representative: Address:	514713m  4374231m  CR 11  Kayla Leek  ess, telephone numbered representative. Addit Environmental Protect P.wv.gov/oil-and-gas/p	r, and if available, itional information ction headquarters, pages/default.aspx.
County: District: Duadrangle: Patershed: Chis Notice S Pursuant to We assimile number elated to horizocated at 601 5 Notice is here Vell Operator; Address: Celephone:	Vest Virginia  Tyler  Ellsworth  Porter Falls 7.5'  Dutlet Middle Island Creek  thall Include:  est Virginia Code §  er and electronic ma  ontal drilling may be  7th Street, SE, Charle  by given by:  Antero Resources Corpor  1615 Wynkoop St.	22-6A-16(b), this mail address of the obtained from the eston, WV 25304 (3)	izontal well on the tract of land as for Easting:  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addreperator and the operator's authorize Secretary, at the WV Department of 04-926-0450) or by visiting www.de  Authorized Representative: Address: Telephone:	614713m 4374231m CR 11 Kayla Leek ess, telephone numbered representative. Addit Environmental Protect. p.wv.gov/oil-and-gas/p Mallory Stanton 1615 Wynkoop St.	r, and if available, itional information ction headquarters, pages/default.aspx.
State: Notice S Pursuant to We facsimile numb located at 601 5  Notice is here	West Virginia  Tyler  Ellsworth  Porter Falls 7.5'  Dutlet Middle Island Creek  thall Include:  est Virginia Code §  er and electronic may be ontal drilling may be 7th Street, SE, Charle  by given by:  Antero Resources Corpore 1615 Wynkoop St.  Denver, CO 80202	22-6A-16(b), this pail address of the operation	izontal well on the tract of land as for Easting:  — UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  — notice shall include the name, addreperator and the operator's authorize Secretary, at the WV Department of 04-926-0450) or by visiting www.de  — Authorized Representative: Address:	614713m  4374231m  CR 11  Kayla Leek  ess, telephone numbered representative. Addit Environmental Protect P.wv.gov/oil-and-gas/p.  Mallory Stanton  1615 Wynkoop St.  Denver. CO 80202	r, and if available, itional information ction headquarters, pages/default.aspx.

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyofficer@wv.gov">depprivacyofficer@wv.gov</a>.

Operator Well No. Glamdring Unit 2H

WW-6A5 (1/12)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notice	Requirement: notice shall be provided ce: 06/14/2021 Date Permit	no later than the filing Application Filed: 06/		application.	
Delivery me	thod pursuant to West Virginia Code	§ 22-6A-16(c)			
■ CERTI	FIED MAIL	HAND			
	RN RECEIPT REQUESTED	DELIVERY			
return receipt the planned of required to be drilling of a damages to the (d) The notice	W. Va. Code § 22-6A-16(c), no later the requested or hand delivery, give the supperation. The notice required by this exprovided by subsection (b), section tenderizontal well; and (3) A proposed some surface affected by oil and gas operates required by this section shall be give	arface owner whose land is subsection shall inclu- in of this article to a surf- arface use and compen- tions to the extent the day in to the surface owner	d will be used for de: (1) A copy face owner whose sation agreemer amages are com	or the drilling of a h of this code section se land will be used not containing an off pensable under artic	orizontal well notice of on; (2) The information in conjunction with the fer of compensation for cle six-b of this chapter.
	eby provided to the SURFACE OWN is listed in the records of the sheriff at the				/
Name: Kayla Le		Name:			~
Address: 27 N	orth 6th Avenue	Addres	s:		
Paden City, WV 2	26159				
operation on State: County; District:	the surface owner's land for the purpos  West Virginia  Tyler  Elisworth	e of drilling a horizonta  UTM NAD 8  Public Road	Basting: Northing:	514713m 4374231m CR 11	s:
Quadrangle:	Porter Falls 7.5'		ed farm name:	Kayla Leek	
Watershed:	Outlet Middle Island Creek	Generally us	ed farm fidine.	Rayla Leek	
Pursuant to V to be provide horizontal we surface affect information to headquarters,	Shall Include: Vest Virginia Code § 22-6A-16(c), this ed by W. Va. Code § 22-6A-10(b) to ell; and (3) A proposed surface use and ted by oil and gas operations to the extellated to horizontal drilling may be oil located at 601 57th Street, SE, Ch.	a surface owner whose compensation agreeme tent the damages are obtained from the Secre	e land will be on the containing are compensable und tary, at the WV	used in conjunction n offer of compensa der article six-b of t Department of En	n with the drilling of a ation for damages to the this chapter. Additional
gas/pages/det					RECEIVED
Well Operato	THE STATE OF THE PARTY OF THE P	Address:	1615 Wynkoop Stre	et	Office of Oll and G
Telephone:	(303) 357-7223		Denver, CO 80202		JUN 2 D
Email:	mstanton@anteroresources.com	Facsimile:	303-357-7315		- 4 0 ZUZI
	Privacy Notice:	i acsiline,	303-357-7315	24,5-381	WW Deponsor

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyofficer@wv.gov">depprivacyofficer@wv.gov</a>.

API NO. 47-095 -

OPERATOR WELL NO. Glamdring Unit 2H
Well Pad Name: Margery Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

#### Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

#### VOLUNTARY STATEMENT OF NO OBJECTION

WW-6A and	, hereby state that I have read the sted above, and that I have received copies of a No attachments consisting of pages one (1) through the well plat, all for proposed well work on the trace	tice of Application, an Application, and Application	oplication for a Well Work Permit on F
State:	West Virginia		514713m
County:	Tyler	Northing:	4374231m
District:		Harry Drugger, and Freder	CR 11
Quadrangle: Watershed:	Porter Falls 7.5'	enerally used farm name:	Kayla Leek
*Please check	k the box that applies	FOR EXECUT	TION BY A NATURAL PERSON
*Please check	k the box that applies	FOR EXECUT	TION BY A NATURAL PERSON
□ SURFA	CE OWNER	Signature:	
□ SURFAC	CE OWNER (Road and/or Other Disturbance)	Print Name:	
□ SURFAC	CE OWNER (Impoundments/Pits)		TION BY A CORPORATION, ETC.
□ COAL C	OWNER OR LESSEE		TION BY A CORPORATION, ETC.
□ COAL C	PERATOR	By:	
□ WATER	RPURVEYOR		
□ OPERA	TOR OF ANY NATURAL GAS STORAGE F	IELD Date:	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Deputy Secretary/ Deputy Commissioner

June 2, 2021

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Margery Pad, Tyler County Gramdring Unit 2H Well Site

Dear Mr. Martin,

Byrd E. White, III

Secretary of Transportation/

Commissioner of Highways

This well site will be accessed from a DOH permit #06-2020-0049 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County 11 at MP 4.55.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer

Central Office O&G Coordinator

Office of Oil and Gas

WV Gapurplent of Environmental Protection

Cc:

Mallory Stanton Antero Resources CH, OM, D-6 File

# List of Anticipated Additives Used for Fracturing or Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)
Fresh Water	7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Ammonium Persulfate	7727-54-0
Anionic copolymer	Proprietary
Anionic polymer	Proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	Proprietary
Demulsifier Base	Proprietary
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
Guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Microparticle	Proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7
Solvent Naphtha, petroleum, heavy aliph	64742-96-7
Soybean Oil, Me ester	<b>67784-80-9</b>
Copolymer of Maleic and Acrylic Acid	52255-49-9
DETA phosphonate	15827-60-8
Hexamthylene Triamine Penta	34690-00-1
Phosphino Carboxylic acid polymer	71050-62-9 Enviro
Hexamethylene Diamine Tetra	23605-75-5
2-Propenoic acid, polymer with 2 propenamide	9003-06-9
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5
Diethylene Glycol	111-46-6
Methenamine	100-97-0
Polyethylene polyamine	68603-67-8
Coco amine	61791-14-8
2-Propyn-1-olcompound with methyloxirane	38172-91-7

RECEIVEL. ffice of Oil and Gas

UN **2** 3 2021

/ Department of nmental Protection

LOCATION COORDINATES:
ACCESS RAMO "A" SUFFEMENTE
LATTUDE: 39 ACCESS LOCATION LONGUEDE: -09 AC4239 (MAI 50)
LATTUDE: 39 520039 LONGUEDE: -02 ESASSI (MAI 50)
LATTUDE: 39 520038 LONGUEDE: -02 ESASSI (MAI 50)
A 457451021 E 514593 (UTB 200NE IT METRE)

ACCESS ROAD 'B' ENTRANCE LATTITUDE 19 000001 LONGITUDE -50.52916 (MAD 27) LATTITUDE 19 500012 LONGITUDE -50.52916 (MAD 27) N 6374505.01 E 814570.60 (UTM COME 17 METERS)

CENTROSP OF FALL
LATTIUDE 19 037405 LONGITUDE -90 SERVIJ UNAI 505
LATTIUDE 9 037504 LONGITUDE -50 SERVIJ (MAD ET)
N 8594210.48 E 54405124 (UTW 20M2 17 MITERS)

CENTER OF TANK
LATTITUS 36 SHEET LONGITUSE - SCREETS (NAD BI)
LATTITUS 36 SHEET LONGITUDE - 00 GENERA (NAD BI)
N 4374155 ST E 51467.66 (UTN ZUNE 17 KETLEE)

GENERAL DESCRIPTION:

THE ACCESS BOAD(S, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF DESCRIPTION WASCELLES STATE CLAS WELLS

MISS UTILITY STATEMENT.
ANTERO RESOURCES COMPORATION WILL SOUTH HISS UTILITY OF SEST VIRGIDIA FOR THE LOCATION OF
UTILITIES PRIOR TO THE PRODUCT DESIGN TICKET ARESES ASS. IN ABETTON, MISS UTILITY WILL SE
CHYSTATION IN THE COMPRISATION PRIOR TO THIS THAN USE CONSISTENTION FOR THE PRODUCT.

MINIMARIANCE, TRIBURALLI ANTONIO WILL OUTAIN AN INCROACIMENT PREMIT (FORM MIN-100) FROM THE TEST VERIBLE DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PARKE FOR CONSTRUCTION ACTIVITIES.

FLOODPLAIN NOTES

FIGURE AND NOTES:
THE PROPOSE STYLE IS RECOVERED BY FROM PARKET AND AREA AND AVAILABLE SACRECOVERS.
THE PROPOSE STYLE IS RECOVERED BY THE SET OF THE SETS IS LOCATED BY FROM DONE XX MAKES FILL AND AREA
LOCATED BY FROM DONE XX THE BEST OF THE SETS IS LOCATED BY FROM DONE XX MAKES FILL AND
A SERICLE CONSEQUE WITH ANY MARKETS WILL BE CONSTRUCTED WITHIN THE FROM DONE XX MAKES FILL AND
A SERICLE CONSEQUE WITH ANY MARKETS WILL BE CONSTRUCTED WITHIN THE FROM DONE XX

GEOTECHNICAL STUDIES: NO SOL STUDIES OF SUBSURFACE INVESTIGATIONS WERE PERFORMED OR AMALYZED FOR THE DESIGN OF THE STEE

OF THE STEE

SWIFTCHMENTAL MOTES:

FIRST MAD RETAINS BELEVATIONS WERE PROVIDED IN STITUTES, SHIP BY SAVINGHMENTAL RELATIONS

FIRST MAD RETAINS BELEVATIONS WERE STEP FOR SATES AND STITUTES, SHIP BY SAVINGHMENTAL RELATIONS

THE RESULATION FORMER OF THE DESCRIPT COSTS OF SAVINGESS (USEC) AND/OF THE WEST

THE RESULATION FORMER OF THE DESCRIPT PROVIDED THE COSTS OF USECOND OF SAVINGES OF SAVI

PROJECT CONTACTS:

GPERATOR: ANYERS RESOURCES COMPONATION 515 WHITE GARS SLAD. HEDGEPORY, NY SECTO PERSON (304) 842-4100 PAY (304) 842-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER & RESULLATORY MANALISE OFFICE (SDA) 842-4085 CELL (SDA) 476-9776

JON MORYEME - DIRECTON COMPLETIONS

AARON EUNILER CONSTRUCTION MANAGER

ROBERT VIRKS - DESIGN MANAGER GPPCRC (RC4) 842-4100 (FIGLA (R14) 627-7408

CHARLES E COMPTON, 58 - DEBLITY CHORDWESTOR CELL (004) 719-8448

A 3/30/2020

IDE WILSON - LAND AGENT. CFFICE: (304) 648-44-9 CHEL (304) 671-2700

CYKUS S KUMP, PE PROJECT MANAGER/ENGINEER

OFFICE: (388) 882-4185 CRLL (540) 880-6747

ENVIRONMENTAL PRINCIPAL SUBSTRUMENTAL SOLUTIONS IN INCOMPATIONS INC. 0002017030F 0002017030F 00002017030F 00002017050F 0000200

GEOTECHNICAL PROSINCAMA SOR, & ROOK INC CHRISTOPHER W SALDES - PROJECT ENGINEER, INFRES (MIN) STG-4000 CELL (41) 180-7042

RESTRICTIONS NOTES:

1 THERE ARE NO LARRA, PORCES OF RESERVOIRS WITHON 100 FEET OF THE WILL PAD AND
LOS THERE ARE FORMALL ATREMA & WETLAND IMPACTS THAT WILL NEED TO SE
PERSONTROL BY THE APPROPRIATE ACCUSED.


- 2 THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 500 PERT OF THE WILL PAD AND LID.
- 3. THERE ARE SO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY PACILITIES WITHIN 1000 FEET OF THE WELL FAD AND LOD
- 4 THERE ARE NO APPARENT EMETING WATER WELLS OR DEVELOPED REPRINGS WITHIN 25G PERT OF THE WELLIS HERNO DEBLIES.
- 5. THERE ARE NO OCCUPIED EMPLISHS STRUCTURES RITHIN 525 PERT OF THE CENTER OF THE WELL PAD
- 8 THERE SHE NO AGRECULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 525 FEET OF THE CENTER OF THE WILL PAD

### MARGERY WELL PAD & WATER CONTAINMENT PAD

SITE DESIGN & CONSTRUCTION PLAN. **EROSION & SEDIMENT CONTROL PLANS** 

> ELLSWORTH DISTRICT, TYLER COUNTY, WEST VIRGINIA LITTLE MUSKINGUM-MIDDLE ISLAND WATERSHED

> > PORTERS FALLS USGS 7.5 QUAD MAP(S)





CHOIC TO SCALE).

DESIGN CERTIFICATION:
THE HIMMEN'S CONTRACTION NOTES AND
REFERENCE DIAGRAMS ATTACHED HERETO HAVE
BEEN PERPARED IN ACCORDINATE WITH THE
WAY VISIALLY COUR OF STATE BUILD, MYSION
OF ENVIRONMENTAL PROTECTION. OFFICE OF OIL
AND GAS CITES 435-8

#### REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON BE EST (ASSET) WASHING ASSET ON HIS SON, DANIEL BY WALVE

THESE PLANS WITH CHILD FOR CLOSE PROTTON AND ANY STREET THE PROTECTION OF THE PROTEC



MISS Diffity of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!

#### SHEET INDEX

- CONSTRUCTION AND ENG CONTROLS NOTES

- LEGISMO
  MATERIA CONSTITUES
  STORM DELATACE E ELE COMPUTATIONS
  EXCHING INTUITIONS
  EXCHING INTUITIONS
  EXCHING INTUITIONS
  EXCHING INTUITIONS
  FAIL TABLE
  STORM DELAT PLAN
  FULL TABLE STATES CONTINUENT FAB PLAN
  13 STOCKPELE PLAN
   PLEN PARS EXCHINGENT FAB PLAN
  13 STOCKPELE PLAN
   PLEN PARS EXCHINGENT FAB
   PLAN
   PLEN PARS EXCHING PLAN
   PLA

- 20-21 CONSTRUCTION DETAILS
  24-59 ALCESS BOAD HELIAMATION FLAN
  38 SELA FAD & WATER CONTAINMENT PAD SECLAMATION PLAN
  38-25 STOCKFILE RECLAMATION FLAN
  APPERIOR HORIOG AND ADVINCING DESCRIP

MARCHITECTES OF THE PARKET	FAREAJACI
Tetal film	
Access Road "A" (2.215")	9.10
Access Road "B" (1,154")	2.59
Staping Area	0.61
West Pac & Water Containment Pad	13-44
Excess/Topsoit Material Blockpiles	36-03
Total Affected Area	51.55
Total Wooded Acres Disturbed	49 4 8
immacle to Richard 3 Famili Th	118-55
Access Road "A" (212)	0.99
Total Affected Area	0.95
Total Wooded Acres Distarted	0.10
Impanels to Richard S. & Bernis L. Nev	
Access Road "A" (941)	0.35
Total Affected Area	0.38
Total Wooded Acres Disnated	0.30
Reports to Wichard J. & Glameta I. Fer	
Access Rand "A" (606') Excess Topsof Material Blockpiles	2.10
	0.42
Total Affected Area	3.52
Total Winoded Agree Disturbed	3.30
Reparts to Kayle Leak TM 9	
Access Road "A" (1,504")	4.74
Access Road "R" (1,066')	2.42
Staging Area	0.41
Wed Pad & Water Containment Pad	13.44
Excuss/Topsoi Marerial Stockplas	5.63
Total Affected Area	79.54
This Wooded Abres Desarbed	28.78
Impacts to Reviel L. Leok TW	18-6
Excess/Topsoit Material Stockpiles	0.90
Total Affected Area	0.90
Total Wooded Agres Disturbed	0.50
Empacts to Kayla Levis TM 15	-21
Excess/Topso/ Mate-tal Stockpiles	8.79
Total Affected Area	2.79
Total Wooded Agres Distated	8.20
Impacts to Foul 3, Taylor Till 1	
Extrest/Todasi Material Stockpies 1	1.50
Total Affected Area	1.00
Total Whoded Acres Bratished	1.80
Deposite to Elizabeth J. Titumes	
Extansi/Topsoil Material Blockpiles	5.49
Total Affected Area	5.49
Total Wooded Agree Disturbed	5.49
Impacts to Romald R. & Jolia A. Jose	m TMF 81-44
Access Road 'B' (87)	12.0
Total Affected Area	0.17
Total Wooded Agres Disturbed	12.06

William !	4A2 11	Worth Start	130 17	NO THE RES
Margary (aut 64		LAT ME SHOT SHEET		Laf 39-31-07-2436 LONG-49-49-47-4282

	Permis	ners impacts	Temp/Stipacts	was a second
Stream and Impact Cause		Structures (LF)		Total Impact (LP)
fream ESLS D3 (Ancres Road "A")	105	24	0	130
Stream ESI S 19 (Well Pag)	155	0	71	76

	Parma	ment linguistis	Temp. Impacts	W-1-10
Stream and Impact Cause		Structures (LF)	Cofferdate/EES Controls (LF)	(LF)
Stream ESI S C2 (Access Road)	0	0	90	pg

Watered and Import Cause	FRIGHT	Total impact	Total Impact
PEM Wetland EST 4 (Wall Pad)	2.975	2.676	0.00
PEM Weters ESL5 (Vall Pag)	1,122	1,137	0.03

S NEERING ENGI

DEG. REWIRET PERS WITGE COLARENTS.	ATE			DV19100	,
	030	REVISED	100	MATTER	CONTRACTS
	Г		ı		
			ı		
	t				
	t		L	l	
	T				
	Ť		ŀ		



THES DOCUMENT WAS PREPARED FOR ANYERD RESOURCES CONFORATION

WATER CONTAINMENT MARGERY ed.

WELL

ATT: 11/14/2010 STALE AS SHOWN MEET 1 OF 38

