

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, September 20, 2021 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for PURPLE UNIT 2H

47-095-02759-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: PURPLE UNIT 2H

Farm Name: CLARA SUZANNE WALLACE

U.S. WELL NUMBER: 47-095-02759-00-00

Horizontal 6A New Drill Date Issued: 9/20/2021

API Number:
-------------

### **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### **CONDITIONS**

- This proposed activity may require permit coverage from the United States Army Corps of Engineers
  (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed
  activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:	

### **PERMIT CONDITIONS**

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API N	0. 47-	095 _	02759	
0	PERAT	OR WEL	L NO.	Purple Unit 2H
V	Vell Pa	d Name	Thin A	ir Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operato	or: Antero	Resour	ces Corporal	494507062	095-Tyler	Ellsworth	Porter Falls 7.5'
•				Operator ID	County	District	Quadrangle
2) Operator's W	Vell Number	r: Purple	Unit 2H	Well Pad	Name: Thin A	Air Pad	
3) Farm Name/	Surface Own	ner: Clara	Suzanne Wallace & Rickie	• Wallace Public Roa	d Access: CR	11	
4) Elevation, cu	irrent groun	d: 123	85' Ele	evation, proposed j	post-construction	on: ~1200	
5) Well Type	(a) Gas	X	Oil	Unde	rground Storag	e	
	Other						
	(b)If Gas	Shallov	x <u>X</u>	Deep			
		Horizon	ntal X				
6) Existing Pad	: Yes or No	No					
-	•	• • •		pated Thickness a ss- 55 feet, Associa	_	• •	
8) Proposed To	tal Vertical	Depth:	7300' TVD				
9) Formation at		_					
10) Proposed T	otal Measur	ed Depth	7300' MD				
11) Proposed H	orizontal Le	eg Lengtl	n: <u>0'</u>				
12) Approxima	te Fresh Wa	ter Strata	Depths:	76' and 328'			
13) Method to 1	Determine F	resh Wa	ter Depths: 4	7-095-02266			No.
14) Approximate Saltwater Depths: 1660'							
15) Approxima	15) Approximate Coal Seam Depths: None Identified						
16) Approxima	te Depth to	Possible	Void (coal mi	ne, karst, other):	None Anticipat	ed	
17) Does Propo	sed well loc	ation coi	ntain coal sean	ns			
directly overlyi	ng or adjace	ent to an a	active mine?	Yes	No	<u>X</u>	
(a) If Yes, pro			ame:				
na c	7/14/2021 permission o Newlon	De	epth:			RECEIVE	
with r	permission o	s Se	eam:			SEP 1 4	0-21
Dove	Newlon	O	wner:			SEP 1 4	(04)
-	,					WV Department	

Ρĺ	NO.	47-	095	_	02759
	IIV.				

OPERATOR WELL NO. Purple Unit 2H

Well Pad Name: Thin Air Pad

### 18)

### **CASING AND TUBING PROGRAM**

ТҮРЕ	Size (in)	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	378'	378'	CTS, 341 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	7300'	7300'	1601 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners				<u>.</u>			



ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated  Max. Internal  Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate			, , , , , , , , , , , , , , , , , , , ,				
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	9300	Lead-H/POZ & Tell - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

RECEIVED
Office of Oil and Gas

SEP 1 4 2021

### **PACKERS**

		TACKERS	WV Department of
Kind:	N/A		Environmental Protection
Sizes:	N/A		
Depths Set:	N/A		

OPERATOR WELL NO. Purple Unit 2H Well Pad Name: Thin Air Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

\*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 45.05 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 17.67 acres

Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high GENED sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing circulate 10 bbls fresh water, pump high viscosity sweep, trip out, run casing circulate 10 bbls fresh water, pump high viscosity sweep, run circulate 10 bbls fresh water, pump high viscosity sweep, run circulate 10 bbls fresh water, run circulate 10 bbls fresh water, run circulate 10 bbls fresh water 10 bbls fr barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

\*Note: Attach additional sheets as needed.

AUG 2 4 2021 WV Department of

API Number 47 - 095

02759

Operator's Well No. Purple Unit 2H

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporati	on	OP Code 494507062						
Watershed (HUC 10) Outlet Middle Islan	The same of the same of	e Porter Falls 7.5'						
Do you anticipate using more than 5,000	The first country of the control of		No 🗍					
Will a pit be used? Yes No	And the real series are a series of the series of the							
If so, please describe anticipated	I pit waste: No pit will be used at this site (Orilling and F	Flowback Fluids will be stored in tanks. Cuttings will be	tanked and hauled off site.)					
Will a synthetic liner be used in the pit? Yes No V If so, what ml.? N/A								
Proposed Disposal Method For	Treated Pit Wastes:		Dm 4 8-16-21					
Land Applicat			U					
	Injection (UIC Permit Number_*UIC							
Reuse (at AP)  Off Site Dispo	Number Future permitted well locations when sal (Supply form WW-9 for disposal l	applicable. API# will be provided on Form	1 WR-34 )					
Other (Explai		Northwestern Landfill P WV0109410						
Will closed loop system be used? If so, o	describe: Yes, fluids stored in tanks, cu	ttings removed offsite and taker	to landfill.					
Drilling medium anticipated for this well	(vertical and horizontal)? Air, freshw	ater, oil based, etc.	water, intermediate- oduction - Water Based Mus or Synthetic Based Mud					
-If oil based, what type? Synthe								
Additives to be used in drilling medium?								
Drill cuttings disposal method? Leave in		cuttings stored in tanks, removed offsh	te and taken to landfill					
	what medium will be used? (cement,							
	number? Meadowfill Landfill (Permit #SWF-10							
Permittee shall provide written notice to t West Virginia solid waste facility. The no where it was properly disposed.	he Office of Oil and Gas of any load o ptice shall be provided within 24 hours	f drill cuttings or associated wa of rejection and the permittee	aste rejected at any shall also disclose					
on August 1, 2005, by the Office of Oil at provisions of the permit are enforceable law or regulation can lead to enforcement	by law. Violations of any term or con- action.  hat I have personally examined and ereto and that, based on my inquiry the information is true, accurate, an	nt of Environmental Protection addition of the general permit a am familiar with the informat of those individuals immed ad complete. I am aware tha	a. I understand that the and/or other applicable tion submitted on this tiately responsible for					
Company Official Signature			RECEIVED					
Company Official (Typed Name) Jena R			Office of Oil and Gas					
Company Official Title Director, Environr	nental and Regulatory Compliance		AUG 2 4 2021					
Subscribed and sworn before me this	9+n day of Augus	+ , 20 21	WV Department of Environmental Protection					
Sydney Ewers		Notary Public						
My commission expires 9-11-8	+}-		SYDNEY SWEITZER NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184036008					
		MY COMM	ISSION EXPIRES SEPTEMBER 11, 2022					

Form WW-9 Operator's Well No. Purple Unit 2H **Antero Resources Corporation** Proposed Revegetation Treatment: Acres Disturbed 45.05 Prevegetation pH Lime 2-4 Tons/acre or to correct to pH 6.5 Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 lbs/acre Mulch 2-3 Tons/acre Access Road "A" (8.27 acres) + Well Pad (18.00 acres) + Excess/Topsoil Material Stockpiles (18.78 acres) = 45.05 Acres **Seed Mixtures Temporary** Permanent Seed Type lbs/acre Seed Type lbs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass Tall Fescue 40 30 See attached Table IV-3 for additional seed type (Thin Air Pad Design) See attached Table IV-4A for additional seed type (Thin Air Pad Design) \*or type of grass seed requested by surface owner \*or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: RECEIVED
Office of Oil and Gas

> WV Department of Environmental Protection

AUG 2 4 2021

### Form WW-9 Additives Attachment

### SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

### INTERMEDIATE INTERVAL

### STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

### **PRODUCTION INTERVAL**

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

RECEIVED Office of Oil/and Gas

10. Mil-Lime

Calcium Hydroxide - Lime

AUG 1 0 2021

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

WV Department of Environmental Protection

12. Mil Mica

Hydro-Biotite Mica - LCM

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent – Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite – Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt - Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

**Drilling Fluid Lubricant** 



### 911 Address 892 Lone Tree Road Middlebourne, WV 26149

# Well Site Safety Plan Antero Resources

Well Name: Axtel Unit 1H, Capitol Unit 1H & 2H, Maroon Unit 1H

& 2H, Purple Unit 1H & 2H and Thin Air Unit 5H

Pad Location: THIN AIR PAD

Tyler County/Ellsworth District

### **GPS Coordinates:**

Entrance - Lat 39.535510'/Long -80.788742' (NAD83)

Pad Center - Lat 39.528110'/Long -80.792574' (NAD83)

### **Driving Directions:**

From Middlebourne: Head northeast on WV-18N/Main Street toward Court Street/Dodd Street for 3.8 miles - turn right onto Church Drive for 302 feet - Church Drive turns left & becomes Elk Fork Road for 0.4 miles - turn right onto Elk Fork Road for 5.3 miles - slight left onto Mudlick Road for 0.1 miles - continue onto Left Hand Middle Fork Road for 0.5 miles - continue onto Right Hand Middle Fork Road for 0.7 miles - lease road will be on your right.

Dm H 8-16-21

EMERGENCY (24 HOUR) CONTACT 1-800-878-13 (Sec EIVED Gas

AUG 2 4 202

WV Department of Environmental Protection





# purple Unit 2H


RECEIVED Office of Oil and Gas


AUG 1 0 2021

WV Department of Environmental Protection









Operator's Well Number

Purple Unit 2H

# INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan:
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Philip K. George Lease Philip K. George Statoil USA Onshore Properties EQT Production Company	Statoil USA Onshore Properties EQT Production Company Antero Resources Corporation	1/8+ Assignment Assignment	0466/0193 0539/0239 <b>0663/0001</b>

<sup>\*</sup>Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Rovalty	Book/Page
Philip K. George Lease			respuits	Dookirage
	Philip K. George Statoil USA Onshore Properties EQT Production Company	Statoil USA Onshore Properties EQT Production Company Antero Resources Corporation	1/8 + Assignment <b>Assignment</b>	0466/0193 0539/0239 <b>0663/0001</b>

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation		
By:	Tim Rady	(m. leily	
Its:	VP of Land		



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303 357,7310 Fax 303,357 7315

August 5, 2021

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57<sup>th</sup> Street SE Charleston, WV 25304

RE: Purple Unit 2H

Quadrangle: Porter Falls 7.5'

Tyler County/Ellsworth District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Purple Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Purple Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Thomas Kuhn

Senior Staff Landman

Date of Notice Certification: 08/06/2021

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47- 095

		Operator's	Well No. Purp	ole Unit 2H
			Name: Thin Ai	
Notice has I	been given:			
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provided the re-	quired parties	with the Notice Forms listed
	tract of land as follows:			
State:	West Virginia	UTM NAD 83 Easting:	517803m	
County:	Tyler	Northing:	4375391m	
District: Quadrangle:	Porter Falls 7.5'	Public Road Access:	CR 11	
Watershed:	- 0 - 1 H 1 H 2 H 2 1 1 1 7 1 2 1 1	Generally used farm name:	Clara Suzanne V	Vallace & Rickie Wallace
watersned.	Outlet Middle Island Creek	<del></del>		
prescribed by it has provide information re of giving the requirements Virginia Code	the secretary, shall be verified and sed the owners of the surface described and (c), sequired by subsections (b) and (c), surface owner notice of entry to so of subsection (b), section sixteen of	every permit application filed under the shall contain the following information: (1) bed in subdivisions (1), (2) and (4), subsection sixteen of this article; (ii) that the resurvey pursuant to subsection (a), section of this article were waived in writing by tender proof of and certify to the secretary at.	<ol> <li>A certification (b), security section (b), security s</li></ol>	ion from the operator that (i ection ten of this article, the deemed satisfied as a resul- icle six-a; or (iii) the notice wher: and Pursuant to Wes
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the require ECK ALL THAT APPLY	perator has attached proof to this Notice Cod parties with the following:	Certification	OOG OFFICE USE ONLY
☐ 1. NOT	FICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED BECAUSEISMIC ACTIVITY WAS CONDUC		RECEIVED/ NOT REQUIRED
☐ 2. NOT	TICE OF ENTRY FOR PLAT SURV	VEY or  NO PLAT SURVEY WAS CO	ONDUCTED	☐ RECEIVED
■ 3, NOT	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECAUNOTICE OF ENTRY FOR PLAT SURVIVAS CONDUCTED or		RECEIVED/ NOT REQUIRED
		WRITTEN WAIVER BY SURFACE (PLEASE ATTACH)	CE OWNER	
■ 4. NOT	TICE OF PLANNED OPERATION		CE OWNER	□ RECEIVED
	TICE OF PLANNED OPERATION		CE OWNER	□ RECEIVED

### Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

### Certification of Notice is hereby given:

THEREFORE, I Diana Hoff
, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:Antero Resources CorporationAddress:1615 Wynkoop StreetBy:Diana HoffDenver, CO 80202Its:SR VP of OperationsFacsimile:303-357-7315Telephone:303-357-7310Email:mstanton@anteroresources.com

NOTARY SEAL

SYDNEY SWEITZER

NOTARY PUBLIC

STATE OF COLORADO

NOTARY ID 20184036008

MY COMMISSION EXPIRES SEPTEMBER 11, 2022

Subscribed and sworn before me this ath day of August, 2021

Notary Public

My Commission Expires 9-11-2-8

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

WW-6A (9-13)

API NO. 47- 095 OPERATOR WELL NO. Purple Unit 2H
Well Pad Name: Thin Air Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Noti	ice Time Requirement: r	notice shall be provided no	later tha	an the filing date of permit application.
	e of Notice: 8/9/2021 Da	ate Permit Application F	iled: <u>8/9/2</u>	2021
Ø	PERMIT FOR ANY WELL WORK			PROVAL FOR THE AN IMPOUNDMENT OR PIT
Deli	very method pursuant to	o West Virginia Code § 2	22-6A-10	<b>(b)</b>
		REGISTERED   MAIL		OD OF DELIVERY THAT REQUIRES A PT OR SIGNATURE CONFIRMATION
sedir the si oil ardescri operations more well import have provi proposubse recor provi Code	nent control plan required burface of the tract on which ad gas leasehold being deviation of the erosion and sector or lessee, in the event of ecoal seams; (4) The owner work, if the surface tract is undment or pit as describe a water well, spring or wat de water for consumption osed well work activity is the ection (b) of this section hods of the sheriff required to sion of this article to the core R. § 35-8-5.7.a requires,	by section seven of this arti- th the well is or is proposed eloped by the proposed wel- diment control plan submitt the tract of land on which the tract of land on which the tract of the surface the tract of the surface the tract of the placement of in section nine of this arti- ter supply source located which by humans or domestic ani- to take place. (c)(1) If more old interests in the lands, the to be maintained pursuant to contrary, notice to a lien hole in part, that the operator sh	to be locall work, if ed pursua he well pract or tract or tract, constricte; (5) A ithin one mals; and than three applicant o section eder is not all also practices.	or signature confirmation, copies of the application, the erosion and the well plat to each of the following persons: (1) The owners of record of ated; (2) The owners of record of the surface tract or tracts overlying the ated; (2) The owners of record of the surface tract is to be used for roads or other land disturbance as ant to subsection (c), section seven of this article; (3) The coal owner, roposed to be drilled is located [sic] is known to be underlain by one or acts overlying the oil and gas leasehold being developed by the proposed function, enlargement, alteration, repair, removal or abandonment of any any surface owner or water purveyor who is known to the applicant to thousand five hundred feet of the center of the well pad which is used to (6) The operator of any natural gas storage field within which the elements in common or other co-owners of interests described in the may serve the documents required upon the person described in the eight, article one, chapter eleven-a of this code. (2) Notwithstanding any notice to a landowner, unless the lien holder is the landowner. W. Va. rovide the Well Site Safety Plan ("WSSP") to the surface owner and any as provided in section 15 of this rule.
		SSP Notice	n Notice	☑ Well Plat Notice is hereby provided to:
	RFACE OWNER(s)			COAL OWNER OR LESSEE
Nam Addr	e: PLEASE SEE ATTACHMENT ress:			Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:
Nam		<del></del>		COAL OPERATOR
Addr	ess:			Name: NO DECLARATIONS ON RECORD WITH COUNTY
⊒ SU	RFACE OWNER(s) (Ros	ad and/or Other Disturban	ice)	Address:
	e: PLEASE SEE ATTACHMENT		,	□WATER PURVEYOR(s)/OWNER(s) OF WATER WELL,
Addr	ess:			SPRING OR OTHER WATER SUPPLY SOURCE
				Name: NONE IDENTIFIED WITHIN 1500'
Namo Adda	e:			Address:
ռսնն	ess:	-		
, SU	RFACE OWNER(s) (Imp	poundments or Pits)		OPERATOR OF ANY NATURAL GAS STORAGE FIELD
	2:			Name: Address:
Addr	ess:			
				*Please attach additional forms if necessary

API NO. 47- 098 - 02759
OPERATOR WELL NO. Purple Unit 2H
Well Pad Name: Thin Air Fast

### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.gov/oil-and-uas/pages/default.aspx">www.dep.wv.gov/oil-and-uas/pages/default.aspx</a>.

### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

OPERATOR WELL NO. Purple Unit 2H

Well Pad Name: Thin Air Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 095 - 02757

OPERATOR WELL NO. Purple Unit 2H

Well Pad Name: Thin Air Pad

### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

### Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

4709502759

WW-6A (8-13) API NO. 47- 095 OPERATOR WELL NO. Purple Unit 2H
Well Pad Name: Thin Air Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7310 Diana O. Hoff
Email: mstanton@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.


My Commission Expires

SYDNEY SWEITZER
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 20184036008
MY COMMISSION EXPIRES SEPTEMBER 11, 2022

Subscribed and sworn before me this 1th day of August, 2021.

Super Survey Sur

09/24/2021



## List of Surface Owner(s) with Proposed Well Pad/Road and/or Other Disturbance associated with THIN AIR Well Pad

TM 12-11

Owner: Address:

Clara Suzanne Wallace et vir

2804 Gammon Drive

Indianapolis, IN 26234

TM 12-12

Owner: Address:

Rockford Energy LLC

12088 Middle Island Road

Alma, WV 26320

TM 12-10

Owner: Address:

Michael Martin 7156 Elk Fork Road

Middlebourne, WV 26149

TM 12-8

Owner:

Shirley L. Carroll

Address:

6743 Wetzel Tyler Ridge Road

New Martinsville, WV 26155

WW-6A4 (1/12) 4709502759
Operator Well No. Purple Unit 2H
Multiple Wells on Thin Air Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Noti	Requirement: ce: 07/19/2021	Notice shall be provided a  Date Per	nt least TEN (10) days prior to filing a rmit Application Filed: 08/09/2021	a permit application.
Delivery me	thod pursuant	to West Virginia Code §	22-6A-16(b)	
☐ HAND		CERTIFIED MAIL		
DELIV		RETURN RECEIPT REC	OLIERTED	
			343445	
drilling a hor of this subsection m	sted or hand del rizontal well: P ction as of the da ay be waived in	livery, give the surface own provided, That notice given ate the notice was provided writing by the surface own	ner notice of its intent to enter upon to pursuant to subsection (a), section to do to the surface owner: Provided, how	, an operator shall, by certified mail return he surface owner's land for the purpose of en of this article satisfies the requirements wever, That the notice requirements of this lude the name, address, telephone number, or's authorized representative.
Notice is he	reby provide	d to the SURFACE OV	VNFR(s):	
Name: PLEAS	E SEE ATTACHMENT		Name: PLEASE SEE ATTA	CHMENT
Address:			Address:	
Notice is he Pursuant to V	Vest Virginia Co	ode § 22-6A-16(b), notice	is hereby given that the undersigned	well operator has an intent to enter upon
Pursuant to V the surface of State:	West Virginia Co wner's land for t West Virginia Tyler	ode § 22-6A-16(b), notice the purpose of drilling a ho	orizontal well on the tract of land as for Easting:	well operator has an intent to enter upon bllows:  517803M  4375391m
Pursuant to V the surface of State: County: District:	wner's land for t West Virginia	ode § 22-6A-16(b), notice the purpose of drilling a ho	prizontal well on the tract of land as for	bllows: 517803M
Pursuant to V the surface of State: County: District: Quadrangle:	Wner's land for t West Virginia Tyler	ode § 22-6A-16(b), notice the purpose of drilling a ho	orizontal well on the tract of land as for UTM NAD 83 Easting; Northing:	bllows: 517803M - 4375391m
Pursuant to V the surface or State: County:	West Virginia Tyler Elisworth	the purpose of drilling a ho	orizontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access:	517803M - 4375391m CR 11
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hor	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Islan  Shall Include West Virginia ( mber and electorizontal drilling	the purpose of drilling a hound Creek  2: Code § 22-6A-16(b), this onic mail address of the company be obtained from the	orizontal well on the tract of land as for Easting:  With NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of	517803M - 4375391m CR 11
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hot located at 60. Notice is he	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Islan  Shall Include West Virginia ( mber and electrorizontal drilling I 57th Street, SE.	the purpose of drilling a house of drilling a house of the control	orizontal well on the tract of land as for Easting:  With NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of	bllows: 517803M  4375391m  CR 11  Clara Suzanne Wallace & Rickie Wallace  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hot located at 60. Notice is he	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Islan  Shall Include West Virginia ( mber and electrorizontal drilling I 57th Street, SE.	the purpose of drilling a hound Creek  e: Code § 22-6A-16(b), this onic mail address of the comay be obtained from the control of the control	orizontal well on the tract of land as for Easting:  With NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addresses authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	bllows: 517803M 4375391m CR 11 Clara Suzanne Wallace & Rickie Wallace  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface or State: County: District: Quadrangle: Watershed:  This Notice Pursuant to facsimile nur related to hor located at 60:  Notice is he Well Operato	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Islan  Shall Include West Virginia ( mber and electrorizontal drilling I 57th Street, SE.	e: Code § 22-6A-16(b), this onic mail address of the comay be obtained from the Charleston, WV 25304 (codes Corporation	orizontal well on the tract of land as for Easting:  With NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of	billows: 517803M 4375391m CR 11 Clara Suzanne Wallace & Rickie Wallace  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Mallory Stanton
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hoo located at 60. Notice is he Well Operato Address:	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Islan  Shall Include West Virginia ( mber and electrorizontal drilling I 57th Street, SE.  reby given by ir: Antero Resource	e: Code § 22-6A-16(b), this onic mail address of the comay be obtained from the Charleston, WV 25304 (composition).	orizontal well on the tract of land as for Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	bllows: 517803M 4375391m CR 11 Clara Suzanne Wallace & Rickie Wallace  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hor located at 60: Notice is he Well Operato Address:	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Islan  Shall Include West Virginia Comber and electrorizontal drilling I 57th Street, SE.  reby given by The Antero Resource 1615 Wynkoop	e: Code § 22-6A-16(b), this onic mail address of the comay be obtained from the Charleston, WV 25304 (composition).	orizontal well on the tract of land as for Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	billows: 517803M 4375391m CR 11 Clara Suzanne Wallace & Rickie Wallace  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Mallory Stanton 1615 Wynkoop St.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hot located at 60	West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Island  Shall Include West Virginia ( mber and electrorizontal drilling I 57th Street, SE, reby given by IT: Antero Resource 1615 Wynkoop Denver, CO 802 303-357-7223	e: Code § 22-6A-16(b), this onic mail address of the comay be obtained from the Charleston, WV 25304 (composition).	orizontal well on the tract of land as for Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorized Secretary, at the WV Department of 304-926-0450) or by visiting www.de  Authorized Representative: Address:	billows:  517803M  4375391m  CR 11  Clara Suzanne Wallace & Rickie Wallace  ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Mallory Stanton  1615 Wynkoop St.  Denver, CO 80202

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

### List of Surface Owner(s) with Proposed Well Pad/Road and/or Other Disturbance associated with THIN AIR Well Pad

TM 12-12

TM 12-11

Address:

Owner:

Clara Suzanne Wallace et vir

2804 Gammon Drive Indianapolis, IN 26234 Owner: Address: Rockford Energy LLC 12088 Middle Island Road

Alma, WV 26320

TM 12-10

Owner: Address: Michael Martin 7156 Elk Fork Road

Middlebourne, WV 26149

TM 12-8

Owner:

Shirley L. Carroll

Address:

6743 Wetzel Tyler Ridge Road New Martinsville, WV 26155

WW-6A5 (1/12)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Date of 140th	Requirement: notice shall be p	Permit Application Filed:		
Delivery me	thod pursuant to West Virgini	ia Code § 22-6A-16(c)		
■ CERTI	FIED MAIL	☐ HAND		
	RN RECEIPT REQUESTED	DELIVERY		
return receipt the planned a required to be drilling of a damages to the (d) The notice of notice.	t requested or hand delivery, giv operation. The notice required e provided by subsection (b), se horizontal well; and (3) A prop he surface affected by oil and ga	we the surface owner whose late by this subsection shall incure ction ten of this article to a subsection ten of this article to a subsection ten of this article to a subsection ten of the surface owner.	nd will be used f ude: (1) A copy rface owner who usation agreement damages are com	ication, an operator shall, by certified mail for the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the nt containing an offer of compensation for appensable under article six-b of this chapter, isted in the records of the sheriff at the time
(at the addres	ss listed in the records of the she	riff at the time of notice):		
	SEE ATTACHMENT	Name	PLEASE SEE ATTAC	CHMENT
Notice is her		Addr		
Notice is her Pursuant to V operation on State: County:		c), notice is hereby given that e purpose of drilling a horizor UTM NAD	the undersigned tal well on the tra  83 Easting: Northing:	517803m • 4375391m
Notice is her Pursuant to V operation on State: County: District:	Vest Virginia Code § 22-6A-16( the surface owner's land for the West Virginia Tyler	c), notice is hereby given that e purpose of drilling a horizor UTM NAD Public Roa	the undersigned tal well on the tra 83 Easting: Northing:	act of land as follows: 517803m 4375391m CR 11
Address:  Notice is her  Pursuant to V  operation on  State:  County:  District:  Quadrangle:  Watershed:	Vest Virginia Code § 22-6A-16( the surface owner's land for the West Virginia Tyler  Ellsworth	c), notice is hereby given that e purpose of drilling a horizor UTM NAD Public Roa	the undersigned tal well on the tra  83 Easting: Northing:	act of land as follows: 517803m • 4375391m
Notice is her Pursuant to V operation on State: County: District: Quadrangle: Watershed: This Notice Sepursuant to V to be provide thorizontal we surface affectinformation r	Vest Virginia Code § 22-6A-16( the surface owner's land for the West Virginia  Tyler  Ellsworth  Porter Falls 7.5'  Outlet Middle Island Creek  Shall Include: Vest Virginia Code § 22-6A-16( ed by W. Va. Code § 22-6A-16( ed by oil and gas operations to related to horizontal drilling ma located at 601 57th Street, SE	c), notice is hereby given that purpose of drilling a horizor UTM NAD Public Roa Generally to (c), this notice shall include: (0(b) to a surface owner who use and compensation agreen to the extent the damages are my be obtained from the Secretary because of the secreta	the undersigned tal well on the transport tal well and tal well are tall the well are tall well as the well are at the well are tall	act of land as follows: 517803m 4375391m CR 11
Notice is her Pursuant to V operation on State: County: District: Quadrangle: Watershed: This Notice & Pursuant to V to be provide norizontal we surface affect information r neadquarters, gas/pages/def	Vest Virginia Code § 22-6A-16( the surface owner's land for the West Virginia  Tyler  Ellsworth  Porter Falls 7.5'  Outlet Middle Island Creek  Shall Include: Vest Virginia Code § 22-6A-16( ed by W. Va. Code § 22-6A-16( ed by oil and gas operations to tel and (3) A proposed surface of tel and (3) A proposed sur	c), notice is hereby given that purpose of drilling a horizor UTM NAD Public Roa Generally to (c), this notice shall include: (0(b) to a surface owner who use and compensation agreen to the extent the damages are my be obtained from the Secretary because of the secreta	the undersigned tal well on the tra 83 Easting: Northing: Access: sed farm name:  1)A copy of this se land will be ent containing an example understay, at the WV (304-926-0450)	act of land as follows:  517803m  4375391m  CR 11  Clara Suzanne Wallace & Rickie Wallace  code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
Notice is her Pursuant to V operation on State: County: District: Quadrangle: Watershed: This Notice Sursuant to V to be provide norizontal we surface affect information r neadquarters,	Vest Virginia Code § 22-6A-16( the surface owner's land for the West Virginia  Tyler  Ellsworth  Porter Falls 7.5'  Outlet Middle Island Creek  Shall Include: Vest Virginia Code § 22-6A-16( ed by W. Va. Code § 22-6A-16( ed by oil and gas operations to tel by oil and gas operations to related to horizontal drilling ma located at 601 57th Street, SE fault.aspx.	c), notice is hereby given that a purpose of drilling a horizor UTM NAD Public Roa Generally uses and compensation agreements the extent the damages are made to the extent the damages are made of the extent the damages are mad	the undersigned tal well on the transport tal well and tal well are tall the well are tall well as the well are at the well are tall	act of land as follows:  517803m  4375391m  CR 11  Clara Suzanne Wallace & Rickie Wallace  code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="https://deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

### List of Surface Owner(s) with Proposed Well Pad/Road and/or Other Disturbance associated with THIN AIR Well Pad

TM 12-11

Owner: Address: Clara Suzanne Wallace et vir

2804 Gammon Drive

Indianapolis, IN 26234

TM 12-12

Owner: Address: Rockford Energy LLC

12088 Middle Island Road Alma, WV 26320

TM 12-10

Owner: Address: Michael Martin

7156 Elk Fork Road

Middlebourne, WV 26149

**TM 12-8** 

Owner:

Shirley L. Carroll

Address:

6743 Wetzel Tyler Ridge Road New Martinsville, WV 26155

09/24/2021

API NO. 47-095 - 02759
OPERATOR WELL NO. Purple Unit 2H
Well Pad Name: Thin Air Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

### VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

### Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

### VOLUNTARY STATEMENT OF NO OBJECTION

ww-6A and required, and State: County:	sted above, and that I have received copies of a lattachments consisting of pages one (1) through the well plat, all for proposed well work on the twest Virginia  Tyler	ugh, including tract of land as follows:	the erosion and sediment control plan, if	
District:	Ellsworth	Color to a second to a second	CR 11	
Quadrangle: Watershed:	Porter Falls 7.5'  Outlet Middle Island Creek	Generally used farm name:	Clara Suzanne Wallace & Rickie Wallace	
	k the box that applies	FOR EXECUTI	ION BY A NATURAL PERSON	
	CE OWNER		Office of Oil and Gas	
	Signatu		AUG 1 0 2021	
□ SURFAC	CE OWNER (Impoundments/Pits)		WAY Department of	
□ COAL C	OWNER OR LESSEE	Company:	ON BY ROOK ORA FION, ETC.	
□ COAL O	PPERATOR	By: Its:		
□ WATER	PURVEYOR			
E 14223300	TOR OF ANY NATURAL GAS STORAGE	5		

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.



# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Byrd E. White, III Secretary of Transportation/ Commissioner of Highways

Jimmy Wriston, P. E. Deputy Secretary/ Deputy Commissioner

July 30, 2021

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Thin Air A Pad, Tyler County
Purple Unit 2H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2020-0071 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 11/5 SLS MP 1.14.

This operator is in compliance with \$22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.

Dary K. Clayton

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Mallory Stanton Antero Resources CH, OM, D-6 File

# List of Anticipated Additives Used for Fracturing or $^{4\,7\,0\,9\,5\,0\,2\,7\,5\,9}$ Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)		
Fresh Water	7732-18-5		
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1		
Ammonium Persulfate	7727-54-0		
Anionic copolymer	Proprietary		
Anionic polymer	Proprietary		
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9		
Cellulase enzyme	Proprietary		
Demulsifier Base	Proprietary		
Ethoxylated alcohol blend	Mixture		
Ethoxylated Nonylphenol	68412-54-4		
Ethoxylated oleylamine	26635-93-8		
Ethylene Glycol	107-21-1		
Glycol Ethers	111-76-2		
Guar gum	9000-30-0		
Hydrogen Chloride	7647-01-0		
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8		
Isopropyl alcohol	67-63-0		
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2		
Microparticle	Proprietary		
Petroleum Distillates (BTEX Below Detect)	64742-47-8		
Polyacrylamide	57-55-6		
Propargyl Alcohol	107-19-7		
Propylene Glycol	57-55-6		
Quartz	14808-60-7		
Sillica, crystalline quartz	7631-86-9		
Sodium Chloride	7647-14-5		
Sodium Hydroxide	1310-73-2		
Sugar	57-50-1		
Surfactant	68439-51-0		
Suspending agent (solid)	14808-60-7		
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7		
Solvent Naphtha, petroleum, heavy aliph	64742-96-7		
Soybean Oil, Me ester	67784-80-9		
Copolymer of Maleic and Acrylic Acid	52255-49-9		
DETA phosphonate	15827-60-8		
Hexamthylene Triamine Penta	34690-00-1		
Phosphino Carboxylic acid polymer	71050-62-9		
Hexamethylene Diamine Tetra	23605-75-5		
2-Propenoic acid, polymer with 2 propenamide	9003-06-9		
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5		
Diethylene Glycol	111-46-6		
Methenamine	100-97-0		
Polyethylene polyamine	68603-67-8		
Coco amine	61791-14-8		
2-Propyn-1-olcompound with methyloxirane	38172-91-7		

LOCATION COORDINATES: ACCESS ROAD ENTRANCE LONGITUDE -00.766742 (NAD 05) LATTUDE: 39.505401 LONGITUDE: -00.766742 (NAD 05) LATTUDE: 39.505401 LONGITUDE: -00.766847 (NAD 27) N 63762267 2 5.510164.52 (LTM ZONE 17 METERS)

CENTER OF TANK
LATTIUDE 30.500234 LONGITUDE -80.70135.9 (VAR 83)
LATTIUDE 30.50025 LONGITUDE -80.701534 (NAR 87)
N 4375500.78 Z 517931.23 (UTM ZONE 17 METTERS)

CENTROID OF PAB LATTIUS: 38.58810 LONGITUDE -80.788574 (NAD 85) LATTIUS: 38.58831 LONGITUDE -80.788748 (NAD 87) N 4387404.72 E 51762710 (UTM 2008 17 METERS)



GENERAL DESCRIPTION:

THE ACCESS HOADIE), WATER CONTAINMENT PAD, AND WELL PAD ARE DEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS

MISS UPILITY STATEMENT.
ANTRO RESORGES CORPORATION WILL SUTTLY MISS UTILITY OF VISIT VISIGNIA FOR THE LOCATING OF UTILITIES PRICE TO THIS PROJECT DESIGN. TECKET MOSIFICATION, AND ADMITION, WISS UTILITY WILL BE CONTACTED BY HIS CONTRIBUTION FOR THIS PROJECT DESIGN THE STATE OF CONTRIBUTION FOR THIS PROJECT.

ENTRANCE PERMIT: ANTERO RESOURCES CORPORATION WEST VIRGINIA DEPARTMENT OF CONSTRUCTION ACTIVITIES

FED SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" FER FEMA FLOOD MAP #54095C0075C

ENVIRONMENTAL NOTES:
SPIRAM AND RETLAND DELINEATIONS WHER PERFORMED IN JANUARY, 2000 BY BEIRA BEGIL DC TO
SPIRAM AND RETLAND DELINEATIONS WHER PERFORMED IN JANUARY, 2000 BY BEIRA BEGIL DC TO
BYING THE STREET FOR PATTERS AND VEHILAND THAT ARE MOST HERLY WHITHIN THE REGILATORY PURVER
ENVIRONMENTAL PROTECTION (WODE). THE ANAMAY CA, 2000 STREAM WITHIN THE PROTECTION FOR THE ANAMAY CAP, 2000 STREAM WITHIN THE PROTECTION OF THE ANAMAY CAP, 2000 STREAM WITHIN THE PROTECTION THE ANAMAY CAP, 2000 STREAM WITHIN THE PROTECTION OF THE ANAMAY CAP, 2000 STREAM WITHIN THE MAP DOES NOT, DIA ANY WAY, REPRESENT A JUNISHICHIONAL DIFFERNATION OF THE LANGEMAND
LIMITS OF WARTERS AND WELLANDS WHICH MAY BE REGULATED BY THE LINEAR OF THE MAPPEND

GEOTECHNICAL STUDIES:

A SUBSUPACE UNITEDATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL &
BOCK, INC. BETWEEN JANUARY 15, 2000 & JANUARY 29, 2022. THE REPORT PERFARED BY
PENNSYLVANIA SOIL & BOCK, INC. DATED MARCH 18, 2009, REPLETTS THE HESURE OF THE
PENNSYLVANIA SOIL & BOCK, INC. DATED MARCH 18, 2009, REPLETTS THE HESURE OF THE
PENNSYLVANIA SOIL & BOCK, INC. DATED MARCH 18, 2009, REPLETTS THE HESURE SOURCE TO THE
PENNSYLVANIA SOIL & BOCK, INC. THE SEPONDATION OF THE REPORT
VICE USED IN THE PEPNSHATION OF THESE PLANE, PLASE REFER TO THE SUBSEPPACE
BYCHGRATION HESPORT BY PERSOLVANIA SOIL A ROCK, INC. DOTA MODIFICAL BYCHMATOL, AN MERCHEN
PROPOSITION OF THE PEPNSHATION OF THESE PLANE. PLASE REFER TO THE SUBSEPPACE.

### PROJECT CONTACTS:

OPERATOR: ANTERO RESOURCES CORPORATION 535 WHITE CARD BLVD. BRIDGEPORT, WV 26330 PHONE (304) 842-4100 FAX: (304) 842-4100

ELI WAGONER - ENVIRONMENTAL ENGINEER & REGULATORY MANAGER
OFFICE: (304) 842-4088 CELL: (304) 476-9770

AARON KUNTLER - CONSTRUCTION MANAGER CELL: (304) 842-4199

CHARLES E COMPTON, III - UTILITY COORDINATOR CELL: (304) 719-6449

JIM WILSON - LAND ACENT OFFICE: (304) 842-4410 CELL: (304) 671-2708

ENGINEER/SURVEYOR:
NAVIUS EMUNEERKS, INC.
CYRUS 2 KIND, PE - PROJECT
MANAGER/NORMER
OFFICE (RAS) 662-4165 CHIL (640) 656-6747

ENVIRONMENTAL:
TETRA TECH, INC.
HENRY SCHUMACHER — MANAGER
OFFICE: (412) 021—7000 CRLF: (412) 857—8148

GEOTECHNICAL:

ROBERT WIRKS PERGY MANAGER FENSYLVARIA SOL & ROCK, INT.

FUNNYLVARIA SOL & ROCK, INT.

FUNNYLVAR

RESTRICTIONS NOTES

1. THER ARE NO PRENNAL STREAMS, WETLANDS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FREIT OF THE WELL PAD AND LOG. THERE IS A WETLAND ADMACENT TO ACCESS ROAD AT WHICH WILL REDAIN INDISTRIBED.

- THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN GOO FERT OF THE WELL PAD AND LOD.
- THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY PACIFITIES WITHIN 1000 FEET OF THE WELL PAD AND LOG.
- THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250
- THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.
- THERE ARE NO ACRICULTURAL BUILDINGS LARGER THAN 2.500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAIR.

### THIN AIR "A" WELL PAD & WATER CONTAINMENT PAD SITE DESIGN & CONSTRUCTION PLAN. **EROSION & SEDIMENT CONTROL PLANS**

ELLSOWRTH DISTRICT, TYLER COUNTY, WV LITTLE MUSKINGUM-MIDDLE ISLAND WATERSHED

PORTERS FALLS USGS 75 QUAD MAP(S)



WEST VIRGINIA COUNTY MAP



DESIGN CERTIFICATION:
THE DRAWNGS. CONSTRUCTION NOTES, AND
REFERENCE DRAGBARS ATTACHED HERETO HAVE
BEEN PREPARED IN ACCORDANCE WITH THE
WEST VIRCINAL CODE OF STATE MUDIS, INVISION
OF ENVIRONMENTAL SHORTCHOM, OFFICE OF OIL



MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!

### SHEET INDEX:

- COVER SHEET CONSTRUCTION AND FACE CONTROLS NOTES
- LEGEND

- 2 CONSTRUCTION AND FAS CONTESS NOTES
  5 LERENDA CHANTILES
  6 STOCK BRAINACE & EAS COMPUTATIONS
  6 ENGINE CONTINUES
  7 EMERING CONTINUES
  7 EMERING CONTINUES
  8 CONTINUES
  10 ACCESS ROAD, FUT, A STOCKPILE FLAN
  11 WELL PAD & WATES CONTINUES T PAD FLAN
  12 WELL PAD & WATES CONTINUES T PAD FLAN
  13 WELL PAD & WATES CONTINUES T PAD FLAN
  14 ACCESS ROAD, FUT, A STOCKPILE FLAN
  15 ACCESS ROAD SECTIONS
  16 STOCKPILE SOCTIONS
  17 ACCESS ROAD & STOCKPILE SECTIONS
  18 STOCKPILE SOCTIONS
  19 STOCKPILE SOCTIONS
  20 ACCESS ROAD & STOCKPILE SECTIONS
  21 AUTRE CONTADUATOR FAD SECTIONS
  22 WATER CONTADUATOR FAD SECTIONS
  23 ACCESS ROAD & STOCKPILE SECTIONS
  24 AUTRE CONTADUATOR FAD SECTIONS
  25 STOCKPILE SOCTIONS
  26 STOCKPILE SOCTIONS
  27 STOCKPILE SOCTIONS
  27 STOCKPILE SOCTIONS
  28 CONTADUATOR FAD SECTIONS
  29 CONTADUATOR FAD SECTIONS
  20 ACCESS ROAD WATER CONTADUATOR FAD SECTIONS
  20 ACCESS ROAD WATER CONTADUATOR FAD SECTIONS
  21 ACCESS ROAD WATER CONTADUATOR FAD SECTIONATION FLAN
  CREED GEOM RECTANING FAD SECTIONATION FLAN
  CREED GEOM GETTECHNICAL DETAILS

THE AIR "A" LIMITS OF DISTURBAN	Total
Access Road "A" (2.507")	8.20
Well Pad	17.57
Water Containment Part	1.52
Excess/Topsoil Material Stockplies	17.66
Total Affected Area	45.05
Total Wooded Acres Disturbed	28.57
Impacts to Entory L. Yester & Gary A. I	
Access Road "A" (4/1")	1.45
Total Affected Area	1.45
Total Wooded Acres Disarbed	0.00
impacts to Larry S. Sr. & Shirley Ca	rroll TM 12-6
Access Road "A" (1,589")	4.69
Excess/Topsoil Material Stockpiles	10.04
Total Affected Area	14.73
Total Wooded Acres Disturbed	3.90
Impacts to Michael Martin TM	12-10
Well Pad	3.45
Water Containment Pad	1.35
Excess/Topsoil Material Stockpiles	371
Total Affected Area	8.52
Tatal Wooded Acres Disturbed	5.63
impacts to Clara 5. & Richte Walle	
Access Road "A" (437')	2.05
Wel Pad	11.54
Water Containment Pad	0.15
Excess/Topsoil Material Stockpiles	0.94
Total Affected Area	14.70
Total Wooded Acres Disturbed	13.39
neacts to Rockford Energy, LLC Henthors	
Wes Pad	267
Excess/Topsoil Material Stockpiles	2.97
Total Affected Area	5.54
Total Wooded Acres Distubed	4.57

Wit Manu	Wy North	HAD 27 Lat & Long	ZONE 17	MAD IS LAN & Long
	100	Permit	ed Location	
Cantol	N 370048-61	LAT 30-31-39 W-40	N 437537210	LAT 39-31-40 1407
Unit 1H	6 1835345 42	10165-60-47-05-4760	E 517790.42	LONG 40-47-34 5083
Capitol	N 270961.04	LAT 39-31-39 9770	N 4375375.67	CAT 39-31-40 2027
Unit 2H	£ 1535240 to	LONG-60-47-36-3274	E 517703.00	CONG. 80 47-34 B977
Margon	14 370973 34	LAT 35-31-49 0985	N 437537965	LAY 35-31-40.3652
Una 1H	E 1515257 73	LDIVG 80-47-36-2195	£ \$17796.57	LOWG-8C-47-34 5888
Maroon	N 375965-54	LAT 39-31-40 2210	N 4375363.42	(AT 39-31-40.5073
Unit 294	E 1835268.4I	LONG 4047-35 1109	E 547796 19	LONG 4C-47-51 46 13
Purple	14 376507 78	LAT 39-21 40 1437	54 4375 38F 13	LAT 30-31-40 8294
Unit IH	E 1835775 10	LCHYG 40-47-05 9021	E 517608.73	LONG-86-47-34 3727
Purgle	N 377909 96	LAT 39-31-40 4657	N 4375393 95	LAT 20-21-40 TSIA
Unit 294	E 1635293.79	L014G-80-47-34.8937	E 5478(3).72	LONG 45:47 34 3640
Ariel	N 377022 22	AT 35-31-40 5676	N 4575364 73	LAT 39-31-40-0735
Unit TH	N GUSTON N	LONG 40-47-34 7851	£ 517805.90	LONE 46-47-34 1554
Thin for A (Permitted)	N 370049.18	LAT 39-31-35 6500	M 4375342 18	LAT 20-31-30, 1663
Unit SH	€ 1605285 38	LONG ASSET ON MOS	E 517804 67	LONG-40-47-34 2143

### REPRODUCTION NOTE

THESE SLANS WERE CREATED TO BE PLOTTED ON SERVA" (ANSI D) PAPER HALF SCALE DEAVENDE ARE ON LITTLY (ANSI D) PAPER

THESE PLANS WERE CHEATED FOR DOLDS FLOTTING AND ANY REPRODUCTIONS OF GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF NEWBOATERS AND INDUITED FOR USED FOR CONSTRUCTION FURNISHES.

S ENGINEERING

REVISION PER PIPELINE REDUCA RED DEVALERING STSTE REVISED PER WELS 10,08/ 12,721, 06,704, 06,722,



THE DECLMENT WAS PREPARED FOR ANTERO RESOURCES CORPORATION

PAD L CONTAINMENT P H DISTRICT WEST VIRGINIA "A" A AR "
LEWATER CONTA
LUSWORTH DIST SHEET COVER THIN

2 PAD

WELL

DATE 06/23/2020 SCALE AS SHOWN SHEET 1 OF 32

