

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wy.gov

Thursday, December 16, 2021 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for TOROWEAP UNIT 3H 47-095-02767

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

lames A. Martir Chief

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 12/16/2021 TORÓWEAP UNIT 3H KENNETH TOMBLIN ET AL 12/16/2021

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

.

•

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

••

.

,

12/17/2021

API NO. 47-095 - 02767

OPERATOR WELL NO. Toroweap Unit 3H Well Pad Name: Grand Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero	Resources	Corporat	494507062	095-Tyler	Ellsworth Po	orter Falls 7.5'
•			Operator ID	County	District Qu	adrangle
2) Operator's Well Number	r: Torowea	p Unit 3	BH 🗹 Well P	ad Name: Gran	nd Pad	
3) Farm Name/Surface Ow	ner: Kenneth	Tomblin et	ux Public Ro	ad Access: Go	orrells Run Roa	d
4) Elevation, current groun	d: 1268'	Ele	evation, propose	d post-construct	tion: ~1243'	
5) Well Type (a) Gas Other	X	_ Oil	Un	derground Stora	nge	
(b)If Gas	Shallow Horizontal	$\frac{x}{x}$	Deep			
6) Existing Pad: Yes or No	Yes					
7) Proposed Target Format Marcellus Shale: 7400	ion(s), Depthe ' TVD, Antic	(s), Antici	pated Thickness nickness- 55 fe	and Expected I et, Associated	Pressure(s): Pressure- 930	00#
8) Proposed Total Vertical	Depth: 7,40	00' TVD	1			
9) Formation at Total Verti		Marcellus	-			
10) Proposed Total Measur	ed Depth: 1	4,900' 1	MD			
11) Proposed Horizontal Le	eg Length: 4	,831'	1			
12) Approximate Fresh Wa	ter Strata Dep	oths:	25'			
13) Method to Determine F	resh Water D	epths: 4	7-095-02267			
14) Approximate Saltwater	Depths: 230	05'				
15) Approximate Coal Sear	n Depths: 43	31'				
16) Approximate Depth to I	Possible Void	l (coal mir	ne, karst, other):	None Anticipa	ated	
17) Does Proposed well loc directly overlying or adjace			ns Yes	No	, X	
(a) If Yes, provide Mine I	nfo: Name:				RECEIVED Office of Oil and Gas	
	Depth:	-			NOV 1 2 2021	
	Seam:					
	Owner			Er	WV Department of Wironmental Protection	30

WW-6B (04/15)

API NO. 47- 095 02767

OPERATOR WELL NO. Toroweap Unit 3H Well Pad Name: Grand Pad

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80 🧭	CTS, 218 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	300	300 🗸	CTS, 417 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500 ~	CTS, 1018 Cu. Ft.
Intermediate						1	1.2
Production	5-1/2"	New	P-110	23#	14900	14900	3396 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

Buyer Harn 11-17-21

ТҮРЕ	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	9300	Lead-H/POZ& Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners					1	RECEIV	50

Office of Oil and Gas

NOV 2 2 2021

PACKERS

		PACKERS	WV Department of Environmental Protection
Kind:	N/A		
Sizes:	N/A		
Depths Set:	N/A		

Page 2 of 3

12/17/2021

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): Existing 41.0 acres

22) Area to be disturbed for v	ell pad only, less access road (a	acres): Existing 13.72 acres
--------------------------------	-----------------------------------	------------------------------

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

RECEIVED

24) Describe all cement additives associated with each cement type:	NOV 2 2 20	121
Conductor: no additives, Class A cement. Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20	WV Department o Environmental Protec	of

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

Form WW-9

Operator's Well No. Toroweap Unit 3H

Antero Resources Corporation

Proposed Revegetation Treatmer	t: Acres Disturbed 44.91 a	Prevegetation pH	I	
Lime 2-4	Tons/acre or to correct to pH	6.5		
Fertilizer type Hay or st	raw or Wood Fiber (will be used	where needed)	*	
Fertilizer amount 500	18	os/acre		
Mulch 2-3	Tons/	acre		
Access Road "A"		s) + Staging Area (0.41) + Well Pad (13.44 acres) + 26.03 acres) = 51.65 Acres	Excess/Topsoil Material	
	See	d Mixtures		
Temp	brary	Perma	nent	
Seed Type	lbs/acre	Seed Type	lbs/acre	
Annual Ryegrass	40	Crownvetch	10-15	
Field Bromegrass	40	Tall Fescue	30	
See attached Table IV-3 for additional seed type (Margary Pad Design)		See attached Table IV-4A for additional seed type (Margery Pad De		
*or type of grass seed reque	ested by surface owner	*or type of grass seed reque	sted by surface owner	

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Digan Ham		
Comments:		
*		
		1.
Title: Inspector	Date://-/7-2/	
Field Reviewed? () Yes ()	Date://-//-2/	RECEIVED Office of Oil and Gas
		NOV 2 2 2021

WV Department of Environmental Protection WW-9 (4/16)

02767 API Number 47 - 095 Operator's Well No. Torowaap Unit 3H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494507062 -
Watershed (HUC 10) Outlet Middle Island Creek	Quadrangle Porter Falls 7.5
Do you anticipate using more than 5,000 bbls of water to complete Will a pit be used? Yes No	e the proposed well work? Yes No
If so, please describe anticipated pit waste: Noptual be used	of the role (Onling and Flowbash Fluids will be stoned in tanks. Cutlings will be tanked and navled off site.)
Will a synthetic liner be used in the pit? Yes 1	No 🔽 If so, what mł.? N/A
Proposed Disposal Method For Treated Pit Wastes:	
Reuse (at API Number Future permitted w	Jumber*UIC Permit # will be provided on Form WR-34) rel locations when applicable. AP!# will be provided on Form WR-34) 9 for disposal location) (<u>Meadowfill Landfill Permit #SWF-1032-98)</u> Northwestern Landfill Permit #SWF-1025/ <u>WV0109410</u>
Will closed loop system be used? If so, describe: Yes, fluids store	ed in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)	Surtace - Auffirestruator, intermediate -
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	
Carl Carl and an and an an an an an an an	
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed of	
-If left in pit and plan to solidify what medium will be us	ed? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowill Landfi	같 (Permit #SWF-1032-98), Northwestern Land间 (Permit # SWF-1025/WV0109110)
Permittee shall provide written notice to the Office of Oil and Gas West Virginia solid waste facility. The notice shall be provided w where it was properly disposed.	s of any load of drill cuttings or associated waste rejected at any ithin 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West Virgi provisions of the permit are enforceable by law. Violations of a law or regulation can lead to enforcement action. I certify under penalty of law that I have personally e application form and all attachments thereto and that, based of	nditions of the GENERAL WATER POLLUTION PERMIT issued inia Department of Environmental Protection. I understand that the my term or condition of the general permit and/or other applicable examined and am familiar with the information submitted on this on my inquiry of those individuals immediately responsible for e, accurate, and complete. I am aware that there are significant

penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Gretchen Kohler

Company Official (Typed Name) Gretchen Kohler

Company Official Title Director, Environmental & Regulatory Manager

Subscribed and sworn before me	this 10 the day of black has been		
	this 10 th day of November Mersion	Notary Public	DIANE BLAIR NOTARY PUBLIC STATE OF COLORADO
My commission expires	27 Apr 2024	MY C	NOTARY ID 19994011871 COMMISSION EXPIRES 27-Apr-2024
			RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of Environmental Protection 17/2021

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. INDUG IVVV	1.	Alpha	1655
---------------	----	-------	------

Salt Inhibitor

- 2. Mil-Carb Calcium Carbonate
- 3. Cottonseed Hulls
 - Cellulose-Cottonseed Pellets LCM
- 4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide – Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of Environmental Protection


13. Escaid 110	
Drilling Fluild Solvent – Aliphatic Hydrocarbon	
14. Ligco	
Highly Oxidized Leonardite – Filteration Control Agent	
15. Super Sweep	
Polypropylene – Hole Cleaning Agent	
16. Sulfatrol K	
Drilling Fluid Additive – Sulfonated Asphalt Residuum	
17. Sodium Chloride, Anhydrous	
Inorganic Salt 18. D-D	
Drilling Detergent – Surfactant	
19. Terra-Rate	
Organic Surfactant Blend	
20. W.O. Defoam	
Alcohol-Based Defoamer	
21. Perma-Lose HT	
Fluid Loss Reducer For Water-Based Muds	
22. Xan-Plex D	
Polysaccharide Polymer – Drilling Fluid Viscosifier	
23. Walnut Shells	
Ground Cellulosic Material – Ground Walnut Shells – LCM	
24. Mil-Graphite	
Natural Graphite – LCM	
25. Mil Bar	
Barite – Weighting Agent	
26. X-Cide 102	
Biocide 27. Soda Ash	
Sodium Carbonate – Alkalinity Control Agent 28. Clay Trol	
Amine Acid complex – Shale Stabilizer	
29. Sulfatrol	
Sulfonated Asphalt – Shale Control Additive	
30. Xanvis	
Viscosifier For Water-Based Muds	
31. Milstarch	
Starch – Fluid Loss Reducer For Water Based Muds	
32. Mil-Lube	
Drilling Fluid Lubricant	


.


RECEIVED Office of Oil and Gas


NOV 1 2 2021

WV Department of Environmental Protection









Toroweap Unit 3H AOR Table

UWI (APINum)	Well Name	Well Number	Operator	Historical Operator	TD	Perforated Interval (shallowest, deepest)	Perforated Formation(s)	Producible Formation(s) not perf'd
47095303870000 K	S BOREMAN 2	2025	MANUFACT LIGHT & HEAT	MANUFACT LIGHT & HEAT	2,171	Unknown	Big Injun	Alexander, Weir, Berea
47095001220000 JC	OHN EASTHAM	3	UNKNOWN	UNKNOWN	2,076	Unknown	Big Injun	Alexander, Weir, Berea
47095001210000 A	MANDA SOLES	2	BOWYER DAVID	EAGON G F	2,210	Unknown	Big Injun	Alexander, Weir, Berea
47095002430000 FI	ERRELL NANCY H HEIRS	2	BOWYER DAVID	EDGAR OIL	1,972	1938 - 1938	Keener	Alexander, Weir, Berea
47095301250000 JC	OHN F EASTMAN	1	EDGAR C W	EDGAR C W	Unknown	Unknown	Unknown	Ünknown

WV Department of Environmental Emtection

RECEIVED Office of Oil and Gas



911 Address 6083 Gorrells Run Road Middlebourne, WV 26149

Well Site Safety Plan Antero Resources

Well Name: Toroweap Unit 1H-2H-3H

Pad Location: GRAND PAD

RECEIVED Office of Oil and Gas

Tyler County/Ellsworth District

NOV 2 2 2022

GPS Coordinates:

WV Department of Environmental Protection

Entrance - Lat 39°30'00.24"/Long -80°48'37.20" (NAD83) Pad Center - Lat 39°30'26.91"/Long -80°48'38.43" (NAD83)

ACB 11/30/2021


Driving Directions:


From Middlebourne: head northeast on Main Street toward Court Street/Dodd Street for 0.2 miles - turn right onto park Avenue for 397 feet - turn left onto Gorrells Run Road for 0.4 miles - continue onto Gorrells Run Road for 2.8 miles - turn right to stay on Gorrells Run Road for 3.2 miles - lease road will be on your left.


Alternate Route:

From Centerville: Head south on Klondike Ridge toward WV-18 S for 0.2 miles - turn left onto WV-18 N for 2.0 miles - turn right onto Indian Creek Road for 1.0 mile - turn left onto Big Run Road for 4.8 miles - continue onto Left Hand Fork Walnut Run for 0.3 miles - turn left onto Gorrells Run/Kingsley Ridge for 3.7 miles - lease road will be on your right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373







INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Jay A. Wright, et ux				
	Jay A. Wright, et ux	Antero Resources Corporation	1/8+	0489/0026
*Partial Assignments to	o Antero Resources Corporation include 100% rig	ghts to extract, produce and market		

the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers .
- U.S. Fish and Wildlife Service .
- County Floodplain Coordinator .

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Antero Resources Corporation		
Tim Rady		
VP of Land		

Page 1 of 2

12/17/2021

RECEIVED Office of Oil and Gas

NOV 12 2021

WV Department of Environmental Protection Operator's Well Number Toroweap Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
S.A. Smith and C. B Morris Heirs Trust			
Lease			
S.A. Smith and C. Burke Morris Heirs Trust	Antero Resources Corporation	1/8+	0022/0268
Michael Lee Tomblin Lease			
Michael Lee Tomblin, a married man	Antero Resources Appalachian Corporation	1/8	0420/0497
Antero Resources Appalachian Corporation	Antero Resources Corporation	Assignment	0598/0358
Greenbrier Royalty Fund II, LLC Lease			
Greenbrier Royalty Fund II, LLC	Antero Resources Corporation	1/8+	0112/0047
S.A. Smith and C. B Morris Heirs Trust			
Lease			
S.A. Smith and C. Burke Morris Heirs Trust	Antero Resources Corporation	1/8+	0022/0268
Betty Morehead, et vir Lease			
Betty Morehead, et vir	Petroedge Energy, LLC	1/8	0389/0539
Petroedge Energy, LLC	Statoil USA Onshore Properties Inc	Assignment	0406/0147
Statoil USA Onshore Properties Inc	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0134/0172
Betty Morehead Lease			
Betty Morehead	Antero Resources Corporation	1/8+	0563/0571
Betty Morehead, et vir Lease			
Betty Morehead, et vir	Petroedge Energy, LLC	1/8+	0390/0018
Petroedge Energy, LLC	Statoil USA Onshore Properties Inc	Assignment	0406/0147
Statoil USA Onshore Properties Inc	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0134/0172

RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of Environmental Protection

12/17/2021



Antero Resources 1615 Wynkoop St. Denver, CO 80202 Office: 303.357.7310 Fax: 303.357.7315

November 9, 2021

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Toroweap Unit 3H Quadrangle: Porter Falls 7.5' Tyler County/Ellsworth District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Toroweap Unit 3H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Toroweap Unit 3H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Tyler Adams

Landman

RECEIVED Office of Oil and Gas

NOV 1 2 2021

12/17/2021

WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 11/10/2021

API No. 47- 095	- 02767			
Operator's Well No. Toroweap Unit 3H				
Well Pad Name:	Grand Pad			

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83 Easting:	516,272m
County:	Tyler	Northing:	4,373,145m
District:	Elisworth	Public Road Access:	Gorrells Run Road
Quadrangle:	Porter Falls 7.5'	Generally used farm name:	Kenneth Tomblin et ux
Watershed:	Outlet Middle Island Creek	-	

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of subsection ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:	
*PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	
3. NOTICE OF INTENT TO DRILL or NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
4. NOTICE OF PLANNED OPERATION	□ RECEIVED
5. PUBLIC NOTICE	
6. NOTICE OF APPLICATION	□ RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made **PhiCEAVED** personal service, the return receipt card or other postal receipt for certified mailing.

NCV 1 2 2021

WV Department of 17/2021 Environmental Protection

Certification of Notice is hereby given:

Diana Hoff THEREFORE, I

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Antero Resources Corporation		Address:	1615 Wynkoop Street	
By:	Diana Hoff Du	ana O. Holl		Denver, CO 80202	
Its:	Sr. VP of Operations 00 304-842-4153		Facsimile:	303-357-7315 mhamsher@anteroresources.com	
Telephone:			Email:		

DTANE BLATR	Subscribed and swom before me this 104 day of	60 2021
NOTARY PUBLIC STATE OF COLORADO	Qiane Blaire	Notary Public
NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024	My Commission Expires 27 Apr 2024	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficena/wv.gov.

RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of Environmental Protection

API NO. 47-	095	. 0	2767	
OPERATOR	WELL	NO.	Torowea	ıp Unit 3H

Well Pad Name: ______

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: <u>11/10/2021</u> Date Permit Application Filed: <u>11/11/2021</u>

Notice of:

PERMIT FOR ANY
WELL WORK

□ CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	☐ METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b), no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner.

Notice is hereby provided to:

SURFACE OWNER(s)	Office of Oil and Gas
Name: Kenneth Tomblin, et ux Address: 5913 Greencrest Drive Hamilton, OH 45011 Name: Address: Joint SURFACE OWNER(s) (Road and/or Other Disturbance) Name: Kenneth Tomblin, et ux Address: 5913 Greencrest Drive	Name: None on record with County NOV 1 2 202.1 Address:
Hamilton, OH 45011 Name:	Name: Kenneth Tomblin, et ux Address: 5913 Greencrest Drive Hamilton, OH 45011 Hamilton, OH 45011 OPERATOR OF ANY NATURAL GAS STORAGE FIELD
Name: Not Applicable Address:	Name: Not Applicable Address: *Please attach additional forms if necessary

DECENTER

WW-6A (5-12)

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall also include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/ofl-and-gas/pages/default.aspx</u>.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. RECEIVED

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and Vulaitied to 10% water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No wellpad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such

12/17/2021

API NO. 47-095 - 02767 OPERATOR WELL NO. Toroweap Unit 3H Well Pad Name: Grand Pad

Office of Oil and Gas.

WW-6A (5-12)

factors, if necessary.

Written Comment:

API NO. 47- 095 OPERATOR WELL NO. Toroweap Unit 3H Well Pad Name: Grand Pad

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access road proetvisyance if the director determines that: Office of Oil and Gas

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil crosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

NOV 1 2 2621

WV Department of

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hercunder, which time may not be unreasonable.



Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Notice is hereby given by:

Well Operator:	or: Antero Resources Corporation				
Telephone:	304-842-4153	Diana O. Hoff			
Email:	mstanton@ante	roresources.com			

Address: 1615 Wynkoop Street Denver, CO 80202 Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer(awy,gov</u>.


	DIANE BLAIR
	NOTARY PUBLIC
	STATE OF COLORADO
	NOTARY ID 19994011871
MY	COMMISSION EXPIRES 27-Apr-2024

Subscribed and sworn befor	e me this 10 th day of	Na) 2021.
Dia	nellow	Notary Public
My Commission Expires	27 Apr 2024	+

RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

 Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.

 Date of Notice:
 10/01/2021

 Date Permit Application Filed:
 11/11/2021

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL
DELIVERY	RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: Kenneth Tomblin et ux	Name:
Address: 5913 Greencrest Drive	Address:
Hamilton, OH 45011	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITEA NIA D. 02	Easting:	515,722m	
County:	Tyler	UTM NAD 83	Northing:	4,731,145m	
District:	Ellsworth	Public Road Ac	cess:	Gorrells Run Road	
Quadrangle:	Porter Falls 7.5'	Generally used t	farm name:	Kenneth Tomblin et ux	
Watershed:	Outlet Middle Island Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wy.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator:	Antero Resources Corporation	Authorized Representative:	Melissa Hamsher	
Address:	1615 Wynkoop Street	Address:	1615 Wynkoop Street	
	Denver, CO 80202		Denver, CO 80202	
Telephone:	304-842-4153	Telephone:	304-842-4153	
Email:	mhamsher@anteroresources.com	Email:	mhamsher@anteroresources.com	
Facsimile:	303-357-7315	Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal **PECENTATION** please contact DEP's Chief Privacy Officer at <u>deprivacyofficer awv.gov</u>.

NOV 1 2 2021

WW-6A5 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF PLANNED OPERATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 11/11/2021 Date Permit Application Filed: 11/11/2021

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REOUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name:
Address:

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	516.272m	
County:	Tyler	UTM NAD 83	Northing:	4,373.145m	
District:	Ellsworth	Public Road Acc	ess:	Gorrells Run Road	
Quadrangle:	Porter Falls 7.5'	Generally used fa	arm name:	Kenneth Tomblin et ux	
Watershed:	Outlet Middle Island Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street	
Telephone:	304-842-4153		Denver, CO 80202	
Email:	mhamsher@anteroresources.com	Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of 7/2021 Environmental Protection/2021

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: Provided, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated I, provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form _, including the crosion and sediment control plan, if WW-6A and attachments consisting of pages one (1) through required, and the well plat, all for proposed well work on the tract of land as follows:

State:	WestVirginia	LITM NAD 92	Easting:	516,272m	
County:	Tyler	UTM NAD 83	Northing:	4,373,145m	
District:	Elisworth	Public Road Acc	Public Road Access: Generally used farm name:		
Quadrangle:	Porter Falls 7.5'	Generally used t			
Watershed:	Outlet Middle Island Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON		
□ SURFACE OWNER	Signature:		
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: Date:		
□ SURFACE OWNER (Impoundments/Pits)			
COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ETC. Company:		
COAL OPERATOR	By: Its:		
□ WATER PURVEYOR	Signature: RECEIVED Office of Oil and Gas		
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:		
	NOV 1 2 2021		

Oil and Gas Privacy Notice:

WV Department of

The Office of Oil and Gas processes your personal information, such as name, address and telephone number and the address and telephone number address address and telephone number address duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wy.gov.





WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

D. Alan Reed, P.E. State Highway Engineer

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

October 19, 2021

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Grand Pad, Tyler County Toroweap Unit 3H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2020-0048 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 34 SLS MP 6.91.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Day K Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator

RECEIVED Office of Oil and Gas

NOV 1 2 2021

WV Department of Environmental Protection

12/17/2021

Cc: Melissa Hamsher Antero Resources CH, OM, D-6 File

List of Anticipated Additives Used for Fracturing or Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)	
Fresh Water	7732-18-5	
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	
Ammonium Persulfate	7727-54-0	
Anionic copolymer	Proprietary	
Anionic polymer	Proprietary	
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	
Cellulase enzyme	Proprietary	
Demulsifier Base	Proprietary	
Ethoxylated alcohol blend	Mixture	
Ethoxylated Nonylphenol	68412-54-4	
Ethoxylated oleylamine	26635-93-8	
Ethylene Glycol	107-21-1	
Glycol Ethers	111-76-2	
Guar gum	9000-30-0	
Hydrogen Chloride	7647-01-0	
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8	
Isopropyl alcohol	67-63-0	
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2	
Microparticle	Proprietary	
Petroleum Distillates (BTEX Below Detect)	64742-47-8	
Polyacrylamide	57-55-6	
Propargyl Alcohol	107-19-7	
Propylene Glycol	57-55-6	
Quartz	14808-60-7	
Sillica, crystalline quartz	7631-86-9	
Sodium Chloride	7647-14-5	
Sodium Hydroxide	1310-73-2	
Sugar	57-50-1	
Surfactant	68439-51-0	
Suspending agent (solid)	14808-60-7	
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7	
Solvent Naphtha, petroleum, heavy aliph	64742-96-7	
Soybean Oil, Me ester	67784-80-9	
Copolymer of Maleic and Acrylic Acid	52255-49-9	
DETA phosphonate	15827-60-8	
lexamthylene Triamine Penta	34690-00-1	
Phosphino Carboxylic acid polymer	71050-62-9 RECE	IVED
lexamethylene Diamine Tetra	23605-75-5	and Ga
2-Propenoic acid, polymer with 2 propenamide	9003-06-9 NOV 1 5	2 2021
lexamethylene diamine penta (methylene phosphonic acid)	23605-74-5	3 AU AI
Diethylene Glycol	111-46-6 WV Depart	ment of
Aethenamine	100-97-0	Protecti
Polyethylene polyamine	68603-67-8	
Coco amine	61791-14-8	
2-Propyn-1-olcompound with methyloxirane	38172-91-7	

