

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, July 26, 2022 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for FORSTER UNIT 2H

47-095-02804-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

> Operator's Well Number: FORSTER UNIT 2H ANTERO MIDSTREAM LLC

Farm Name: 47-095-02804-00-00 U.S. WELL NUMBER:

Horizontal 6A New Drill Date Issued: 7/26/2022

API	Number:	

## PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply supply well.
- Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:	

## **PERMIT CONDITIONS**

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 Fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary dep.ww.gov

## ORDER ISSUED UNDER WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A

TO: Antero Resources Corporation 1615 Wynkoop Street Denver, CO 80202

DATE: April 23, 2021 ORDER NO.: 2021-W-2

#### INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 et seq. to Antero Resources Corporation (hereinafter "Antero" or "Operator"), collectively the "Parties."

#### FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

- OOG, an office within the West Virginia Department of Environmental Protection, is the agency
  with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 et seq., and
  the rules and regulations promulgated thereunder.
- Antero is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as 1615 Wynkoop Street, Denver, CO 80202.
- On March 22, 2021 Antero submitted a well work permit application identified as API# 47- 95-02736. The well is located on the Beech Run Pad fka Oiler Pad in the Ellsworth District of Tyler County, West Virginia.
- 4. On March 22, 2021 Antero requested a waiver for Wetland KLF\_WETLAND 13 as outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47- 95-02736. Other wetlands shown on Attachment 1 are excluded from the waiver due to their location inside of the construction area and total coverage under the ACOE permit.

#### **CONCLUSIONS OF LAW**

- 1. West Virginia Code §22-1-6(d) requires, in part, that "in addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to...(3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing."
- 2. West Virginia Code §22-6A-2(a)(6) requires, in part, that "Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter."
- 3. West Virginia Code §22-6A-12(b) requires, in part, that "no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary."

#### **ORDER**

West Virginia Code §22-6A-12(b) requires, in part, that "no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for KLF\_WETLAND 13 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47- 95-02736. The Office of Oil and Gas hereby **ORDERS** that Antero shall meet the following site construction and operational requirements for the Beech Run fka Oiler Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24") in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland KLF\_WETLAND is outside of the LOD on a slope where no runoff from the project can reach the wetland;
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½") rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

Thus ORDERED, the 27th day of April 2021.

#### IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OF WEST VIRGINIA

By: James Martin Digitally signed by James Martin Date: 2021.04.27 13:53:28-04'00'

JAMES A. MARTIN, CHIEF

WW-6B (04/15)

API NO. 47-095 -			
OPERATOR WELL	NO.	Forster Unit 2H	1
Well Pad Name:	Beech	Run Pad	

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Rese	ources Corners	494507062	095-Tyler	Ellsworth	Porter Falls 7.5'
1) Well Operator: Attleto Resi	ources corpor	Operator ID	County	District	Quadrangle
2) Operator's Well Number: Fo	rster Unit 2H		ad Name: Bee	ch Run Pad	
3) Farm Name/Surface Owner:	Antero Midstrean	n LLC Public R	oad Access: Be	ech Run Ro	d.
4) Elevation, current ground:	1247' / El	levation, propose	d post-construc	tion: ~1222	
5) Well Type (a) Gas X	Oil _	Un	derground Stor	age	
Other					
	llow X	Deep			
	rizontal X				
6) Existing Pad: Yes or No Yes		E was a subject to the	₩1.5 m 4 m		
<ol> <li>Proposed Target Formation(s) Marcellus Shale: 7500' TVD, A</li> </ol>		Automotive Contract C			
8) Proposed Total Vertical Deptl		1	2002	37.57	
9) Formation at Total Vertical D		3 /			
(0) Proposed Total Measured De	epth: 9200' MD	/			
11) Proposed Horizontal Leg Le	ngth: 1567.7'	1			
12) Approximate Fresh Water St	trata Depths:	880' /			
13) Method to Determine Fresh	Water Depths: 4	4709530853000	00		
(4) Approximate Saltwater Dept					
15) Approximate Coal Seam De	pths: 431'				
16) Approximate Depth to Possi	ble Void (coal m	ine, karst, other):	None Anticip	ated	
17) Does Proposed well location directly overlying or adjacent to		ms Yes	N	o X	E P C I W E
(a) If Yes, provide Mine Info:	Name:			M.	
	Depth:				JUL 1 8 2022
	Seam:			By 0	Africe of Oild Ga
	Owner:				

Page 1 of 3

Steve May 7/18/72 WW-6B (04/15) API NO. 47- 095 OPERATOR WELL NO. Forster Unit 2H Well Pad Name: Beech Run Pad

18)

### CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	X-60	78.67#	100	100	CTS, 96 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	930	930 /	CTS, 969 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	3000	3000 /	CTS, 1221 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110HP	23#	9200	9200	1401 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.375"	2250	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	14,360	2500	Class G/H	~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

### **PACKERS**

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

Page 2 of 3

Stew May
7/13/22

4709502804

OPERATOR WELL NO. Forster Unit 2H

Well Pad Name: Beech Run Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill a new horizontal shallow well into the Marcellus Shale.

\*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs / Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 24.47 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 12.89 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

\*Note: Attach additional sheets as needed.



Page 3 of 3

Steve May 7/0/22

WW-9 (4/16)

API Number	47 -	095	
------------	------	-----	--

### Operator's Well No. Forster Unit 2H STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) Outlet Middle Island Creek	Quadrangle Porter Falls 7.5
Do you anticipate using more than 5,000 bbls of water to com Will a pit be used? Yes No V	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? N/A
Reuse (at API Number Future permit	nit Number *UIC Permit # will be provided on Form WR-34 ) tted well locations when applicable. API# will be provided on Form WR-34 ) /W-9 for disposal location) Meadowfill Landfill Permit #SWF-1032-98 Northwestern Landfill Permit #SWF-1025/ WV0109410 Wetzel Co Landfill Permit #SWF-1021 stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizon	Surface - Air/Freshwater, Intermediate -
-If oil based, what type? Synthetic, petroleum, etc.	
Additives to be used in drilling medium? Please See Attachme	
	ed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be -Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of Oil and	I Gas of any load of drill cuttings or associated waste rejected at any ed within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West' provisions of the permit are enforceable by law. Violations law or regulation can lead to enforcement action.  I certify under penalty of law that I have personal application form and all attachments thereto and that, base	
Subscribed and sworn before me this 22 day of	June, 2022
My commission expires 27 Apr	Notary Public DIANE BLAIR NOTARY PUBLIC STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr
	CI 04/4

### Form WW-9 Additives Attachment

#### **SURFACE INTERVAL**

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

#### INTERMEDIATE INTERVAL

#### STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

#### **PRODUCTION INTERVAL**

- 1. Alpha 1655
  - Salt Inhibitor
- 2. Mil-Carb
  - Calcium Carbonate
- 3. Cottonseed Hulls
  - Cellulose-Cottonseed Pellets LCM
- 4. Mil-Seal
  - Vegetable, Cotton & Cellulose-Based Fiber Blend LCM
- 5. Clay-Trol
  - Amine Acid Complex Shale Stabilizer
- 6. Xan-Plex
  - Viscosifier For Water Based Muds
- 7. Mil-Pac (All Grades)
  - Sodium Carboxymethylcellulose Filtration Control Agent
- 8. New Drill
  - Anionic Polyacrylamide Copolymer Emulsion Shale Stabilizer
- 9. Caustic Soda
  - Sodium Hydroxide Alkalinity Control
- 10. Mil-Lime
  - Calcium Hydroxide Lime
- 11. LD-9
- Polyether Polyol Drilling Fluid Defoamer
- 12. Mil Mica
  - Hydro-Biotite Mica LCM

RECEIVED Of on of Oil and Gas

JUN 2 3 2022

VVV Department of Environmental Protection

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene – Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

**Inorganic Salt** 

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch – Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

**Drilling Fluid Lubricant** 

RECEIVED
Office of Oil and Gas

JUN 2 3 2022

WV Department of Environmental Protection

4709502804 Operator's Well No. Forster Unit 2H a in

Proposed Revegetation Treatment: Acres Disturbed 24.47 ac	Prevegetation pl	Н
Lime 2-4 Tons/acre or to correct to pH		
Fertilizer type Hay or straw or Wood Fiber (will be used w	where needed)	
Fertilizer amount 500 lbs	s/acre	
Mulch 2-3 Tons/a	cre	
Access Road (5.69 acres) + Well Pad (12.89 acres) + Topsoil Pile "	A" (2.78 acres) + Topsoil Pile "B" (1.87 acres) + S	tockpile (1.24acres) = 24.47 Acres
Seed	Mixtures	
Temporary	Perma	anent
Seed Type lbs/acre	Seed Type	lbs/acre
Annual Ryegrass 40	Crownvetch	10-15
Field Bromegrass 40	Tall Fescue	30
See attached Table IV-3 for additional seed type (Beech Run Pad Design)	See attached Table IV-4A for additional s	seed type (Beech Run Pad Design)
*or type of grass seed requested by surface owner	*or type of grass seed requi	ested by surface owner
provided). If water from the pit will be land applied, include directed, of the land application area.	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include diracreage, of the land application area.  Photocopied section of involved 7.5' topographic sheet.	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include directed, of the land application area.  Photocopied section of involved 7.5' topographic sheet.  Plan Approved by: Steve May	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include directed, of the land application area.  Photocopied section of involved 7.5' topographic sheet.  Plan Approved by:	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include directed, of the land application area.  Photocopied section of involved 7.5' topographic sheet.  Plan Approved by:	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include directed, of the land application area.  Photocopied section of involved 7.5' topographic sheet.  Plan Approved by:	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include diracreage, of the land application area.  Photocopied section of involved 7.5' topographic sheet.	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include directed, of the land application area.  Photocopied section of involved 7.5' topographic sheet.  Plan Approved by: Steve May	ation (unless engineered plans inclumensions (L x W x D) of the pit, and	ding this info have been d dimensions (L x W), and
provided). If water from the pit will be land applied, include directed, of the land application area.  Photocopied section of involved 7.5' topographic sheet.  Plan Approved by: Steve May	Date: 7/3/27	ding this info have been d dimensions (L x W), and

## BEECH RUN PAD ANTERO RESOURCES CORPORATION



RECEIVED Office of Oil and Gas

JUN 2 3 2022

WV Department of Environmental Protection

6000'

WILLOW LAND SURVEYING, PLLC P.O. BOX 17, PENNSBORO, WV 26415 (304) 659-1717

DATE: 06/13/22 DRAWN BY: D.L.P.

JOB #: 22-005WA

FILE: FORSTER2HAORs.DWG

SCALE: 1-INCH = 2000-FEET 0' 2000' 4000'



911 Address 8781 Wetzel Tyler Ridge Rd. New Martinsville, WV 26155

# Well Site Safety Plan Antero Resources

Well Name: Beech Run Unit 5H (fka Oiler)

Pad Location: Beech Run PAD

Tyler County/Ellsworth District



Entrance - Lat 39°53′26.941″/Long -80°77′73.196″ (NAD83)

Pad Center - Lat 39°52′88.561″/Long -80°78′22.212″ (NAD83)

## **Driving Directions:**


From Reader: Head northwest on Border Lane toward Old Mexico Rd. for 16 ft. - sharp left onto CO Rd. 40/2 for 0.3 miles - continue onto 8 Mile Rd. for 4.0 miles - slight right onto Wetzel Tyler Ridge Rd. for 2.0 miles - turn left onto Right Hand Middle Fork for 0.2 miles - lease road will be on your left.


### **Alternate Route:**


From Middlebourne: Head northeast onto WV-18 N/Main St. toward Court St./Dodd St/ for 4.3 miles - turn right onto WV-180 N for 0.2 miles - turn right onto CO Rd. 11/6 for 0.4 miles - continue onto Elk Fork Rd. for 5.3 miles - slight left onto Mudlick Rd. for 0.1 miles - continue onto Left Hand Middle Fork for 0.5 miles - continue onto Right Hand Middle Fork for 1.1 miles - lease road will be on your right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373<sub>1</sub>

SSP Page 1







Operator's Well Number

Forster Unit 2H

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
B: Elaine L. Oiler Lease			
Elaine L. Oiler	Petroedge Energy LLC	1/8	0399/0725
Petroedge Energy LLC	Statoil USA Onshore Properties	Assignment	0406/0147
Statoil USA Onshore Properties	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
A: Elsie M. Snively Lease			
Elsie M. Snively	Statoil USA Onshore Properties Inc	1/8+	0463/0680
Statoil USA Onshore Properties Inc	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
, B: Elaine L. Oiler Lease			
Elaine L. Oiler	Petroedge Energy LLC	1/8	0399/0725
Petroedge Energy LLC	Statoil USA Onshore Properties	Assignment	0406/0147
Statoil USA Onshore Properties	EQT Production Company	Assignment	0539/0239
<b>EQT Production Company</b>	Antero Resources Corporation	Assignment	0663/0001

<sup>\*</sup>Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.



W	W	-6A	1
(5	/13	3)	

Operator's Well No.	Forster Unit 2H	
---------------------	-----------------	--

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

	Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
1	C: Jon Michael DuMars, et	ux Lease			
		Jon Michael DuMars, et ux Petroedge Energy LLC Statoil USA Onshore Properties Inc EQT Production Company	Petroedge Energy LLC Statoil USA Onshore Properties Inc EQT Production Company Antero Resources Coporation	1/8+ Assignment Assignment Assignment	0397/0007 0406/0147 0539/0239 0663/0001

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Mercellus and any other formations completed with this well.

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- · County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Max Green

VP of Land

Page 1 of QT

RECEIVED
Office of Oil and Gas

JUN 2 3 2022

WV Department of Environmental Protection



June 15, 2022

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57<sup>th</sup> Street SE Charleston, WV 25304

RE:

Forster Unit 1H & 2H

Ouadrangle: Porter Falls 7.5'

Tyler County/Ellsworth District, West Virginia

#### Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following applications for new well work permits for the Forster Unit 1H & 2H horizontal shallow wells. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Forster Unit 1H & 2H horizontal laterals will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Thomas Kuhn

Senior Staff Landman

RECEIVED Office of Oil and Gas

JUN 2 3 2022

WV Department of Environmental Protection Date of Notice Certification: 06/21/2022

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

**API No.** 47- 095

		U	perator's	W EII 140. 10.00	er Unit 2H
		V	Vell Pad N	ame: Beech F	Run Pad
Notice has l	een given:				
	e provisions in West Virginia Code § 2	2-6A, the Operator has provid	ded the req	uired parties v	vith the Notice Forms listed
below for the	tract of land as follows:				
State:	West Virginia		Easting:	518722m	
County:	Tyler		Northing:	4375478m	
District:	Ellsworth	Public Road Acces		Beech Run Rd.	
Quadrangle:	Porter Falls 7.5'	Generally used farm	m name:	Antero Midstream	n LLC
Watershed:	Outlet Middle Island Creek				
prescribed by it has provide information r of giving the requirements Virginia Code	Vest Virginia Code § 22-6A-7(b), even the secretary, shall be verified and shated the owners of the surface described equired by subsections (b) and (c), section surface owner notice of entry to survof subsection (b), section sixteen of the § 22-6A-11(b), the applicant shall ten have been completed by the applicant.	Il contain the following inform d in subdivisions (1), (2) and ion sixteen of this article; (ii) ey pursuant to subsection (a) this article were waived in w	mation: (14), substitution that the reconstitution to the contraction	4) A certification (b), see quirement was ten of this artithe surface over the contract of the surface over	on from the operator that (i) ction ten of this article, the deemed satisfied as a resul- cle six-a; or (iii) the notice vner; and Pursuant to Wes
		<del></del>			
	West Virginia Code § 22-6A, the Oper		s Notice C	ertification	
that the Ope	rator has properly served the required p	parties with the following:			OOC OFFICELISE
*PLEASE CHI	CK ALL THAT APPLY				OOG OFFICE USE ONLY
□ 1. NO	TICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRE	ED BECAU	JSE NO	☐ RECEIVED/
1					
ľ		SEISMIC ACTIVITY WAS A	CONDITIC	TED	
		SEISMIC ACTIVITY WAS	CONDUC	TED	NOT REQUIRED
☐ 2. NO	STICE OF ENTRY FOR PLAT SURVE				
	TICE OF ENTRY FOR PLAT SURVE TICE OF INTENT TO DRILL or [		Y WAS CO	ONDUCTED USE	NOT REQUIRED
	TICE OF ENTRY FOR PLAT SURVE TICE OF INTENT TO DRILL or [	Y or INO PLAT SURVED NOTICE NOT REQUIRE NOTICE OF ENTRY FOR PI	Y WAS CO ED BECAI LAT SURV	ONDUCTED USE VEY	NOT REQUIRED  ☐ RECEIVED  ☐ RECEIVED/
■ 3. NO	TICE OF ENTRY FOR PLAT SURVE TICE OF INTENT TO DRILL or	Y or NO PLAT SURVEY  NOTICE NOT REQUIRE  NOTICE OF ENTRY FOR PI  WAS CONDUCTED or  WRITTEN WAIVER BY	Y WAS CO ED BECAI LAT SURV	ONDUCTED USE VEY	NOT REQUIRED  ☐ RECEIVED  ☐ RECEIVED/
■ 3. NO	TICE OF ENTRY FOR PLAT SURVE TICE OF INTENT TO DRILL or [	Y or NO PLAT SURVEY  NOTICE NOT REQUIRE  NOTICE OF ENTRY FOR PI  WAS CONDUCTED or  WRITTEN WAIVER BY	Y WAS CO ED BECAI LAT SURV	ONDUCTED USE VEY	NOT REQUIRED  RECEIVED  RECEIVED/ NOT REQUIRED

#### **Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

RECEIVED
Office of Oil and Gas

JUN 2 3 2022

Telephone:

#### Certification of Notice is hereby given:

303-357-7310

THEREFORE, I Robert Odenthal , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Address:

Well Operator: Antero Resources Corporation

By: Robert Odenthal Robert S. Odenthal

Its: VP of Drilling

Denver, CO 80202

Facsimile: 303-357-7315

Email: mstanton@anteroresources.com

1615 Wynkoop Street

DIANE BLAIR NOTARY PUBLIC STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024 Subscribed and sworn before me this 22 day of June 2022.

Notary Public

My Commission Expires 27 Apr 2024

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deepprivacyofficer@wv.gov">deepprivacyofficer@wv.gov</a>.

C .c= of Oil and Gas

JUN 2 3 2022

NVV Department of Environmental Protection

API NO. 47-095 - 0 9 5 0 2 8 0 4

OPERATOR WELL NO. Forster Unit 2H
Well Pad Name: Beech Run Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS $\underline{\text{NOTICE OF APPLICATION}}$

Notio	ce Time Requirer	ment: notice shall be	provided no later than	the <b>filing d</b>	ate of permit application.	
	of Notice: 06/22/20 ce of:	Date Permit Ap	plication Filed: 06/22/	2022_		
<b>7</b>	PERMIT FOR A		TIFICATE OF APPENSTRUCTION OF A			
Deliv	very method purs	suant to West Virgin	ia Code § 22-6A-10(	<b>(b)</b>		
	PERSONAL SERVICE	REGISTEREI MAIL			IVERY THAT REQUIRES A NATURE CONFIRMATION	
certification regis sedim the sign oil and description operation well important important proving subsequents of the sign of t	ficate of approval fitered mail or by an ment control plan reurface of the tract of and gas leasehold be ribed in the erosion ator or lessee, in the coal seams; (4) The work, if the surface oundment or pit as a water well, spring a water well, spring ide water for consumptions of this series of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of the sheriff registion of this article in R. § 35-8-5.7.a. In the state of the sheriff registion of the she	or the construction of a y method of delivery the equired by section several to the well is or sing developed by the parameter and sediment control to the event the tract of land the owners of record of the extract is to be used for described in section ning or water supply sour amption by humans or control to the contrary, notice to the contrary, notice equires, in part, that the	an impoundment or pit nat requires a receipt or of this article, and the is proposed to be located proposed well work, if plan submitted pursuant don which the well protect the placement, construct the placement, construct of this article; (5) A ce located within one to domestic animals; and construct the lands, the applicant domestic animals; and the lands, the applicant domestic animals is not the coperator shall also prove the lands of the	as required by a signature content well plat to ted; (2) The of the surface trust to subsection oposed to be of the surface overlying action, enlarguation, enlarguation, enlarguation, entrance over thousand five tenants in content may serve the sight, article of the oposition of the tenants of the surface of the surface of the surface tenants in content the surface of the surfac	ation, the applicant for a permit for any by this article shall deliver, by personal onfirmation, copies of the application, to each of the following persons: (1) The personal of the surface tract or eact is to be used for roads or other land on (c), section seven of this article; (3) drilled is located [sic] is known to be ut the oil and gas leasehold being development, alteration, repair, removal or abover or water purveyor who is known to thundred feet of the center of the well pattern of any natural gas storage field with the documents required upon the person one, chapter eleven-a of this code. (2) Nondowner, unless the lien holder is the left Site Safety Plan ("WSSP") to the surface of this rule.	service or by he erosion and e owners of record of tracts overlying the disturbance as The coal owner, underlain by one or ped by the proposed candonment of any o the applicant to pad which is used to hin which the described in described in the lotwithstanding any andowner. W. Va.
	••		☐ E&S Plan Notice		at Notice is hereby provided to:	
	JRFACE OWNER			COAL O	WNER OR LESSEE DECLARATIONS ON RECORD WITH COUNTY	
	ne: Antero Midstrear	n LLC				_
Add	ress: PO Box 1826 Cockeysville, MI	21030-7826	<del></del>	Address		_
Nam	ne:	3 Z 1000-7020		COAL O	PERATOR	<del></del>
			<del></del>		DECLARATIONS ON RECORD WITH COUNTY	
						_
□ ST	JRFACE OWNER	R(s) (Road and/or Oth	er Disturbance)			<del>_</del>
_					CE OWNER OF WATER WELL	
Add	ress:				WATER PURVEYOR(s)	
					Antero Midstream LLC	
Nan	ne:			_	1615 Wynkoop St	<del></del>
Add	ress:				Denver, CO 80202	
	DEACE OVAR	R(s) (Impoundments of	m Dita)	_	TOR OF ANY NATURAL GAS STO	
				Address		_
IIRNI IIRNI	recc·			Addiess: _		
Aud	1033.	<del></del>	<del></del>	*Please atta	ach additional forms if necessary	_
				i iouse alle	aon additional forms it necessary	RECEIVED

RECEIVED
Office of Oil and Gas

API NO. 47- 095

OPERATOR WELL NO. Forster Unit 2H

Well Pad Name: Beech Run Pad

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.gov/oil-and-gas/pages/default.aspx">www.dep.wv.gov/oil-and-gas/pages/default.aspx</a>.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements, (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-095

OPERATOR WELL NO. Forster Unit 2H

Well Pad Name: Beech Run Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### **Water Testing Laboratories:**

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### **Written Comment:**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED
Office of Oil and Gas

JUN 2 3 2022

WV Department of

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 095

OPERATOR WELL NO. Forster Unit 2H

Well Pad Name: Beech Run Pad

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

**Comment Requirements** 

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

JUN 2 3 2022

Tyv Department of Environmental Protection

4709502804

API NO. 47- 095 -

OPERATOR WELL NO. Forster Unit 2H

Well Pad Name: Beech Run Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

(303) 357-7310

Robert S. Odenthal

Address: 1615 Wynkoop Street

Denver, CO 80202

Telephone: Email:

mstanton@anteroresources.com

Facsimile: 303-357-7315

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

DIANE BLAIR
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 19994011871
MY COMMISSION EXPIRES 27-Apr-2024

Subscribed and sworn before me this 22 day of June 2022.


Quine Blair Notary Public

My Commission Expires 27 Apr 2024

RECEIVED Office of Oil and Gas

JUN 2 3 2022

TVV Department of Environmental Protection



WW-6A4 (1/12) Operator Well No. Forster Unit 2H

Beech Run Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Notic	Requirement: Notice shall be provided are: 05/06/2022 Date Pe	at least TEN (10) days prior to filing a rmit Application Filed: 06/22/2022	permit application.
Delivery met	hod pursuant to West Virginia Code §	22-6A-16(b)	
☐ HAND	CERTIFIED MAIL		
DELIVE		OUESTED	
			The state of the s
receipt reques drilling a hor of this subsec subsection ma and if availab	sted or hand delivery, give the surface over its contained by the surface	when notice of its intent to enter upon the pursuant to subsection (a), section to the ed to the surface owner: <i>Provided, howerer</i> . The notice, if required, shall include address of the operator and the operator	an operator shall, by certified mail return ne surface owner's land for the purpose of n of this article satisfies the requirements vever, That the notice requirements of this ude the name, address, telephone number, or's authorized representative.
	reby provided to the SURFACE O' ro Midstream, LLC	WNER(s): Name:	
Address: POE		Address:	
	eysville, MD 21030-7826	Addicas.	
State: County:	vner's land for the purpose of drilling a h West Virginia Tyler	UTM NAD 83 Easting: Northing:	518722m 4375478m
District:	Ellsworth	Public Road Access:	Beech Run Rd.
Quadrangle:	Porter Falls 7.5'	Generally used farm name:	Antero Midstream LLC
Watershed:	Outlet Middle Island Creek		
Pursuant to 'facsimile nur related to hor	nber and electronic mail address of the izontal drilling may be obtained from the	operator and the operator's authorize the Secretary, at the WV Department of	ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
	reby given by:		
Well Operato	r: Antero Resources Corporation	Authorized Representative:	Mallory Stanton
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.
	Denver, CO 80202		Denver, CO 80202
Telephone:	303-357-7310	Telephone:	303-357-7310
Email:	mstanton@anteroresources.com	Email:	mstanton@anteroresources.com
Facsimile:	303-357-7315	Facsimile:	303-357-7315

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information personal information. DEP's Chief Privacy Officer at <a href="mailto:deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

WW-6A5 (1/12)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notic	e: 06/22/2022	Date Permit Ap	pplication Filed: 06/2	2/2022	
Delivery met	hod pursuant to West	Virginia Code § 2	2-6A-16(c)		
■ CERTII	FIED MAIL	П	HAND		
	RN RECEIPT REQUES	TED	DELIVERY		
return receipt the planned of required to be drilling of a l damages to th (d) The notice of notice.	requested or hand delive operation. The notice re- provided by subsection norizontal well; and (3) he surface affected by oil	ery, give the surfa equired by this su (b), section ten of A proposed surfa and gas operation on shall be given to	ce owner whose land absection shall include this article to a surface use and compens as to the extent the day to the surface owner a	will be used for de: (1) A copy ace owner whos ation agreement mages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information are land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
(at the addres	s listed in the records of		ime of notice):		
	ro Midstream, LLC		Name:		
Address: 1615	ver, CO 80202		Address	3:	
State: County:	the surface owner's land West Virginia Tyler	i for the purpose of	UTM NAD 8	3 Easting: Northing:	518722m 4375478m
District:	Ellsworth		Public Road		Beech Run Rd.
Quadrangle: Watershed:	Porter Falls 7.5' Outlet Middle Island Creek		Generally use	ed farm name:	Antero Midstream LLC
Pursuant to W to be provide horizontal we surface affect information r headquarters, gas/pages/def	ed by W. Va. Code § 2 ell; and (3) A proposed sed by oil and gas operated to horizontal dril located at 601 57 <sup>th</sup> Stault.aspx.	22-6A-10(b) to a sourface use and contions to the extending may be obtained.	surface owner whose impensation agreeme t the damages are co- fined from the Secret eston, WV 25304	land will be untraining arompensable und ary, at the WV	code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

RECEIVED Office of Oil and Gas

JUN 2 3 2022

- 1 0 0	000000
API NO. 47- 095 -	14/45/17 19/19
OPERATOR WELL NO	Forster Unit 2H
Well Pad Name: Beech Ru	n Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

#### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

### VOLUNTARY STATEMENT OF NO OBJECTION

I,			amed on Page WW-6A and the associate
WW-6A and	sted above, and that I have received copies of a No attachments consisting of pages one (1) through the well plat, all for proposed well work on the tra	h, including	
State:	Word Viccinia	Easting:	518722m
County:	Tyler	JTM NAD 83 Pasting. Northing:	4375478m
District:	Ellsworth	Public Road Access:	Beech Run Rd.
Quadrangle:	Porter Falls 7.5'	Generally used farm name:	Antero Midstream, LLC
Watershed:	Outlet Middle Island Creek		
*Please check	k the box that applies	FOR EXECUT	ION BY A NATURAL PERSON
*Please checl	k the box that applies	FOR EXECUT	ION BY A NATURAL PERSON
■ SURFA	CE OWNER	Signature:	
□ SURFA	CE OWNER (Road and/or Other Disturbance)		
□ SURFA	CE OWNER (Impoundments/Pits)	FOR EXECUT	ION BY A CORPORATION, ETC.
□ COAL C	OWNER OR LESSEE	Company: Antero t	Midstream LLC
□ COAL C	PPERATOR	By: Robert Odenthal Its: VP of Drilling	
■ WATER	RPURVEYOR	Signature:	Robert S. Odenthal
□ OPERA	TOR OF ANY NATURAL GAS STORAGE I	D-4 06/02/2022	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will and Gas appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

## **Division of Highways**

D. Alan Reed, P.E. State Highway Engineer 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

June 21, 2022

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Beech Run Pad, Tyler County Forster Unit 2H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2021-0097 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 28/1 SLS MP 1.40.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

ary K. Clayton

Cc: Diane Blair

Antero Resources CH, OM, D-6

File

RECEIVED OF OIL and Gas

JUN 2 3 2022

TVV Department of Environmental Protection Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.)

#### FRACTURING/STIMULATING INTERVAL

Additive	Chemical Abstract Service Number (CAS #)
1. Fresh Water	7732-18-5
2. 2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
3. Ammonium Persulfate	7727-54-0
4. Anionic copolymer	Proprietary
5. Anionic polymer	Proprietary
6. BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
7. Cellulase enzyme	(Proprietary)
8. Demulsifier Base	(Proprietary)
9. Ethoxylated alcohol blend	Mixture 68412-54-4
Ethoxylated Nonylphenol     Ethoxylated oleylamine	26635-93-8
12. Ethylene Glycol	107-21-1
13. Glycol Ethers	111-76-2
14. Guar gum	9000-30-0
15. Hydrogen Chloride	7647-01-0
16. Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
17. Isopropyl alcohol	67-63-0
18. Liquid, 2,2-dibromo-3- nitrilopropionamide	10222-01-2
19. Microparticle	Proprietary
20. Petroleum Distillates (BTEX Below Detect)	64742-47-8
21. Polyacrylamide	57-55-6
22. Propargyl Alcohol	107-19-7
23. Propylene Glycol	57-55-6
24. Quartz	14808-60-7
25. Sillica crystalline quartz	7631-86-9
26. Sodium Chloride	7647-14-5
27. Sodium Hydroxide	1310-73-2
28. Sugar	57-50-1
29. Surfactant	68439-51-0
30. Suspending agent (solid)	14808-60-7
31. Tar bases, quinolone derivs, benzyl chloride-quarternize	d 72480-70-7
32. Solvent Naptha, petroleum, heavy aliph	64742-96-7
33. Soybean Oil, Me ester	67784-80-9
34. Copolymer of Maleic and Acrylic Acid	52255-49-9
35. DETA Phosphonate	15827-60-8
36. Hexamythylene Triamine Penta	34690-00-1
37. Phosphino Carboxylic acid polymer	71050-62-9
38. Hexamethylene diamine penta	23605-74-5
39. 2-Propenoic acid, polymer with 2 propenamide	9003-06-9
40. Hexamethylene diamine penta (methylene phosphonic	acid) 23605-74-5
41. Diethylene Glycol	111-46-6
42. Methenamine	100-97-0
43. Polyethylene polyamine	68603-67-8
44. Coco amine	61791-14-8 Office of Oil and Gas
45. 2-Propyn-1-olcompound with methyloxirane	38172-91-7

JUN 2 3 2027

VVV Department of Environmental Protection

#### GENERAL DESCRIPTION

THE ACCESS ROADING WIFE I PAR AWARD WASTER CONTAINMENT PAR ARE BEING CONSTRUCTED TO ACC IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS

#### FLOODPLAIN NOTES:

THE PROPOSED SITE LOCATION IS NOT WITHIN ANY IDENTIFIED FLOOD ZONES. PER FEMA MAP

#### MISS LITILITY STATEMENT:

ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATION OF UTILITIES PRIOR TO THIS PROJECT DESIGN, TICKET #202464003, IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ANTERO RESOURCES CORPORATION WILL GRIAM AN ENGROAGHMENT PERMIT (FORM NIM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF MICHWAYS. PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES

#### ENVIRONMENTAL NOTES:

STHEAM AND WETLAND DELINEATIONS WERE PERFORMED ON COTOBER 10<sup>31</sup>, 2020 BY EMMINONMENTAL SOLUTIONS & MINOVATIONS, MIC. TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST UNITELY WITHIN THE REDULATORY PURVIEW OF THE U.S. ARMY CORPS OF EMBINEERS (USACE) ANDOH THE WEST VIRIBINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION MY DEPT THE OCTOBER 10<sup>31</sup> 2020 THE NESS I WINDOWS DEPARTMENT OF EMPONDING THE THIND THE THIND THE THE OF STREET OF STREAM AND WELLAND DELIVERATION MAP MAS RIPERANCE BY ANTERO RESOURCES CORPORATION AND SUMMARIZES THE RESULTS OF THE FIELD DELIVERATIONS, THE MAP DOES NOT, IN ANY WAY, REPRESENT A AUPSTICATION, EFFERMANT OF THE LANDING DIATRS OF WARRES AND WELLANDS WHOCH MAY BE REGULATED BY THE USACE OR THE WIN CEP. ANTERIOR RESOURCES CORPORATION SHALL ORTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS

#### GEOTECHNICAL NOTES:

THE PROPOSED 2.1 SLOPES SHALL BE VERIFIED BY A CERTIFIED GEOTECHNICAL ENGINEER TO ENSURE THE PROPOSED SLOPES ARE ADEQUATE PRIOR TO CONSTRUCTION. CONSTRUCTION SHALL BE MONITORED BY A REPRESENTATIVE OF THE GEOTECHNICAL ENGINEER OR PROJECT DESIGN ENGINEER.

#### RESTRICTIONS NOTES

THERE ARE NO LAKES OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD

- 2 THERE ARE WETLANDS THAT WILL BE IMPACTED WITHIN 186 FEET OF THE WELL PAD LOD AND A WETLAND WINNER REQUEST WILL BE SUBMITTED FOR THE APPROPRIATE WETLANDS ADDITIONALLY, SEVERAL WETLANDS ARE TO BE PERMANENTLY IMPACTED AND WILL BE PERMANENT TO THROUGH THE APPROPRIATE AGENCIES.
- 1. THERE ARE NO EPHEMERAL INTERMITTENT, OR PERENNIAL STREAM IMPACTS WITHIN THE LOC.
- 4. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD
- S THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY PACKITIES WITHIN LOSS FEET OF THE WELL PAD AND LOD
- A THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 260 FEET OF THE WELL'S) TO BE CRILLED
- T THERE ARE NO OCCUPIED DWELLINGS OR AGRICULTURAL BUILDINGS LARGER THAN 2.500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

ENVIRONMENTAL SOLUTIONS & INNOVATIONS, INC. IN1 OLD FREEDOM ROAD, SUITE 202 CRANBERRY TOWNSHIP, PA 18056 PHONE: (814) 817-2033 EMAIL INFORENISI, COM

CIVIL & ENVIRONMENTAL CONSULTANTS, INC. 120 GENESIS BOULEVARD

APPROVED

WVDEP OOG

7/26/2022

Tile1 ((L) +1 200 2 (C) (1)

MISS UTILITY OF WEST VIRGINIA 1-800-245-4848

1-3CO-245-4588
WEST VIRGINIA STATE LAW
(SECTION XIV: CHAPTER 24-C)
REQUIRES THAT YOU CALL TWO
JSINESS DAYS BEFORE YOU OFG.
THE STATE OF WEST VIRGINIA
IT'S THE LAW!

120 GENESIS BOULEVARD BRIDGEPORT, WY 26330

PHONE (304) 933-2113 EMAIL: INFORGEGING COM

BRIDGEPORT, WV 28230 PHONE (304) 933-3115

#### PROJECT CONTACTS:

OPERATOR: ANTERO RESOURCES CORPORATION BRIDGEPORT, WY 26330 PHONE (204) 842-4100

FLUMBGONER - ENNIRONMENTAL & REGULATORY MANAGER

OFFICE (304) M3-4068 CELL: (304) 476-3770

AARON KUNZLER - CONSTRUCTION MANAGER OFFICE (304) 842-4191

ROBERT WIRKS - DESIGN MANAGER OFFICE (304) 842-4401 CELL (304) 827-7405

SCOTT HOFFER - UTILITY SUPERVISOR OFFICE (740) 760-1012 CELL (104) 615-6699

JAM WILSON - LAND AGENT OFFICE: (304) 842-4419 | CELL: (304) 571-2708

DIANA HOW - SYP OPERATIONS OFFICE (303) 357-8904

#### DESIGN CERTIFICATION:

THE DRAWINGS CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL MID GAS CRS 35-8

#### **FLAN REPRODUCTION NOTE**

THESE PLANS WERE CREATED TO BE PLOTTED ON 22" X 34" (ANSI D) PAPER, HALF SCALE DRAWINGS

THESE PLANS WERE CREATED FOR FULL COLOR PLOTTING AND ANY SET OF THE PLANS THAT IS NOT PLOTTED IN FULL COLOR WILL NOT BE CONSIDERED AMEQUATE FOR CONSTRUCTION PURPOSES.


INFORMATION MAY BE LOST IN COPYING ANDIOR DRAYSCALE PLOTTING

### BEECH RUN WELL PAD SITE DESIGN. **CONSTRUCTION PLANS & EROSION AND SEDIMENT CONTROL PLANS**

ELLSWORTH DISTRICT, TYLER COUNTY, WEST VIRGINIA ELK FORK WATERSHED PORTERS FALLS USGS 7.5 QUAD MAP








(NOT TO SCALE)

#### WV DOH COUNTY ROAD MAP



#### SHEET INDEX

COOD - COVER SHEET CROS - CONSTRUCTION DETAILS CONTRUCTOMESS NOTES CHO2 - LEGEND CROS - CONSTRUCTION DETAILS COM EXISTING CONDITIONS CROS - CONSTRUCTION DETAILS CROS - CONSTRUCTION DETAILS COOR JEDDACH MAD CROT - CONSTRUCTION DETAILS G300+OVERALL SITE PLAN G300 - SITE PLAN CRIB - CONSTRUCTION DETAILS CONT. STEE BY AN C409 - CONSTRUCTION DETAILS. CHIR - CONSTRUCTION DETAILS CSOL STEPLAN CRIT - CONSTRUCTION DETAILS GBOO - PROFILES & CROSS SECTIONS CROS- PROFILES & CROSS SECTIONS CALL CONSTRUCTION DETAILS C602 - PROFILES & CROSS SECTIONS CRIS - CONSTRUCTION DETAILS CAM - CONSTRUCTION DETAILS CACA - PROFILES & CROSS SECTIONS CHS - CONSTRUCTION DETAILS CEON - PROFILES & CROSS SECTIONS CEGO - PROPILES & CROSS SECTIONS PODD - RECY AMSTRON PLANE CMR - CONSTRUCTION DETAILS CREET - RECLAMATION PLANS C902 - RECLAMATION PLANT CART - CONSTRUCTION OF TAILS

SITE LOCATION COORDINATES						
ETTE LOCATION	WYES-MF (NORTH ZONE)		UTSHI3-17			
HITE LOCATION	LATITUDE	LONGITUDE	MORTHING .	EASTEWS		
ACCESS ROAD	39.5326941	-80.7773198	4375916.61	519139.81		
WELL PAD	25.5265561	-80.7872212 ·	4375489.02	218718.67		

		WELLHEAD LEG	END	
WELL	WV HORTH NAD27	MAD 27 LAT & LONG	LITM (METERS) ZOME 17	HADES LAT & LOWIS
30-910.00				
CHYSTAL	M 377150,50	LAT 29" 31" 42.3592"	N: 4375451 51	LAT. 39" 31"42 8457"
LIMIT: 1H	E: 1638282.38	TONO SO, SE, 28 BIELL	E 418716.25	LONG. ATT NO DE 0176
CATYSTAL	N. 377172-17	LAT: 38" 31"42 5039"	N 4375455 97	LAT: 75" 31" 42.7802"
LIMT 2H	E: 1638285.43	LONG 41" 48" 56.8058"	E 318717:26	LONG80" 49" 55.9750
EMBROAS	N: 377187.74	(AT 38 31'42 5483"	N: 4375450 47	LAT 31' 42 9347"
LINET THE	E. 1836289.98	COMT -80" 40" 56 5631"	E. 118718.27	LONG -00" 48" b5 8378
EMMONS	M: 377202.31	LAT: 38" 31"-42 7928"	N: 4375454 88	LAT 39" 31" 41 67 67"
LINETTON	E 1636293.53	LOWG -80" 48" 56 5205"	E 518719.26	LONG80" 45" 55 8850"
ATWOOD	N: 377216.88	LAT: 39" 31" 42,9373"	N: 4375/88 31	LAT: 39" 31" 41.2237"
CNIT TH	E 1638297.00	LONG: 40" 48" 58: 4778"	E 518720 28	LONG: -60" 48" 551.6470"
FOREITER	N: 377231.45	LAT: 38" 31"42 9818"	N: 4375412-80	LAT: 30" 31" 83 3682"
DESTRICTION	E YESTEROOT \$5	LOWG -80" 48" BE 4352"	E 318721.29	LONG -80" 46" 55.8040"
FORSTER	Ft: 377248.00	LAT: 30" 31" 41.726C	NE 4975478 26	LAT: 30" 37 42.5128"
LENT 2H	E 1638304.18	LOWG -81" 46" 55.3976"	E: 918722.30	LONG: - OUT HE SE THIT
CALER SH	N: 377168.35	LAT 29" 31"42 453"	N: 4375454 30	EAT 29131 42 742
(PERMITTER)	E 1638296.09	LONG -80" 48" 56 865"	E: 518711.09	LONG: -10" 40" 56 234"
WORDSED WE	LL PAD ELEVATION	1222.4		

DESCRIPTION	ACRE
ACCIESS ROAD	5.00
WELL PADVALBULIARY PAD	12.89
TOPSOIL/STREPPING PILE A	2.78
TOPSOIL/STRIPPING PILE II	1.07
STOCKPILE C	1.24
FOTAL	24,47
TREE CLEARING	15.20

PROPERTY DWINER	TAX MAP PAHCEL	PARCEL ACREAGE	TYPE OF OSTURBANCE	ACREAGE 12 12
ARTERO MONTHS AM LLC	122-12-08 3	31.75	WELL PAD ACERS ROAD, TOPSOIL/STRIPPING PILE, STOCKPILE & TREE CLEARING	
ARTERO MOSTREAM LC	HOSTREAM LLC 02-12-18 1		WELL PAIL ACESS ROALL TOPSOLL/STRIPPING PILE, STOCKPILE & TREE CLEARING	10,15
MMITY ADALINE LEWIS ET, AL	02-12-21	67.00	ACCESS ROAD & TREE CLEARING	1.19
			DISTURBED ACREAGE FOTAL	71.47

WETLAND IMPACTS WITHIN LOD							
D	TOTAL ACREAGE	TEMPORARY IMPACT	PERMANENT IMPACT	MO IMPACE	COMMENTS		
EBI-WETLANCOT	0.002	N/M	0.002	MA.	WITHIN WORK ARE A		
NEF WETLANDIS	0.665	ANA	2.085	N/A	FILL PLACEMENT		
KLF WETLANDIN	0.00	AVA.	0.000	N/A	FILL PLACEMENT		
VLF_WETLANCTE AL	0.171	Mid	0.171	niA.	WITHIN WORK AREA		
TUTALS	0.276	- 4	0.278	- 0			



STATE OF DATE: 2/3/2022

SCALE: AS SHOWN SHEET: COOO

