

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, November 3, 2022 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for Gothic Unit 3H

47-095-02826-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: Gothic Unit 3H

Farm Name: Clara Suzanne Wallace & Ricking

47-095-02826-00-00

U.S. WELL NUMBER: Horizontal 6A New Drill

Date Issued: 11/3/2022

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15) 4709502826

API NO. 47-095

OPERATOR WELL NO. Gothic Unit 3H

Well Pad Name: Thin Air Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operat	tor: Antero Re	esources	Corpora	494507062	095-Tyler	Ellsworth	Porter Falls 7.5'
V. Wash of the same	10.4		-	Operator ID	County	District	Quadrangle
2) Operator's V	Well Number:	Gothic Un	it 3H	Well Pa	nd Name: Thin	Air Pad	
3) Farm Name.	/Surface Owner	Clara Suzann	e Wallace & Ricki	e Wallace Public Ro	ad Access: CF	R 11	
4) Elevation, c	urrent ground:	1200'as	s-built El	evation, proposed	l post-construc	tion:	
5) Well Type	(a) Gas X		Oil	Uno	derground Stora	age	
	Other						
	(b)If Gas S	hallow	X				
		lorizontal	X				
	d: Yes or No \underline{Y}		T. C. 10 110 11		E.V. D. Vass		
	0			ipated Thickness ss- 55 feet, Assoc			
8) Proposed To	otal Vertical De	pth: 740	0' TVD				
9) Formation a	nt Total Vertical	Depth:	Marcellus	3			
10) Proposed	Total Measured	Depth:	10000' M	D			
11) Proposed I	Horizontal Leg	Length:	322'				
12) Approxima	ate Fresh Water	Strata De	pths:	328'			
13) Method to	Determine Fres	sh Water I	Depths:	17-095-02266			
14) Approxima	ate Saltwater De	epths: 16	60'				
15) Approxima	ate Coal Seam I	Depths: N	lone Iden	tified			
16) Approxima	ate Depth to Po	ssible Voi	d (coal mi	ine, karst, other):	None Anticip	ated	
	osed well locati			ms Yes	N	o <u>X</u>	
(a) If Yes, pr	ovide Mine Info	o: Name	:				
		Depth			Office	ECEIVED of Oil and Gas	
		Seam			001	19 2022	
		Owne	r:			epartment of	
					Environm	optal Protection	

Page 1 of 3 Stephen May 11/04/2022 10/17/22 WW-6B (04/15)

OPERATOR WELL NO. Gothic Unit 3H

Well Pad Name: Thin Air Pad

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	X-60	78.67#	100	100	CTS, 96 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	380	380	CTS, 396 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	3100	3100	CTS, 1262 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110HP	23#	10000	10000	1592 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners						1	

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	24"	0.438"	1530	50	Class A/L	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A/L	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A/L	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	2500	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A	
Sizes:	N/A	RECEIVED Office of Oil and Gas
Depths Set:	N/A	OCT 19 2022
	1473	WAY Department of

WV Department of Environmental Protection

API NO. 47- 095

OPERATOR WELL NO. Gothic Unit 3H

Well Pad Name: Thin Air Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 45.05 acres

22) Area to be disturbed for well pad only, less access road (acres): 17.67 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A/L cement.

Surface: Class A/L cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A/L cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

RECEIVED
Office of Oil and Gas

*Note: Attach additional sheets as needed.

OCT 19 2022

WV Department of Environmental Protection





October 4, 2022

West Virginia Office of Oil and Gas Attn: Taylor Brewer 601 57th St SE Charleston, WV 25304

RE: Request for Variance – Class L Cement Gothic Unit 1H -3H Embry Unit 1H & 2H Marcellina Unit 1H & 2H Tyler County, WV

Mr. Brewer:

Pursuant to 35CSR8 Section 9.2.h.8, Antero Resources Corporation ("Antero") would like to implement the variance to allow Class L Cement in place of Class A cement relating to the construction of the following horizontal wells (Gothic Unit 1H- 3H, Embry Unit 1H & 2H and Marcellina Unit 1H & 2H) on the Thin Air pad.

Antero only plans to use this method if Class A cement is not available to be use due to supply issues. Please see Order No 2022-14 attached.

If you have any questions or need further information, please feel free to contact Mallory Stanton, Permitting Manager, at (303) 357-7182 or email at mstanton@anteroresources.com.

Sincerely,

Mallory Stanton Permitting Manager

Antero Resources Corporation



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450

Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM LEGISLATIVE RULE 35CSR4 SECTION 11.5 AND LEGISLATIVE RULE 35CSR8 SECTION 9.2.h.8., RELATING TO THE CEMENTING OF OIL AND GAS WELLS)	ORDER NO.	2022-14
The state of the s	7		

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well construction.

FINDINGS OF FACT

- On July 14, 2022, Northeast Natural Energy (NNE) submitted a variance request from Legislative Rule 35CSR8 Section 9.2.h.8., for the use of API Class L cement in place of API Class A cement, relating to the construction of horizontal wells.
- Laboratory analysis submitted by NNE on July 14, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a
 variance to Legislative Rule 35CSR4 Section 11.5., for the use of API Class L cement in
 place of API Class A cement, relating to the construction of vertical wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well construction subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas טעו טוו עטונסט ווויס.

Instructions

- Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop In a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING # : 9405 5036 9930 0362 3333 26

Trans.#: 573065698
Print Date: 10/04/2022
Ship Date: 10/04/2022
Expected
Delivery Date: 10/08/2022

Priority Mail® Postage: \$9.90 Total: \$9.90

From: JOHN GIANNAULA 1615 WYNKOOP ST DENVER CO 80202-1106

To: MICHAEL MARTIN 7156 ELK FORK RD

MIDDLEBOURNE WV 26149-7656

Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

UNITED STATES Thank you for shipping with the United States Postal Service!

Check the status of your shipment on the USPS Tracking® page at usps.com

Cut on gotteg line.

Instructions

- Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0362 3333 88

Trans, #: 573065698
Print Date: 10/04/2022
Ship Date: 10/04/2022
Expected
Delivery Date: 10/07/2022

Priority Mail® Postage: \$9.90 Total: \$9.90

From: JOHN GIANNAULA 1615 WYNKOOP ST DENVER CO 80202-1106

To: CLARA SUZANNE WALLACE 2804 GAMMON DR INDIANAPOLIS IN 46234-8623

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

UNITED STATES
POSTAL SERVICE ©

Thank you for shipping with the United States Postal Service!

Check the status of your shipment on the USPS Tracking® page at usps.com

Cut on aoaea iirie.

Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0362 3334 94

573065698 Trans. #: Print Date: Ship Date: Expected Delivery Date: 10/04/2022 10/04/2022 10/08/2022 Priority Mail® Postage: Total: \$9.90

JOHN GIANNAULA From:

1615 WYNKOOP ST **DENVER CO 80202-1106**

ROCKFORD ENERGY LLC 12088 MIDDLE ISLAND RD ALMA WV 26320-7211

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

UNITED STATES
POSTAL SERVICE *

Thank you for shipping with the United States Postal Service! Check the status of your shipment on the USPS Tracking® page at usps.com

Instructions

- Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0362 3334 63

Trans. #: 573065698
Print Date: 10/04/2022
Ship Date: 10/04/2022
Expected
Delivery Date: 10/08/2022

Priority Mail® Postage: \$9.90 Total: \$9.90

From: JOHN GIANNAULA 1615 WYNKOOP ST

DENVER CO 80202-1106

To: HENTHORN OIL & GAS 185 HILLS RUN RD

MIDDLEBOURNE WV 26149-9300

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

UNITED STATES
POSTAL SERVICE &

Thank you for shipping with the United States Postal Service!

Check the status of your shipment on the USPS Tracking® page at usps.com

טעו טוו עטוופט וווופ.

Instructions

- Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0362 3332 58

Trans, #: 573065698
Print Date: 10/04/2022
Ship Date: 10/04/2022
Expected
Delivery Date: 10/08/2022

Priority Mail® Postage: \$9.90

Total: \$9.90

From: JOHN GIANNAULA 1615 WYNKOOP ST DENVER CO 80202-1106

To: SHIRLY CARROLL

6743 WETZEL TYLER RIDGE RD N MARTINSVLLE WV 26155-7401

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

Thank you for shipping with the United States Postal Service!

Check the status of your shipment on the USPS Tracking® page at usps.com

WW-9 (4/16)

API Number 47 - 095

Operator's Well No. Gothic Unit 3H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 4	94507062
Watershed (HUC 10) Outlet Middle Island Creek Quadrangle Porter Falls 7.5	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Y	es No No
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste: No pit will be used at this afte (Orilling and Flowback Fluida will be stored	n tenks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes No If so, what ml.?_	N/A
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Number *UIC Permit # will be prov	
Reuse (at API Number Future permitted well locations when applicable. API# will b Off Site Disposal (Supply form WW-9 for disposal location) (Meadoy	
Other (Explain Northwee WV0109	stern Landfill Permit #SWF-1025/ 0410
Wetzel (Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed of	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, e	Surface - Air/Freshwater, Intermediate - Dust/Stiff Foam, Production - Water Based Mud or Synthetic Based Mud C.
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in ta	nks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern	TANK A MORENIA STRUCTURE
Wetzel Co Landfill (Permit #SWF-1021)	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings o. West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WA on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environme provisions of the permit are enforceable by law. Violations of any term or condition of the golaw or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar wit application form and all attachments thereto and that, based on my inquiry of those individualizing the information, I believe that the information is true, accurate, and complete. I penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature **Tretchen Kohler** Company Official Signature**	ntal Protection. I understand that the eneral permit and/or other applicable th the information submitted on this viduals immediately responsible for
Company Official (Typed Name) Gretchen Kohler	OCT 19 2022
Company Official Title Director of Environmental and Regulatory Compliance	WV Department of
	Environmental Protection
Subscribed and sworn before me this 29 day of Sept , 2	022
Olana Blain Notan	Public NOTARY PUBLIC
My commission expires 27 Apr 2024	NOTARY PUBLIC STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024
	SI NOVA

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap –Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose – Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide – Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

RECEIVED Office of Oil and Gas 3 2022 WV Department of

Environmental Protection

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite – Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant


Office of Oil and Gas
OCT 3 2022

WV Department of Environmental Protection

Operator's Well No. Gothic Unit 3H

Antero Resources Corporation			
Proposed Revegetation Treatment: Acres Disturb	ed 45.05	Prevegetation	рН
Lime 2-4 Tons/acre or to	correct to pH	6.5	
Fertilizer type Hay or straw or Wood Fiber	(will be used v	where needed)	
Fertilizer amount 500	lb	s/acre	
Mulch 2-3	Tons/a	cre	
Access Road "A" (8,20 acres) + Well Pad (17.67 acr			iles (17.66 acres) = 45.05 Acres
	Seed	Mixtures	
Temporary		Per	manent
Seed Type lbs/acre		Seed Type	lbs/acre
Annual Ryegrass 40		Crownvetch	10-15
Field Bromegrass 40		Tall Fescue	30
See attached Table IV-3 for additional seed type (Thin Air Pac	d Design)	See attached Table IV-4A for addition	nal seed type (Thin Air Pad Design)
*or type of grass seed requested by surfac	e owner	*or type of grass seed rec	quested by surface owner
Plan Approved by: New May			
Comments:			
Title: WV Oil i Girs Ingartie		Date: 10-17-22	
Field Reviewed? () Yes	/) No	RECEIVED Office of Oil and Gas
			OCT 19 2022
			WV Department of Environmental Protection

THIN AIR PAD ANTERO RESOURCES CORPORATION



RECEIVED nevervey Office of Oil and Gas MA Debayusur of Euniconweural brotection

WILLOW LAND SURVEYING, PLLC P.O. BOX 17, PENNSBORO, WV 26415 (304) 659-1717

DATE: 09/23/22

DRAWN BY: D.R.R.

JOB #: 22-011WA FILE: GOTHIC3HAOR.DWG

SCALE: 1-INCH = 1000-FEET 0' 1000'

2000'

3000'



911 Address 892 Lone Tree Road Middlebourne, WV 26149

Well Site Safety Plan Antero Resources

Well Name: Thin Air Unit 5H, Embry Unit 1H-2H, Gothic Unit 1H-3H,

Marcellina Unit 1H-2H

Pad Location: THIN AIR PAD

Tyler County/Ellsworth District

GPS Coordinates:

Entrance - Lat 39.535510'/Long -80.788742' (NAD83)
Pad Center - Lat 39.528110'/Long -80.792574' (NAD83)

Driving Directions:

From Middlebourne: Head northeast on WV-18N/Main Street toward Court Street/Dodd Street for 3.8 miles - turn right onto Church Drive for 302 feet - Church Drive turns left & becomes Elk Fork Road for 0.4 miles - turn right onto Elk Fork Road for 5.3 miles - slight left onto Mudlick Road for 0.1 miles - continue onto Left Hand Middle Fork Road for 0.5 miles - continue onto Right Hand Middle Fork Road for 0.7 miles - lease road will be on your right.


RECEIVED Office of Oil and Gas

OCT 19 2022


WV Department of Environmental Protection


EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

SM 10/14/1/04/2022



5M 11/04/2022





Operator's Well Number

Gothic Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Diffe to Committee of the Committee of t			
Philip K. George Lease		4.10.	0466/0193
Philip K. George	Statoil USA Onshore Properties	1/8+	
Statoil USA Onshore Properties	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001

RECEIVED
Office of Oil and Gas

OCT 3 2022

WV Department of Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

WW-6A1 (5/13)

Operator's Well No.	Gothic Unit 3H
---------------------	----------------

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page	
Samuel K. Stoneking Jr Lease	Samuel K. Stoneking Jr Statoil USA Onshore Properties Inc EQT Production Company	Statoil USA Onshore Properties Inc EQT Production Company Antero Resources Corporation	1/8 Assignment Assignment	456/688 539/239 663/1	[1]

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

RECEIVED
Office of Oil and Gas

OCT 3 2022

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- · U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Max Green

Its: VP of Land

Page 1 of 1



September 28, 2022

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303 357 7310 Fax 303 357 7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RECEIVED Office of Oil and Gas

3 2022

WV Department of Environmental Protection

RE:

Gothic Unit 1H-2H-3H

Quadrangle: Porter Falls 7.5'

Tyler County/Ellsworth District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following applications for new well work permits for the Gothic Unit 1H-2H-3H horizontal shallow wells. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Gothic Unit 1H-2H-3H horizontal laterals will drill through including any and all roads crossed under as identified on the attached survey plats.

Sincerely,

Thomas Kuhn Staff Landman

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification: 09/28/2022	API	API No. 47- 095				
		Ope	rator's Well No	Gothic Unit 3H			
		Well	Pad Name:T	nin Air Pad			
Notice has l	been given:						
Pursuant to th	ne provisions in West Virginia Code §	§ 22-6A, the Operator has provided	the required part	ties with the Notice Forms listed			
below for the	tract of land as follows:						
State:	West Virginia	UTM NAD 83 East		m			
County:	Tyler	Nort	hing: <u>4375444.7</u>	7m			
District:	Ellsworth	Public Road Access:	CR 11				
Quadrangle:	Porter Falls 7.5'	Generally used farm n	ame: Clara Suza	nne			
Watershed:	Outlet Middle Island Creek						
information roof giving the requirements Virginia Codo of this article	ed the owners of the surface described equired by subsections (b) and (c), so surface owner notice of entry to surface of subsection (b), section sixteen or established experience of experience of the surface of the surface of the surface of the surface of entry to surface of the surface of entry to surface of the surface of entry to surface of entry to surface of the surface of entry to surface of the surface of entry to s	ection sixteen of this article; (ii) that arvey pursuant to subsection (a), so f this article were waived in writi- ender proof of and certify to the se- at.	the requirement ection ten of this ng by the surfac cretary that the n	t was deemed satisfied as a result is article six-a; or (iii) the notice be owner; and Pursuant to West notice requirements of section ten			
	rator has properly served the require		otice Certificatio	oog office use			
*PLEASE CHI	ECK ALL THAT APPLY			ONLY ONLY			
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO		RECEIVED/ NOT REQUIRED			
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	/EY or 🔳 NO PLAT SURVEY V	VAS CONDUCT	ED RECEIVED			
■ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLATWAS CONDUCTED or		☐ RECEIVED/ NOT RÉQUIRED			
		□ WRITTEN WAIVER BY S (PLEASE ATTACH) RECEIV	-r	ER			
■ 4. NO	TICE OF PLANNED OPERATION	Office of Oil	and G222	☐ RECEIVED			
■ 5. PUE	BLIC NOTICE	001	۱ نسر	☐ RECEIVED			
■ 6. NO	TICE OF APPLICATION	Environme WV Dep	artment of ntal Protection	E RECEIVED			

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Robert Odenthal , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation

Robert Odenthal

Its:

By:

VP of Drilling Robert S. Odenthal

Telephone: 303-357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: mstanton@anteroresources.com

DIANE BLAIR

NOTARY PUBLIC

STATE OF COLORADO

NOTARY ID 19994011871

MY COMMISSION EXPIRES 27-Apr-2024

Subscribed and sworn before me this 29 day of 3022

Consolair

Notary Public

My Commission Expires

27 Apr 2024

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

OCT 3 2022

WV Department, of Environmental Protection

WW-6A (9-13)

API NO. 47- 095	-	
OPERATOR WI	ELL NO.	Gothic Unit 3H
Well Pad Name:	Thin Air Pa	d

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

		Date Permit Applicat	tion Filed: 9/29	/2022	RE Office (ECEIVED of Oil and Gas
Not	ice of:				ОСТ	3 2022
	PERMIT FOR AN	Y CERTIFIC	CATE OF APP	ROVAL FOR THE		- ;
	WELL WORK	CONSTR	LUCTION OF A	AN IMPOUNDMENT OR PIT	WV De	epartment of
Deli	ivery method pursu	ant to West Virginia Co	de § 22-6A-10	(b)	Environmo	ental Protectio
	PERSONAL	REGISTERED	⊘ метн	OD OF DELIVERY THAT REQUIRI	ES A	
_	SERVICE	MAIL		PT OR SIGNATURE CONFIRMATI		
oil a desc oper mor well imp have prov prop subs reco prov Cod	and gas leasehold being cribed in the erosion at actor or lessee, in the election end work, if the surface to condiment or pit as determined as a water well, spring wide water for consumposed well work activities action (b) of this section of this article to the R. § 35-8-5.7.a requirements activities and surface to the R. § 35-8-5.7.a requirements activities and surface to the surface activities article to the R. § 35-8-5.7.a requirements activities and surface activities article to the surface activities are surface activities and surface activities are surface activities a	g developed by the proposed sediment control plans sevent the tract of land on we owners of record of the surfact is to be used for the place in section nine of the or water supply source location by humans or domesty is to take place. (c)(1) It is not hold interests in the larging the contrary, notice to a lighter, in part, that the oper	red well work, it ubmitted pursual which the well purface tract or tra- lacement, consti- his article; (5) A ated within one tic animals; and f more than three ands, the applican- uant to section en holder is not ator shall also p	ated; (2) The owners of record of the surfit the surface tract is to be used for roads ant to subsection (c), section seven of this roposed to be drilled is located [sic] is known as a cust overlying the oil and gas leasehold be ruction, enlargement, alteration, repair, really surface owner or water purveyor when thousand five hundred feet of the center of (6) The operator of any natural gas store tenants in common or other co-owners at may serve the documents required upon eight, article one, chapter eleven-a of this notice to a landowner, unless the lien herovide the Well Site Safety Plan ("WSSI as provided in section 15 of this rule.	or other land disturis article; (3) The conown to be underlaided being developed by the moval or abandom to is known to the agree of the well pad who age field within who is of interests describing the person describing the landown of the landown	rbance as coal owner, in by one or the proposed ment of any pplicant to nich is used to cich the coed in ibed in the astanding any ner. W. Va.
	-	-	_	☐ Well Plat Notice is hereby prov	vided to:	
☑ S¹	URFACE OWNER(s)		☐ COAL OWNER OR LESSEE		
	ne: Please see Attachment		_	Name: NO DECLARATIONS ON RECORD W	ITH COUNTY	
Add	lress:		_	Address:		
			-	ELCOAL ODER ATOR		
	lress:		_	COAL OPERATOR Name: NO DECLARATIONS ON RECORD W	ITH COUNTY	
1140			-	Address:		
	URFACE OWNER(s	(Road and/or Other Dis	- sturbance)			
Nan	ne:		_	WATER PURVEYOR(s)/OWNER(s) OF V		
Add	lress:		_	SPRING OR OTHER WATER SUPPLY SO	OURCE	
			_	Name: NONE IDENTIFIED WITHIN 2000'		
Nan	ne:		_	Address:		
Ado	ness:		-	OPERATOR OF ANY NATURAL	GAS STORAGE	EIELD
S	URFACE OWNER(s	(Impoundments or Pits)	,	Name:		
				Address:		
Add	lress:		-			
				*Please attach additional forms if ne	ceccary	

WW-6A (8-13)

RECEIVED Office of Oil and Gas

OPERATOR WELL NO. Gothic Unit 3H Well Pad Name: Thin Air Pad

Notice is hereby given:

WV Department of

Pursuant to West Virginia Code § 22-6A-10(b), noticensing Edgy given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)

API NO. 47- 095

OPERATOR WELL NO. Gothic Unit 3H

Well Pad Name: Thin Air Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

OCT 3 2022

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) 4709502826

API NO. 47-095

OPERATOR WELL NO. Gothic Unit 3H

Well Pad Name: Thin Air Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office of Oil and Gas

OCT 3 7022

WV Department of Environmental Protection WW-6A (8-13)

Email:

API NO. 47- 095

OPERATOR WELL NO. Gothic Unit 3H

Well Pad Name: Thin Air Pad

4709502826

Notice is hereby given by:

Well Operator: Antero Resources Corporation Robert S. Odanthal Telephone: (303) 357-7310

mstanton@anteroresources.com

Address: 1615 Wynkoop Street
Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

DIANE BLAIR
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 19994011871
MY COMMISSION EXPIRES 27-Apr-2024

Subscribed and sworn before me this 29 day of Sept 2022.


Oran Blair Notary Public

My Commission Expires 27 Apr 2024

RECEIVED
Office of Oil and Gas

OCT 3 2022

WV Department of Environmental Protection



WW-6A Notice of Application to Surface Owner Attachment:

TM 2-12-10

Owner:

Michael Martin

Address:

7156 Elk Fork

Middlebourne, WV 26149-7656

TM 2-12-11

Owner:

Clara Suzanne Wallace, et vir

Address:

2804 Gammon Drive

Indianapolis, IN 46234-8623

TM 2-12-12

Owner:

Rockford Energy, LLC

Address:

12088 Middle Island Road

Alma, WV 26320-7211

TM 2-12-12

Owner:

Henthorn Oil & Gas

Address:

185 Hills Run Road

Middlebourne, WV 26149-9300

OTHER DISTURBANCE

TM 2-12-8

Owner: Shirley L. Carrol

Address: 6743 Wetzel Tyler Ridge Rd

New Martinville, WV 26155

Operator Well No. Gothic Unit 3H
Thin Air Pad

4709502826

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Notic		rovided at least TEN (10) days prior to filing a Date Permit Application Filed: 09/29/2022	permit application.		
Delivery met	hod pursuant to West Virginia	Code § 22-6A-16(b)			
☐ HAND	■ CERTIFIED M.	ΔŪ			
DELIVE		EIPT REQUESTED			
DELIVI	RETURN REC	EII I REQUESTED			
receipt request drilling a hore of this subsect subsection mand if availab	sted or hand delivery, give the suizontal well: <i>Provided</i> , That no ction as of the date the notice was be waived in writing by the sule, facsimile number and electro	ast ten days prior to filing a permit application, or face owner notice of its intent to enter upon the control of the provided provided to the surface owner: Provided, howerface owner. The notice, if required, shall include mail address of the operator and the operator.	the surface owner's land for the purpose of en of this article satisfies the requirements wever, That the notice requirements of this lude the name, address, telephone number,		
	reby provided to the SURF. ASE SEE ATTACHMENT		OCT 3 2022		
Name: PLE Address:	ASE SEE ATTACHWENT	Name:Address:			
Pursuant to V		b), notice is hereby given that the undersigned illing a horizontal well on the tract of land as for Easting:			
County:	yler	UTM NAD 83 Pasting:	4375445m		
District:	Ellsworth	Public Road Access:	CR 11		
Quadrangle:	Porter Falls 7.5'	Generally used farm name:	Clara Suzanne		
Watershed:	Outlet Middle Island Creek				
Pursuant to facsimile nur related to ho	mber and electronic mail addres	6(b), this notice shall include the name, address of the operator and the operator's authorized from the Secretary, at the WV Department of 25304 (304-926-0450) or by visiting www.de	ed representative. Additional information of Environmental Protection headquarters,		
Notice is he	reby given by:				
Well Operato		Authorized Representative:	Mallory Stanton		
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.		
	Denver, CO 80202		Denver, CO 80202		
Telephone:	303-357-7310	Telephone:	303-357-7310		
Email:	mstanton@anteroresources.com	Email:	mstanton@anteroresources.com		
Facsimile:	303-357-7315	Facsimile:	303-357-7315		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A4 Notice of Intent to Drill (Thin Air Pad – Multiple Wells):

TM 2-12-10

Owner:

Michael Martin

Address:

7156 Elk Fork

Middlebourne, WV 26149-7656

TM 2-12-11

Owner: Address:

Clara Suzanne Wallace, et vir

2804 Gammon Drive

Indianapolis, IN 46234-8623

TM 2-12-12

Owner:

Rockford Energy, LLC

Address:

12088 Middle Island Road

Alma, WV 26320-7211

TM 2-12-12

Owner:

Henthorn Oil & Gas

Address:

185 Hills Run Road

Middlebourne, WV 26149-9300

RECEIVED
Office of Oil and Gas

OCT 3 2022

WV Department of Environmental Protection WW-6A5 (1/12)

Operator Well No. Gothic Unit 3H

STATE OF WEST VIRGINIA 47 0 9 5 0 2 8 2 6 DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Date of Notic		ovided no later than the filing date ermit Application Filed: 09/29/2022	
Delivery met	hod pursuant to West Virginia	Code § 22-6A-16(c)	
CERTIF	FIED MAIL	☐ HAND	
	N RECEIPT REQUESTED	DELIVERY	
return receipt the planned of required to be drilling of a land damages to the (d) The notice of notice.	requested or hand delivery, give operation. The notice required by provided by subsection (b), section provided by subsection (c), section provided well; and (3) A propose surface affected by oil and gas to be required by this section shall be be provided to the SURFACE is listed in the records of the sherif	the surface owner whose land will y this subsection shall include: (I on ten of this article to a surface of sed surface use and compensation operations to the extent the damage e given to the surface owner at the OWNER(s)	rmit application, an operator shall, by certified mail be used for the drilling of a horizontal well notice of 1) A copy of this code section; (2) The information wner whose land will be used in conjunction with the agreement containing an offer of compensation for es are compensable under article six-b of this chapter. address listed in the records of the sheriff at the time RECEIVED Office of Oil and Gas.
Address:	eby given:	Address:	WV Department of Environmental Protection
Address: Notice is here Pursuant to W	eby given: /est Virginia Code § 22-6A-16(c)	Address:	WV Department of Environmental Protection dersigned well operator has developed a planned on the tract of land as follows:
Address:	eby given: /est Virginia Code § 22-6A-16(c)	, notice is hereby given that the un purpose of drilling a horizontal wel	WV Department of Environmental Protection Environmental Protection dersigned well operator has developed a planned ll on the tract of land as follows: Easting: 517831m
Address:	eby given: /est Virginia Code § 22-6A-16(c) the surface owner's land for the p	Address:, notice is hereby given that the un purpose of drilling a horizontal wel	WV Department of Environmental Protection dersigned well operator has developed a planned ll on the tract of land as follows: Easting: 517831m Northing: 4375445m
Notice is here Pursuant to W operation on State: County: District:	eby given: /est Virginia Code § 22-6A-16(c) the surface owner's land for the p West Virginia	Address: , notice is hereby given that the un purpose of drilling a horizontal wel UTM NAD 83 Public Road Acce	dersigned well operator has developed a planned ll on the tract of land as follows: Easting: 517831m Northing: 4375445m SS: CR 11
Name: PLEA Address:	eby given: /est Virginia Code § 22-6A-16(c) the surface owner's land for the p West Virginia Tyler	Address:, notice is hereby given that the un purpose of drilling a horizontal wel	dersigned well operator has developed a planned ll on the tract of land as follows: Easting: 517831m Northing: 4375445m SS: CR 11
Notice is here Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r headquarters,	eby given: /est Virginia Code § 22-6A-16(c) the surface owner's land for the p West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(c) ell; and (3) A proposed surface us ted by oil and gas operations to related to horizontal drilling may located at 601 57th Street, SE,	Address:	WV Department of Environmental Protection Environmental Protection dersigned well operator has developed a planned il on the tract of land as follows: Easting: 517831m Northing: 4375445m SS: CR 11
Notice is here Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r headquarters, gas/pages/def	eby given: //est Virginia Code § 22-6A-16(c) the surface owner's land for the p West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(c) ed by oil and gas operations to the state of the state	Address: , notice is hereby given that the uncurpose of drilling a horizontal well UTM NAD 83 Public Road Acce Generally used far Generally used far the compensation agreement compe	WV Department of Environmental Protection Environmental Protection Environmental Protection dersigned well operator has developed a planned of the tract of land as follows: Easting: 517831m Northing: 4375445m SS: CR 11 Trm name: Clara Suzanne Topy of this code section; (2) The information required of will be used in conjunction with the drilling of a sortaining an offer of compensation for damages to the tensable under article six-b of this chapter, Additional at the WV Department of Environmental Protection 4926-0450) or by visiting www.dep.wv.gov/oil-and-
Notice is here Pursuant to Woperation on State: County: District: Quadrangle: Watershed: This Notice Sepursuant to Wood to be provided horizontal we surface affect information reheadquarters, gas/pages/def	eby given: //est Virginia Code § 22-6A-16(c) the surface owner's land for the p West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(c) ell; and (3) A proposed surface us ted by oil and gas operations to related to horizontal drilling may located at 601 57th Street, SE, fault.aspx. In: Antero Resources Corporation	Address:	WW Department of Environmental Protection Environmental Protection dersigned well operator has developed a planned as follows: Easting: 517831m Northing: 4375445m SS: CR 11 The name: Clara Suzanne The operator of this code section; (2) The information required and will be used in conjunction with the drilling of a containing an offer of compensation for damages to the ensable under article six-b of this chapter, Additional at the WV Department of Environmental Protection 1-926-0450) or by visiting www.dep.wv.gov/oil-and-
Notice is here Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r	eby given: //est Virginia Code § 22-6A-16(c) the surface owner's land for the p West Virginia Tyler Ellsworth Porter Falls 7.5' Outlet Middle Island Creek Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(c) ed by oil and gas operations to the state of the state	Address: Address: , notice is hereby given that the uncurpose of drilling a horizontal well UTM NAD 83 Public Road Acce Generally used far Generally used far and compensation agreement countered by the obtained from the Secretary, Charleston, WV 25304 (304-Address: Address: Addres	dersigned well operator has developed a planned ll on the tract of land as follows: Easting: 517831m Northing: 4375445m ss: CR 11 rm name: Clara Suzanne Topy of this code section; (2) The information required d will be used in conjunction with the drilling of a ontaining an offer of compensation for damages to the ensable under article six-b of this chapter, Additional at the WV Department of Environmental Protection 1926-0450) or by visiting www.dep.wv.gov/oil-and-

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5 Notice of Planned Operation to Surface Owner Attachment:

TM 2-12-10

Owner:

Michael Martin

Address:

7156 Elk Fork

Middlebourne, WV 26149-7656

TM 2-12-11

Owner:

Clara Suzanne Wallace, et vir

Address:

2804 Gammon Drive

Indianapolis, IN 46234-8623

TM 2-12-12

Owner:

Rockford Energy, LLC

Address:

12088 Middle Island Road

Alma, WV 26320-7211

TM 2-12-12

Owner:

Henthorn Oil & Gas

Address:

185 Hills Run Road

Middlebourne, WV 26149-9300



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

D. Alan Reed, P.E. State Highway Engineer 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

July 28, 2022

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Thin Air A Pad, Tyler County Gothic Unit 3H Well Site Office of Oil and Hall

OCT 3 2021

WV Department of Environmental Protection

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2020-0071 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 11/5 SLS MP 1.14.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Diane Blair
Antero Resources
CH, OM, D-6

File

Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.)

FRACTURING/STIMULATING INTERVAL

Additive	Chemical Abstract Service Number (CAS #)
1. Fresh Water	7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
3. Ammonium Persulfate	7727-54-0
4. Anionic copolymer	Proprietary
5. Anionic polymer	Proprietary
6. BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
7. Cellulase enzyme	(Proprietary)
8. Demulsifier Base	(Proprietary)
9. Ethoxylated alcohol blend	Mixture
10. Ethoxylated Nonylphenol	68412-54-4
11. Ethoxylated oleylamine	26635-93-8
12. Ethylene Glycol	107-21-1
13. Glycol Ethers	111-76-2
14. Guar gum	9000-30-0
15. Hydrogen Chloride	7647-01-0
16. Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
17. Isopropyl alcohol	67-63-0
18. Liquid, 2,2-dibromo-3- nitrilopropionamide	10222-01-2
19. Microparticle	Proprietary RECEIVED
20. Petroleum Distillates (BTEX Below Detect)	64742-47-8 Office of Oil and Gas
21. Polyacrylamide	57-55-6
22. Propargyl Alcohol	107-19-7 OCT 3-2022
23. Propylene Glycol	57-55-6
24. Quartz	14808-60-7 WV Department of
25. Sillica crystalline quartz	7631-86-9 Environmental Protection
26. Sodium Chloride	7647-14-5
27. Sodium Hydroxide	1310-73-2
28. Sugar	57-50-1
29. Surfactant	68439-51-0
30. Suspending agent (solid)	14808-60-7
31. Tar bases, quinolone derivs, benzyl chloride-quarternized	72480-70-7
32. Solvent Naptha, petroleum, heavy aliph	64742-96-7
33. Soybean Oil, Me ester	67784-80-9
34. Copolymer of Maleic and Acrylic Acid	52255-49- 9
35. DETA Phosphonate	15827-60-8
36. Hexamythylene Triamine Penta	34690-00-1
37. Phosphino Carboxylic acid polymer	71050-62-9
38. Hexamethylene diamine penta	23605-74-5
39. 2-Propenoic acid, polymer with 2 propenamide	9003-06-9
40. Hexamethylene diamine penta (methylene phosphonic	acid) 23605-74-5
41. Diethylene Glycol	111-46-6
42. Methenamine	100-97-0
43. Polyethylene polyamine	68603-67-8
44. Coco amine	61791-14-8
45. 2-Propyn-1-olcompound with methyloxirane	38172-91-7

LOCATION COORDINATES:
ACCESS ROAD ENTRANCE
LATITUDE 30-535610 LONGITUDE: -80.788742 (NAB 83)
LATITUDE 30-539643 LONGITUDE: -80.788917 (NAD 27)
N 49782226 75 & 518154.52 (LTM 20Nc 17 MSTES)

CENTER OF TANK LATITUDE: 39.529234 LONGITUDE: -80.791359 (NAD 83) LATITUDE: 39.529155 LONGITUDE: -80.791354 (NAD 27) N 4375529 76 E 517981.23 (UTM ZONE 17 METERS)

CENTROLD OF PAD LATTUDE: 39.528110 LONGITUDE: -80.792574 (NAD 83) LATTUDE: 39.528031 LONGITUDE: -80.792748 (NAD 27) N 4375404.72 E 517527.19 (LTM ZONE 17 METERS)

GENERAL DESCRIPTION:
THE ACCESS ROADS, WATER CONTAINMENT PAD, AND WELL PAD HAVE BEEN CONSTRUCTED TO AID IN THE DEVELOPMENT OF INSTITUDIAL MARGELIUS SHALE GAS WELLS.

MISS UTILITY STATEMENT:
ANTER RESUMES COMPONENT HAS NOTHERD MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF UTILITIES PRIOR TO THES PROJECT DESIGN, TICKET \$1894741618. IN ADDITION, MISS UTILITY WILL HE CONTACTED BY THE CONTRACTOR PRIOR TO THE STATE OF LORDINGUISTION FOR THIS PROJECT.

ENTRANCE PERMIT:

FLOODPLAIN NOTES:

THE SITE IS LOCATED WITHIN FEMA PLOOD ZONE X" PER FEMA PLOOD MAP #54095C0075C

ENVIRONMENTAL NOTES:

ENVIRUNMENTAL NOTES:
STREAM AND WEITARD EXEMPTIONS WERE PERFORMED IN JANUARY, CODO BY TETTA TECH, INC TO
REVIEW THE SITE FOR MATERIS AND WEITARDS THAT ARE MOST LIKELY WHICH THE REGULATORY PHOYDE'
OF THE U.S. ARMY CORPS OF ENCHMERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF
ENVIRONMENTAL PROTECTION (WUDEP) THE JANUARY 23, 0000 STREAM AND WEITARD DEPARTMENT OR
ENVIRONMENTAL PROTECTION (WUDEP) THE JANUARY 23, 0000 STREAM AND WEITARD DEPARTMENT OR
MAY TASP REPREADE DY TETTAR INCH. INC. AND SUMMARIZES THE RESULTS OF THE FIFED DEJINATION.
THE MAP DODES NOT, IN ANY WAY, REPRESENT A JUNISUCTIONAL DETERMINATION OF THE LANDWARD
JUNIST OF WAITERS AND WEITARDS WHICH HAVE THE RESULTION OF THE WITED.

GEOTECHNICAL STUDIES:

GEOTIEUMNICAL STUDIES:
A SUBURIFACI INVESTIGATION OF THE PROPOSED SITE "AS PERFORMED BY PERSYLVANIA SOIL &
ROCK, INC. REPEREN LANDARY 16, 2020 & ANNARY 36 2020 THE REPORT
REPORT THE PROPERTY OF THE PROPERTY

PROJECT CONTACTS.

OPERATOR: ANTERO RESOURCES CORPORATION 535. WHITE DAKS BLVD. BRIDGEPORT. WV 26330 PHONE: (304) 842-4100 FAX (304) 842-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER & REGULATORY MANAGER

OFFICE (304) 842-4068 CELL: (304) 476-9770 DIANA HOFF - SVP OPERATIONS

OFFICE (202) 357-8004

AARON KUNZLER - CONSTRUCTION MANAGER

ROBERT EDDY - UTILITY COORDINATOR CELL (304) 719-5109

WYDER OOG

ACCEPTED AS-BUILT

11/3/2022

JIM WILSON - LAND AGENT OFFICE: (304) 842-4410 CELL: (304) 671-2708

ENGINEER/SURVEYOR:
NAVITUS ENGINEERING, INC.
CYBUS S. KUMP. PE - PROJECT
MANAGER/ENGINEER
OFFICE: (588) 652-4185 CELL: (640) 686-6747

ENVIRONMENTAL:

TETRA TECH. INC. HENRY SCHUMACHER - MANAGER OPFICE: (412) 921-7590 CELL: (412) 857-8148

AMRON RUYLER - CONSTRUCTION MANAGER
CELL (00.4) 662-4197

GEOFFICH. NICAL

GROFFIC TRINGS - USSIGN MANAGER
(POTTICE (30.4) 824-4100 CTAL (20.4) 627-7450


OFTICE (12.4) 254-4100 CTAL (20.4) 627-7450

- ALEUS:
 ALL BUP'S MUST SEMAIN IN PLACE AND FUNCTIONAL UNTIL ALL AREAS WITHIN THE LIMIT OF
 DISTURBANCE ARE COMPETE AND PERMARENTLY STABILIZED. MAINTENANCE MUST INCLUDE
 RESPECTION OF ALL EROSION AND SEDIMENT CONTROLS AFTER FACH RUNOFF EVENT IN EXCESS OF
 0.5' AND ON A SPREEKLY BASIS.
- THE CONSTRUCTION SITE SHOULD BE STABILIZED AS SOON AS POSSIBLE AFTER COMPLETION. SSTABLISHMENT OF FINAL STABILIZATION MUST BE DIGITATED NO LATER THAN 7 DAYS AFTER REACHING FRAIL GRADE. FINAL STABILIZATION MEANS THAT ALL SOIL—DISTRIBUTION ACTIVITIES ARE COMPLETED. AND THAT BITHER A PERDANDST VERIFATIVE COVER WITH A DENSITY OF TOO DR GRADER HAS BEEN ESTABLISHED OR THAT THE SURFACE HAS SEEN SHABLIZED BY FAMED COVER. SUCH AS PAYERSOTY OR DULLDINGS. IT SHOULD BE NOTED THAT THE TOTA REQUIREMENT REFERS TO THE TOTAL AREA VEDICATED AND NOT ADEA & PERCENT OF THE SITE.
- ALL PERMANENT SEDIMENT CONTROL MEASURES CAN BE REMOVED AFTER THE SITE IS PERMANENTLY STABILIZED AND APPROVAL IS RECEIVED FROM THE WYDER.
- ANY AREAS DISTURDED BY REMOVAL OF CONTROLS SHALL HE REPAIRED, STABILIZED, AND PERMANENTLY SEPTED.
- THE AS-BUILT INFORMATION SHOWN HEREON REPLECTS FIELD DATA COLLECTED RELATING TO THE FINAL GRADING OF THE DISTURBED AREA AS OF NOVERER 10, 2021. MAVITUS ENCINEERING IS NOT RESPONSIBLE FOR ANY CHANGES MADE TO THE SITE AFTER THE ABOVE MENTIONED DATES.
- THE EXISTING CONTAINMENT DEEM AROUND THE WELL PAD SHALL BE REPAIRED AS NECESSARY TO ENSURE 100% CONTAINMENT OF ALL FLUIDS PRIOR TO DRILLING OPERATIONS
- THE EXISTING EGRESSES TO THE WELL PAD SHALL HAVE THE MOUNTABLE BERMS REPAIRED AS NECESSARY TO ENSURE 100% CONTAINMENT OF ALL FLUIDS PRIOR TO DMILLING OPERATIONS.

THIN AIR "A" WELL PAD & WATER CONTAINMENT PAD AS-BUILT FROSION & SEDIMENT CONTROL IMPROVEMENT PLAN


ELLSOWRTH DISTRICT, TYLER COUNTY, WV LITTLE MUSKINGUM-MIDDLE ISLAND WATERSHED

PORTERS FALLS USGS 7.5 QUAD MAP(S) SITE ENTRANCE (3) WATER CONTAINMENT PAD









MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!

SHEET INDEX:

- COVER SHEAT
 LEGEND
 OVERALL FLAN SHEAT INDEX
 OCCESS ROAD AS-BUILT FLAN
 ACCESS ROAD AS-BUILT FLAN
 WELL PAD AS-BUILT FLAN
 VELL PAD AS-BUILT FLAN
 ACCESS ROAD AS-BUILT FROFILES
 WELL PAD AS ANTEL CONTAINABLY FAD AS-BUILT SECTIONS
 STOCKPILE AS-BUILT SECTIONS
 STOCKPILE AS-BUILT SECTIONS

THIN AIR "A" LIMITS OF DISTURBAN	CE AREA (AC)				
Total Site	Total				
Access Road "A" (2,507')	8.20				
Well Pad	17,67				
Water Containment Pad	1.52				
Excess/Topsoil Material Slockpiles	17,66				
Total Affected Area	46.05				
Total Wooded Acres Disturbed	0.00				
Impacts to BC Farms investments t	LC. TM 12-2				
Access Road "A" (471")	1.45				
Total Affected Area	1.45				
Total Wooded Acres Disturbed	0.00				
Impacts to Larry S. Sr. & Shirley Ca	moli TM 12-E				
Access Road "A" (1.5997)	4 69				
Excess/Topsoil Material Stockpries	10.04				
Total Affected Area	14.73				
Total Wooded Acres Disturbed	0.00				
Impacts to Michael Martin TM	Impacts to Michael Martin TM 12-10				
Well Pad	3.46				
Water Containment Pad	1,36				
Expess/Topsoil Material Stockpiles	3.71				
Total Affected Area	8,53				
Total Wooded Acras Disturbed	0.00				
impacts to Clara S. & Rickle Wallac	e TM 12-11				
Access Road "A" (437")	2.06				
Well Pad	11.54				
Water Containment Pad	0.16				
Excess/Toosoil Material Stockpiles	0.94				
Total Affected Area	14.70				
Total Wooded Acres Disturbed	0.00				
impacts to Rockford Energy, LLC Henthon	OH & Gas TM 12				
Well Pad	2.67				
Excess/Topsoil Material Stockpiles	2.97				
Total Affected Area	5.64				
Total Wooded Acres Disturbed	0.00				

Wett Name	NAD 27	NAC 27 Lat & Long	ZONE 17	NAD 65 Lat & Long	
	Permitted Location				
Capitol	N 379246 E1	LAT 39-31-39 8549	N 4375372 10	LAT 39-31-40 1407	
Unii 1H	E 1535240 42	LONG -85-47-35 4380	E 517790.42	LONG -80-47-34 8063	
Capitol	N:375961 OA	LAT 39-31-39 9770	N 4375375 87	LAT 29-31-40.2927	
Unit 2H	£ 1035249 10	LONG -85-47-35-3274	E 817793 00	LONG-80-47-34-5977	
Maroon	N 376973.31	LAT 39-31-40,0095	N 4375379 65	LAT 39-31-40 3852	
Unit 1H	E 1635257.73	LONG-80-47-35-2190	E 017790 57	LONG-40-47-04 5889	
Maroon	N 376985 54	LAT 80-31-40 2215	N 4375383.42	LAT 39-31-40.5073	
Unit 2H	E 1605266.42	LONG -80-47-35 1109	E 617708 16	LONG-80-47-34 4813	
Purple	N 375007,76	LAT 39-31-40-3437	N 4375387 1B	LAT 39-31-40 5294	
Unit 1H	£ 1815275 10	LONG-8047-95-0023	E 517800 78	LONG-80-47-34 3727	
Purple	N 377009 90	LAT 39-31-40-4957	N 4375390 50	LAT 39-31-40 7514	
Unit 2H	E 1835283 79.	LONG-8047-34 BV37	E 517805.32	LONG 80-41-34 2640	
Actel	0/ 177022-22	LAT 19-31-40 5878	N 4375384.73	LAT 30-31-40.6735	
Unit tH	E 1635292 48	LONG-80-47-34 7851	£.517805.00	LONG-80-47-34 1984	
Bothic	N 377168.35	LAT 39-31-42,0408	N 4375439 ffs	LAT 39-31-42 3261	
Unit 1H	E 1636351 64	LONG -80-17-34-0585	E 517823.16	LONG-80-47-33 42/1	
Gothic	N 377176.70	LAT 39-31-42 1247	H 43/5442 16	UAT 39-31-42 4104	
Unit 2H	E 1835384 10	LONG -80-47-33 8995	E 517626.94	LCW3 -80-47-33 20W	
Gothic	H 377185.06	LAT 39-31-42 2090	N 4375444 TT	LAT 39-31-42-4948	
Unit 3H	E 1635378.56	LONG -80-47-33 7420	E 517838 66	LONG-80-47-33 1122	
Marcellina.	N 377193.40	LAT 39-31-42 2930	N 4375447.3F	LAT 39-31-42-5791	
Unit 1H	E 1635389 03	LONG-8047-33 8845	E 517834 45	LONG -80-47-72 9847	
Marcellins	N 37T201.76	LAT 39-31-42-3777	N 4375449 95	LAT 39-31-42 6634	
DVIII.5H	E 1635401.46	LONG -80-47-33 4271	E 517856.20	LONG -86-47-32 7972	
Embry	N 377210 11	LAT 39-31-42 4620	N 4375452 69	LAT 39-31-42 7477	
Unit 1H	E 1635413.04	LONG-80-47-33 2695	E 517841.05	LONG -80-47-52 63RF	
Embry	N 377218.46	LAT 30-31-42 5483	N 4375465.20	LAT 39-31-42-8329	
Unit 2H	E 1835426 40	LONG-80-47-33 1122	E 917845.71	LONG -80-47-32 4823	
hin Ar & (Parmitted)	N 378849.50	EAT39-21-38 8806	N 4375342 10	LAT 39-31-39 1003	
Unii 5H	E 1605205.38	LONG-80-47-34,8436	E 617804.62	LONG -50-47-34 2143	

REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON 22"X34" (ABSED) PAPER, HALP SCALE DRAWINGS ARE DO 11"X17" (ARS) D) PAPER.

THESE FLAME WERE CHEATED FOR COLDS PLOTTING AND ANY PRODUCTIONS IN GRAY SCALE OR COLDS NAT RESULT IN A JUST OF PRIMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPORES

S ENGINEERI

ENERGY





THIS DOCUMENT
WAS PREPARED FOR:
ANTERO RESOURCES
CORPORATION

THIN AIR "A"

ELLSWORTH DISTRICT
ERLSWORTH DISTRICT
ER COUNTY, WEST VIRGINIA

THIN WELL PAD



SCALE: AS SHOWN SHEET 1 OF 10

