

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, May 5, 2025 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re:

Permit approval for CONAWAY UNIT 2H

47-095-02926-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: CONAWAY UNIT 2H

Farm Name: JIMMY E. & EARL P. PATTER

U.S. WELL NUMBER: 47-095-02926-00-00

Horizontal 6A New Drill

Date Issued: 5/5/2025

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no
 later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who
 may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief
 or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

4709502926

OPERATOR WELL NO. Conaway Unit 2H
Well Pad Name: Mary Patterson Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

Antero Reso	urces (Corporat	494507062	095 - Tyler	Union	Middlebourne
		_	Operator ID	County	District	Quadrangle
Number: Cor	naway l	Jnit 2H	Well Pac	d Name: Mary	Patterson	Pad
ace Owner:	immy E. & Earl P.	Patterson & Linda L	Public Roa	d Access: Dan	isers Lane	
t ground:	700'	Ele	evation, proposed	post-construction	on: <u>694.7</u>	
Gas X		Oil	Und	erground Storag	ge	
er						
f Gas Shal	low	X	Deep			
Hori	izontal	<u>X</u>				
s or No No				_		
	_					
6300' TVD, Ar	nticipated	d Thicknes	ss- 55 feet, Associ	ated Pressure- 2	2800#	
ertical Depth	n: 6300)' TVD				
	_					
Measured De	epth: 1	0300' MI)			
ontal Leg Lei	ngth: 5	500'			Office	RECEIVED
esh Water St	rata Dep	oths:	85', 185', 235'		Onici	2025
rmine Fresh	Water D	epths: 4	7-095-00081		Δ	PR 09 ZUZU
		_			W	v Department of
						montal Protection
oal Seam Dej	oths: No	one			Envir	onmental Protection
oal Seam Depeth to Possi			ne, karst, other):	None Anticipa		OUIIIBIIIA
	ble Void	l (coal mi				Olilleria
epth to Possi well location r adjacent to	ble Void contain an activ	l (coal mi coal sear e mine?	ns		ited	Onmerica
epth to Possil	ble Void contain an activ Name:	l (coal mi coal sear e mine?	ns		ited	Ollifierita
epth to Possi well location r adjacent to	ble Void contain an activ	l (coal mi coal sear e mine?	ns		ited	Onmerica
	Number: Cordice Owner: 2 ground: 2 ground: 2 Gas X er f Gas Shal Horis or No No Formation(s) 6300' TVD, And fertical Depthal Vertical Depthal Measured Depthal Vertical Depthal Vertical Depthal ontal Leg Leg esh Water Starmine Fresh	Number: Conaway Unice Owner: Jimmy E. & Earl P. E. ground: 700' Gas X er f Gas Shallow Horizontal S or No No Formation(s), Depth(6300' TVD, Anticipated fertical Depth: 6300 for I Vertical Depth: 1 Measured Depth: 1 ontal Leg Length: 5 esh Water Strata Dep	Number: Conaway Unit 2H Ice Owner: Jimmy E. & Earl P. Patterson & Linda L Ice Owner: Too' Ele Icas X Oil Icer If Gas Shallow X Horizontal X Sor No No Formation(s), Depth(s), Anticit Icertical Depth: 6300' TVD In Vertical Depth: Marcellus Measured Depth: 10300' Mill Icental Leg Length: 500' Icesh Water Strata Depths:	Operator ID Number: Conaway Unit 2H Well Pace Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Reground: 700' Elevation, proposed Gas X Oil Under Formation (s), Depth(s), Anticipated Thickness and Sa300' TVD, Anticipated Thickness- 55 feet, Associated Total Depth: Marcellus Measured Depth: Marcellus Measured Depth: 10300' MD Ontal Leg Length: 500' esh Water Strata Depths: 85', 185', 235' mine Fresh Water Depths: 47-095-00081	Operator ID County Number: Conaway Unit 2H Well Pad Name: Mary Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dan Idee Owner: Jimmy E. & Earl P. Patterson & Dan Idee	Operator ID County District Number: Conaway Unit 2H Well Pad Name: Mary Patterson Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Elevation, proposed post-construction: 694.7' Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Linda Lou Dennis Public Road Access: Dansers Lane Ice Owner: Jimmy E. & Earl P. Patterson & Mary Patterson Mar



WW-6B (04/15) 4709502926

OPERATOR WELL NO. Conaway Unit 2H
Well Pad Name: Mary Patterson Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	100	100	CTS, 96 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	300	300	CTS, 313 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	10300	10300	1668 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A/L	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A/L	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A/L	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Office of and Gas

Kind:	N/A		APR 0 9 2025
Sizes:	N/A		W Department of Environmental Protection
Depths Set:	N/A		bear -



WW-6B (10/14) 7. 2. 9. 5 0 2 9 2 6

OPERATOR WELL NO. Conaway Unit 2H

Well Pad Name: Mary Patterson Pad

(9) Describe proposed well work, including the drilling and plugging b	ack of any pilot	hole:
--	------------------	-------

Drill, perforate, fracture a new shallow well and complete Marcellus Shale.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well." Office of Oil and Gas

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

APR 09 2025

vv separtment of 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 32.49 acres ronmental Protection

22) Area to be disturbed for well pad only, less access road (acres): 17.05 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A/L cement.

Surface: Class A/L cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A/L cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.


Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.







west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-14
SECTION 11.5 AND LEGISLATIVE RULE)		
35CSR8 SECTION 9.2.h.8.,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well construction.

FINDINGS OF FACT

- On July 14, 2022, Northeast Natural Energy (NNE) submitted a variance request from Legislative Rule 35CSR8 Section 9.2.h.8., for the use of API Class L cement in place of API Class A cement, relating to the construction of horizontal wells.
- Laboratory analysis submitted by NNE on July 14, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR4 Section 11.5., for the use of API Class L cement in place of API Class A cement, relating to the construction of vertical wells.

Promoting a healthy environment.

4. On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well construction subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas



Antero Resources 1615 Wynkoop Street

Denver, CO 80202 Office 303.357.7310

Fax 303.357.7315

March 25th, 2025

West Virginia Office of Oil and Gas

Attn: Taylor Brewer 601 57th St SE

Charleston, WV 25304

RE: Request for Variance - Class L Cement

Conaway Unit 1H & 2H, Incline Unit 1H & 2H, Dudley Unit 1H, Shiloh Unit 1H

Tyler County, WV

Mr. Brewer:

Pursuant to 35CSR8 Section 9.2.h.8, Antero Resources Corporation ("Antero") would like to implement the variance to allow Class L Cement in place of Class A cement relating to the construction of the following horizontal well (Conaway Unit 2H) on the Mary Patterson pad.

Antero only plans to use this method if Class A cement is not available to be use due to supply issues. Please see Order No 2022-14 attached.

If you have any questions or need further information, please feel free to contact Mallory Turco, Permitting Manager, at (303) 357-7182 or email at mturco@anteroresources.com.

Sincerely,

Carly Wren
Permitting Agent

Antero Resources Corporation

WW-9 (4/16)

API Number	47 -	095	-
One	rator's	Well No	Conaway Unit 2H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name Antero Resources Corporation OP Code 494507062
Watershed (HUC 10) Outlet Middle Island Creek Quadrangle Middlebourne
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No ✓
If so, please describe anticipated pit waste: No pit will be used at this site (Orlilling and Flowback Fluids will be stored in lanks. Cuttings will be tanked and haufed off site.)
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:
Land Application
Underground Injection (UIC Permit Number **UIC Permit # will be provided on Form WR-34
Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34
Off Site Disposal (Supply form WW-9 for disposal location(Meadowfill Landfill Permit #SWF-1032-98) Other (Explain Northwestern Landfill Permit #SWF-1025/
WV0109410
Wetzel Co Landfill Permit #SWF-1021 Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Surface - Al-/Freshwater, Intermediate - Dusty/Stiff Foam, Production - Water Based Mud
-If oil based, what type? Synthetic, petroleum, etc. Synthetic
Additives to be used in drilling medium? Please See Attachment
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etcDrill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410) Wetzel Co Landfill (Permit #SWF-1021)
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. **RECEIVED** Gass**
Company Official Signature
Company Official (Typed Name) Gretchen Köhler
Subscribed and swom before me this 22 day of JANUARY, 20 25 CARLY RAYNE WREN NOTARY PUBLIC STATE OF COLORADO
My commission expires STATE OF COLORADO NOTARY ID 20224038743

Form WW-9	On	erator's Well No. Conaway Unit 2	Н
Antero Resources Corporation	Ор	erators wen ivo.	··
Proposed Revegetation Treatment: Acres Disturbed	32.49 acres Preveg	etation pH	_
Lime 2-4 Tons/acre or to con	ect to pH 6.5		_
Fertilizer type Hay or straw or Wood Fiber (wi	l be used where needed)		
Fertilizer amount_500	lbs/acre		
Mulch 2-3	Tons/acre		
	Access Road (2.82) + Well Pad (17.05) + Spoil Pi	le (4.12) =32.49 Acres	
	Seed Mixtures		
Temporary		Permanent	
Seed Type lbs/acre	Seed Typ		
Annual Ryegrass 40	Crownvetch	10-15	_
Field Bromegrass 40	Tall Fescue/Perennial	Ryegrass 30 / 20	_
See attached Table IV-3 for additional seed type (Mary Patterson Pad De-	ign) See attached Table IV-4A for a	dditional seed type (Mary Patterson Pad Desig	n)
*or type of grass seed requested by surface ov	ner *or type of grass see	ed requested by surface owne	r
provided). If water from the pit will be land applied, in acreage, of the land application area. Photocopied section of involved 7.5' topographic shee Plan Approved by: Comments:			area in
			RECEIVED Office of Oil and Gas
			- APR 09 2025
			WV Department of Environmental Protection
Title: WOJA Zapartal Field Reviewed? Yes			

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose – Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite – Filteration Control Agent

15. Super Sweep

Polypropylene – Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive – Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material – Ground Walnut Shells – LCM

24. Mil-Graphite

Natural Graphite – LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant



911 Address 293 Dansers Lane, Friendly, WV 26146

Well Site Safety Plan Antero Resources

Well Name: Mary Patterson Unit 5V, Conaway Unit 1H, Conaway Unit 2H, Incline Unit 2H, Dudley Unit 1H, Shiloh Unit 1H

Pad Location: Mary Patterson Pad

Tyler County/Union District

GPS Coordinates:

Entrance - Lat 39.477474/Long -80.993033 (NAD83)
Pad Center - Lat 39.484022/Long -80.993794 (NAD83)

Driving Directions:

From WV18, turn east onto CO. 2/4 and travel for 0/1 miles. Turn left onto CO. 24 (Sellers Road) and travel for 3.4 miles. Turn left onto CO. 10/1 and continue for 2.0 miles. Veer left onto CO. 10 and travel 0.8 miles. The entrance to the lease road will be on the right.


EMERGENCY (24 HOUR) CONTACT 1-800-878-1373


RECEIVED
Office of Oil and Gas


APR 09 2025

WV Department of Environmental Protection











4709502926 Conaway Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book/Page

B: Linda Lou Dennis Lease
Linda Lou Dennis Antero Resources Corporation 1/8+ 234/5

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

^{*}Cotenancy Utilization - Antero is utilizing the Co-tenancy Modernization and Majority Protection Act to proceed with development of certain royalty owners' interests in this tract.

^{**}Pooling/Unitization – Antero has filed a horizontal well unitization application with the West Virginia Oil and Gas Conservation Commission that seeks to pool certain owners in this tract

WW-6A1 (5/13)

Operator's Well No. Conaway Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
J&N Management Enterprises, LLC Lea	ase			
	J&N Management Enterprises, LLC	Antero Resources Corporation	1/8+	223/540

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resou	Antero Resources Corporation			
By:	Tim Rady	(m) led			
Its:	Senior Vice President of Land				



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303 357.7310 Fax 303.357.7315

March 28, 2025

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE:

Conaway Unit 2H

Quadrangle: Middlebourne

line Brown for

Tyler County/Union District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Conaway Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Conaway Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Antonia Booth Landman

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification: 04/01/2025	, and a second	API No. 47	'- 095 -	
				Well No. Cons	away Unit 2H
		•	Well Pad N	ame: Mary Pa	atterson Pad
Notice has h					
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provi	ded the req	uired parties v	with the Notice Forms listed
below for the	tract of land as follows:				
State:	West Virginia		Easting:	500587.552m	
County:	Tyler		Northing:	4370508.641m	
District:	Union	Public Road Acces		Dansers Lane	
Quadrangle: Watershed:	Middlebourne	Generally used far	m name:	Jimmy E. & Earl	P. Patterson & Linda Lou Dennis
watersned.	Outlet Middle Island Creek				
prescribed by it has provide information re of giving the requirements Virginia Code	West Virginia Code § 22-6A-7(b), the secretary, shall be verified and seed the owners of the surface described equired by subsections (b) and (c), so surface owner notice of entry to surface owner notice of entry to surface owner notice of subsection (b), section sixteen of \$22-6A-11(b), the applicant shall thave been completed by the applicant	shall contain the following information bed in subdivisions (1), (2) and ection sixteen of this article; (ii) arrively pursuant to subsection (a) of this article were waived in whether proof of and certify to the	mation: (14 d (4), subs that the red), section t writing by t	A) A certification (b), see quirement was en of this article surface over	on from the operator that (inction ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice where and Pursuant to West
that the Oper	West Virginia Code § 22-6A, the Operator has properly served the require ECK ALL THAT APPLY	perator has attached proof to thi ad parties with the following:	s Notice Co	ertification	OOG OFFICE USE ONLY
☐ 1. NOT	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRE SEISMIC ACTIVITY WAS			RECEIVED/ NOT REQUIRED
☐ 2. NOT	TICE OF ENTRY FOR PLAT SURV	YEY or NO PLAT SURVEY	Y WAS CO	ONDUCTED	☐ RECEIVED
■ 3. NOT	TICE OF INTENT TO DRILL or	☐ NOTICE NOT REQUIRE NOTICE OF ENTRY FOR PI WAS CONDUCTED or			RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER BY (PLEASE ATTACH)	Y SURFAC	EE OWNER	
■ 4. NOT	TICE OF PLANNED OPERATION				RECEIVED
■ 5. PUB	LIC NOTICE				RECEIVED
■ 6. NOT	TICE OF APPLICATION				RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Jon McEvers , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties				
for submitting fa	lse information, includi	ing the possibility of fir	ne and impriso	nment.
Well Operator:	Antoro Bossuroso Com	-4'	A 11	
Wen Operator	Antero Resources Corpora	ation	Address:	1615 Wynkoop Street
By:	Jon McEvers	MILLEURI	1	Denver, CO 80202
Its:	Senior VP of Operations		Facsimile:	303-357-7373
Telephone:	303-357-6799		Email:	cwren@anteroresources.com
	NOTARY SEAL CARLY RAYNE WREN NOTARY PUBLIC STATE OF COLORADO		ribed and swo	om before me this 2 day of APRI 2025 ROYNE WREW Notary Public
	NOTARY ID 20224038743 OMMISSION EXPIRES 10/05/	My C	ommission Ex	spires10 - 5 - 2U

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A (9-13) A14 NO. 10-9-5 0 2 9 2 6

OPERATOR WELL NO. Conaway Unit 2H
Well Pad Name: Mary Patterson Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 4/2/2025 Date Permit Application Filed: 4/2/2025 Notice of: ✓ PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL ☐ REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A **SERVICE** MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Notice ☐ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: Ted A. & Darlene K. Koerber Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: 173 Dansers Lane Address: Friendly, WV 26146 Name: Jimmy E. Patterson, Earl P. Patterson, Linda Lou Patterson, and Dennis Patterson ☐ COAL OPERATOR Address: 5516 Cow House Road Name: NO DECLARATIONS ON RECORD WITH COUNTY Sisterville, WV 26175 Address: ☐ SURFACE OWNER(s) (Road and/or Other Disturbance) Name: WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE Address: Name: NO WATER WELLS OR SPRINGS FOUND WITHIN 1500' OF PAD Name: Address: Address: □ OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: Address: *Please attach additional forms if necessary

WW-6A (8-13) 47.049.502926

OPERATOR WELL NO. Conaway Unit 2H

Well Pad Name: Mary Patterson Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13) 47 0 9 5 0 2 9 2 6 API NO. 47 99 5 0 2 9 2 6 OPERATOR WELL NO. Conaway Unit 2H

Well Pad Name: Mary Patterson Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

API NO 4 10 5 5 0 2 0 2 6
OPERATOR WELL NO. Conaway Unit 2H
Well Pad Name: Mary Patterson Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective:
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

4709502926

WW-6A (8-13)

API NO. 47-095 OPERATOR WELL NO. Conaway Unit 2H Well Pad Name: Mary Patterson Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation Telephone: (303) 357-7373

Address: 1615 Wynkoop Street Denver, CO 80202

Email: cwren@anteroresources.com

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:


The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> CARLY RAYNE WREN **NOTARY PUBLIC** STATE OF COLORADO NOTARY ID 20224038743

MY COMMISSION EXPIRES 10/05/2026

Subscribed and sworn before me this 2 day of April 2025

My Commission Expires



STATE OF WEST VIRGINIA 4709502926 DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice T Date of I	ime Re Notice:	01/07/2025	: Notice shall be	provided at least T Date Permit Ap	TEN (10) days prior to filing plication Filed: 04/02/2025	a permit application.
Delivery	metho	d pursuan	t to West Virgini	ia Code § 22-6A-1	6(b)	
□ на	ND	•	CERTIFIED M	IAIL		
DEI	LIVER			CEIPT REQUEST	ED	
receipt re drilling a of this su subsection and if ava	horizo bsection may lailable,	d or hand dontal well: n as of the be waived if acsimile n	elivery, give the selivery, give the self- Provided, That not date the notice was not writing by the self- umber and electrons.	surface owner notice given pursuant as provided to the surface owner. The onic mail address of	ce of its intent to enter upon int to subsection (a), section surface owner: <i>Provided, he</i> e notice, if required, shall into of the operator and the opera	n, an operator shall, by certified mail return the surface owner's land for the purpose of ten of this article satisfies the requirements owever, That the notice requirements of this clude the name, address, telephone number, tor's authorized representative.
		by provide Hene K. Koerber		ACE OWNER(· · · · · · · · · · · · · · · · · · ·	
Address:					0.00	atterson, Linda Lou Patterson, and Dennis Patterson
Friendly, W		ocio Lane			Address: 5516 Cow House Sisterville, WV 26175	Road
the surfact State: County: District:				UTM NAD 83 Easting: Northing:	500587.552m 4370508.641m Dansers Lane	
Quadrang	de: M	iddlebourne				Jimmy E. & Earl P. Patterson & Linda Lou Dennis
Watershe					The second conditions of the second conditions	
Pursuant facsimile related to	to Wes	r and elect	Code § 22-6A-1 tronic mail addre	ss of the operator	and the operator's authorizary, at the WV Department	dress, telephone number, and if available, zed representative. Additional information of Environmental Protection headquarters, dep.wv.gov/oil-and-gas/pages/default.aspx.
Notice is	hereb	y given b	y:			
Well Ope			rces Corporation		Authorized Representative	Stefan Gaspar
Address:		1615 Wynkoo	p St.		Address:	1615 Wynkoop St.
		Denver, CO 8	0202			Denver, CO 80202
Telephon	e:	303-357-7182	!		Telephone:	303-357-6959
Email:		mturco@ante	roresources.com		Email:	sgaspar@anteroresources.com
Facsimile	:	303-357-7315			Facsimile:	303-357-6959

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5 (1/12) 4709502926 Operator Well No. Conaway Unit 2H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

	tice: 04/02/2025 Date Permit App	later than the filing plication Filed: 04/		application.
Delivery m	ethod pursuant to West Virginia Code § 22	2-6A-16(c)		
		HAND DELIVERY		
return receip the planned required to drilling of a damages to	W. Va. Code § 22-6A-16(c), no later than a per requested or hand delivery, give the surfact operation. The notice required by this subsection (b), section ten of a horizontal well; and (3) A proposed surfact the surface affected by oil and gas operations ices required by this section shall be given to	the owner whose land osection shall incluse this article to a surface use and compen- te to the extent the data	d will be used for de: (1) A copy ace owner whos sation agreemen amages are comp	or the drilling of a horizontal well notice of of this code section; (2) The information the land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter.
Notice is he	ereby provided to the SURFACE OWNER	(s)		
	ess listed in the records of the sheriff at the tin			
	. & Darlene K. Koerber			terson, Linda Lou Patterson, and Dennis Patterson
Address: 17			S: 5516 Cow House F	Road
Friendly, WV 26	0140	Sisterville	e, WV 26175	
Pursuant to	ereby given: West Virginia Code § 22-6A-16(c), notice is in the surface owner's land for the purpose of West Virginia Tyler		l well on the tra	
District:	Union	Public Road		Dansers Lane
Quadrangle			ed farm name:	Jimmy E. & Earl P. Patterson & Linda Lou Dennis
Watershed:	Outlet Middle Island Creek	_ Generally us	ed farm name.	Simility E. & Earl F. Fallerson & Linda Lou Dennis
Pursuant to to be proviously horizontal ve surface affe information	e Shall Include: West Virginia Code § 22-6A-16(c), this notically ded by W. Va. Code § 22-6A-10(b) to a survell; and (3) A proposed surface use and contected by oil and gas operations to the extent related to horizontal drilling may be obtain s, located at 601 57th Street, SE, Charles efault.aspx.	arface owner whose appensation agreeme the damages are co ned from the Secret	e land will be un nt containing an empensable und ary, at the WV	ased in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection
Wall Operate	tor:	A d.d		
Well Operator: Antero Resources Corporation Address: Telephone: 303-357-7373		1615 Wynkoop Street		
F 11			Denver, CO 80202	
Email:	cwren@anteroresources.com	Facsimile:	303-357-7310	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Michael J. DeMers

1900 Kanawha Boulevard East • Building Five • Room 109

Charleston, West Virginia 25305-0440 • (304) 558-0444

Deputy Secretary of Transportation

Stephen T. Rumbaugh, P.E. Secretary of Transportation Commissioner of Highways

February 11, 2025

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Mary Patterson Well Pad, Tyler County

Conaway 1H Well Site Conaway 2H Well Site Incline 1H Well Site Incline 2H Well Site Dudley 1H Well Site Shiloh 1H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2024-3678 which has been issued to Antero Midstream, LLC for access to the State Road for a well site located off Tyler County Route 10 SLS MP 1.32.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours.

Lacy D. Pratt

Central Office O&G Coordinator

Cc: Carly Wren

Antero Midstream, LLC OM, D-6 File

List of Anticipated Additives Used for Fracturing or Stimulating Well 4709502926

CAS #		Chemical Abstract Service Number
Fresh Water 7732-18-5 2 Phosphobutane 1,2,4 tricarboxylic acid 37971-36-1 Ammonium Persulfate 7727-94-0 Anionic copolymer Proprietary ETEX Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary BETEX Free Hydrotreated Heavy Naphtha Proprietary Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethoxylated alcohol blend Mixture Ethoxylated Nonylphenol 68412-54-4 Ethoxylated oleylamine 26635-93-8 Ethylene Gilycol 107-21-1 Gilycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrogen Choride 7647-01-0 Hydrogen Choride 7647-01-0 Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Sopropyl alcohol 67-63-0 Iliquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Peloyleycrylamide 57-55-6 Polyopar	Additives	
Ammonium Persulfate 7727-54-0 Anlionic copolymer Proprietary BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethoxylated alcohol blend Mixture Ethoxylated alcohol blend 68412-54-4 Ethoxylated Oleylamine 26635-93-8 Ethylene Glycol 107-21-1 Glycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Isopropyl alcohol 67-63-0 Iquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Mixroparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Proplacy Alcohol 107-19-7 Proparyal Alcohol 107-19-7 Propylene Glycol 57-55-6 Duartz 14808-60-7 Sillilac, crystalline quartz 14808-60-7 Sillilac, crystalline quartz 15808-60-7 Sillilac, crystalline quartz 159-60-7 Souldium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Surfactant 68439-51-0 Surfactant 68439-51-0 Surfactant 68439-51-0 Surfactant 68439-51-0 Surfactant 7580-60-7 Sillilac, crystalline petroleum, heavy aliph 64742-9-7 Soulyean Oil, Me ester 67784-80-9 Copolymyr of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Diamine Perta 24600-7-7 Propyethene Glycol 111-46-6 Methenamine 100-97-0 Polyetyhene Glycol 111-46-6	Fresh Water	
Ammonium Persulfate Anionic copolymer Proprietary Anionic copolymer BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Cellulase enzyme Proprietary Demulsifier Base Proprietary Ethoxylated alcohol blend Bitture Ethoxylated alcohol blend Ethoxylated oleylamine Ethoxylate	2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Anionic copolymer Anionic polymer Proprietary Anionic polymer Proprietary BTEX Free Hydrotreated Heavy Naphtha Cellulase enzyme Proprietary BTEX Free Hydrotreated Heavy Naphtha Cellulase enzyme Proprietary Ethoxylated alcohol blend Mixture Ethoxylated Nonyiphenol Ethoxylated Nonyiphenol Ethoxylated Oleylamine Gd635-93-8 Ethylene Glycol Gdycol Ethers Ill1-76-2 Gdarg ym 9000-30-0 Hydrogen Chloride Hydrogen Chloride Fordar-7647-0-0 Hydrogen Chloride Fordary Oleylamine Fordar-7647-0-0 Hydrogen Chloride Fordar-76-3-0 Iguid, 2,2-dibromo-3-nitrilopropionamide I0222-01-2 Mixtorparticle Fordary Developropionamide I07-19-7 Fordary Developropionamide I07-19-7 Fordary Developropionamide I07-19-7 Fordary Developropionamide I08-0-7 Fo	Ammonium Persulfate	
Anionic polymer BTEX Free Hydrotreated Heavy Naphtha G6742-48-9 Cellulase enzyme Demulsifier Base Proprietary Ethoxylated alcohol blend Ethoxylated Nonylphenol Ethoxylated Nonylphenol Ethoxylated Nonylphenol Ethoxylated Selection Ethoxylated	Anionic copolymer	
### BTEX Free Hydrotreated Heavy Naphtha 64742-48-9	Anionic polymer	
Proprietary	BTEX Free Hydrotreated Heavy Naphtha	
Demulsifier Base Ethoxylated alcohol blend Ethoxylated Nonylphenol Ethoxylated Nonylphenol Ethoxylated Nonylphenol Ethoxylated Nonylphenol Ethoxylated Oleylamine Ethylene Glycol 107-21-1 Glycol Ethers 111-76-2 Gluar gum 9000-30-0 Hydrogen Chloride Hydrogen Chloride Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 sopropyl alcohol Iquidi, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide Proparyl Alcohol 107-19-7 Proparyl Alcohol Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 50dium Chloride 50dium Hydroxide 531-36-9 Sodium Chloride 50dium Hydroxide 531-37-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 1ar bases, quinoline derivs, benzyl chloride-quaternized 57784-80-9 50rloyen of Maleic and Acrylic Acid 5124-96-7 50rloyen of Maleic and Acrylic Acid 5125-49-9 514 phosphonate Hexamethylene Triamine Penta Hexamethylene Diamine Tetra 28603-7-8 1000 amine 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8 1001-14-8	Cellulase enzyme	
Ethoxylated alcohol blend Mixture Ethoxylated Nonylphenol 68412-54-4 Ethoxylated oleylamine 26635-93-8 Ethylene Glycol 107-21-1 Glycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Isopropyl alcohol 67-63-0 liquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylere Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Surfactant 68439-51-0 Surfactant 68439-51-0 Surfactant (Suphymary Language Language Language Language Language Language La	Demulsifier Base	
Ethoxylated oleylamine 26635-93-8 Ethylene Glycol 107-21-1 Glycol Ethers 111-76-2 Glycor Et	Ethoxylated alcohol blend	
Ethylene Glycol 107-21-1 Glycol Ethers 111-76-2 Glycol Ethers 111-76-2 Guar gum 9000-30-0 Hydrogen Chloride 7647-01-0 Hydrogen Chloride 6742-47-8 Isopropyl alcohol 67-63-0 Ilquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 6474-47-8 Polyacrylamide 75-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Hydroxide 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Supending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, detroleum, heavy aliph 64742-96-7 Solvent Naphtha, detroleum, heavy aliph 54742-96-7 Solvent Naphtha, detroleum, heavy aliph 54742-96-7 Solvent Naphtha of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamethylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 Detylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Doctor amine 61791-14-8	Ethoxylated Nonylphenol	68412-54-4
Silvest State St	Ethoxylated oleylamine	26635-93-8
Section	Ethylene Glycol	107-21-1
Hydrogen Chloride Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated light distillates, BTEX free Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated	Glycol Ethers	111-76-2
Hydrotreated light distillates, non-aromatic, BTEX free 6742-47-8 Isopropyl alcohol 67-63-0 Iiquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol Quartz 14808-60-7 Sillica, crystalline quartz 57-55-6 Sodium Chloride 57-55-6 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 57-50-8 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 2005-75-5 20-Propenoic acid, polymer with 2 propenamide 150-10-11-46-6 Methenamine 2006-10-11-48-8 Deloyed online Glycol 111-46-6 Methenamine 100-97-0 Deloyethylene polyamine 68603-67-8 Deloyethylene polyamine	Guar gum	9000-30-0
Sopropy alcohol 67-63-0 Iliquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Surgar 57-50-1	Hydrogen Chloride	7647-01-0
Ilquid, 2,2-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinolline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 Perpopenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Microparticle Proprietary Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinolline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 Delethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene poly	Isopropyl alcohol	67-63-0
Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 50dium Hydroxide 1310-73-2 Sogiar 57-50-1 Surfactant 50supending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 ECopolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 23605-75-5 Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra 23605-75-5 Phosphino Carboxylic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 111-46-6 Methenamine 100-97-0 Polyethylene Glycol Methenamine 68603-67-8 ECoco amine	liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Petroleum Distillates (BTEX Below Detect) 64742-47-8 Polyacrylamide 57-55-6 Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 50dium Chloride 50dium Chloride 50dium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 50sepending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 50divent Naphtha, petroleum, heavy aliph 64742-96-7 50olyent Off Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 23605-75-5 DePosphino Carboxylic acid polymer Hexamethylene Diamine Tetra 23605-75-5 DePoponic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Delethylene Glycol 400-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Microparticle	Proprietary
Propargyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 For bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha (Solid) 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 Perpopenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Ecoco amine 61791-14-8	Petroleum Distillates (BTEX Below Detect)	
Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 6478-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Methenamine 100-97-0 Polythylene polyamine 68603-67-8 Coco amine 61791-14-8	Polyacrylamide	57-55-6
Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Propargyl Alcohol	107-19-7
1486-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 168-9 1581 1681	Propylene Glycol	57-55-6
Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Quartz	14808-60-7
Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Sar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 23605-75-5 Perpopenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Sillica, crystalline quartz	7631-86-9
Sugar 57-50-1	Sodium Chloride	7647-14-5
Surfactant Suspending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 9009-00-1 Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra 23605-75-5 P-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, heavy aliph 6474-80-9 Solvent Naphtha, hea	Sodium Hydroxide	1310-73-2
Suspending agent (solid) Tar bases, quinoline derivs, benzyl chloride-quaternized Tar bases, quinoline deriva, benzyl chloride-quaternized Tar bases, quinoline deriva, benzyl chloride-quaternized Tar bases, quinoline deriva, benzyl chloride-quaternized Tar bases, quinoline derivales, personal chloride-quaternized Tar bases, qu	Sugar	57-50-1
Tar bases, quinoline derivs, benzyl chloride-quaternized Folvent Naphtha, petroleum, heavy aliph Folybean Oil, Me ester Folybean Oil M	Surfactant	68439-51-0
Solvent Naphtha, petroleum, heavy aliph Soybean Oil, Me ester Soybean Oil, Me ester Sopolymer of Maleic and Acrylic Acid S2255-49-9 DETA phosphonate Hexamthylene Triamine Penta Sobsphino Carboxylic acid polymer Hexamethylene Diamine Tetra Selexamethylene Diamine Tetra Selexamethylene Diamine Tetra Selexamethylene diamine penta (methylene phosphonic acid) Siethylene Glycol Methenamine Solvethylene polyamine Solvethylene polyamine Solvethylene polyamine Solvethylene polyamine Solvethylene polyamine Solvethylene polyamine Solvethylene Signature Solvethylene Solvethylene polyamine Solvethylene Solvet	Suspending agent (solid)	14808-60-7
Soybean Oil, Me ester Copolymer of Maleic and Acrylic Acid Copolymer of Maleic and Acrylic Acid CETA phosphonate DETA phosphonate Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Hexamethylene diamine penta (methylene phosphonic acid) Hexamethylene diamine penta (methylene phosphonic acid) Hexamethylene Glycol Hit-46-6 Hexamethylene polymine Hexamethylene Diamine Hexamethylene Diamine Hexamethylene phosphonic acid) Hexamethylene Glycol Hexamethylene Glycol Hit-46-6 Hexamethylene Diamine Hexamethylene Diamine Hexamethylene Hexamethylene Diamine Diamine Hexamethylene Diamine Hex	Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7
Copolymer of Maleic and Acrylic Acid DETA phosphonate Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Peropenoic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Diethylene Glycol Methenamine Polyethylene polyamine Polyethylene polyamine Polyethylene polyamine Coco amine Secon Maleic and Acrylic Acid 52255-49-9 15827-60-8 34690-00-1 71050-62-9 23605-75-5 23605-75-5 23605-75-5 2111-46-6 23605-74-5 23605	Solvent Naphtha, petroleum, heavy aliph	64742-96-7
DETA phosphonate Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphonic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Diethylene Glycol Methenamine Polyethylene polyamine Polyethylene polyamine Polyethylene polyamine Coco amine	Soybean Oil, Me ester	67784-80-9
Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 P-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Copolymer of Maleic and Acrylic Acid	52255-49-9
Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 P-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	DETA phosphonate	15827-60-8
Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol Methenamine Polyethylene polyamine Coco amine 23605-75-5 23605-74-5 111-46-6 100-97-0 68603-67-8 61791-14-8	Hexamthylene Triamine Penta	34690-00-1
2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Phosphino Carboxylic acid polymer	71050-62-9
Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Hexamethylene Diamine Tetra	23605-75-5
Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	2-Propenoic acid, polymer with 2 propenamide	9003-06-9
Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5
Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Diethylene Glycol	111-46-6
Coco amine 61791-14-8	Methenamine	100-97-0
927,0221,0	Polyethylene polyamine	68603-67-8
Propun 1 elegenmound with methydevinene	Coco amine	61791-14-8
erropyn-1-olcompound with methyloxirane 38172-91-7	2-Propyn-1-olcompound with methyloxirane	38172-91-7

OPERATOR: Antero Resources Corp.	WELL NO: Conaway Unit 2H
PAD NAME: Mary Patterson Pad	
REVIEWED BY: Stefan Gaspar	SIGNATURE: Cegn

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

Well I	Restri	ctions
	✓	At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR
		DEP Waiver and Permit Conditions
	\checkmark	At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR
		DEP Waiver and Permit Conditions
ļ	\checkmark	At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR
		DEP Waiver and Permit Conditions
	\checkmark	At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR
		Surface Owner Waiver and Recorded with County Clerk, OR
		DEP Variance and Permit Conditions
[\checkmark	At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR
		Surface Owner Waiver and Recorded with County Clerk, OR
		DEP Variance and Permit Conditions
[✓	At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR
		Surface Owner Waiver and Recorded with County Clerk, OR
		DEP Variance and Permit Conditions