



Company J.R. Bull

Address Sistersville, W. Va.

Farm C. P. McCoy

Tract 1 Acres 27 Lease No. 6066

Well (Farm) No. 6 Serial No. \_\_\_\_\_

Elevation (Spirit Level) 969'

Quadrangle New Martinsville

County Tyler District Lincoln

Engineer Don L. Riggle

Approved by George R. Clarke

Engineer's Registration No. 102

File No. OTG-S.P. 11 Drawing No. 1395

Date May 17, '48 Scale 1"=30 f

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. JYL-655-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Lincoln District, Tyler County, W. Va.  
 By Meurice Horowitz, 310 N. McKean St., Butler, Pa.  
 Abandoned under permit Tyl-.....-A?  
 On.....acres.  
 Elevation, .....' L.  
 Date of completion, etc., not given.  
 10" casing, 135' (pulled); 8 $\frac{1}{4}$ " , 896' (pulled); 6 $\frac{1}{4}$ " , 1365'.  
 Oil well. Record to Dept. of Mines stamped Aug. 26, 1950.  
 Record to RCT from Mrs. Griffith Nov. 18, 1950. Old File No. 571.

	Top. Bottom.
Big Injun Sand (oil)	1631 - 1650

("All given on record.")



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

571

WELL RECORD

Permit No. T9-655-A

Oil or Gas Well X (KIND)

Company Mourice Herowitz  
 Address 310 N. McKean St. Butler Penna.  
 Farm G.P. McCoy Acres \_\_\_\_\_  
 Location (waters) \_\_\_\_\_  
 Well No. # 6 Elev. \_\_\_\_\_  
 District Lincoln County Tyler  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<b>135</b>	<b>None</b>	Size of
8 1/4	<b>896</b>	<b>None</b>	
6 3/4	<b>1365</b>	<b>1365</b>	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Injun			1631	1650	oil		All given on record

