

Latitude

39 35

80 5730

Longitude

→ 7.5' loc  
KLG 9/7/95

**Topo Location**

7.5' Loc. 1.57S      15' Loc. 1.57S  
                  1.56W            (calc.) 3.78W

Company \_\_\_\_\_

Farm \_\_\_\_\_

15' Quad New Martinsville, Ga  
(sec.) \_\_\_\_\_

7.5' Quad Paducah City \_\_\_\_\_

District Lincoln \_\_\_\_\_

**WELL LOCATION PLAT**

County 095      Permit 30763

WALTER MCCOY NO. 3 WELL.

763A

Haden City

Lincoln District, Tyler County, W. Va.  
By St. Marys Pipe & Supply Co., Box 28, St. Marys, W. Va.  
Abandoned under permit Tyl-.....-A?  
On.....acres, on Ohio River.  
Elevation, ..... ' L.  
Surface and minerals owned by Walter McCoy, Sistersville, W. Va.  
Drilling commenced and completed in 1924.  
Shot Oct. 17, 1924, at 1846-1865', with 50 qts. nitroglycerine.  
Open flow, ~~no~~ record. Volume, no record.  
Oil, 10 bbls., 1st 24 hrs.  
No water.  
7 $\frac{3}{4}$ " casing, 1040'; 6 $\frac{1}{4}$ ", 1450'; 4-7/8", 1667'.  
Casing not cemented.  
No coal was encountered.  
Oil well. Record to Dept. of Mines stamped Feb. 1, 1952.  
Record to RCT from Mrs. Griffith Feb. 11, 1953. O.F.No.699.

	Top.	Bottom.
Sand	1200	- 1300
Line	1725	- 1826
Sand (oil, 1826')	1826	- 1873
Total depth		1873



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

69A

WELL RECORD

Permit No. 172767 A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company St. Marys Pipe & Supply Co.  
Address Box 28, St. Marys, W. Va.  
Farm Walter McCoy Acres \_\_\_\_\_  
Location (waters) Ohio River  
Well No. 3 Elev. \_\_\_\_\_  
District Lincoln County Tyler  
The surface of tract is owned in fee by Walter McCoy  
Address Sistersville, W. Va.  
Mineral rights are owned by same party  
Address \_\_\_\_\_  
Drilling commenced 1924  
Drilling completed 1924  
Date Shot 10/17/24 From 1846 To 1865'  
With 50 quarts Nitro-glycerin  
Open Flow /10ths Water in NO record Inch  
/10ths Merc. in NO record Inch  
Volume NO record Cu. Ft.  
Rock Pressure NO record lbs. \_\_\_\_\_ hrs.  
Oil 10 bbls., 1st 24 hrs.  
Fresh water none feet \_\_\_\_\_ feet  
Salt water none feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 7/8	1040'	1040'	Depth set
6 1/4	1450'	1450'	
5 3/16 - 7/8	1667'	1667'	Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED none SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
none FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
sand			1200	1300'			
Lime			1725'	1826			
Sand			1826	1873	Oil	1826	Total depth 1873



(Over)

FEB 11 1952