

State of West Virginia
 Division of Environmental Protection
 Section of Oil and Gas

Well Operator's Report of Well Work

Farm Name: Jonathan Coronet Operator Well No. Coronet #1 DO714

LOCATION: Elevation: 2140' Quadrangle: Alton 7.5
 District: Meade County: Upshur
 Latitude: 11,965 Feet S. of 38 Deg. 50 Min. Sec.
 Longitude: 7,875 Feet W. of 80 Deg. 12 Min. 30 Sec.

Company: Devonian Gas Production, Inc.

Address:	Casing & Tubing	Used in Drilling	Left in Well	Cement fill up Cu. Ft.
<u>PO Box 907</u>	<u>9 5/8</u>	<u>30</u>	<u>conductor</u>	<u>pulled</u>
<u>Jane Lew, WV 26378</u>	<u>7"</u>	<u>930'</u>	<u>930'</u>	<u>to surface</u>
Agent: <u>John Haskins</u>	<u>4 1/2"</u>	<u>4135'</u>	<u>4135'</u>	<u>200 sks</u>
Inspector: <u>Craig Duckworth</u>				
Date Permit Issued: <u>05/01/08</u>				
Date Well Work Commenced: <u>05/27/08</u>				
Date Well Work Completed: <u>06/11/08</u>				
Verbal Plugging:				
Date Permission Granted on:				
Rotary X Cable <u>Rig</u>				
Total Depth (ft): <u>4190'</u>				
Fresh Water Depth (ft): <u>221'</u>				
Salt Water Depth (ft): <u>NA</u>				

Is coal being mined in the area (Y/N)? N
 Coal Depths (ft): 460'

OPEN FLOW DATA

Producing formations	Pay zone depth (ft)
<u>Riley</u>	<u>3,606</u>
<u>Riley</u>	<u>3,762</u>
<u>Benson</u>	<u>3,988</u>

Gas: Initial open flow 39 Mcf/d. Oil: Initial open flow N/A Bbl/d
 Final open flow 267 Mcf/d. Final open flow N/A Bbl/d
 Time to open flow between initial and final tests: 5 Hours
 Static rock Pressure 400 psig (surface press.) after 48 Hours

NOTE: On back of this form put the following: 1) Details of perforated intervals, fracturing or stimulating, physical change, etc. 2) The well log which is a systematic detailed geological record of all formations, including coal encountered by the wellbore.

Signed: [Signature]
 By: _____
 Date: 1/7/09

HYDRAULIC FRACTURING DETAILS

STAGE	FORMATION	PERFORATIONS # of shots	SAND 20/40
1st Stage	Benson	14	40,000
2nd Stage	Riley	10	20,000
3rd Stage	Riley	10	20,000

DRILLERS LOG

FORMATION	FROM	TO
Fill	0	48
shale	48	460
coal	460	464
sand & shale	464	1,374
Lime	1,374	1,417
Big Lime	1,417	1,710
sand & shale	1,710	2,140
Gordon	2,140	2,162
sand & shale	2,162	2,384
Fifth Sand	2,384	2,405
sand & shale	2,405	3,565
Riley	3,565	3,580
sand & shale	3,580	3,980
Benson	3,980	4,000
sand & shale	4,000	TD

ELECTRIC LOG

FORMATION	DEPTH
Big Lime	1,420
Gordon	2,130
Fifth Sand	2,375
Bayard	2,480
Benson	3,995