

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

COAL OPERATOR OR COAL OWNER

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

UNITED FUEL GAS CO.,  
OWNER OF MINERAL RIGHTS

P.O. Box 1273, Charleston 25, W. Va.  
ADDRESS

UNITED FUEL GAS CO.,  
NAME OF WELL OPERATOR

% G. H. Moore  
P.O. Box 1273, Charleston 25, W. Va.  
COMPLETE ADDRESS

March 29, 19 48  
PROPOSED LOCATION

Lincoln District

Wayne County

Well No. 6310 <sup>38°00'</sup> <sub>82°30'</sub>

UNITED FUEL GAS CO.,  
Mineral Tract No. 17 Farm

GENTLEMEN :

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under <sup>Deed</sup> ~~grant of lease~~ dated December 26, 1946, made by HUNTINGTON DEV. & GAS CO., to UNITED FUEL GAS CO., and recorded on the 27th day of December 1946, in the office of the County Clerk for said County in Book 234, page 318.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address. Same day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,



Address of Well Operator }

UNITED FUEL GAS CO.,  
WELL OPERATOR

% G. H. Moore  
STREET

P.O. Box 1273, Charleston 25,  
CITY OR TOWN

West Virginia  
STATE

11/17/2023

\*Section 3 . . . If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WAY-568 PERMIT NUMBER

568

| Formation      | Color | Hard or Soft | Top               | Bottom | Oil, Gas or Water | Depth Found | Remarks   |
|----------------|-------|--------------|-------------------|--------|-------------------|-------------|-----------|
| Sand           |       |              | 1005              | 1023   |                   |             |           |
| Slate          |       |              | 1023              | 1030   |                   |             |           |
| Sand           |       |              | 1030              | 1060   |                   |             |           |
| Slate          |       |              | 1060              | 1093   |                   |             |           |
| Lime Shells    |       |              | 1093              | 1104   |                   |             |           |
| Slate          |       |              | 1104              | 1180   |                   |             |           |
| Salt Sand      |       |              | 1180              | 1278   |                   |             |           |
| Slate          |       |              | 1278              | 1325   |                   |             |           |
| Salt Sand      |       |              | 1325              | 1382   | Water             | 1360'       | Hole Full |
| Slate & Shells |       |              | 1382              | 1420   |                   |             |           |
| Lime Shells    |       |              | 1420              | 1428   |                   |             |           |
| Slate          |       |              | 1428              | 1465   |                   |             |           |
| Salt Sand      |       |              | 1465              | 1479   |                   |             |           |
| Slate          |       |              | 1479              | 1546   |                   |             |           |
| Lime Shells    |       |              | 1546              | 1549   |                   |             |           |
| Slate          |       |              | 1549              | 1592   |                   |             |           |
| Lime Shells    |       |              | 1592              | 1596   |                   |             |           |
| Sand           |       |              | 1596              | 1609   | Water             | 1599'       | Hole Full |
| Slate          |       |              | 1609              | 1648   |                   |             |           |
| Sand           |       |              | 1648              | 1655   |                   |             |           |
| Slate          |       |              | 1655              | 1664   |                   |             |           |
| Sandy Lime     |       |              | 1664              | 1675   |                   |             |           |
| Maxon Sand     |       |              | 1675              | 1710   |                   |             |           |
| Lime Shell     |       |              | 1710              | 1713   |                   |             |           |
| Sandy Lime     |       |              | 1713              | 1758   |                   |             |           |
| Little Lime    |       |              | 1758              | 1778   |                   |             |           |
| Big Lime       |       |              | 1778              | 1972   |                   |             |           |
| Injun Sand     |       |              | 1972              | 2018   |                   |             |           |
| Lime Shells    |       |              | 2018              | 2026   |                   |             |           |
| Slate & Shells |       |              | 2026              | 2525   |                   |             |           |
| Coffee Shale   |       |              | 2525              | 2535   |                   |             |           |
| Berea          |       |              | 2535              | 2625   | Gas               | 2540'       | Show      |
| Slate          |       |              | 2625              | 2634   |                   |             |           |
| Brown Shale    |       |              | 2634              | 2711   |                   |             |           |
| White Slate    |       |              | 2711              | 2900   |                   |             |           |
| Brown Shale    |       |              | 2900              | 3130   |                   |             |           |
| Gray Shale     |       |              | 3130              | 3172   |                   |             |           |
| Brown Shale    |       |              | 3172              | 3476   | Gas               | 3290'       | Show      |
| White Slate    |       |              | 3476              | 3484   |                   |             |           |
|                |       |              | Total Depth 3484' |        |                   |             |           |

Way 568

11/17/2023

DEPARTMENT OF MINES  
BUREAU OF GEOLOGICAL SURVEY  
Date AUG 30 1948, 19

APPROVED UNITED FUEL GAS CO., Owner

By G. H. Moore  
Chief Engineer (Title)



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*Waugatuck*

WELL RECORD

Permit No. WAY-568-P

Oil or Gas Well Dry Hole  
(KIND)

ABANDONMENT


Company UNITED FUEL GAS CO.  
Address P.O. Box 1273 Charleston 25, W. Va.  
Farm U.F.G. Co. Min. Tr. #17 Acres 299.489  
Location (waters) Barkcamp Br. of Twelve pole Cr.  
Well No. 6310 Elev. 1127.74 Gr.  
District Lincoln County Wayne  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by UNITED FUEL GAS CO.  
P.O. Box 1273 Address Chas. 25, W. Va.  
Drilling commenced 6-4-48  
Drilling completed 8-25-48  
Date Shot 8-27-48 From 2678 To 3484  
With 5400# Gel.  
Open Flow 12/10ths Water in 1 Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 3600 Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 175,565 feet \_\_\_\_\_ feet  
Salt water 1360,1599 feet \_\_\_\_\_ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers        |
|-------------------|------------------|--------------|----------------|
| Size              |                  |              | Kind of Packer |
| 16                |                  |              |                |
| 13                |                  |              |                |
| 10                | <u>189</u>       | <u>189</u>   | Size of        |
| 8 1/4             | <u>1594</u>      | <u>1594</u>  |                |
| 6 1/2             | <u>1788</u>      | <u>1788</u>  | Depth set      |
| 5 3/16            |                  |              |                |
| 3                 |                  |              | Perf. top      |
| 2                 |                  |              | Perf. bottom   |
| Liners Used       |                  |              | Perf. top      |
|                   |                  |              | Perf. bottom   |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 145 FEET 36 INCHES  
690 FEET 24 INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks      |
|-----------|-------|--------------|-----|--------|-------------------|-------------|--------------|
| Surface   |       |              | 0   | 14     |                   |             |              |
| Sand      |       |              | 14  | 25     |                   |             |              |
| Slate     |       |              | 25  | 36     |                   |             |              |
| Sand      |       |              | 36  | 48     |                   |             |              |
| Slate     |       |              | 48  | 72     |                   |             |              |
| Sand      |       |              | 72  | 104    |                   |             |              |
| Red Rock  |       |              | 104 | 107    |                   |             |              |
| Sand      |       |              | 107 | 145    |                   |             |              |
| Coal      |       |              | 145 | 148    |                   |             |              |
| Slate     |       |              | 148 | 170    |                   |             |              |
| Sand      |       |              | 170 | 205    | Water             | 175'        | 2 B P H      |
| Slate     |       |              | 205 | 217    |                   | 189'        | Reduced Hole |
| Sand      |       |              | 217 | 324    |                   |             |              |
| Slate     |       |              | 324 | 375    |                   |             |              |
| Sand      |       |              | 375 | 397    |                   |             |              |
| Slate     |       |              | 397 | 410    |                   |             |              |
| Sand      |       |              | 410 | 465    |                   |             |              |
| Slate     |       |              | 465 | 475    |                   |             |              |
| Sand      |       |              | 475 | 533    |                   |             |              |
| Slate     |       |              | 533 | 560    |                   |             |              |
| Sand      |       |              | 560 | 574    | Water             | 565'        | 1 B P H      |
| Slate     |       |              | 574 | 590    |                   |             |              |
| Sand      |       |              | 590 | 640    |                   |             |              |
| Slate     |       |              | 640 | 677    |                   |             |              |
| Sand      |       |              | 677 | 684    |                   |             |              |
| Slate     |       |              | 684 | 690    |                   |             |              |
| Coal      |       |              | 690 | 692    |                   |             |              |
| Slate     |       |              | 692 | 789    |                   |             |              |
| Sand      |       |              | 789 | 830    |                   |             |              |
| Slate     |       |              | 830 | 840    |                   |             |              |
| Sand      |       |              | 840 | 853    |                   |             |              |
| Slate     |       |              | 853 | 882    |                   |             |              |
| Sand      |       |              | 882 | 912    |                   |             |              |
| Slate     |       |              | 912 | 1005   |                   |             |              |



*11/17/2023*

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Bridge hole at 2658'- 20' above shot hole in brown shale, put in 24' cement 26 58' to 2634'. Fill with mud and clay 2634' to 2545'. Put in 10' cement 2545' to 2535'. Fill with mud and clay 2535' to 2515'. Run 10' cement 2515' to 2505'. Bridge hole at 2048'. Put in 10' cement 2048' to 2038'. Fill with mud and clay 2038' to 1818'. Put in 10' neat cement 1818' to 1808'. Put in 5' crushed stone 1808' - to 1803'. Pull 1788' (6-5/8") casing. Continue to fill with mud and clay to 1758'. Put in 10' cement 1758' to 1748'. Continue to fill with mud and clay 1748' to 1655'. Put in 10' cement 1655'. to 1645'. Fill with mud and clay 1645' to 1614'. Pull 1594' (8-1/4") casing. Fill with mud and clay 1614' to 1305'. Put in 10' cement 1305' to 1295'. Continue to fill with mud and clay 1295' to 722'. Run 50' Cement 722' to 672'. Fill with mud and clay 672' to 199'. Pull 189' (10") casing. Continue to fill with mud and clay 199' to 175'. Run 50' cement 175' to 125'. Fill with mud and clay 125' to 10'. Put in 10' cement 10' to 0'

Erect monument 30" above surface with inscription on monument to be U. F. G. CO. Well 6310. Abn. Date \_\_\_\_\_.

To the Department of Mines  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

UNITED FUEL GAS CO.

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

31st day of August, 19 48

DEPARTMENT OF MINES  
Oil and Gas Division

By: C H, / 7 2023

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

COAL OPERATOR OR COAL OWNER: UNITED FUEL GAS CO.  
 NAME OF WELL OPERATOR: G. H. Moore  
 ADDRESS: P.O. Box 1273 Charleston 25, W. Va.  
 COMPLETE ADDRESS: P.O. Box 1273 Charleston 25, W. Va.  
 DATE: AUG 30 1948

COAL OPERATOR OR COAL OWNER: UNITED FUEL GAS CO.  
 LEASE OR PROPERTY OWNER: UNITED FUEL GAS CO.  
 ADDRESS: P.O. Box 1273 Charleston 25, W. Va.  
 WELL TO BE ABANDONED: Lincoln District, Wayne County  
 Well No.: 6310  
 Farm: UNITED FUEL GAS CO. Mineral Tract #17

Gentlemen:—


The undersigned well operator is about to abandon the above described well and will commence operations August 31, 1948.

The Department of Mines has granted verbal permission to start plugging the work of plugging and abandoning said well on the \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,



UNITED FUEL GAS CO.  
Well Operator.

11/17/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

|                         |   |
|-------------------------|---|
| None                    | United Fuel Gas Co.                     |
| COAL OPERATOR OR OWNER  | NAME OF WELL OPERATOR                   |
| ADDRESS                 | Charleston, West Va.                    |
|                         | COMPLETE ADDRESS                        |
| COAL OPERATOR OR OWNER  | September 18, 19 48                     |
| ADDRESS                 | WELL AND LOCATION                       |
| United Fuel Gas Co.     | Lincoln District                        |
| LEASE OR PROPERTY OWNER | wayne County                            |
| Charleston, West Va.    | Well No. 6310                           |
| ADDRESS                 | United Fuel Gas Co. mineral tr.#17 Farm |

STATE INSPECTOR SUPERVISING PLUGGING.....

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Cabell } SS:

*Robert Adkins*

and *A R Adkins*

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31 day of August, 19 48, and that the well was plugged and filled in the following manner:

| SAND OR ZONE RECORD    | FILLING MATERIAL                 |         | PISTONS USED | CASING        |       |            |
|------------------------|----------------------------------|---------|--------------|---------------|-------|------------|
|                        | FORMATION                        | CONTENT |              | FROM          | TO    | CSG PULLED |
| Brown Shale            | Cement                           | 2658'   | 2634'        |               |       |            |
| Slate                  | Mud & Clay                       | 2634'   | 2545'        |               |       |            |
| Berea                  | Cement                           | 2545'   | 2535'        |               |       |            |
| coffee shale           | Mud & Clay                       | 2535'   | 2515'        |               |       |            |
| Slate & Shells         | Cement                           | 2515'   | 2505'        |               |       |            |
| Slate & Shells         | Cement                           | 2048'   | 2038'        |               |       |            |
| Slate & Shells-injun   | Mud & Clay                       | 2038'   | 1818'        |               |       |            |
| Big Lime               | Neat Cement                      | 1818'   | 1808'        |               |       |            |
| Big Lime               | Crushed Stone                    | 1808'   | 1803'        |               |       |            |
| Big Lime & Little Lime | Mud & Clay                       | 1803'   | 1758'        |               |       |            |
| Sandy Lime             | Cement                           | 1758'   | 1748'        | 6-5/8" Casing | 1788' | None       |
| Lime Shells-maxon      | Mud & Clay                       | 1748'   | 1655'        |               |       |            |
| Sand                   | Cement                           | 1655'   | 1645'        |               |       |            |
| Slate                  | Mud & Clay                       | 1645'   | 1614'        | 8-1/4" Casing | 1594' | None       |
| Slate-sand-salt sand   | Mud & Clay                       | 1614'   | 1305'        |               |       |            |
| Salt Sand              | Cement                           | 1305'   | 1295'        |               |       |            |
| Slate & Sand           | Mud & Clay                       | 1295'   | 722'         |               |       |            |
| Coal - slate           | Cement                           | 722'    | 712'         | 10" Casing    | 189'  | None       |
| Slate - sand           | Mud & Clay                       | 712'    | 705'         |               |       |            |
| Coal - slate           | Cement                           | 705'    | 125'         |               |       |            |
| Slate - sand           | Mud & Clay                       | 125'    | 10'          |               |       |            |
| surface                | Cement                           | 10'     | 0            |               |       |            |
| COAL SEAMS             | DESCRIPTION OF MONUMENT          |         |              |               |       |            |
| (NAME)                 | Erect monument 30" above surface |         |              |               |       |            |
| (NAME)                 | with inscription on monument     |         |              |               |       |            |
| (NAME)                 | U. F. G. Co. well 6310           |         |              |               |       |            |
| (NAME)                 | Abn. 9-17-48                     |         |              |               |       |            |

and that the work of plugging and filling said well was completed on the 17 day of September, 19 48.

And further deponents saith not.

Sworn to and subscribed before me this 20 day of September, 1948.

My commission expires:

May 21, 1956

*Robert Adkins*

*A R Adkins*

11/17/2023

*Earl P. Smith*

Notary Public.

Permit No. WAY-568P

United Fuel Gas Co.

None

Quarter, West Va.

BA

September 19

Lincoln

Wayne

United Fuel Gas Co.

Ohio

Quarter, West Va.

United Fuel Gas Co. Mineral Tr. W.Va.

United Fuel Gas Co.

BA

August

31

MINERAL

MINERAL

|      |      |               |      |      |            |               |
|------|------|---------------|------|------|------------|---------------|
|      |      |               | 1934 | 1933 | Cement     | Brown shale   |
|      |      |               | 1935 | 1934 | Red & clay | clay          |
|      |      |               | 1936 | 1935 | Cement     | hard          |
|      |      |               | 1937 | 1936 | Red & clay | Clay shale    |
|      |      |               | 1938 | 1937 | Cement     | Clay & shells |
|      |      |               | 1939 | 1938 | Cement     | Clay & shells |
|      |      |               | 1940 | 1939 | Red & clay | Clay & shells |
|      |      |               | 1941 | 1940 | Red & clay | Clay & shells |
|      |      |               | 1942 | 1941 | Red & clay | Clay & shells |
|      |      |               | 1943 | 1942 | Red & clay | Clay & shells |
| None | 1985 | 0-1/8" casing | 1944 | 1943 | Red & clay | Clay & shells |
| None | 1994 | 0-1/4" casing | 1945 | 1944 | Red & clay | Clay & shells |
| None | 189  | 1" casing     | 1946 | 1945 | Red & clay | Clay & shells |
|      |      |               | 1947 | 1946 | Red & clay | Clay & shells |
|      |      |               | 1948 | 1947 | Red & clay | Clay & shells |
|      |      |               | 1949 | 1948 | Red & clay | Clay & shells |
|      |      |               | 1950 | 1949 | Red & clay | Clay & shells |
|      |      |               | 1951 | 1950 | Red & clay | Clay & shells |
|      |      |               | 1952 | 1951 | Red & clay | Clay & shells |
|      |      |               | 1953 | 1952 | Red & clay | Clay & shells |
|      |      |               | 1954 | 1953 | Red & clay | Clay & shells |
|      |      |               | 1955 | 1954 | Red & clay | Clay & shells |
|      |      |               | 1956 | 1955 | Red & clay | Clay & shells |
|      |      |               | 1957 | 1956 | Red & clay | Clay & shells |
|      |      |               | 1958 | 1957 | Red & clay | Clay & shells |
|      |      |               | 1959 | 1958 | Red & clay | Clay & shells |
|      |      |               | 1960 | 1959 | Red & clay | Clay & shells |
|      |      |               | 1961 | 1960 | Red & clay | Clay & shells |
|      |      |               | 1962 | 1961 | Red & clay | Clay & shells |
|      |      |               | 1963 | 1962 | Red & clay | Clay & shells |
|      |      |               | 1964 | 1963 | Red & clay | Clay & shells |
|      |      |               | 1965 | 1964 | Red & clay | Clay & shells |
|      |      |               | 1966 | 1965 | Red & clay | Clay & shells |
|      |      |               | 1967 | 1966 | Red & clay | Clay & shells |
|      |      |               | 1968 | 1967 | Red & clay | Clay & shells |
|      |      |               | 1969 | 1968 | Red & clay | Clay & shells |
|      |      |               | 1970 | 1969 | Red & clay | Clay & shells |
|      |      |               | 1971 | 1970 | Red & clay | Clay & shells |
|      |      |               | 1972 | 1971 | Red & clay | Clay & shells |
|      |      |               | 1973 | 1972 | Red & clay | Clay & shells |
|      |      |               | 1974 | 1973 | Red & clay | Clay & shells |
|      |      |               | 1975 | 1974 | Red & clay | Clay & shells |
|      |      |               | 1976 | 1975 | Red & clay | Clay & shells |
|      |      |               | 1977 | 1976 | Red & clay | Clay & shells |
|      |      |               | 1978 | 1977 | Red & clay | Clay & shells |
|      |      |               | 1979 | 1978 | Red & clay | Clay & shells |
|      |      |               | 1980 | 1979 | Red & clay | Clay & shells |
|      |      |               | 1981 | 1980 | Red & clay | Clay & shells |
|      |      |               | 1982 | 1981 | Red & clay | Clay & shells |
|      |      |               | 1983 | 1982 | Red & clay | Clay & shells |
|      |      |               | 1984 | 1983 | Red & clay | Clay & shells |
|      |      |               | 1985 | 1984 | Red & clay | Clay & shells |
|      |      |               | 1986 | 1985 | Red & clay | Clay & shells |
|      |      |               | 1987 | 1986 | Red & clay | Clay & shells |
|      |      |               | 1988 | 1987 | Red & clay | Clay & shells |
|      |      |               | 1989 | 1988 | Red & clay | Clay & shells |
|      |      |               | 1990 | 1989 | Red & clay | Clay & shells |
|      |      |               | 1991 | 1990 | Red & clay | Clay & shells |
|      |      |               | 1992 | 1991 | Red & clay | Clay & shells |
|      |      |               | 1993 | 1992 | Red & clay | Clay & shells |
|      |      |               | 1994 | 1993 | Red & clay | Clay & shells |
|      |      |               | 1995 | 1994 | Red & clay | Clay & shells |
|      |      |               | 1996 | 1995 | Red & clay | Clay & shells |
|      |      |               | 1997 | 1996 | Red & clay | Clay & shells |
|      |      |               | 1998 | 1997 | Red & clay | Clay & shells |
|      |      |               | 1999 | 1998 | Red & clay | Clay & shells |
|      |      |               | 2000 | 1999 | Red & clay | Clay & shells |
|      |      |               | 2001 | 2000 | Red & clay | Clay & shells |
|      |      |               | 2002 | 2001 | Red & clay | Clay & shells |
|      |      |               | 2003 | 2002 | Red & clay | Clay & shells |
|      |      |               | 2004 | 2003 | Red & clay | Clay & shells |
|      |      |               | 2005 | 2004 | Red & clay | Clay & shells |
|      |      |               | 2006 | 2005 | Red & clay | Clay & shells |
|      |      |               | 2007 | 2006 | Red & clay | Clay & shells |
|      |      |               | 2008 | 2007 | Red & clay | Clay & shells |
|      |      |               | 2009 | 2008 | Red & clay | Clay & shells |
|      |      |               | 2010 | 2009 | Red & clay | Clay & shells |
|      |      |               | 2011 | 2010 | Red & clay | Clay & shells |
|      |      |               | 2012 | 2011 | Red & clay | Clay & shells |
|      |      |               | 2013 | 2012 | Red & clay | Clay & shells |
|      |      |               | 2014 | 2013 | Red & clay | Clay & shells |
|      |      |               | 2015 | 2014 | Red & clay | Clay & shells |
|      |      |               | 2016 | 2015 | Red & clay | Clay & shells |
|      |      |               | 2017 | 2016 | Red & clay | Clay & shells |
|      |      |               | 2018 | 2017 | Red & clay | Clay & shells |
|      |      |               | 2019 | 2018 | Red & clay | Clay & shells |
|      |      |               | 2020 | 2019 | Red & clay | Clay & shells |
|      |      |               | 2021 | 2020 | Red & clay | Clay & shells |
|      |      |               | 2022 | 2021 | Red & clay | Clay & shells |
|      |      |               | 2023 | 2022 | Red & clay | Clay & shells |

with this location on monument

U.S. G. S. No. 1110

11-11-18

PI

BA

September

11/17/2023

1111-5187