



- New Location...
- Drill Deeper.....
- Abandonment.....

Company WEBSTER MYERS

Address HUNTINGTON, W.VA.

Farm PERLIE CHATTERTON

Tract \_\_\_\_\_ Acres 71 Lease No. \_\_\_\_\_

Well (Farm) No. 1 Serial No. \_\_\_\_\_

Elevation (Spirit Level) 600

Quadrangle GUYANDOT - WC

County WAYNE District UNION

Engineer G. G. Ewing

Engineer's Registration No. 309

File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_

Date 7-9-53 Scale 1" = 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
FILE NO. WAY-883

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Deep well

6-6-53



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Quadrangle Myersdale  
Permit No. Wayne 883

Oil or Gas Well Gas  
(KIND)

Company Chatterton Gas Company (Webster Myers)  
Address 1614 7th Ave. Huntington, W. Va.  
Farm Perlie Chatterton Acres 71  
Location (waters) Twelve Pole Creek  
Well No. 1 Elev. 600  
District Union County Wayne  
The surface of tract is owned in fee by Perlie Chatterton  
Shoals, W. Va. Address \_\_\_\_\_  
Mineral rights are owned by same  
Address \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Lead & Rubber Hook Wall and Anchor
16			Kind of Packer _____
18			Spang
	21	21	Parmaco
8 3/4	258	258	Size of 7"x8 1/4
6	1528	1528	2x6x24
5 3/16			HW set 2030
3			BH-1517
2 & 5"	2733	2733	Perf. top <del>2700x</del>
Liners Used	604	604	Perf. bottom 2652
			Perf. top 2700
			Perf. bottom _____

Drilling commenced July 13, 1953  
Drilling completed August 24, 1953  
Date Shot 8/24/53 From 2967 To 2267  
With 7000 lbs Hercules Gas Well B  
Open Flow /10ths Water in none before shot Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 6/10 Water 2" after shot Cu. Ft.  
Rock Pressure 500 lbs. 20 hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 125 feet  
Salt water 520 and 1050 feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
None  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	15			
Sand			15	25			
Slate			25	75			
Sand			75	125			
Slate			125	200			
Sand			200	375			
Slate			375	500			
Sand			500	700			
Slate			700	990			
Salt Sand			990	1138			
Slate			1138	1140			
Little Lime			1140	1150			
Pencil Cave			1150	1155			
Big Lime			1155	1270			
Kenner Sand			1270	1320			
Slate & Shells			1320	1375			
Injun Sand			1375	1400			
Slate			1400	1402			
Injun Sand			1402	1500			
Slate & Shells			1500	1537			
Slate			1537	1935			
Coffie Shale			1935	1947			
Berea Sand			1947	1975			
Slate & Shells			1975	2020			
Brown Shale			2020	2130			
Slate			2130	2255			
Brown Shale			2255	2560			
Slate			2560	2580			
Brown Shale			2580	2615			
Grey Shale			2615	2630			
					Brown Shale	2630-2650	
					Slate	2650-2680	
					Brown Shale	2680-2755	
					Slate	2755-2921	
					Brown Shale	2921-2967	
					Total depth and top of Corniferous Lime 2967 ft.		

