



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

None
COAL OPERATOR OR COAL OWNER

Joe B Hyman & R. B. Eicholtz;
NAME OF WELL OPERATOR

ADDRESS

216 Prince Street- Alexander, Va.
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

October 20, 1956
PROPOSED LOCATION

ADDRESS

Butler District

Minnie Lycan
OWNER OF MINERAL RIGHTS

Wayne County

Fort Gay, West Virginia.
ADDRESS

Well No. 2 38°15'
82°30'

Minnie Lycan Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated September 10- 1956 made by Minnie Lycan, to Wayne Lycan & E. C. McClure and recorded on the 20 day of October 1956, in the office of the County Clerk for said County in Book 46, page 316.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address _____ day _____ before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Joe B. Hyman, R. B. Eicholtz
WELL OPERATOR

216 Prince Street
STREET

Alexander Virginia.
CITY OR TOWN

08/25/2023

STATE

Return this permit to Fort Gay, in care of Wayne Lycan.

W. Va.

Address of Well Operator }

*Section 3 If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines
Charleston, W. Va.

None

COAL OPERATOR OR COAL OWNER

NAME OF WELL OPERATOR

ADDRESS

CORRESPONDENCE ADDRESS

COAL OPERATOR OR COAL OWNER

PROPOSED LOCATION

ADDRESS

Butler

District

Minnie Ligon

Wayne

County

OWNER OF MINERAL RIGHTS

5

Well No.

ADDRESS

Fort Gay, West Virginia

Minnie Ligon

Town

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for

oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated

September 10-1956

to Joe E. Hyman, R. B. Nicholas, and recorded on the 30 day

of October 1956 in the office of the County Clerk for said County in

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Mineral District of and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating holes of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundary of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 8 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as a reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)
Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their given shown respective addresses _____ day _____ before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Joe E. Hyman, R. B. Nicholas

WELL OPERATOR

516 Prince Street

STREET

Alexander, Virginia

CITY OR TOWN

STATE

Address of Well Operator

Return this permit to Fort Gay, in care of Minnie Ligon

08/25/2023

*Section 8. If no such objections be filed or be found by the department of mines within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit certifying the date of issue and that no objections have been made by the coal operators to the location, or found liable by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

Fort Gay - W. Va.


Oct. 22 - 1956.

Mr. Hall, Supervisor of Oil and Gas
Division of the Dept of Mines -
Charleston, W. Va. -

I enclose the original and two
copies of notice of proposed location of an
oil and gas well. Also blueprint made
by reliable engineer. There is no coal
mining operation within 20 miles. Would
appreciate you sending the permit to
drill this well. We wish to move
drilling rig on site at once. If
you have to hold this application for
10 days please notify me if it will
be safe to move rig on location.

Very truly yours,

Wayne Lyons,



October 23, 1956

Messrs. Boe B. Hyman & R. B. Eicholtz
c/o Mr. Wayne Lycan
Fort Gay, West Virginia

Gentlemen:

We are in receipt of your application to drill and oil or gas Well No. 2 on Minnie Lycan Farm, Butler District, Wayne County together with a blue print of the map.

It is necessary to send us a tracing of the map instead of blue print as these maps need to be reproduced. We will return your blue print as soon as tracing is received.

In answer to your inquiry, we are not able to issue a permit for drilling in any section of the state previous to the ten days required by law. However, there will be no objection, as far as the state is concerned, with moving your equipment to the well site and getting ready to begin operations at the end of the ten-day period.

Very truly yours,

Administrative Assistant
OIL AND GAS DIVISION

MG:g

cc Messrs. Joe B. Hyman and
R. B. Eicholtz
216 Prince Street
Alexander, Virginia

08/25/2023

Fort Gay, W. Va.
Oct. 24, 1956,

West Virginia Dept of Mines
Oil & Gas Division, Charleston W. Va.
C. N. Hall,

Dear Sir,


Enclosed you find Tracing of Survey of
well location # 2 on Minnie Lyeau tract
in Butler District Wayne County.

Thanking you for your promptness in
calling our attention to this matter.

I am,

Very Truly yours,

Wayne Lyeau





STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Louisa

WELL RECORD

Permit No. WAY-1027

Oil or Gas Well DRY
(KIND)


Company J. B. Hyman & R. B. Eichholz
Address Alexandria, Virginia
Farm Minnie Lycan Acres 106
Location (waters) Queens Creek
Well No. 2 Elev. 700'
District Butler County Wayne
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by Minnie Lycan
Fort Gay, W. Va. Address _____
Drilling commenced November 15, 1956
Drilling completed January 8, 1957
Date Shot 12/31/1956 From 1892 To 1960'
With 1/8/1957 1890' 1916'
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	215'	215'	
6 5/8	1166'	1166'	Depth set
5 3/16			
3			Perf. top
2	1916'	1916'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	25			
Blue Slate			25	55			
Blue Slate			55	110			
Blue Slate			110	128			
COAL			128	133			
Blue Slate			133	266	Water 238'		
Sand and Slate			266	344			
Slate			344	500			
Sand and Slate			500	670	Hole full of water		
Sand			670	680			
Slate			680	675			
Sand			675	728			
Slate and Shells			728	757			
Slate			757	795			
Sand			795	810			
Slate			810	845			
Sand - Salt Sand			845	900			
Slate and Shells			900	1040			
Sand			1040	1066			
Sand			1066	1118			
Lime			1118	1132			
Little Lime			1132	1156			
Big Lime			1156	1285			
Blue Sand			1285	1409			
Sand - Hard Cap			1409	1420			
Broken Weir Sand			1420	1446			
Slate & Sand			1446	1469			
Blue Sand			1469	1507			
Slate & Sand			1507	1874			
Brown Shale			1874	1894			
Berea Sand			1894	1898			
Berea Sand			1898	1977			
Total Depth				1987'			
Filled back with red clay to 1946' - Set poplar plug							



08/25/2023

Gas Show 1894-1896', 40,000 Cu. Ft.
Oil show 1956'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____

Oil or Gas Well _____
(KIND)

	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Company _____	Size			
Address _____	16			Kind of Packer _____
Farm _____	13			
Well No. _____	10			Size of _____
District _____ County _____	8 1/4			
Drilling commenced _____	6 5/8			Depth set _____
Drilling completed _____ Total depth _____	5 3/16			
Date shot _____ Depth of shot _____	3			Perf. top _____
Initial open flow _____ /10ths Water in _____ Inch	2			Perf. bottom _____
Open flow after tubing _____ /10ths Merc. in _____ Inch	Liners Used			Perf. top _____
				Perf. bottom _____
Volume _____ Cu. Ft.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Rock pressure _____ lbs. _____ hrs.				
Oil _____ bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Fresh water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Drillers' Names _____

Remarks:

DATE

DISTRICT WELL INSPECTOR

08/25/2023

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____

Oil or Gas Well _____
(KIND)

	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Company _____	Size			
Address _____	16			Kind of Packer _____
Farm _____	13			
Well No. _____	10			Size of _____
District _____ County _____	8 1/4			
Drilling commenced _____	6 5/8			Depth set _____
Drilling completed _____ Total depth _____	5 3/16			
Date shot _____ Depth of shot _____	3			Perf. top _____
Initial open flow _____ /10ths Water in _____ Inch	2			Perf. bottom _____
Open flow after tubing _____ /10ths Merc. in _____ Inch	Liners Used			Perf. top _____
Volume _____ Cu. Ft.				Perf. bottom _____
Rock pressure _____ lbs. _____ hrs.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Oil _____ bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Fresh water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Drillers' Names _____

Remarks: _____

DATE

DISTRICT WELL INSPECTOR

08/25/2023

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER PREPARED BY DEPARTMENT OF MINES

Total Depth 1987'
Pull 2" tubing (1916')

Hole filled back to 1946' and shot from 1890' to 1960'

SET A PERMANENT BRIDGE AT 1850' - 40' above shot hole
2 sacks neat cement and 5' crushed stone on bridge
Fill with clay to 1750'
Neat Cement 1750' - 1740'

SET A PERMANENT BRIDGE AT ~~1215'~~ 1250' - a point in Big Lime
2 sacks neat cement and 5' crushed stone on bridge
Fill with clay to 1196' - 30' below 6-5/8" casing
Neat Cement 1196' - 1186'
5' crushed stone on cement plug - sealing hole completely below 6-5/8" casing

Pull 6-5/8" casing and

Continue filling with clay to 1100'
Neat Cement 1100' - 1090'

SET A PERMANENT BRIDGE AT 700'
2 sacks neat cement and 5' crushed stone on bridge
Fill with clay to 550'
Neat Cement 550' - 540'

SET A PERMANENT BRIDGE AT 245' - 30' below 8-1/4" casing
2 sacks neat cement and 5' crushed stone on bridge

As 8-1/4" casing is lifted,

Fill with clay to 163' - 30' below Coal Seam
Neat Cement 163' - 108' - 20' above Coal Seam
Fill with clay to surface

Erect marker such as is described in Rule 18, 1931 Regulations

To the Department of Mines
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

9th day of APRIL, 1957, 19____.

DEPARTMENT OF MINES
Oil and Gas Division

By: C. H. Hall

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Coal Operator or Coal Owner

Address

Coal Operator or Coal Owner

Address

Lease or Property Owner

Address

J. B. HYMAN & R. B. EICHHOLZ

Name of Well Operator

216 Prince Street
Alexandria, Virginia

Complete Address

APRIL 9, 1957

19

WELL TO BE ABANDONED

BUTLER

District

WAYNE

County

Well No. 2

MINNIE LYCAN

Farm

Inspector to be notified GEORGE I. SIMONS - CHARLESTON, DI 4-4741

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence


the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

By Ava Saganer Well Operator.



08/25/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a registered engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

(over) WAY-1027-P PERMIT NUMBER

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

None
COAL OPERATOR OR OWNER

ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

Minnie Lycan
LEASE OR PROPERTY OWNER

Fort Gay, W. Va. RFD
ADDRESS

R. B. Eichholz & J. B. Hyman
NAME OF WELL OPERATOR

216 Prince Street, Alexandria, Va.
COMPLETE ADDRESS

April 24, 1957
WELL AND LOCATION

Butler District

Wayne County

Well No. 2

Minnie Lycan Farm

STATE INSPECTOR SUPERVISING PLUGGING: George I. Simons, Charleston, W. Va.

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ ^{KENTUCKY} }
County of Lawrence } ss:

Ova Sagraves and Davie Compton
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by R. B. Eichholz & J. B. Hyman, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15 day of April, 1957, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD FORMATION	FILLING MATERIAL	PLUGS USED SIZE & KIND	CASING	
			CSG PULLED	CSG LEFT IN
Depth 1987				
Hole caved to 1840	Bridge set 1840 - 2 sacks cement	5 ft. rocks		
1750	Filled with clay to 1750	plug set in clay		
1750 to 1740	2 bags cement-5 ft naped rock			
1740 to 1260	filled with clay			
1260 to 1245	permanent bridge-2 sacks cement	- 5 ft. naped rock		
1240 to 1196	filled with clay			
1196 to 1186	neat cement & 40 lb. lead wool	& roll of roofing with		
	2 sacks cement & rock.	Sealing below 6-5/8" cag.		
1166	pulled 6-5/8" csg			
1166 to 1100	filled with clay			
1100 to 1090	neat cement			
1100 to 700	filled with clay bridge set at 700			
	2 sacks/cement and 5 ft. naped	rock on bridge		
700 to 550	filled with clay			
550 to 245 540	neat cement			
(NAME) 550 to 245	filled with clay - 2 sacks neat cement	- 5 ft stone		
(NAME)	pulled 8-1/4" csg			
(NAME) 245 to 163	filled with clay			
(NAME) 163 to 108	cemented and then filled with clay to 3 ft. of surface			
	put 2 sacks cement and left 10" pipe in hole.			

and that the work of plugging and filling said well was completed on the 20th day of April, 1957.

And further deponents saith not.


Sworn to and subscribed before me this 24th day of April, 1957.

My commission expires:
November 15, 1957.

Ova Sagraves
Davie Compton 08/25/2023

J. Adams
Notary Public.

Permit No. WAY 1027-P



AFFIDAVIT OF PLUGGING AND FILLING WELLS

ATTEST: I, the undersigned, being a duly qualified Notary Public in and for the State of West Virginia, do hereby certify that the foregoing is a true and correct copy of the original as the same appears in my records.

None
R. B. Nichols & J. B. Hyman
316 Prince Street, Alexandria, Va.
April 28, 1937
Dexter
Wayne
Fort Gay, W. Va. RFD
Minnie Ryan
George I. Simons, Charleston, W. Va.

STATE OF KENTUCKY

County of Lawrence
Ovs Gavrayas


Gavis Compton
R. B. Nichols & J. B. Hyman
April 28, 1937

1000 to 1005	filled with clay
1005 to 1010	filled with clay
1010 to 1015	filled with clay
1015 to 1020	filled with clay
1020 to 1025	filled with clay
1025 to 1030	filled with clay
1030 to 1035	filled with clay
1035 to 1040	filled with clay
1040 to 1045	filled with clay
1045 to 1050	filled with clay
1050 to 1055	filled with clay
1055 to 1060	filled with clay
1060 to 1065	filled with clay
1065 to 1070	filled with clay
1070 to 1075	filled with clay
1075 to 1080	filled with clay
1080 to 1085	filled with clay
1085 to 1090	filled with clay
1090 to 1095	filled with clay
1095 to 1100	filled with clay
1100 to 1105	filled with clay
1105 to 1110	filled with clay
1110 to 1115	filled with clay
1115 to 1120	filled with clay
1120 to 1125	filled with clay
1125 to 1130	filled with clay
1130 to 1135	filled with clay
1135 to 1140	filled with clay
1140 to 1145	filled with clay
1145 to 1150	filled with clay
1150 to 1155	filled with clay
1155 to 1160	filled with clay
1160 to 1165	filled with clay
1165 to 1170	filled with clay
1170 to 1175	filled with clay
1175 to 1180	filled with clay
1180 to 1185	filled with clay
1185 to 1190	filled with clay
1190 to 1195	filled with clay
1195 to 1200	filled with clay
1200 to 1205	filled with clay
1205 to 1210	filled with clay
1210 to 1215	filled with clay
1215 to 1220	filled with clay
1220 to 1225	filled with clay
1225 to 1230	filled with clay
1230 to 1235	filled with clay
1235 to 1240	filled with clay
1240 to 1245	filled with clay
1245 to 1250	filled with clay
1250 to 1255	filled with clay
1255 to 1260	filled with clay
1260 to 1265	filled with clay
1265 to 1270	filled with clay
1270 to 1275	filled with clay
1275 to 1280	filled with clay
1280 to 1285	filled with clay
1285 to 1290	filled with clay
1290 to 1295	filled with clay
1295 to 1300	filled with clay
1300 to 1305	filled with clay
1305 to 1310	filled with clay
1310 to 1315	filled with clay
1315 to 1320	filled with clay
1320 to 1325	filled with clay
1325 to 1330	filled with clay
1330 to 1335	filled with clay
1335 to 1340	filled with clay
1340 to 1345	filled with clay
1345 to 1350	filled with clay
1350 to 1355	filled with clay
1355 to 1360	filled with clay
1360 to 1365	filled with clay
1365 to 1370	filled with clay
1370 to 1375	filled with clay
1375 to 1380	filled with clay
1380 to 1385	filled with clay
1385 to 1390	filled with clay
1390 to 1395	filled with clay
1395 to 1400	filled with clay
1400 to 1405	filled with clay
1405 to 1410	filled with clay
1410 to 1415	filled with clay
1415 to 1420	filled with clay
1420 to 1425	filled with clay
1425 to 1430	filled with clay
1430 to 1435	filled with clay
1435 to 1440	filled with clay
1440 to 1445	filled with clay
1445 to 1450	filled with clay
1450 to 1455	filled with clay
1455 to 1460	filled with clay
1460 to 1465	filled with clay
1465 to 1470	filled with clay
1470 to 1475	filled with clay
1475 to 1480	filled with clay
1480 to 1485	filled with clay
1485 to 1490	filled with clay
1490 to 1495	filled with clay
1495 to 1500	filled with clay
1500 to 1505	filled with clay
1505 to 1510	filled with clay
1510 to 1515	filled with clay
1515 to 1520	filled with clay
1520 to 1525	filled with clay
1525 to 1530	filled with clay
1530 to 1535	filled with clay
1535 to 1540	filled with clay
1540 to 1545	filled with clay
1545 to 1550	filled with clay
1550 to 1555	filled with clay
1555 to 1560	filled with clay
1560 to 1565	filled with clay
1565 to 1570	filled with clay
1570 to 1575	filled with clay
1575 to 1580	filled with clay
1580 to 1585	filled with clay
1585 to 1590	filled with clay
1590 to 1595	filled with clay
1595 to 1600	filled with clay
1600 to 1605	filled with clay
1605 to 1610	filled with clay
1610 to 1615	filled with clay
1615 to 1620	filled with clay
1620 to 1625	filled with clay
1625 to 1630	filled with clay
1630 to 1635	filled with clay
1635 to 1640	filled with clay
1640 to 1645	filled with clay
1645 to 1650	filled with clay
1650 to 1655	filled with clay
1655 to 1660	filled with clay
1660 to 1665	filled with clay
1665 to 1670	filled with clay
1670 to 1675	filled with clay
1675 to 1680	filled with clay
1680 to 1685	filled with clay
1685 to 1690	filled with clay
1690 to 1695	filled with clay
1695 to 1700	filled with clay
1700 to 1705	filled with clay
1705 to 1710	filled with clay
1710 to 1715	filled with clay
1715 to 1720	filled with clay
1720 to 1725	filled with clay
1725 to 1730	filled with clay
1730 to 1735	filled with clay
1735 to 1740	filled with clay
1740 to 1745	filled with clay
1745 to 1750	filled with clay
1750 to 1755	filled with clay
1755 to 1760	filled with clay
1760 to 1765	filled with clay
1765 to 1770	filled with clay
1770 to 1775	filled with clay
1775 to 1780	filled with clay
1780 to 1785	filled with clay
1785 to 1790	filled with clay
1790 to 1795	filled with clay
1795 to 1800	filled with clay
1800 to 1805	filled with clay
1805 to 1810	filled with clay
1810 to 1815	filled with clay
1815 to 1820	filled with clay
1820 to 1825	filled with clay
1825 to 1830	filled with clay
1830 to 1835	filled with clay
1835 to 1840	filled with clay
1840 to 1845	filled with clay
1845 to 1850	filled with clay
1850 to 1855	filled with clay
1855 to 1860	filled with clay
1860 to 1865	filled with clay
1865 to 1870	filled with clay
1870 to 1875	filled with clay
1875 to 1880	filled with clay
1880 to 1885	filled with clay
1885 to 1890	filled with clay
1890 to 1895	filled with clay
1895 to 1900	filled with clay
1900 to 1905	filled with clay
1905 to 1910	filled with clay
1910 to 1915	filled with clay
1915 to 1920	filled with clay
1920 to 1925	filled with clay
1925 to 1930	filled with clay
1930 to 1935	filled with clay
1935 to 1940	filled with clay
1940 to 1945	filled with clay
1945 to 1950	filled with clay
1950 to 1955	filled with clay
1955 to 1960	filled with clay
1960 to 1965	filled with clay
1965 to 1970	filled with clay
1970 to 1975	filled with clay
1975 to 1980	filled with clay
1980 to 1985	filled with clay
1985 to 1990	filled with clay
1990 to 1995	filled with clay
1995 to 2000	filled with clay

and that the work of plugging and filling said well was completed on the 28th day of April, 1937.

08/25/2023

[Signature]
Notary Public
W. Va. 1937



October 26, 1956

Mr. Wayne Lycan
Fort Gay, West Virginia

Dear Mr. Lycan:

Thank you for the tracing of your well location
No. 2 on Minnie Lycan Farm, Butler District, Wayne County. The
blue print of this map is enclosed for your files.

Very truly yours,

Administrative Assistant
OIL AND GAS DIVISION

MG:g
encl

08/25/2023

November 2, 1956

Mr. Wayne Lycan
Fort Gay, West Virginia

Dear Sir:

Enclosed is permit WAY-1027 for the drilling of the Joe B. and R. B. Eicholtz well No. 2 on the Minnie Lycan farm, Butler District, Wayne County.

When the drilling is completed, please send us two copies of the well record. Blanks are enclosed.

Very truly yours,

Administrative Assistant
OIL AND GAS DIVISION

CNH:K
Encl-2

CC: Inspector O. C. Allen

08/25/2023



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES May 18, 1957
CHARLESTON

JULIUS C. OLZER
CHIEF

Mr. Wayne Lycan
Fort Gay, West Virginia

Dear Mr. Lycan:

Please send us two copies of the well record for your completed location No. 2 on Minnie Lycan Farm, Butler District, Wayne County - permit WAY-1027, within the next ten days so that permit for your Well No. 1 on Emma Lalonde Farm, Butler District, Wayne County, can be issued on schedule.

Forms OG-10 are enclosed.

Very truly yours,

C. H. Hall
Administrative Assistant
OIL AND GAS DIVISION

MG:g
encl

cc Mr. George I. Simons, Inspector

Messrs. Hyman & Eichholtz
216 Prince Street
Alexandria, Virginia

C
O
P
Y

4/16

*Mr Lycan was in Ky. on this date.
I told Mrs. Ova Sagraves, a driller on
Well no. 2, Minnie Lycan, farm to inform
Mr Lycan that his permit for Well no. 1
Emma Lalonde, farm would not be issued
until well record for no. 2. Permit # Way-1027
had been received.*

08/25/2023

G. I. S.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
CHARLESTON

JULIUS C. OLZER
CHIEF

Mr. Wayne Lynch
Fort Gay, West Virginia

Dear Mr. Lynch:

Please send us two copies of the well record for your completed location No. 2 on Mine Lynch Farm, Baker District, Wayne County - permit WAY-1027, within the next ten days so that permit for your well No. 1 on East Leland Farm, Baker District, Wayne County, can be issued on schedule.

Forms 00-10 are enclosed.

Very truly yours,

Chas
Assistant
OIL AND GAS DIVISION

WJG
enc

cc Mr. George I. Shinn, Inspector

Messrs. Homan & Eichholtz
210 Prince Street
Alexandria, Virginia

COPY

8/10
The above was received for No. 2 - Permit # Way 1027
The above was received for No. 2 - Permit # Way 1027
I told you our supervisor, a driller or
mine, to receive from your to inform
me when you are in for this date.


08/25/2023

Latitude 38° 15'

Longitude 82° 30'

EMMIT MCKEE

+ TOPOGRAPHICAL LOCATION



New Location..
 Drill Deeper.....
 Abandonment.....

Company J.B. HYMAN & R.B. EICHHOLZ

Address ALEXANDRIA, VIRGINIA

Farm MINNIE LYCAN

Tract _____ Acres 106 Lease No. _____

Well (Farm) No. 2 Serial No. _____

Elevation (Spirit Level) 700.0

Quadrangle LOUISA, KY-W.VA.

County WAYNE District BUTLER

Engineer John C. Wallace Jr.
ENGR.

Engineer's Registration No. _____

File No. _____ Drawing No. _____

Date OCT. 12, 1956 Scale 1"=1000'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. WAY-1021

08/25/2023

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.