

New Location    
 Drill Deeper    
 Abandonment

|                             |                        |
|-----------------------------|------------------------|
| Company                     | WEBSTER MYERS          |
| Address                     | HUNTINGTON, W. VA.     |
| Farm                        | EUGENE FRY             |
| Tract                       | Acres 60 Lease No.     |
| Well (Farm) No.             | 1 Serial No.           |
| Elevation (Spirit Level)    | 860                    |
| Quadrangle                  | GUYANDOT - SW          |
| County                      | WAYNE District UNION   |
| Engineer                    | G. G. Ewing            |
| Engineer's Registration No. | 309                    |
| File No.                    | Drawing No.            |
| Date                        | 5-11-57 Scale 1" = 300 |

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. WAY-1050

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6-229

Deep Well

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Bugan

## WELL RECORD

Permit No. Way-1050

Oil or Gas Well Gas  
(KIND)

Company Webster Myers (Fry Gas Company)  
Address 1614 7th Ave Huntington, W. Va.  
Farm Eugene Fry Acres 60  
Location (waters) Big Creek  
Well No. 1 Elev. 860  
District Union County Wayne  
The surface of tract is owned in fee by Eugene Fry  
RFD # 1 Wayne, W. Va. Address Same  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced May 18, 1957  
Drilling completed August 28, 1957  
Date Shot 8/22/57 From 3890 To 3910  
With 1st shot 350 lbs-2nd shot 800 lbs  
3rd shot 3900 lbs all in same  
Open Flow 16 /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch


| Casing and Tubing | Used in Drilling | Left in Well | Packers   |
|-------------------|------------------|--------------|---|
| Size              |                  |              | Parmaco B.H.<br>Parmaco W & Anc<br>Kind of Packer |
| 16                |                  |              |   |
| 13                | 34               | 34           | B.H. 2349   |
| 10                | 272              | Pulled       | Wall & Anc<br>Size of set 3558                    |
| 8 1/4             | 1341             | Pulled       | 7" x 3" x 16" PH                                  |
| 6 3/4             | 2372             | 2372         | Depth set   |
| 5 3/16            |                  |              | 3" x 6-5/8" x 24"                                 |
| 3                 | 3930             | 3930         | W & Anc<br>Perf. top 3910                         |
| 2                 |                  |              | Perf. bottom 3930                                 |
| Liners Used       | 66 ft<br>3930 to | 3864         | Perf. top<br>Perf. bottom                         |

Volume 184 MCF Cu. Ft.  
Rock Pressure 1300 lbs lbs. 48 hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 25 ft feet  
Salt water 1095 hole full feet

| CASING CEMENTED         | SIZE | No. Ft. | Date   |
|-------------------------|------|---------|--------|
|                         | none |         |        |
| COAL WAS ENCOUNTERED AT |      |         |        |
|                         | none |         |        |
|                         |      | FEET    | INCHES |
|                         |      | FEET    | INCHES |
|                         |      | FEET    | INCHES |

| Formation      | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water       | Depth Found | Remarks |
|----------------|-------|--------------|------|--------|-------------------------|-------------|---------|
| Surface        |       |              | D    | 10     |                         |             |         |
| Gravel         |       |              | 10   | 30     |                         |             |         |
| Sand Slate     |       |              | 30   | 200    |                         |             |         |
| Sand           |       |              | 200  | 250    |                         |             |         |
| Slate          |       |              | 250  | 350    |                         |             |         |
| Sand           |       |              | 350  | 425    |                         |             |         |
| Slate          |       |              | 425  | 500    |                         |             |         |
| Sand           |       |              | 500  | 635    |                         |             |         |
| Slate          |       |              | 635  | 730    |                         |             |         |
| Sand           |       |              | 730  | 780    |                         |             |         |
| Slate          |       |              | 780  | 830    |                         |             |         |
| Gas Sand       |       |              | 830  | 900    |                         |             |         |
| Slate & Shells |       |              | 900  | 1081   |                         |             |         |
| Salt Sand      |       |              | 1081 | 1170   | Water at 1095           |             |         |
| Slate          |       |              | 1170 | 1230   |                         |             |         |
| Sand           |       |              | 1230 | 1245   |                         |             |         |
| Red Rock       |       |              | 1245 | 1260   |                         |             |         |
| Slate          |       |              | 1260 | 1293   |                         |             |         |
| Red Rock       |       |              | 1293 | 1298   |                         |             |         |
| Slate          |       |              | 1298 | 1317   |                         |             |         |
| Little Lime    |       |              | 1317 | 1336   |                         |             |         |
| Big Lime       |       |              | 1336 | 1480   |                         |             |         |
| Keener Sand    |       |              | 1480 | 1517   |                         |             |         |
| Injun Sand     |       |              | 1517 | 1620   |                         |             |         |
| Slate & Shells |       |              | 1320 | 2110   |                         |             |         |
| Berea Sand     |       |              | 2110 | 2125   |                         |             |         |
| Hard Shells    |       |              | 2125 | 2235   |                         |             |         |
| Brown Shale    |       |              | 2235 | 2325   | 7" Casing Point 2349 ft |             |         |
| Slate          |       |              | 2325 | 2420   |                         |             |         |
| Shale          |       |              | 2420 | 2445   |                         |             |         |
| Slate & Shells |       |              | 2445 | 2530   |                         |             |         |
| Brown Shale    |       |              | 2530 | 2620   |                         |             |         |
| Slate          |       |              | 2620 | 2700   |                         |             |         |
| Brown Shale    |       |              | 2700 | 2795   |                         |             |         |
| Black Shale    |       |              | 2795 | 2840   |                         |             |         |
| Grey Shale     |       |              | 2840 | 2890   |                         |             |         |
| Brown Shale    |       |              | 2890 | 2990   |                         |             |         |
| Slate          |       |              | 2990 | 3164   | over-                   |             |         |

(Over)



| Formation        | Color | Hard or Soft | Top  | Bottom               | Oil, Gas or Water                  | Depth Found | Remarks |
|------------------|-------|--------------|------|----------------------|------------------------------------|-------------|---------|
| Brown Shale      |       |              | 3164 | 3208                 |                                    |             |         |
| Corniferous Lime |       |              | 3208 | 3890                 |                                    |             |         |
| Big Six          |       |              | 3890 | <del>3890</del> 3912 |                                    |             |         |
| Lime Shells      |       |              | 3912 | 3930                 | Total depth                        |             |         |
|                  |       |              |      |                      | Hydg Sulphide Gas at 3440-         | 5 MCF       |         |
|                  |       |              |      |                      | " " Water                          | 3500        |         |
|                  |       |              |      |                      | Gas in Big Six 3898-3904-4/10      | Water       |         |
|                  |       |              |      |                      | 1" when drilled                    |             | 21 MCF  |
|                  |       |              |      |                      | Well shot 3 times 1st shot 350 lbs |             |         |
|                  |       |              |      |                      | 2nd shot 800 lbs 3rd shot 3900 lbs |             |         |
|                  |       |              |      |                      | all shots between 3890 and 3910    |             |         |
|                  |       |              |      |                      | Liner installed in shot hole       |             |         |
|                  |       |              |      |                      | 3930 to 3864 ft-Aguagall the hole  |             |         |
|                  |       |              |      |                      | from 3558 (where 3" Packer set to  |             |         |
|                  |       |              |      |                      | top of hole-Between 3" & 7" casing |             |         |

WELL RECORD

Date....., 19.....

APPROVED

Owner

By

(Title)