

39 42' 30"

Latitude 39 45

Longitude 80 27' 30"

77.5 100  
.63 S  
1.93 W

3.46 S  
4.05 W

SARA A. SAXTON

JAS. RICHARDS

STONE PILE

N. 36 1/2 W. 90 P

DOGWOOD

MARY A. KIMBLE

130 A.

W. 1995

ELEV. 1112'

HEAD TOP COAL OWNED BY  
THE ROBERTSONS OF  
MOUNDSVILLE, W.VA.

SAM'L E. LONGSTRETH

STAKE IN RUN

S. 65 E. 150 P

W.H. BATSON

N. 36 E. 34 P

WELL ABANDONMENT  
TO BE REDRILLED

KENNETH ROYNER

Company THE MANUFACTURERS LIGHT & HEAT CO

Address 600 UNION TRUST BLDG. PITTSBURGH, PA

Farm MARY A. KIMBLE

Tract \_\_\_\_\_ Acres 130 Lease No. 2703

Well (Farm) No. 1 Serial No. 1995

Elevation (Spirit Level) 1112'

Quadrangle MANNINGTON N.W. 1/4

County WETZEL District CLAY

Engineer *[Signature]*

Engineer's Registration No. \_\_\_\_\_

File No. \_\_\_\_\_ Drawing No. Y-8-161

Date DECEMBER 29 1905 Scale 1" = 800'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP

FILE NO. *Well - 360-RedLill*

+ Denotes location of well on United States  
Topographic Maps, scale 1 to 62,500, lat-  
itude and longitude lines being represented  
by border lines as shown.

- Denotes one inch spaces on border line  
of original tracing.

6-6 (0418)

LATITUDE 39° 45'

LONGITUDE 80° 25'




4.04 41W  
 3.43 3.48 R

WELL ABD.

JAN 16 1939

Company	The Manufacturers Light & Heat Company	STATE OF WEST VIRGINIA Department of Mines
Address	800 Union Tr. Bldg., Pittsburgh, Pa.	OIL & GAS DIVISION Charleston
Farm	Mary A. Kimble	WELL LOCATION MAP
Acres	130	
Lease No.	2703	File No. <u>WET-287-A</u>
Well (Farm) No.	One	x Denotes location of well on U. S. Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  - Denotes one inch spaces on border line of original tracing.
Serial No.	1995	
Elevation (SL)	1112'	
Quadrangle	Mannington N. W. 1/4	
County	Wetzel	
District	Clay	
Engineer	J. C. Mercer	
Drawing No.	Y-8-181	
Date	Dec. 29, 1938	
Scale	1" = 800'	





WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Wet 360  
Mannington N.W. Quad.

Gas Well  
CASING & TUBING

Company	Kenneth Renner		
Address	Littleton, W. Va.	8½	520
Farm	Mary A and W.H. Kimble A 140	5 3/16	1500
Location	Of Fish Creek		
Well No.	1 Elev. 4112'		
District	Clay Wetzel County		
Surface	Mary A. and W.H. Kimble Heirs		
Mineral	Mary A. and W.H. Kimble Heirs		
Commenced	11-1-49		
Completed	3-1-50		
Open flow	30/10ths W in 1"		
Volume	57,730 C.F.		
Rock Pressure	230 lbs. 17 hrs.		
Oil	None		

Red Mud	0	60
Cement	60	110
Red Mud	110	464
Cement	464	533
Red Mud	533	685
Cement	685	729
Red Mud	729	792
Cement	792	848
Bridge	848	
Red Mud	930	998
Bridge	998	
Red Mud	1217	1257
Wood Plug	1257	1260
Bridge	1260	
Red Mud	1660	1920
Bridge	1920	
Wood Plug	2072	2075
Red Mud	2075	2308
Bridge	2308	
Wood Plug	2639	2642
Red Mud	2642	2859
Cement	2859	2869
Wood Plug	2869	2872
Red Mud	2872	2945
Wood Plug	2945	2948
Red Mud	2948	2967
4th Sand	2948	2967
T.D.		2967

NOTE: Casing already in hole  
99'8" 10" casing  
810'-10" 8½ casing  
406'11" 6 5/8" casing  
This casing in addition to above amount shown

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

*(Handwritten initials)*

Permit No. *AP-287A*

Oil or Gas Well Gas  
(Kind)

Company The Manufacturers Light & Heat Co.  
Address 800 Union Trust Bldg., Pittsburgh, Pa.  
Farm W. H. Kimble (H. King A.) Acres 110  
Location (waters) \_\_\_\_\_  
Well No. 1 - 1995 Elev. 1112 ft.  
District Clay County Wetzel  
The surface of tract is owned in fee by Agnes Hathaway  
Address Littleton, WVa.  
Mineral rights are owned by The Mfra. Light & Heat Company  
Address Pittsburgh, Pa.  
Drilling commenced Sept. 20, 1916  
Drilling completed Nov. 9th, 1916  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
7 /10ths Merc. in 2" Inch  
Volume 412 mcf Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<u>217' 7"</u>	<u>215' 7"</u>	Size of
8 1/4	<u>1317' 11"</u>	<u>1317' 11"</u>	
6 5/8	<u>2943' 4"</u>	<u>2943' 4"</u>	Depth set
5 3/16			
3	<u>2982' 9"</u>	<u>2982' 9"</u>	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 80 FEET 24 INCHES  
484 FEET 108 INCHES 705 FEET 48 INCHES  
812 FEET 72 INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Coal			80	82	Little water		
Sand			126	144			
Sand			347	356			
Coal			484	493	Little Gas		
Mapletown Coal			705	709	" "		
Pittsburgh Coal			812	818	Steel line meas.		
Murphy Sand			930	998	Little gas at 935		
Little Dunkard sand			1217	1250			
Big Dunkard Sand			1317	1347			
Gas Sand			1475	1525			
1st Salt Sand			1581	1621	Gas 1586 and 1604		
Sand			1660	1685			
2nd Salt Sand			1795	1865			
Maxon Sand			1890	1920			
Little Lime			1935	2000			
Peneil Cave			2000	2010			
Big Lime			2019	2075			
Big Injun Sand			2075	2165			
Break in Big Injun			2165	2172			
Big Injun Sand			2172	2308			
30 Ft. Sand			2642	2665			
Sand			2682	2702			
Gordon Sand			2872	2916	Gas 2909		
4th Sand			2948	2967	Gas 2947 and 2958		
Total depth				2967			

