

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, December 6, 2021
WELL WORK PLUGGING PERMIT
Vertical Plugging

TRIBUNE RESOURCES, LLC 3861 AMBASSADOR CAFFERY PARKWAY, SUITE 600 LAFAYETTE, LA 70503

Re: Permit approval for E. B. LEMASTERS O-13 47-103-01547-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number:

Farm Name:

WV PUBLIC LANDS CORP.

U.S. WELL NUMBER: 47-103-01547-00-00

Vertical Plugging Date Issued: 12/6/2021

### PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

1)Date	471	0.3	015	478
2) Operator's	3		ř.	
Well No.L		13		
3) API Well I	Vo. 47-103	- 01547		

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### APPLICATION FOR A PERMIT TO PLUG AND ABANDON

	APPLICATION FOR A PERM	III TO PLUG AND ABAN	DON
4)	Well Type: Oil/ Gas/ Liquid	linjection X / W	aste disposal/
	(If "Gas, Production or Und		
5)	Location: Elevation 1128'	Watershed Piney Fo	ork
	District Green	County Wetzel	Quadrangle Centerpoint
6)	Well Operator Tribune Resources, LLC	7) Designated Agent	Harman Brown
	Address 3861 Ambassador Caffery Blv		18396 Mountaineer Hwy.
	Lafayette, LA 70503		Littleton, WV 26581
8)	Oil and Gas Inspector to be notified		tor
	Name Bryan Harris	Name_TBD	
	Address P.O. Box 157	Address	
	Volga, WV 26238		
	Attached		
			RECEIVED Office of Oil and Gas
			OCT 2 2 2021
			WV Department of Environmental Protection
			**************************************
	fication must be given to the district oi can commence.	.1 and gas inspector	24 hours before permitted
Work	order approved by inspector BRYAN K	larris by phone	Date 12/01/2021

#1

#### Lemasters, E.B. O-13

API No.

47-103-01547

**Elevation** 

1128'

Latitude

39.47398

Longitude

-80.666863

TD

3163'

**Perfs** 

Gordon

3027'

30581

<u> </u>	Casing			Cement	
	Size	Depth	Sxs	Est. Top	
Surface	8-5/8"	389	50	Circ.	
Intermediate					
Production	4-1/2"	3128	300	1300'	
Liner					

#### **Procedure**

Free point 4-1/2" production casing, back off, rip/cut, or perforate casing as directed by state inspector.

RIH w/ work string, pump Gel 6% spacer between cement plugs.

Plugs	Material	Depth			Thickness
1		Bottom	Тор		feet
Formation	Cement	2975'	2875'		100
	Gel	<i>2875'</i>	1300'		1575
4-12" casing	Cement	est 1300'	est 1200'	+/- 50'	100
Elevation	Cement	1200'	est. 900'		300
Pitts' Coal	Cement	900'	787'	Top 837'	113
	Gel	<i>787'</i>	440'		347
<b>Surface Casing</b>	Cement	440'	<i>340'</i>		100
	Gel	340'	100'		240
Top Plug	Cement	100'	Surface		100

Gel: Fresh water with 6% + Bentonite clay by weight

Cement: Class A

Tag all cement tops to confirm depth

Clean up location. Erect monument with API No per WV code

RECEIVED Office of Oil and Gas

OCT 2 2 2021

WV Department of Environmental Protection \* I + 9 + 10 · - 1 - 11

# State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

	•		E. B.	
Farm name: WVA. PUBLIC LAND CORP.	Operator	Well No.:	L'émásters	0-13
LOCATION: Elevation: 1,128.00 Quad	cangle: CE	ENTER POINT		
pictuich. Opens	0.		To T	
District: GREEN		ounty: WETZ		
Latitude: 6450 Feet Sou				
Longitude 50 Feet Wes	c or an	beg. 40 Mi	n. sec	•
Games DEMNIZOTI DEADUCEC COMPANY				
Company: PENNZOIL PRODUCTS COMPANY P. O. BOX 5519	· Cosine	Used in	Left	Cement
VIENNA, WV 26105-5519	Casing	osea III		Fill Up
ATDUNEN MA SOTO2-2213		Drilling		Cu. Ft.
Agent: JAMES A. CREWS	1001113		111 11011	
Agent. United A. Cheno	Size	1	ì	ITo -
Inspector: RANDAL MICK	0120		ł	To surface
Permit Issued: 05/12/93	8-5/8	3891	3891	50 sks.
Well work Commenced: 09/16/93		, JO2		
Well work Completed: 06/02/94	i	i	1	ı
Verbal Plugging	j	i	i	
Permission granted on:	 	 	, ~~~~~~	
Rotary X Cable Rig		Į.	1	ı
Total Depth (feet) 3163'	1 110	3128'	31281	300 sks.
Fresh water depths (ft) N/A	4-1/2	. 3120	, 2120 	
. 3			1	İ
Salt water depths (ft) N/A			İ	1
Is coal being mined in area (Y/N)?N		1	Ì	
Coal Depths (ft): N/A	[		· ·	
Annua de cui na ma	TON HELL			
OPEN FLOW DATA WATER INJECT	TOW METE			
Troducing formation Coules		<b>5</b>		30271-3058
Producing formation Gordon	/d O-1 - T-	Pay zone	depth (It.	Bb1:/d
Gas: Initial open flow MCF, Final open flow MCF,	A OII: II	inal open f	ITOW	Bbl/d
Time of open flow between in	u ri itial and	g tipe; toc	+c	Hours
		pressure)		
part part	, (Surrace	pressure)	arcer —	10013
Second producing formation		Pay zone	denth (ft	<b>)</b>
	d Oile Tr	itial open	flow	Bb1/d
Final open flow MCF		nal open f		Bbl/d
Time of open flow between in	itial and	final tes	ts	Hours
		pressure)		Hours
•		•	· -	<del></del>
NOTE: ON BACK OF THIS FORM PUT THE	FOLLOWING	: 1). DET	AILS OF PI	ERFORATED
INTERVALS, FRACTURING OR STIMULATING,		L CHANGE,	ETC. 2).	THE WELL
	<b>GEOLOGICA</b>	L RECORD	of cael seoi	RMATIONS,
INCLUDING COAL ENCOUNTERED BY THE WELL	BORE.		18 18	7.3
RECENT and Gua			1 121 18	, j
Office of Oil and Pers Pennsole	<u> </u>	····		
OCT 22 2021 For: PENNZOIR	PRODUCTS	COMPANY	My Debe	100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg 100 mg
UCI " - stof	~ //// /	Y) ()	SOUNT OF THE P	Parity Control
OCT Department of Date:	7847 17	<u> </u>	- Comment	
Date:	<u> 7/8/94</u>	<u>,                                      </u>	<del>12/10/</del>	<del>2021</del>
·	=		, ,	_ <b></b> ·

WW-4A Revised 6-07

1) Date:			
<ol> <li>Operator's Well Number Lemasters, E.B. O-13</li> </ol>			
3) API Well No.: 47 -	103	 01547	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	NOTIC	E OF APPLICATION	ON TO PLUG AND ABANDON A WEI	<u>.L</u>
	ner(s) to be serve		(a) Coal Operator Name N/A	
(a) Name	West Virginia Pub Building 3, Room		Address	
Address	1900 Kanawha Bl		Address	
(L) NI	Charleston, WV	VO. Last	(b) Coal Owner(s) with Declaration	0
(b) Name	25305		Name	11
Address	25305		A 11	
			Address	
			Nama	
(c) Name			Name Address	
Address			Audress	
6) Inspector	Bryan Harris		(c) Coal Lessee with Declaration	
Address	P.O. Box 157		Name	
	Volga, WV 26238		Address	1/1
Telephone	304-553-6087			
accompany Protection, the Applica	ring documents for a per with respect to the we ation, and the plat hav	ermit to plug and abandon a ill at the location described of the been mailed by registered the day of mailing or deliv		irginia Department of Environmental Form WW-6. Copies of this Notice,
			Tribune Resources, LLC	
		By:	Lee Lawson	
		Its:	Regulatory/HSE Director	RECEIVED Office of Oil and Gas
		Address	3861 Ambassador Caffery BLVD, Suite 600	Office of Off and Gas
		m 1 1	Lafayette, LA 70503	OCT 2 2 2021
		Telephone	337 - 769 - 4064	to V to 1
Subscribed and	sworn before m	e this 3/d d	lay of September, 2021	WV Department of Environmental Protection
aluxe	K. Hou	rece -	Notary Public	
My Commission	Expires	elle left	ALYCE R SAVOIE	
Oil and Gas Priva		<i>V</i>	Notary Public State of Louisiana Parish of Lafayette Notary ID # 040836	
regulatory duties	and Gas processes . Your personal i	s your personal inform nformation may be dis	na on the sinary confidence and as mocation seed to the restance are not s	les in the normal course of
business or as ne office will approp	eded to comply wi oriately secure yo	ith statutory or regul ur personal informati	atory requirements, including Freedom of In on. If you have any questions about our use o	formation Act requests. Our
information, plea	se contact DEP's	Chief Privacy Officer	at depprivacyoffier@wv.gov.	



#### SURFACE OWNER WAIVER

Operator's Well Number

Lemasters, E.B. O-13

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the bjection to a permit being issued on those materials. OR EXECUTION BY A NATURAL PERSON ETC.		olanned wor	k described in these materials, and I have no FOR EXECUTION BY A CORPORATION,
	Date	Name	
Signature	RECEIVED Office of Oil and Gas	Ву	
	Office of Oil and Gas	Its	Date

Date

OCT 2 2 2021

Signature Date 12/10/2021

WV Department of Environmental Protection

47-103-01547 P
Lemasters, E.B. O-13

#### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

TALL TALES

	WAIVER
has examined this proposed plugging work	/ owner/ lessee/ of the coal under this well location corder. The undersigned has no objection to the work proposed to be operator has complied with all applicable requirements of the Westns.
Date:	
	Ву:
	Its

RECEIVED Office of Oil and Gas

OCT 2 2 2021


WV Department of Environmental Protection


API Number 47 - 103	_01547
Operator's Well No.	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Tribune Resources, LLC	OP Code 494514693
Watershed (HUC 10) Piney Fork	Quadrangle Centerpoint
Do you anticipate using more than 5,000 bbls of water to com Will a pit be used? Yes No	ANY WELL EFFLUENT MUST BE CONTAINED IN TANKS BEFORE DISPOSAL OFF SITE.
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provi Underground Injection (UIC Perm Reuse (at API Number Off Site Disposal (Supply form W Other (Explain	it Number) W-9 for disposal location)
Will closed loop systembe used? If so, describe: Yes	
Drilling medium anticipated for this well (vertical and horizon	ntal)? Air, freshwater, oil based, etc. NA
-If oil based, what type? Synthetic, petroleum, etc. N	IA .
Additives to be used in drilling medium? NA	
Drill cuttings disposal method? Leave in pit, landfill, removed	d offsite, etc. NA
-If left in pit and plan to solidify what medium will b	e used? (cement, lime, sawdust) NA
-Landfill or offsite name/permit number? Wetzel Co	unty Landfill - Permit No. SWPUID: 17-10-04
	Gas of any load of drill cuttings or associated waste rejected at any d within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West Vi provisions of the permit are enforceable by law. Violations of or regulation can lead to enforcement action.  I certify under penalty of law that I have personal application form and all attachments thereto and that, based or	
Company Official (Typed Name) Lee Lawson	RECEIVED Office of Oil and Gas
Company Official Title Regulatory/HSE Director	OCT 22 2021
Subscribed and sworm before me this 3rd day of day of	Notary Public
My commission expires Wolf Up	ALYCE R. SAVOIE Notary Public State of Louisiana Parish of flefay/ette /2021 Notary ID # 040836 My Commission Expires At Death

oposed Revegetation Treat	ment: Acres Disturbed_	.5	Preveg etation p	)H
Lime 2	Tons/acre or to con	rect to pH _6	3.5	
Fertilizer type	-10-20			
Fertilizer amount	500	lbs/ac	re	
Mulch_Straw		Tons/acre		
		Seed Mi	xtures	
Temporary			Permanent	
Seed Type	lbs/acre		Seed Type	lbs/acre
		·	Tall Fescue	40
			Ladino Clover	5
aps(s) of road, location, pit ovided). If water from the	pit will be land applied, I	provide water	unless engineered plans incl volume, include dimensions (1	uding this info have been ., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of	pit will be land applied, I the land application area	provide water :	n (unless engineered plans incl volume, include dimensions (1	uding this info have been ., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the W), and area in acres, of otocopied section of invol-	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of notocopied section of invol- an Approved by:	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of otocopied section of invol-	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of notocopied section of invol-	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of notocopied section of invol- an Approved by:	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of notocopied section of invol-	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of notocopied section of invol- an Approved by:	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
aps(s) of road, location, pit ovided). If water from the , W), and area in acres, of notocopied section of invol- an Approved by:	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime
laps(s) of road, location, pit rovided). If water from the , W), and area in acres, of notocopied section of invol- an Approved by:	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	RECENTER
rovided). If water from the , W), and area in acres, of hotocopied section of invol	pit will be land applied, p the land application area wed 7.5' topographic she	provide water et.	volume, include dimensions (1	., W, D) of the pit, and dime









## West Virginia Department of Environmental Protection Office of Oil and Gas

### **WELL LOCATION FORM: GPS**

WELL LOCATION	I FORM. GIS
API: 47-103-01547	WELL NO.: O-13
API: 47-103-01547  FARM NAME: E. B. Lemasters	
RESPONSIBLE PARTY NAME: Tribun	e Resources
COUNTY: Wetzel	DISTRICT: Green
<b>OUADRANGLE:</b> Centerpoint	
SURFACE OWNER: West Virginia	a Public Lands Corp.
ROYALTY OWNER:	
UTM GPS NORTHING: 4369418.2 UTM GPS EASTING: 528638.49	7
UTM GPS EASTING: 528638.49	GPS ELEVATION:1128'
above well. The Office of Oil and Gas will not a the following requirements:  1. Datum: NAD 1983, Zone: 17 North, height above mean sea level (MSL)  2. Accuracy to Datum – 3.05 meters 3. Data Collection Method:	Coordinate Units: meters, Altitude:  – meters.  RECEIVED Office of Oil and Gas
Survey grade GPS: Post Processed Dif	
Real-Time Differe Mapping Grade GPS: Post Processed	Environmental Protection
Real-Time Diff	ferential
4. Letter size copy of the topography I the undersigned, hereby certify this data is corbelief and shows all the information required by prescribed by the Office of Oil and Gas.	rect to the best of my knowledge and
Ager Ager	nt 9/21/21
Signature	Title Date 12/10/202



Stansberry, Wade A <wade.a.stansberry@wv.gov>

#### Plugging Well Work Permit (API: 47-103-01547)

1 message

Stansberry, Wade A <wade.a.stansberry@wv.gov>

Mon, Dec 6, 2021 at 11:23 AM

I have attached a copy of the newly issued well permit numbers:

47-103-01547- E. B. LEMASTERS O-13

This will serve as your copy.

Thank you,

Wade A. Stansberry

**Environmental Resource Specialist 3** 

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE


Charleston, WV 25304

(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

#### 2 attachments





**47-103-01547 - Copy.pdf** 3506K