

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
WALLACE 7.5'
Well Location
GRANT
District
WETZEL
County
7118
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of November, 2016 and that the well was plugged in the following manner:

| Sand or Zone Record Formation | Filling Material | Casing/Tubing Size | Casing Pulled | Casing Left In |
|---|------------------------|--|---------------|----------------|
| | | 16" | 0' | 20' |
| | | 8 5/8" | 504' | 276' |
| <p>Cleaned 12 1/4" hole from the surface to 227'. Removed 72' of loose 8 5/8" casing from 227' to 299'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 227' to 1100'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1297' to 1304'. Tagged top of 8 5/8" casing at 1100'. Removed 432' of 8 5/8" casing from 1100' to 1532'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing from 1532' to 1993'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1993' to 2315'. Tagged solid plug at 2315'. Pulled 150% of the calculated string weight on the 8 5/8" casing with no movement detected. Left 276' of 8 5/8" casing in the hole from 1532' to 1808'. 8 5/8" casing has a preexisting cut at the following depth: 1634'. Left 20' of 16" casing in the hole from Surface to 20'.</p> <p><u>Cemented hole from 2315' back to the surface as follows:</u> From 2315' to 1506' with 155 sacks of Expandable Cement. From 1506' to 1197' with 160 sacks of Thixotropic Cement with dye. From 1197' back to the Surface with 505 sacks of Expandable Cement. Cement did circulate at the surface.</p> | | | | |
| Coal Seams | | Description of Monument | | |
| <u>Pittsburgh</u> | <u>(1297' - 1304')</u> | 77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level. | | |

... and that the work of plugging and filling said well was completed on the 14th day of December, 2016

And further deponents saith not.

Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 22nd day of December 2016

[Signature]
Notary Public



Permit No. 47-103-03170-P
Well No. 7118