

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Thursday, November 29, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC POST OFFICE BOX 12359

SPRING, TX 773914954

Re: Permit approval for SWN A WTZ 105H 47-103-03250-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief Operator's Well Number: Farm Name: U.S. WELL NUMBER: 47-103-03250-00-00

Promoting a healthy environment.

Horizontal 6A New Drill Date Issued: 11/29/2018

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 4710303250

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

API NO. 47-103 _____

OPERATOR WELL NO. SWN A UD WTZ 105H Well Pad Name: SWN A WTZ Pad

4710303250

STATE OF WEST VIRGINIA 47 TO 505 C DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

| 1) Well Operator | r: SWN Prod | uction Co., LLC | | | <u> </u> | | 681-Wileyville |
|-------------------|---------------------------|---|----------------|------------|--------------|----------------------|--|
| | | | Operato | | County | District | Quadrangle |
| 2) Operator's W | ell Number: <u>S</u> | WN A UD WTZ | 105H | Well Pad | Name: S | WN A WTZ Pa | id |
| 3) Farm Name/S | urface Owner: | SWN Production Comp | bany, LLC Pu | blic Roa | d Access: _ | Macedonia Ri | dge |
| 4) Elevation, cur | rent ground: | 1337' E | Elevation, pi | roposed | post-constru | uction: <u>1342'</u> | |
| , , | (a) Gas <u>×</u> Other | Oil | | Unde | erground St | orage | |
| | (b)If Gas Sha | allow X | Ľ | Deep | | | |
| | Но | rizontal X | | | | | Dm H |
| 6) Existing Pad: | Yes or No No | | | | | | DMH 4-12-18 |
| | | s), Depth(s), Anti the North, Target Top ד | | | | | sociated Pressure- 4696 |
| 8) Proposed Tota | al Vertical Dept | _{th:} 7209' | | | | | |
| 9) Formation at ' | Total Vertical I | Depth: Burket | | | | | |
| 10) Proposed To | tal Measured D | epth: 25491' | · | | | | |
| 11) Proposed Ho | orizontal Leg Le | ength: 17854.4 | 9' | | | | |
| 12) Approximate | e Fresh Water S | strata Depths: | 300' | | | | |
| 13) Method to D | etermine Fresh | Water Depths: | The base of | of fresh v | water at the | e alternate mini | mum depth of 300'. |
| 14) Approximate | e Saltwater Dep | oths: 1364' Salir | nity Profile A | Analysis | | | |
| 15) Approximate | e Coal Seam De | epths: 1229' | | | | | |
| 16) Approximate | e Depth to Poss | ible Void (coal n | nine, karst, | other): | None that | we are aware | of. |
| / 1 | | n contain coal sea an active mine? | | | | No <u>×</u> | |
| (a) If Yes, prov | vide Mine Info: | Name: | | | | | Office of Oil Con |
| | | Depth: | | | | | " and Gae |
| | | Seam: | | | | | AUG 2 2 2018 |
| | | Owner: | | | | | WV Department of Environmental Protection |

WW-6B (04/15) API NO. 47- 103 -___

OPERATOR WELL NO. SWN A UD WTZ 105H Well Pad Name: SWN A WTZ Pad

18)

4710303250 <u>CASING AND TUBING PROGRAM</u>

| ТҮРЕ | <u>Size</u> (in) | <u>New</u> <u>or</u> <u>Used</u> | Grade | <u>Weight per ft.</u> (lb/ft) | <u>FOOTAGE: For</u> <u>Drilling (ft)</u> | INTERVALS: Left in Well (ft) | CEMENT: Fill-up (Cu. Ft.)/CTS |
|--------------|---------------------|--|---------|----------------------------------|---|------------------------------------|---|
| Conductor | 20" | New | H-40 | 94# | 100' | 100' | CTS |
| Fresh Water | 13 3/8" | New | H-40 | 48# | 400' | 400' | 392 sx/CTS |
| Coal | | ·· | | | | | |
| Intermediate | 9 5/8" | New | J-55 | 36# | 2792' | 2792' | 1087 sx/CTS |
| Production | 5 1/2" | New | HCP-110 | 20# | 25,491' | 25,491' | lead 834sx/Tail 4202sx/Inside Intermediat |
| Tubing | | | | | | | · · · · · · · |
| Liners | | | | | | | |

DMH 4-12-18

| TYPE | Size (in) | <u>Wellbore</u> Diameter (in) | <u>Wall</u> <u>Thickness</u> <u>(in)</u> | <u>Burst Pressure</u> (psi) | Anticipated Max. Internal Pressure (psi) | <u>Cement</u> <u>Type</u> | <u>Cement</u> <u>Yield</u> (cu. ft./k) |
|--------------|-----------|----------------------------------|--|--------------------------------|--|------------------------------|--|
| Conductor | 20" | 30" | 0.25 | 2120 | 81 | Class A | 1.19/50% Excess |
| Fresh Water | 13 3/8" | 17.5" | 0.380 | 2740 | 633 | Class A | 1.19/50% Excess |
| Coal | 9 5/8" | 12 1/4" | 0.395 | 3950 | 1768 | Class A | 1.19/50% Excess |
| Intermediate | 7" | 8 3/4" | 0.317 | 4360 | 3250 | Class A | 1.20/50% Excess |
| Production | 5 1/2" | 8 3/4" | 0.361 | 12360 | 9500 | Class A | 1.20/50% Excess |
| Tubing | | | | | | | |
| Liners | | | | | | | |

PACKERS

| Kind: | | RECEIVED Office of Oil and Gas |
|-------------|--|--|
| Sizes: | | AUG 2 2 2018 |
| Depths Set: | | WV Department of Environmental Protection |

WW-6B (10/14) API NO. 47- 103 -

OPERATOR WELL NO. _swn A UD WTZ 105H Well Pad Name: swn A WTZ Pad

4710303250

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate any potential zones between and including the Benson to Burket Shale. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface. Run casing not less than 20' below void nor more than 50' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, vertical separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 100 barrels a minute.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 12.77

22) Area to be disturbed for well pad only, less access road (acres): 6.61

23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

Office of Oil and Gas

AUG 222018

WV Department of Environmental Protection

*Note: Attach additional sheets as needed.

4710 303250

| | Product Name | Product Use | Chemical Name | CAS Number |
|----------------------|--------------|--------------------------------------|----------------------------------|-------------|
| Surface | S001 | accelerator | calcium chloride up to 3% | 10043-52-4 |
| Intermediate Surface | S001 | accelerator | calcium chloride | 10043-52-4 |
| - | D080 | dispersant | sodium polynaphthalene sulfonate | 9008-63-3 |
| i of | D801 | retarder | aromatic polymer derivative | propriatary |
| Kick Off Plug | D047 | antifoam | polypropylene glycol | 25322-69-4 |
| 1 | D167 | fluid loss | aliphatic amide polymer | propriatary |
| | D154 | extender | non-crystalline silica | 7631-86-9 |
| | D400 | gas migration | boric acid | 10043-35-3 |
| | | | polypropylene glycol | 25322-69-4 |
| ad | D046 | antifoam fullers earth (attapulgite) | 8031-18-3 | |
| Production-Lead | | | chrystalline silica | 14808-60-7 |
| tion | D201 | retarder | metal oxide | propriatary |
| aud | | | sulphonated synthetic polymer | propriatary |
| Pro | D202 | dispersant | formaldehyde (impurity) | propriatary |
| | | | polypropylene glycol | 25322-69-4 |
| | D046 | antifoam | fullers earth (attapulgite) | 8031-18-3 |
| | D167 | fluid loss | aliphatic amide polymer | propriatary |
| = | | | sodium polynaphthalene sulfonate | 9008-63-3 |
| n-Te | D065 | dispersant | sodium sulfate | 7757-82-6 |
| Production-Tall | 1.5.1 | | chrystalline silica | 14808-60-7 |
| npo | D201 | retarder | metal oxide | propriatary |
| Pro | D153 | anti-settling | chrystalline silica | 14808-60-7 |

....

Schlumberger Cement Additives


Rev. 5/18/2018

RECEIVED Office of Oil and Gas

AUG 2 2 2018

WV Department of Environmental Protection

4710 303250



| Producing Zones Not Perforated | inkard |
|---------------------------------|-----------------------------------|
| $\left \right $ | 1st Salt Sand, Big Dunkard |
| Producing Formation | Salt Sand |
| Vertical TD | - |
| Longitude | 80.640257 80.640643 1898' |
| Lati | 39.683414 39.682609 |
| SWN A UD WTZ 105H AOR Status | Unknown Active |
| tor | |
| Operator | Unknown Perkins Oil & Gas, Inc |
| | Unknown 103-01485 P |

Form WW-9

SWN Production Co., LLC

| - |
|---|

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions $(L \times W \times D)$ of the pit, and dimensions $(L \times W)$, and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

| Plan Approved by: | | |
|----------------------------|---------------|--|
| Comments: | | |
| | | |
| | | |
| | | |
| | | Office of Oil and Gas AUG 22 2018 |
| Title: Oil & Gas Inspector | Date: 4-12-18 | AUG 22 2018 |
| Field Reviewed? |) No | WV Department of Environmental Protection |

| 50 |
|------------|
| 50 |
| 50 |
| _ |
| |
| |
| |
| |
| _ |
| |
| |
| |
| |
| |
| lity |
| <u>.v</u> |
| _ |
| P to TD |
| _ |
| |
| |
| |
| |
| 1021 SU |
| |

law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

| Company Official Signature Brttlan Wardly | Official Seel Ce of Oil and Gas |
|---|---|
| Company Official (Typed Name) Brittany Woody | Elizabeth Blankenship |
| Company Official Title Regulatory Analyst | 941 Simpson Run Road Weston WV 26452 My commission expires June 23, 2024 / Department of Innental Protection |
| Subscribed and sworn before me this day of day of | , 20_ <i>18</i> |
| My commission expires 6/23/24 | Notary Public |
| | |

man

Attachment 3A

Drilling Mediums

Surface/Coal(if present)/Freshwater Intervals:

Air

Freshwater (if needed based on conditions)

Intermediate/Coal (if present):

Air

Brine (In Gas Storage areas)

Organophilic Bentonite

RECEIVED OFFICE OF OIL AND GAS

Production Hole:

Air

Synthetic Oil (Base Fluid for mud system)

Barite

Calcium Chloride

Lime

Organophilic Bentonite

Primary and Secondary Emulsifiers

Gilsonite

Calcium Carbonate

Friction Reducers

NOV 0 5 2018

Attachment 3C

CLOSED LOOP SYSTEM



The closed loop system is designed to eliminate the use of reserve pits by providing a higher level of solids control processing and using steel pits for capture of drill cuttings. The cuttings are then processed to achieve landfill requirements before hauling to approved landfills. The liquids are processed to recycle into the active mud system or to transfer to onsite temporary storage as needed.

The closed loop system consists of several sets of a shale gas separator (often called a 'methana'), several banks of solids shakers, high speed centrifuges (1 or 2) used to process the fluid portion of the mud system to remove low gravity solids, low speed centrifuge used for barite recovery in high weight liquid drilling systems, a dewatering system (for air intervals and if freshwater mud systems are in use) used to further clean liquids by flocculation and additional mechanical separation, associated open top tanks for processing liquids and capturing solids for disposal, and transfer pumps to move fluids through the processes. There is an area adjacent to the cuttings tanks (Red Zone) where a track hole is utilized to recover the processed cuttings for loading into containers for hauloff. (See attached schematic of a generic closed loop system layout)


Below are discussions of the processes used when drilling the air interval or liquids interval.


AIR DRILLING INTERVALS

During air drilling operations, flow from the rig will pass down the flowline to the Shale Gas Separater (sometimes called a methane) where gas and liquids/solids are separated. Gas is sent to the flare scrubber tank and is flared at the flare stack. Solids and fluids pass across a shaker system to separate solids from liquids. Solids pass into the cuttings tanks where they are captured for drying and hauloff to an approved landfill site. Liquids fall into a shaker tank and are collected by a centrifugal pump to be processed by the high speed centrifuge to further separate liquids and solids. Solids are then dumped into the cuttings tank for drying and hauloff. Liquids are further processed to remove additional low gravity solids before being reused or transferred to onsite storage.

LIQUIDS DRILLING (FRESHWATER, BRINE, SOBM)

When drilling is converted to liquids drilling, the shale gas separator and associated shaker tank are bypassed, and the liquids system is processed over the primary and drying shaker systems. Cuttings drop into the cuttings tank for additional processing. Any recoverable associated liquids attached to the cutting are recovered out the tank and processed through the low gravity (high speed) and barite recovery centrifuges (low speed) to further remove low gravity solids and to recover barite for reuse in the mud systems.





EXAMPLE SCHEMATIC FOR CLOSED LOOP SOLIDS CONTROL SYSTEM


Attachment 3B


| NON-ORGANIC PROPERTIES Seed Mixture: ROW Mix Orchardgrass Timothy Annual Ryegrass Brown Top Millet Red Top | ontact Lyndsi Eddy Flippo office 570-996-4271 cell 501-26 SWN Supplied 40% 15% 15% 5% | ORGANIC PROPERTIES Seed Mixture: SWN Production Organic Mix Organic Timothy Organic Red or White Clover OR | swn Supplied |
|--|--|--|--|
| Timothy Annual Ryegrass Brown Top Millet Red Top | 40% 15% 15% 5% | Seed Mixture: SWN Production Organic Mix Organic Timothy Organic Red or White Clover OR | 50% |
| Orchardgrass Timothy Annual Ryegrass Brown Top Millet Red Top | 40% 15% 15% 5% | Organic Timothy S Organic Red or White Clover S OR | 50% |
| Orchardgrass Timothy Annual Ryegrass Brown Top Millet Red Top Medium Red Clover | 15% 15% 5% | Organic Red or White Clover 5 OR | |
| Annual Ryegrass Brown Top Millet Red Top | 15% 5% | OR | 50% |
| Brown Top Millet Red Top | 5% | | |
| Red Top | | Organic Perennial Ryegrass | |
| | 5% | | 50% |
| Medium Red Clover | | Organic Red or White Clover | 50% |
| | 5% All legumes are | Apply @ 100lbs par pars | Apply @ 200lbs accord |
| White Clover | 5% innoculated at 5x normal | Apply @ 100lbs per acre April 16th- Oct. 14th | Apply @ 200lbs per acre Oct. 15th- April 15th |
| Birdsfoot Trefoil | 5% rate | | |
| Rough Bluegrass | 5% | Organic Fertilizer @ 200lbs per Acre | Pelletized Lime @ 2 Tons per Acro |
| Apply @ 100lbs per acre April 16th- Oct. 14th | Apply @ 200lbs per acre Oct. 15th- April 15th PLUS 50lbs per acre of Winter Wheat | WETLANDS (delineated as jurisdictiona | al wetlands) |
| SOIL AMENDMENTS | | Seed Mixture: Wetland Mix | SWN Supplied |
| 10-20-20 Fertilizer | *Apply @ 500lbs per Acre | VA Wild Ryegrass | 20% |
| Pelletized Lime | Apply @ 2 Tons per Acre | Annual Ryegrass | 20% |
| | *unless otherwise dictated by soil test results | Fowl Bluegrass | 20% |
| Seeding Calculation Information: | | Cosmos 'Sensation' | 10% |
| 1452' of 30' ROW/LOD is One Acre | | Redtop | 5% |
| 871' of 50' ROW/LOD is One Acre | | Golden Tickseed | 5% |
| 622' of 70' ROW/LOD is One Acre | | Maryland Senna | 5% |
| | | Showy Tickseed | 5% |
| Synopsis: | | Fox Sedge | 2.5% |
| Every 622 linear feet in a 70' ROW/LOD, you | should be using (2) 50lb bags of seed, (4) 50lb | Soft Rush | 2.5% |
| bags of fertilizer and (80) 50lb bags of Lime (| | Woolgrass | 2.5% |
| Wheat/ac). | | Swamp Verbena | 2.5% |
| Special Considerations: | | Apply @ 25lbs per acre | Apply @ 50lbs per acre |
| Landowner Special Considerations including CRE | | April 16th- Oct. 14th | Oct. 15th- April 15th |
| guidance that is not given here. Discuss these re beginning of the project to allow time for special | | NO FERTILIZER OR LIME INSI | DE WETLAND LIMITS |


CEIVED f Oli and Gas 2 2 2018 al Protection

ED C

! Directions







PAD ID 3001164597

| RACT | WELL BORE TABLE FOR SURFACE / ROYALTY OW SURFACE OWNER (S) / ROYALTY OWNER (R) | TAX PARCEL |
|----------------|---|--------------------|
| | SWN PRODUCTION COMPANY. LLC (5) | |
| 1 | ISAAC L. CARNEY & MARY CARNEY, HIS WIFE & ET AL (R) | 12-10-29 |
| RACT | SURFACE OWNER | TAX PARCEL |
| 2 | RODNEY A. CALVERT | 12-10-29.5 |
| 3 | GARY G. YDCUME AND LAVERNE YOCUM (LIFE ESTATE), AND CHRIS B. YDCUM (REMAINDERMAN) | 12-15-9 |
| 4 | NORMA F. YOHO | 1-7-40 |
| 5 | JACOB BICKERSTAFF & ANNA BICKERSTAFF, HUSBAND AND WIFE | 12-10-29.2 |
| 6 | DARREN YOHO; KEVIN YOHO; BRADLEY YOHO; JEFFERY YOHO; DEBORAH YOHO | 12-10-16 |
| 7 | SWN PRODUCTION COMPANY, LLC | 12-10-15 |
| 8 | SWN PRODUCTION COMPANY, LLC | 12-10-11 |
| 9 | SWN PRODUCTION COMPANY, LLC | 12-10-10 |
| 10 | MILLTREE PROPERTIES, LLC | 12-10-9 |
| 11 | MILLTREE PROPERTIES, LLC | 12-10-2 |
| 12 | MILLTREE PROPERTIES, LLC | 12-10-3 |
| | ANDREW D. SHULUGA & ANDREA M. SHULUGA, HUSBAND AND WIFE, | |
| 13 | AND UNTO THE SURVIVOR OF THEM | 12-10-1 |
| 14 | RICHARD W. MASTNEY & MARK MASSARI | 12-5-29 |
| 15 | MARK MASSARI | 12-4-38 |
| 16 | JAMES L. RITCHEA & HAZEL JORETTA RITCHEA | 12-4-39 |
| 17 | CLAUDIA MECKEL-JONAS & ET AL | 12-4-27 |
| 18 | CHRISTOPHER P. BITHELL | 12-4-26 |
| 19 | CHRISTOPHER P. BITHELL | 12-4-17 |
| 20 | NANCY RABER & ET AL | 12-4-16 |
| 21 | NANCY RABER & ET AL | 12-4-5 |
| 22 | TAMI M. BLATT; MICHAEL J. BLATT; KEVIN L. BLATT, TRUSTEE | 12-4-5 |
| | ADJOINING OWNERS TABLE | |
| RACT | SURFACE OWNER | TAX PARCEL |
| A | RODNEY CALVERT | 12-10-29.3 |
| в | RODNEY CALVERT | 12-10-29.4 |
| С | RODNEY CALVERT & ET AL | 12-10-29.1 |
| D | HAESSLY LAND & TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY | 12-10-33 |
| Ε | SWN PRODUCTION COMPANY, LLC | 12-10-28 |
| F | ROBERT C. RITCHEA & JAMES L. RITCHEA | 12-10-22 |
| G | SWN PRODUCTION COMPANY, LLC | 12-10-14 |
| Н | COURTNEY E. RICHMOND & RHEA K. RICHMOND, HIS WIFE | 12-10-13 |
| 1 | ANDREW D. & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST UNDER DATE OF | 12-10-9.1 |
| | JANUARY 8/2103 | 12-10-3.1 |
| J | MILLTREE PROPERTIES, LLC | 12-10-1.1 |
| к | ANDREW D. & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST UNDER DATE OF | 12.0.15 |
| | JANUARY B/2103 | 12-9-15 |
| Ĩ. | ANDREW D. & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST UNDER DATE OF | 12-0-0 |
| - | JANUARY B/2103 | 12-9-9 |
| м | ANDREW D. & ANDREA M. SHULUGA, CO-TRUSTEES OF THE ANDREW D. SHULUGA AND ANDREA M. SHULUGA REVOCABLE TRUST UNDER DATE OF | 19-0-8 |
| | JANUARY 8/2103 | 12-9-8 |
| N | CHRISTOPHER P. BITHELL | 12-4-37 |
| 0 | WILLIAM WAGNER AND BARBARA WAGNER, LIFE TENANTS AND TO THE SURVIVOR OF THEM, AND ROBERTA BROOKS AND HEATHER BRINK | 12-4-36 |
| | (REMAINDERMEN) | 12 7 50 |
| P | CHRISTOPHER P. BITHELL | 12-4-35 |
| 0 | JOHN H. MORGAN & SUE M. MORGAN, TRUSTEES, U/T/A, DATED JUNE 10, 1992 F/B/O THE MORGAN FAMILY | 12-4-34 |
| R | JUNE 10, 1992 P/B/O THE MORGAN FAMILY SHIBEN ESTATES | 12-4-25 |
| s | | |
| | ANTHONY C. BLATT & REBECCA F. BLATT | 12-4-15 |
| T U | ANTHONY C. BLATT & REBECCA F. BLATT TAMI M. BLATT; MICHAEL J. BLATT; KEVIN L. BLATT, TRUSTEE | 12-4-14 |
| v | KIMBERLY C. HOFFMAN | 12-4-4 |
| W | ZACHARY M. BLAIR | |
| × | ZACHARY M. BLAIR ZACHARY M. BLAIR | 9-21-20 |
| Y | ZACHART M. BLAIK N/A | 9-21-19 |
| Z | ZACHARY M. BLAIR | 9-21-15 |
| AA | MASON DIXON FARMS | 9-21-13 9-21-12 |
| AB | NANCY RABER & ET AL | 12-4-7 |
| AC | JOHN STULGA | |
| AD | SCHOOL | 12-4-19 |
| AE | CLAUDIA MECKEL-JONAS & ET AL | 12-4-18 |
| AF | HENRY J. SUNDA; HERBERT SIVERT, ET AL | 12-4-28 |
| AG | MILLTREE PROPERTIES, LLC | 12-4-29 |
| AH | RICHARD W. MASTNEY & MARK MASSARI | 12-5-20 |
| Al | MILLTREE PROPERTIES, LLC | 12-5-25 |
| AJ | MILLTREE PROPERTIES, LLC | 12-5-26 |
| AK | SWN PRODUCTION COMPANY, LLC, ET AL | 12-10-5 |
| AL | SWN PRODUCTION COMPANY, LLC | 12-10-6 |
| AM | FREDA TAYLOR, CALVIN TAYLOR, CHARLOTTE MARS, NILA ISABELLA, OPHIA | |
| | GUNTER, AND LEWIS SHERWOOD TAYLOR | 12-10-4 |
| AN | BRADLEY SCOTT YOHO | 12-10-12 |
| AD | BRADLEY SCOTT YOHO | 12-10-19 |
| AP | DEBORAH D. SHOWALTER & ET AL | 12-10-17 |
| AQ | DEBORAH D. SHOWALTER & ET AL | 12-10-18 |
| AR | CORY DURIG & DAVID DURIG | 1-07-2 |
| AS | SUSAN ANNETT SMITH | 1-7-3 |
| AT | SUSAN ANNETT SMITH | 1-7-3.1 |
| AU | JDHN J. YEAGER & ET AL | 1-7-9.2 |
| AV | ERIC L. YEATER & AMANDA J. YEATER, HUSBAND AND WIFE | 12-10-34 |
| | HAESSLY LAND AND TIMBER, LLC, AN OHIO LIMITED LIABILITY COMPANY | 12-15-11 |
| AW | | |
| AW AX AY | HAESSLY LAND AND TIMBER, LLC, AN OHID LIMITED LIABILITY COMPANY | 12-15-10 |

| REVISIONS: | COMPANY: | SWN Production Company, LLC | | SWN ^A →V ⁺ ° Production Company™ |
|------------|----------------------|--------------------------------|--------------|---|
| | OPERATOR'S WELL #: | SWN WTZ | | DATE: 08-21-2018 DRAWN BY: C. WEHR |
| | DISTRICT: PROCTOR | COUNTY: WETZEL | STATE: WV | SCALE: N/A DRAWING NO: 2016–51 WELL LOCATION PLAT |

4 7 erator 9 Well 10. 3 12 A5 DO TZ 105H

WW-6A1 (5/13)

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

| Lease Name or | | | | |
|---------------|-----------------------|-----------------------|---------|-----------|
| Number | Grantor, Lessor, etc. | Grantee, Lessee, etc. | Royalty | Book/Page |
| | | | | |

See Attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

| Well Operator: | SWN Production Company, LLC. |
|----------------|-------------------------------|
| By: | |
| Its: | Caleb Weaver - Senior Landman |

Office of Oil and Gas AUG 222018 WV Department of Environmenial Protection

Page 1 of _____

| | | Wetz | el County, W | ounty, West Virginia | |
|------------|---|--|---------------------------------------|----------------------|--|
| Tax Parcel | Lessor | Lessee | Royalty | BK/PG | |
| | Isaac L. Carney and Mary Carney, his | Hope Natural Gas Company | 12.50% | 18A/25 | |
| 2-10-29 | wife | | | | |
| | Hope Natural Gas Company | G. F. Eagan and John Robinson, a partnership, trading and doing business as Eagan and Robinson | | 39A/249 | |
| | Geo. F. Eagan | Blanche Eagon | | 14/268 | |
| | John H. Robinson | Elva Robinson and Mary Ellen Davis | | 15/455 | |
| | | Elva Robinson and Mary Ellen Davis | | 43A/440 | |
| | John H. Robinson, Blanche Eagon, as Executrix of the Estate of George F. Eagon, deceased, Blanche Eagon, in her own right, Mildred M. Lartigue, and Carl L. Eagon (sometimes called "Principals"), by Paul J. Shiben and Joseph V. DeMarco, Jr., their Attorney in Fact, and Elva Robinson, Executrix of the Estate of the said John H. Robinson, now deceased, Elva Robinson and Mary Ellen Davis Elva Robinson and Mary Ellen Davis Katherine A. Henry and Harry R. Croni | | Office of Oil and Gas AUG 2 2 2018 | 44A/92 51A/241 | |
| | Kathryn C. Reed, a widow and unmarr | rie Carl Perkins | | 55A/54 | |
| | Carl D. Perkins and Dorothy Louise Pe | rk Perkins Oil and Gas, Inc., a West Virginia Corporation | | 84A/9 | |
| | Perkins Oil & Gas Inc., a West Virginia | cι Stone Energy Corporation, a Delaware corporation | | 126A/958 | |
| | Stone Energy Corporation | Chesapeake Appalachia, LLC,, and Statoil USA Onshore Properties, Inc. | | 158A/554 | |
| | Chesapeake Appalachia, L.L.C., | SWN Production Company, LLC | | 167A/9 | |
| 12-10-29.5 | Isaac L. Carney and Mary Carney, his wife | Hope Natural Gas Company | 12.50% | 18A/25 | |

1 103 0 Ś \sim S 0

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, L.L.C., Operator SWN A UD WTZ 105H

Wetzel County, West Virginia

.

| | | | | WCSt Virginia |
|------------|---|---|----------------------------------|---------------|
| | | | 2 | |
| | Lessor | Lessee | Royalty | BK/PG |
| Tax Parcel | Lessoi | | | |
| | | | | |
| | Hope Natural Gas Company | G. F. Eagan and John Robinson, a partnership, trading | | 39A/249 |
| | | and doing business as Eagan and Robinson | | |
| | Geo. F. Eagan | Blanche Eagon | | 14/268 |
| | John H. Robinson | Elva Robinson and Mary Ellen Davis | | 15/455 |
| | | Elva Robinson and Mary Ellen Davis | | 43A/440 |
| | John H. Robinson, Blanche Eagon, as | | | |
| | Executrix of the Estate of George F. | | | |
| | Eagon, deceased, Blanche Eagon, in | | | |
| | her own right, Mildred M. Lartigue, | | | |
| | and Carl L. Eagon (sometimes called | | | |
| | "Principals"), by Paul J. Shiben and | | | |
| | Joseph V. DeMarco, Jr., their Attorney | s | | |
| | in Fact, and Elva Robinson, Executrix o | | | |
| | the Estate of the said John H. | | | |
| | Robinson, now deceased, Elva | | | |
| | Robinson and Mary Ellen Davis | | | |
| | Elva Robinson and Mary Ellen Davis | Andrew L. Henry, Charles E. Reed, and Harry R. | | 44A/92 |
| | Live hobilison and Mary Lich Davis | Cronin, Jr. | | |
| | Katherine A. Henry and Harry R. Croni | n, Charles E. Reed and Kathryn C. Reed, husband and | | 51A/241 |
| | , . | wife | | |
| | Kathryn C. Reed, a widow and unmarr | ie Carl Perkins | | 55A/54 |
| | | rk Perkins Oil and Gas, Inc., a West Virginia Corporation | | 84A/9 |
| | | - Charles Francesconsting a Delawara comparation | | 126A/958 |
| | Perkins Oil & Gas Inc., a West Virginia | cι Stone Energy Corporation, a Delaware corporation | | 1204/950 |
| | Stone Energy Corporation | Chesapeake Appalachia, LLC,, and Statoil USA | | 158A/554 |
| | | Onshore Properties, Inc. | | |
| | Chesapeake Appalachia, L.L.C., | SWN Production Company, LLC | | 167A/9 |
| 2-15-9 | John Pyles, a single man | Earl M. Hennen | 12.50% | 6A/5 |
| | Earl M. Hennen | Hope Natural Gas Company | | 6A/187 |
| | Hope Natural Gas Company | The Manufacturers Light and Heat Company | | 40A/468 |
| | | m Columbia Gas Transmission Corporation 🛛 ᄳ | | 263/164 |
| | Columbia Gas Transmission Corporati | or SWN Production Company, LLC | | 188A/278 |
| .2-15-9 | Chesapeake Appalachia, L.L.C., | SWN Production Company, LLC | Q12.50% | 157A/646 |
| L-7-40 | Norma Yoho, widow | or SWN Production Company, LLC | 6 12.50% PEC PEC CEIVED | 84A/709 |

| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
|------------|---|--|----------|----------|
| | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | | 402/446 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| | Isaac L. Carney and Mary Carney, his | Hope Natural Gas Company | 12.50% | 18A/25 |
| 12-10-29.2 | wife | | | |
| | Hope Natural Gas Company | G. F. Eagan and John Robinson, a partnership, trading and doing business as Eagan and Robinson | | 39A/249 |
| | Geo. F. Eagan | Blanche Eagon | | 14/268 |
| | John H. Robinson | Elva Robinson and Mary Ellen Davis | | 15/455 |
| | | Elva Robinson and Mary Ellen Davis | | 43A/440 |
| | John H. Robinson, Blanche Eagon, as | | | |
| | Executrix of the Estate of George F. | | | |
| | Eagon, deceased, Blanche Eagon, in | | | |
| | her own right, Mildred M. Lartigue, | | | |
| | and Carl L. Eagon (sometimes called | | | |
| | "Principals"), by Paul J. Shiben and | | | |
| | Joseph V. DeMarco, Jr., their Attorney | | | |
| | in Fact, and Elva Robinson, Executrix c |)T | | |
| | the Estate of the said John H. | | | |
| | Robinson, now deceased, Elva | | | |
| | Robinson and Mary Ellen Davis | Andrew L. Henry, Charles E. Reed, and Harry R. | | 44A/92 |
| | Elva Robinson and Mary Ellen Davis | Cronin, Jr. | | 777/32 |
| | Katherine A. Henry and Harry R. Croni | n, Charles E. Reed and Kathryn C. Reed, husband and wife | | 51A/241 |
| | Kathryn C. Reed, a widow and unmarr | | | 55A/54 |
| | Carl D. Perkins and Dorothy Louise Pe | rk Perkins Oil and Gas, Inc., a West Virginia Corporation | | 84A/9 |
| | Perkins Oil & Gas Inc., a West Virginia | c Stone Energy Corporation, a Delaware corporation | | 126A/958 |
| | Stone Energy Corporation | Chesapeake Appalachia, LLC,, and Statoil USA | | 158A/554 |
| | | Onshore Properties, Inc. く | | |
| | Chesapeake Appalachia, L.L.C., | Onshore Properties, Inc. | 03 | 167A/9 |
| | | SWN Production Company, LLC | RECEIVED | |

Wetzel County, West Virginia

| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
|------------|--|--|----------------|----------|
| 10-16 | T. J. Yoho and Etheel Yoho, his wife | The Manufacturers Light and Heat Company | 12.50% | 48A/481 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 |
| | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | | 402/446 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-15 | Iva Gray and Bud Gray, her husband, Jerald Yocum and Mildred Yocum, his wife, Alta Pyles, widow, Ocia Williams and Hobert Williams, her husband, Ica Harlan and Elmer Harlan, her husband, Arlie Young and V. A. Young, her husband, Lelah McIntire and Troy McIntire, her husband | The Manufacturers Light and Heat Company | 12.50% | 44A/1 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 |
| | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | | 402/446 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-11 | Curtis E. Taylor and Ruth Taylor, his wife; Zona Taylor, widow; Rosetta Jackson and Alonzo Jackson, her husband; C. A. Thomas, single; Wilma Anderson and Chalres L. Anderson, her husband; Darrell H. Taylor and Pearl Taylor, his wife; Oran V. Baker, Willa D. Baker, Glenn T. Baker and Helen Baker | | 12.50% | 46A/327 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | 0 | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Gas Transmission Corporation | Mice OF OF VEL | 84A/129 |

Wetzel County, West Virginia

| | | | | 이는 것은 것을 받았다. 같은 것은 것을 많은 것은 |
|---|--|---|--|---------------------------------|
| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
| en an an Arl (a fairme an an Arland an Ar | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | an a | 402/446 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-10 | Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. | 15.00% | 99A/498 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 167A/9 |
| 2-10-9 | Ray C. Herman, single and Dail A. Herman, single | The Manufacturers Light and Heat Company | 12.50% | 45A/314 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 |
| | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | | 402/446 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Bula Burton, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/647 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Rose Mary Herman, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/638 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Ruby Sylvester, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/641 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Virginia M. Amos, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/644 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Charles George Hunter, a married man dealing in his sole and separate property | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/632 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| .2-10-2 | Faye Young, a married woman dealing in her sole and separate property | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/635 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Francis R. Goddard | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/209 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| .2-10-2 | Wayne L. Goddard, a/k/a Wayne Goddard | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/212 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-2 | Ronald L. Goddard, a/k/a Ronald Goddard | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/188 |
| | | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC VI On Department of Chesapeake Appalachia, L.L.C. Company, Chesapeake Appalachia, L.L.C. Supervision of Company of Chesapeake Appalachia, L.L.C. Supervision of Chesapeake Appalachia, L.L.C | | |

47103250

Wetzel County, West Virginia

| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
|------------|--|--|---------|----------|
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Faye L. Sturgis | Chesapeake Appalachia, L.L.C. | 12.50% | 100A/990 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| .2-10-2 | Charles H. Baker | Chesapeake Appalachia, L.L.C. | 12.50% | 100A/987 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| .2-10-2 | Feryn L. Jones | Chesapeake Appalachia, L.L.C. | 12.50% | 100A/984 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 2-10-2 | Franklin B. Baker, III, a single man | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/643 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-2 | Sharla Chapman, a married woman dealing in her sole and separate property | Chesapeake Appalachia, L.L.C. | 12.50% | 102A/32 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-2 | Ray C. Herman, Jr., a married man dealing in his sole and separate property | Chesapeake Appalachia, L.L.C. | 12.50% | 102A/1 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Bula Burton, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/647 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Rose Mary Herman, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/638 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Ruby Sylvester, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/641 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Virginia M. Amos, a widow | Chesapeake Appalachia, L.L.C. | 12.50% | 92A/644 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Charles George Hunter, a married man dealing in his sole and separate property | | 12.50% | 92A/632 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Faye Young, a married woman dealing in her sole and separate property | SWN Production Company, LLC | 12.50% | 92A/635 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Francis R. Goddard | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/209 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC Strand Company, Strand Company, Strand Company, LLC Strand | | 157A/540 |

Wetzel County, West Virginia

| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
|------------|---|---|---------|----------------------|
| 12-10-3 | Wayne L. Goddard, a/k/a Wayne Goddard | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/212 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Ronald L. Goddard, a/k/a Ronald Goddard | Chesapeake Appalachia, L.L.C. | 12.50% | 101A/188 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Faye L. Sturgis Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | 12.50% | 100A/990 157A/540 |
| 12-10-3 | Charles H. Baker Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | 12.50% | 100A/987 157A/540 |
| 12-10-3 | Feryn L. Jones Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | 12.50% | 100A/984 157A/540 |
| 12-10-3 | Franklin B. Baker, III, a single man Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | 12.50% | 101A/643 157A/540 |
| 12-10-3 | Sharla Chapman, a married woman dealing in her sole and separate property | Chesapeake Appalachia, L.L.C. | 12.50% | 102A/32 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 |
| 12-10-3 | Ray C. Herman, Jr., a married man dealing in his sole and separate property | Chesapeake Appalachia, L.L.C. | 12.50% | 102A/1 |
| | property | SWN Production Company, LLC | | 157A/540 |
| 12-10-1 | Otis Simmons and Pearl Simmons, his wife; Harold S. Simmons and Roxie Simmons, his wife; Roxie Newman and Archie Newman, her husband | The Manufacturers Light and Heat Company | 12.50% | 39A/598 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC 🐬 | | 84A/129 |
| | Columbia Natural Resources, LLC Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. | | 402/446 176A/747 |
| | | Columbia Natural Resources, LLC 5 Chesapeake Appalachia, L.L.C. 10 SWN Production Company, LLC 2 SWN Production Company, | | |

| Lessee | Royalty BK/PG |
|--|-----------------------------|
| ns, his oxie The Manufacturers Light and Heat Co nan and | 12.50% 39A/498 |
| eat Columbia Gas Transmission Corporati | 263/164 |
| Columbia Natural Resources, LLC | 84A/129 |
| LC Chesapeake Appalachia, L.L.C. by SWN Production Company, LLC | 402/446 188A/278 |
| e, his Chesapeake Appalachia, L.L.C. | 12.50% 86A/202 |
| SWN Production Company, LLC | 157A/540 |
| dealing Chesapeake Appalachia, L.L.C. ty | 12.50% 99A/16 |
| SWN Production Company, LLC | 157A/540 |
| The Manufacturers Light and Heat Co leat Columbia Gas Transmission Corporat | v 12.50% 46A/411 263/164 |
| Columbia Natural Resources, LLC | 84A/129 |
| LC Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | 402/446 157A/540 |
| an e SWN Production Company, LLC | 17.00% 172A/612 |
| arried ない SWN Production Company, LLCを また | 18.00% 203A/743 |
| SWN Production Company, LLCompany, LLCompany | 18.00% |

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, L.L.C., Operator SWN A UD WTZ 105H Wetzel County, West Virginia

| a Maderia | | | | |
|------------|--|--|---------|---------------------|
| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
| | Robert Benedikt Meckel, a married man dealing in his sole and separate property | SWN Production Company, LLC | 18.00% | 203A/741 |
| | Dr. Claudia Renate Meckel-Jonas | SWN Production Company, LLC | 18.00% | 203A/746 |
| | John J. Mensore, Individually, John J. Mensore, Trustee under the John J. Mensore Revocable Trust dated July 12, 2011, Tulane B. Mensore and Esta Marie McCall | Stone Energy Corporation, a Delaware corporation | 18.75% | 151A/540 |
| | Stone Energy Corporation, a Delaware corporation | EQT Production Company | | 183A/305 |
| | EQT Production Company | SWN Production Company, LLC | | 212A/704 |
| 2-4-26 | Vivian Dillon, a married woman dealing in her sole and separate property | Columbia Natural Resources, LLC | 12.50% | 84A/401 |
| | Columbia Natural Resources, LLC Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | | 402/446 157A/540 |
| 2-4-17 | Ambrose Blatt, single, and Foster Blatt, single, Mary Blatt, single, Nellie Becker, widow | The Manufacturers Light and Heat Company | 12.50% | 45A/260 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 |
| | Columbia Natural Resources, LLC Chesapeake Appalachia, L.L.C. | Chesapeake Appalachia, L.L.C. SWN Production Company, LLC | | 402/446 157A/540 |
| .2-4-16 | F. B. Sivert and Regena Sivert, his wife | The Manufacturers Light and Heat Company | 12.50% | 45A/370 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporatio | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 |
| | Columbia Natural Resources, LLC Chesapeake Appalachia, L.L.C. | Columbia Natural Resources, LLC | | 402/446 176A/747 |

| | weizer county, west virginia | | | | | |
|------------------|---|--|---------|----------|--|--|
| Tax Parcel | Lessor | Lessee | Royalty | BK/PG | | |
| enna (1997), 203 | Columbia Gas Transmission, LLC, et al | SWN Production Company, LLC | | 188A/278 | | |
| .2-4-6 | F. B. Sivert and Regena Sivert, his wife | The Manufacturers Light and Heat Company | 12.50% | 45A/370 | | |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 | | |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 | | |
| | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | | 402/446 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 176A/747 | | |
| | Columbia Gas Transmission, LLC, et al | SWN Production Company, LLC | | 188A/278 | | |
| | Tara Pass, f/k/a Tara Roebuck and James H. Pass, her husband | Chesapeake Appalachia, L.L.C. | 12.50% | 107A/875 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |
| | Ernest G. Roebuck, Jr., a single man | Chesapeake Appalachia, L.L.C. | 12.50% | 108A/583 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |
| | Pamela J. Roebuck, a/k/a Pamela Roebuck and Ernest G. Roebuck, her husband | Chesapeake Appalachia, L.L.C. | 12.50% | 109A/112 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |
| | Ronald A. Michaelis and Suzanne Michaelis, his wife | Chesapeake Appalachia, L.L.C. | 12.50% | 110A/467 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |
| | Gary R. Michaelis, a/k/a Gary Robert Michaelis and Karen A. Michaelis, his wife | Chesapeake Appalachia, L.L.C. | 12.50% | 114A/288 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |
| | Eric Michaelis, a single man | Chesapeake Appalachia, L.L.C. | 12.50% | 110A/388 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |
| | Stephen Michaelis, a asingle man | Chesapeake Appalachia, PL.C. | 12.50% | 119A/51 | | |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 157A/540 | | |



Wetzel County, West Virginia

| Tax Parcel | Lessor | Lessee | Royalty | BK/PG |
|------------|---|--|---------|----------|
| 12-4-5 | Edward V. Blatt and Christina C. Blatt, his wife; Cora A. Scheibelhood, widow; Theresa Estep and Joseph Estep, her husband | The Manufacturers Light and Heat Company | 12.50% | 45A/370 |
| | The Manufacturers Light and Heat Company | Columbia Gas Transmission Corporation | | 263/164 |
| | Columbia Gas Transmission Corporation | Columbia Natural Resources, LLC | | 84A/129 |
| | Columbia Natural Resources, LLC | Chesapeake Appalachia, L.L.C. | | 402/446 |
| | Chesapeake Appalachia, L.L.C. | SWN Production Company, LLC | | 176A/747 |
| | Columbia Gas Transmission, LLC, et al | SWN Production Company, LLC | | 188A/278 |





SWN Production Company, LLC 179 Innovation Drive Jane Lew, WV 26378 Tel 004889/605 Fax: 304 471249 www.swn.com

47

0

August 16, 2018

Ms. Laura Adkins WV DEP Office of Oil & Gas 601 57th St., SE Charleston, WV 25304

RE: SWN's proposed New Well: SWN A UD WTZ 105H in Wetzel County, West Virginia, Drilling under Blake Ridge, Middle Fork Road, Hollman Ridge Road, Lynn Camp Road, and Old WV 89.

Dear Ms. Adkins:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Blake Fork Road, Middle Fork Road, Hollman Ridge Road, Lynn Camp Road, and Old WV 89. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely,

ale

Caleb Weaver Senior Landman SWN Production Company, LLC

Office of Oil and Gas AUG 2 2 2018 Environmental Protection

The Right People doing the Right Things, wisely investing the cash flow from our underlying Assets, will create Value+® WW-6AC (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification:

API No. 47- 103 -Operator's Well No. SWN A UD WTZ 105H Well Pad Name: SWN A WTZ Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

| State: | West Virginia | UTM NAD 83 | Easting: | 530900.09 | |
|--------------------------|------------------|--|-----------|-----------------|--|
| County: | 103- Wetzel | 01M NAD 83 | Northing: | 4392582.32 | |
| District: Quadrangle: | Proctor | Public Road Access: Generally used farm name: | | Macedonia Ridge | |
| | Wileyville | | | SWN A | |
| Watershed: | Upper Ohio South | | | | |

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

| Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY | OOG OFFICE USE ONLY |
|---|---------------------------|
| □ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED | RECEIVED/ NOT REQUIRED |
| ■ 2. NOTICE OF ENTRY FOR PLAT SURVEY or \Box NO PLAT SURVEY WAS CONDUCTE | D RECEIVED |
| ■ 3. NOTICE OF INTENT TO DRILL OF DOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OF | RECEIVED/ NOT REQUIRED |
| □ WRITTEN WAIVER BY SURFACE OWNE (PLEASE ATTACH) | R |
| 4. NOTICE OF PLANNED OPERATION RECEIVED Office of Oil and | |
| ■ 5. PUBLIC NOTICE AUG 2 2 20 | RECEIVED |
| 6. NOTICE OF APPLICATION WV Department Environmental Pro | |

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I Brittany Woody

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

| Well Operator: | SWN Production Co., LLC . M LA | Address: | P.O. Box 1300 |
|----------------|--|--------------------|---------------------------|
| By: | Brittany Woody | | Jane Lew, WV 26378 |
| Its: | Regulatory Analyst | Facsimile: | 304-884-1690 |
| Telephone: | 304-884-1610 | Email: | Brittany_Woody@swn.com |
| | NOTAR YOtficialiSeal Notary Public, State Of West Virginia Elizabeth Blankenship 941 Simpson Run Road Weston WV 26452 My commission expires June 23, 2024 | Subscribed and swo | Plankenston Notary Public |

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas AUG 22 2018

WV Department of Environmental Protection

WW-6A (9-13)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

| Date of Notice: | te Permit Application Filed: |
|-----------------|------------------------------|
| | |

 PERMIT FOR ANY
 WELL WORK
 CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

| PERSONAL | V | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|----------|---|------------|------------------------------------|
| SERVICE | 1 | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to:

| SURFACE OWNER(s) Name: SWN Production Company, LLC | ☑ COAL OWNER OR LESSEE Name: CNX Gas Company, LLC | Office of Oil and Gas |
|---|--|---|
| Address: PO Box 672625 | Address: 1000 Consol Energy Drive | - Corolland Gan |
| Houston, TX 77267 | Canonsburg, PA 15317 | 100 90 |
| Name: | COAL OPERATOR | WV Depagrant of Environmental Protection |
| Address: | Name; | Enviroppedante |
| | Address: | - anenial prote of |
| □ SURFACE OWNER(s) (Road and/or Other Disturbance) | | |
| Name: | ☑ SURFACE OWNER OF WATER WELL | |
| Address: | AND/OR WATER PURVEYOR(s) | |
| | Name: See Attachment 13A | |
| Name: | Address: | |
| Address: | | |
| | OPERATOR OF ANY NATURAL GAS STOL | RAGE FIELD |
| □ SURFACE OWNER(s) (Impoundments or Pits) | Name: | |
| Name: | Address: | - |
| Address: | | |
| | *Please attach additional forms if necessary | |

| OWNERNAME | | ADDRESS | CITY/STATE/ZIP | WATERSOUCES |
|--------------------------|---|------------------------|----------------------------|-------------|
| YEATER TERRY W & DORIS | - | HC 60 BOX 257 | NEW MARTINSVILLE, WV 26155 | 1 |
| YOHO NORMA F | 1 | 828 GREENLAWN AVE NW | WARREN, OH 44483 | 2 |
| YOCUM GARY G & LAVERNE F | 1 | HC 60 BOX 252 | NEW MARTINSVILLE, WV 26155 | 4 |
| BICKERSTAFF JACOB & ANNA |) | 14383 PROCTOR CREEK RD | NEW MARTINSVILLE, WV 26155 | 1 |
| CALVERT RODNEY A | 1 | 13998 PROCTOR CREEK RD | NEW MARTINSVILLE, WV 26155 | 7 |

Office of Oil and Gas AUG 22 2018 WV Department of Environmental Protection WW-6A (8-13)

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of provisions of subsections (0), (c) of (f) of the status of any appeal on determination of month, for the damage to the real property owner's water supply or the status of any appeal on determination of month, for the damage to the real property owner's water supply, the operator may not discontinue providing the required water $Striger O_{ii} = 0$ and G_{as}

Written Comment:

AUG 22 2018 Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file/written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days alter the net of application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the control of the control of the secretary. location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47- 103 -OPERATOR WELL NO. SWN A UD WTZ 105H Well Pad Name: SWN A WTZ Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

AUG 22 2018

| (9.12) | OPERATOR WELL NO. SWN A UD WTZ 105H |
|--|-------------------------------------|
| (8-13) | Well Pad Name: SWN A WTZ Pad |
| | 4710 3250 |
| Notice is hereby given by: | |
| Well Operator: SWN Production Co., LLC | Address: P.O. Box 1300 |
| Telephone: 304-884-1610 | Jane Lew, WV 26378 |
| Email: Brittany_Woody@swn.com | Facsimile: 304-884-1690 |


API NO. 47- 103

Oil and Gas Privacy Notice:

WW-6A

| Official Seal Notary Public, State Of West Virginia Elizabeth Blankonship 941 Simpson Run Road Weston WV 26452 My commission expires June 23, 2024 | Subscribed and sworn before me this day of <u>AUQ</u> Notary Public My Commission Expires(0/23/24 |
|---|--|
| | |

Office of Oil and Gas AUG 22 2018 WV Department of Environmental Protection



PROPERTY NUMBER 2501165236 PAD ID 3001164597

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

| PERSONAL | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|----------|------------|------------------------------------|
| SERVICE | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

| SURFACE OWNER(s) | COAL OWNER OR LESSEE | |
|---|--|--|
| Name: Troy Sidenstricker and Lisa Sidenstricker | Name: CNX Gas Company, LLC | |
| Address: 14303 Proctor Circle Road | Address: 1000 Consol Energy Drive | |
| New Martinsville, WV 26155 | Canonsburg, PA 15317 | |
| Name: | | |
| Address: | MINERAL OWNER(s) | |
| | Name: Ruth Ann Calvert | |
| Name: | Address: 12666 Shortline Hwy. Apt #3 | |
| Address: | Pine Grove, WV 26419 | |
| | *please attach additional forms if necessary | |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

| State: | WV | Approx. Latitude & Longitude: | 39.684757, -80.640554 | |
|-------------|------------|-------------------------------|-----------------------|--|
| County: | Wetzel | Public Road Access: | Rt. 89 | |
| District: | Proctor | Watershed: | Fish Creek | |
| Quadrangle: | Wileyville | Generally used farm name: | SWN A WTZ Pad | |
| | | | | |

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

| Notice is here | by given by: | | | Office of Oil and Gas |
|----------------|--|------------|--------------------|-----------------------|
| Well Operator: | | Address: | PO BOX 1300 | AUG 20 Gas |
| Telephone: | 304-884-1610 | | JANE LEW, WV 26378 | 2 2 2018 |
| Email: | dee_southall@swn.com or brittany_woody@swn.com | Facsimile: | | Environmepartma |
| Oil and Gas I | Privacy Notice | | | rotection |

Oil and Gas Privacy Notice:

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

| PERSONAL | 3 | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|----------|----------|------------|------------------------------------|
| SERVICE | | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

| □ SURFACE OWNER(s) | □ COAL OWNER OR LESSEE |
|--------------------|--|
| Name: | Name: |
| Address: | Address: |
| Name: | - |
| Address: | MINERAL OWNER(s) |
| | Name: Carla E Rabel |
| Name: | Address: 810 Wetzel Tyler Ridge Road |
| Address: | New Martinsville, WV 26155 |
| | *please attach additional forms if necessary |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

| State: | WV | Approx. Latitude & Longitude: | 39.684757, -80.640554 | |
|-------------|------------|-------------------------------|-----------------------|--|
| County: | Wetzel | Public Road Access: | Rt. 89 | |
| District: | Proctor | Watershed: | Fish Creek | |
| Quadrangle: | Wileyville | Generally used farm name: | SWN A WTZ Pad | |
| | | | | |

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. Offic RECE.

| Well Operator: SWN | N PRODUCTION COMPANY, LLC | Address: | PO BOX 1300 | 40G 2 2 2 2 |
|-----------------------------|--|------------|--------------------|------------------|
| Telephone: 304- | 884-1610 | | JANE LEW, WV 26378 | E- WV - 2018 |
| Email: dee_southall@swn.com | southall@swn.com or britlany_woody@swn.com | Facsimile: | | Civironment-ment |

Oil and Gas Privacy Notice:

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

| PERSONAL | 12 | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|--------------|----|------------|------------------------------------|
| SERVICE | | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

| □ SURFACE OWNER(s) | □ COAL OWNER OR LESSEE |
|--------------------|--|
| Name: | Name: |
| Address: | Address: |
| Name: | - |
| Address: | MINERAL OWNER(s) |
| | Name: Connie Jean Rowland |
| Name: | Address: 535 Briarcliff Court |
| Address: | New Martinsville, WV 26155 |
| | *please attach additional forms if necessary |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

| State: | WV | Approx. Latitude & Longitude: | 39.684757, -80.640554 | |
|-------------|------------|-------------------------------|-----------------------|--|
| County: | Wetzel | Public Road Access: | Rt. 89 | |
| District: | Proctor | Watershed: | Fish Creek | |
| Quadrangle: | Wileyville | Generally used farm name: | SWN A WTZ Pad | |
| | | | | |

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

| Notice is here Well Operator: | by given by: swn production company, LLC | Address: | PO BOX 1300 | Office of Oil and Gas |
|----------------------------------|--|-----------------|--------------------------------|--------------------------|
| Telephone: | 304-884-1610 | - Second Second | JANE LEW, WV 26378 | AUG 2 2 20 |
| Email: | dee_southall@swn.com or brittany_woody@swn.com | Facsimile: | | - MALE 2018 |
| | Privacy Notice: il and Gas processes your personal informat | ion such as nam | e address and telephone number | Environmental Protection |

Oil and Gas Privacy Notice:

Envi

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

| PERSONAL | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|----------|------------|------------------------------------|
| SERVICE | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

| □ SURFACE OWNER(s) | □ COAL OWNER OR LESSEE |
|--------------------|--|
| Name: | Name: |
| Address: | Address: |
| Name: | |
| Address: | MINERAL OWNER(s) |
| | Name: Cathy Williams |
| Name: | Address: 426 Hook Street |
| Address: | Bridgeville, PA 15017 |
| | *please attach additional forms if necessary |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

| State: | WV | Approx. Latitude & Longitude: | 39.684757, -80.640554 | |
|-------------|------------|-------------------------------|-----------------------|--|
| County: | Wetzel | Public Road Access: | Rt. 89 | |
| District: | Proctor | Watershed: | Fish Creek | |
| Quadrangle: | Wileyville | Generally used farm name: | SWN A WTZ Pad | |
| | | | | |

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

| Well Operator: | SWN PRODUCTION COMPANY, LLC | Address: | PO BOX 1300 | Offic RECEN |
|----------------|--|------------|--------------------|-------------|
| Telephone: | 304-884-1610 | | JANE LEW, WV 26378 | of Oil and |
| Email: | dee_southall@swn.com or brittany_woody@swn.com | Facsimile: | | AUG Q as |
| 20 1.2 - 2 | | | | 2 2 2018 |

Oil and Gas Privacy Notice:

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

| PERSONAL | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|----------|------------|------------------------------------|
| SERVICE | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

| □ SURFACE OWNER(s) | □ COAL OWNER OR LESSEE |
|--------------------|--|
| Name: | Name: |
| Address: | Address: |
| Name: | |
| Address: | MINERAL OWNER(s) |
| | Name: Nancy G Metheny |
| Name: | Address: 3948 N. Park Ave |
| Address: | Warren, OH 44481 |
| | *please attach additional forms if necessary |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

| State: | WV | Approx. Latitude & Longitude: | 39.684757, -80.640554 | |
|-------------|------------|-------------------------------|-----------------------|---|
| County: | Wetzel | Public Road Access: | Rt. 89 | |
| District: | Proctor | Watershed: | Fish Creek | |
| Quadrangle: | Wileyville | Generally used farm name: | SWN A WTZ Pad | - |
| District: | Proctor | Watershed: | Fish Creek | |

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

| Notice is here Well Operator: | | Address: | PO BOX 1300 | Office of Oil and Gas |
|----------------------------------|--|------------|--------------------|-----------------------|
| Telephone: | 304-884-1610 | - | JANE LEW, WV 26378 | 104 22 2010 |
| Email: | dee_southall@swn.com or brittany_woody@swn.com | Facsimile: | | Enviro Dan |
| | Privacy Notice: | | | Profession Profession |

Oil and Gas Privacy Notice:

Em

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 10/18/2017 Date of Planned Entry: 10/25/2017

Delivery method pursuant to West Virginia Code § 22-6A-10a

| PERSONAL | REGISTERED | METHOD OF DELIVERY THAT REQUIRES A |
|----------|------------|------------------------------------|
| SERVICE | MAIL | RECEIPT OR SIGNATURE CONFIRMATION |

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

| SURFACE OWNER(s) | □ COAL OWNER OR LESSEE |
|------------------|--|
| Name: | Name: |
| Address: | Address: |
| Name: | |
| Address: | MINERAL OWNER(s) |
| | Name: Vicki Forrester |
| Name: | Address: HC 74 Box 66 |
| Address: | Alma, WV 26320 |
| | *please attach additional forms if necessary |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

| State: | WV | Approx. Latitude & Longitude: | 39.684757, -80.640554 | |
|-------------|------------|-------------------------------|-----------------------|--|
| County: | Wetzel | Public Road Access: | Rt. 89 | |
| District: | Proctor | Watershed: | Fish Creek | |
| Quadrangle: | Wileyville | Generally used farm name: | SWN A WTZ Pad | |
| | | | | |

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE. Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

| Well Operator: | SWN PRODUCTION COMPANY, LLC | Address: | PO BOX 1300 | OF RECT |
|----------------|--|------------|--------------------|-------------------|
| Telephone: | 304-884-1610 | - | JANE LEW, WV 26378 | Office of OfficeD |
| Email: | dee_southall@swn.com or brittany_woody@swn.com | Facsimile: | | Alle a Gas |
| Oil and Cas I | Duive av Nation | | | 2 2 2018 |

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

 Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.

 Date of Notice:
 04/17/2018

 Date Permit Application Filed:
 0

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

| HAND | CERTIFIED MAIL |
|----------|--------------------------|
| DELIVERY | RETURN RECEIPT REQUESTED |

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

| Name: CNX Gas Company, LLC | Name: |
|--|----------|
| Address: 1000 Consol Energy Drive | Address: |
| Canonsburg, PA 15317 | |
| Provide the second seco | Telesco |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

| State: | West Virginia | UTM NAD 83 | Easting: | 530,900.805 | |
|-------------|------------------|---------------------------|---------------------|-----------------|--|
| County: | Wetzel | UTMINAD 83 | Northing: | 4,392,582.317 | |
| District: | Proctor | Public Road Acce | Public Road Access: | Macedonia Ridge | |
| Quadrangle: | Wileyville, WV | Generally used farm name: | SWN A WTZ | | |
| Watershed: | Upper Ohio South | | | | |

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

| Well Operator: Address: | SWN Production Company, LLC | N Production Company, LLC Authorized Representative: | | |
|----------------------------|-----------------------------------|--|-----------------------------------|-----------------|
| | PO Box 1300, 179 Innovation Drive | Address: | PO Box 1300, 179 Innovation Drive | |
| | Jane Lew, WV 26378 | | Jane Lew, WV 26378 | - 0- |
| Telephone: | 832-540-1136 | Telephone: | 832-540-1136 | Office of OUVED |
| Email: | Steve_Teel@swn.com | Email: | Steve_Teel@swn.com | Allo Gas |
| Facsimile: | 304-884-1691 | Facsimile: | 304-884-1691 | 40G 22 2010 |
| | | | | 100. |

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.
Date of Notice: 03/27/2018
Date Permit Application Filed:

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

| HAND | CERTIFIED MAIL |
|----------|--------------------------|
| DELIVERY | RETURN RECEIPT REQUESTED |

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

| Name: SWN Production Company, LLC | Name: |
|-----------------------------------|----------|
| Address: PO Box 672625 | Address: |
| Houston, TX 77267 | |
| | |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

| State: County: District: Quadrangle: | West Virginia Wetzel | UTM NAD 83 | Easting: Northing: | 530,900.805 | |
|---|-------------------------|---------------------------|-----------------------|---------------|--|
| | | UTM NAD 83 | | 4,392,582.317 | |
| | Proctor | Public Road Acc | Public Road Access: | | |
| | Wileyville, WV | Generally used farm name: | | SWN A WTZ | |
| Watershed: | Upper Ohio South | | | | |

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

| Well Operator: | SWN Production Company, LLC | Authorized Representative: | Steve Teel PO Box 1300, 179 Innovation Drive Jane Lew, WV 26378 | |
|----------------|-----------------------------------|----------------------------|---|--|
| Address: | PO Box 1300, 179 Innovation Drive | Address: | | |
| | Jane Lew, WV 26378 | | | |
| Telephone: | 832-540-1136 | Telephone: | 832-540-1136 | |
| Email: | Steve_Teel@swn.com | Email: | 832-540-1136 RECEIVED Steve_Teel@swn.com Office of Oil and Gas | |
| Facsimile: | 304-884-1691 | Facsimile: | 304-884-1691 | |
| | | | AUG 2 2 2018 | |

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 04/17/2018 Date Permit Application Filed:

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

| CERTIFIED MAIL | HAND |
|--------------------------|----------|
| RETURN RECEIPT REOUESTED | DELIVERY |

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

| Name: CNX Gas Company, LLC | Name: |
|-----------------------------------|----------|
| Address: 1000 Consol Energy Drive | Address: |
| Canonsburg, PA 15317 | |
| | |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

| State: | West Virginia | UTM NAD 83 | Easting: | 530,900.805 | |
|-------------|------------------|--------------------|-----------|-----------------|--|
| County: | Wetzel | UTM NAD 83 | Northing: | 4,392,582.317 | |
| District: | Proctor | Public Road Acces | ss: | Macedonia Ridge | |
| Quadrangle: | Wileyville, WV | Generally used far | m name: | SWN A WTZ | |
| Watershed: | Upper Ohio South | | | | |

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-andgas/pages/default.aspx.

| Well Operator: | SWN Production Company, LLC | Address: | PO Box 1300, 179 Innovation Drive | Office of Oil and Gas |
|-----------------|---|------------|-----------------------------------|-----------------------|
| Telephone: | 832-540-1136 | | Jane Lew, WV 26378 | A116 2 2 2010 |
| Email: | Steve_Teel@SWN.com | Facsimile: | 304-884-1691 | 100 22 2018 |
| Oll and Care Ba | In the second | | | Environmental 2 |

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 03/27/2018 Date Permit Application Filed: 01

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

| CERTIFIED MAIL | HAND |
|--------------------------|----------|
| RETURN RECEIPT REQUESTED | DELIVERY |

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

| Name: SWN Production Company, LLC | Name: |
|-----------------------------------|----------|
| Address: PO box 672625 | Address: |
| Houston, TX 77267 | |

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

| State: | West Virginia | LITM NAD 02 | Easting: | 530,900.805 | |
|-------------|------------------|------------------|-----------|-----------------|--|
| County: | Wetzel | UTM NAD 83 | Northing: | 4,392,582.317 | |
| District: | Proctor | Public Road Acc | cess: | Macedonia Ridge | |
| Quadrangle: | Wileyville, WV | Generally used f | arm name: | SWN A WTZ | |
| Watershed: | Upper Ohio South | | | | |

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-andgas/pages/default.aspx.

| Well Operator: | SWN Production Company, LLC | Address: | PO Box 1300, 179 Innovation Drive | Office of Oil and Gas |
|----------------|-----------------------------|------------|-----------------------------------|-----------------------|
| Telephone: | 832-540-1136 | | Jane Lew, WV 26378 | AUG 2 2 2018 |
| Email: | Steve_Teel@SWN.com | Facsimile: | 304-884-1691 | 100 2 2 2018 |
| | and a part of the second | | | WV Decar mant. |

Oil and Gas Privacy Notice:

4710303250



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

March 27, 2018

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the SWN A WTZ Pad, Wetzel County SWN A UD WTZ 105H

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #06-2018-0223 for the subject site to Southwestern Energy for access to the State Road for the well site located off of Wetzel County Route 89 SLS.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dary K. Clayton

Gary K. Clayton, P.E. Regional Maintenance Enginetifice of Oil and Gas Central Office Oil & Gas Coordinator AUG 2 2 2018

MV G r Environmental Protection

Cc: Brittany Woody Southwestern Energy CH, OM, D-6 File

4710 0 3 2 Re 5 6 0 1/2018

| Product Name | Product Use | Chemical Name | CAS Number |
|---------------------------------------|--------------------------|--|--|
| | | Hydrogen Peroxide | 7722-84-1 |
| EC6734A (Champion Technologies) | Biocide | Acetic Acid | 64-19-7 |
| EC0754A (Champion recinologies) | 51001.00 | Peroxyacetic Acid | 79-21-0 |
| | | Methanol | 67-56-1 |
| GYPTRON T-390 (Champion Technologies) | Scale Inhibitor | Nonylphenol Ethoxylate | Proprietary |
| | | Glutaraldehyde | 111-30-8 |
| | | Quaternary Ammonium Compounds, Benzyl-C12- | |
| Bactron K-139 (Champion Technologies) | Biocide | 16-Alkyldimethyl, Chlorides | 68424-85-1 |
| | | Ethanol | 64-17-5 |
| | | Methanol | 67-56-1 |
| Bactron K-219 (Champion Technologies) | Biocide | Quaternary Ammonium Compounds, Benzyl-C12- | 68424-85-1 |
| | | 16-Alkyldimethyl, Chlorides | |
| EC6486A (Nalco Champion) | Scale Inhibitor | Amine Triphosphate | Proprietary |
| | | Ethylene Glycol | 107-21-1 |
| WFRA-2000 (U.S. Well Services) | Anionic Friction Reducer | Hydrotreated light distillate (petroleum) | 64742-47-8 |
| | | Propenoic acid, polymer with propenamide | 9003-06 9 |
| | | Ethylene glycol | <u> 107-21 1</u> 104-55 2 |
| | | Cinnamaldehyde | 104-55 2 |
| AI-303 (U.S. Well Services) | Mixture | Butyl cellosolve Formic acid | 64-18 6 |
| | | Polyether | Proprietary |
| | | Acetophenone, thiourea, formaldehyde polymer | 68527-49 1 |
| | Breaker | Ammonium persulfate | 7727-54-0 |
| AP ONE (U.S. Well Services) | Viscosifying Agent | Distillates, petroleum, hydrotreated light | 64742-47-8 |
| OPTI-FLEX (U.S. Well Services) | | Methanol | 67-56-1 |
| | | Oxyalkylated fatty acid | 68951-67-7 |
| | | Fatty acids | 61790-12-3 |
| | | Modified thiourea polymer | 68527-49-1 |
| Econo-Cl200 (SWN Well Services) | Corrosion Inhibitor | Water | 7732-18-5 |
| | | Hydrochloric acid | 7647-01-0 |
| | | Potassium acetate | 127-08-2 |
| | | Formaldehyde | 50-00-0 |
| | | Acetic Acid | 64-19-7 |
| Ecopol-FEAC (SWN Well Services) | Iron Control | Citric Acid | 77-92-9 |
| | | Water | 7732-18-5 |
| | | Hydrochloric Acid | 7647-01-0 |
| HCL (SWN Well Services) | Hydrocholic Acid | Water | 7732-18-5 |
| FLOJET DRP 1130X (SWN Well Services) | Friction Reducer | Proprietary | Proprietary |
| <u></u> | | Distillates (petroleum) hydrotreated light | 64674-47-8 |
| | | Ethylene Glycol | 107-21-1 |
| FLOJET DR900 LPP (SWN Well Services) | Friction Reducer | Alcohols, C12-16, Exoxylated propoxylated | 68213-24-1 |
| | | Fatty Alcohois ethoxylated | Proprietary |
| | | Water | 7732-18-5 |
| FR-76 (Halliburton) | Friction Reducer | Hydrotreated light petroleum distillate | 64742-47-8 |
| | | Inorganic Salt | Proprietary |
| HAI-150E (Halliburton) | Corrosion Inhibitor | No hazardous substance | N/A |
| FDP-S1176-15 (Halliburton) | Friction Reducer | Polyacylate | Proprietary |
| | | Hydrotreated light petroleum distillate | 64742-47-8 |
| LP-65 MC (Halliburton) | Scale Inhibitor | Hydrotreated light petroleum distillate Organic phosphonate _{Office of Cil} and Ammonium Chloride | Proprietary ^{Gas} 12125-02-9 |
| CarboNRT | Tracer | Ceramic Proppant AUG 2220 | 8 66402-68-4 |

WV Department of Environmental Protection NOTES:

1. THIS PLAN IS FOR GRADING, STORMWATER SYSTEMS, AND EROSION AND SEDIMENT CONTROL PURPOSES ONLY.

2. PROPERTY INFORMATION SHOWN HEREON IS FROM GIS DATA PROVIDED BY SOUTHWESTERN ENERGY PRODUCTION COMPANY AND HAS NOT BEEN FIELD VERIFIED. 3. THE CONTRACTOR SHALL REFER TO OTHER PLANS WITHIN THIS SET FOR OTHER PERTINENT INFORMATION. IT IS NOT THE ENGINEER'S INTENT THAT ANY SINGLE PLAN SET FOLLY DEPICTS ALL WORK ASSOCIATED WITH THIS PROJECT.

A SOL TYPE BOUNDARY, AND CHARACTERISTICS SHOWN HEREON WERE ACQUIRED FROM NRCS WEB SOL SURVEY. 5. THE CONTRACTOR SHALL REFER TO THE GEOTECHNICAL ENGINEERING REPORT.

 THE CONTRACTOR SHALL REPERTO THE GEOTECHNICAL ENGINEERING REPORT, DATED MARCH 21, 2017, PROVIDED BY STA ENERGY, LLC FOR FULL SOLIS STABILIZATION TECHNOLUES TO BE IMPLEMENTED IN CONSTRUCTION OF CUT AND FILL SLOPES
 THE TOPOGRAPHIC SURVEY USED FOR THIS BASE MAPPING INSIDE THE LOD WAS PERFORMED BY JHA COMPANIES FROM JANUARY 03, 2017 TO JUNE 28, 2018. TOPOGRAPHIC MAPPING OUTSIDE OF THE LOD IS FROM LIDAR DATA FROM WY GIS TECHNICAL CENTER.

7. NO TOPSOIL REMOVAL BETWEEN LIMIT OF CONSTRUCTION AND LIMIT OF DISTURBANCE. VEGETATIVE BUFFER TO REMAIN.

 FILL WILL BE COMPACTED TO 95% OF STANDARD PROCTOR DENSITY (ASTM-698). FILL LIFT THICKNESS WILL BE NO GREATER THAN 12", NOTHING FROZEN OR TOO WET WILL BE PLACED IN FILL AREAS. PARTICLE SIZE OF THE FILL WILL BE NO GREATER THAN 6" AND FREE OF DEJECTIONABLE MATERIAL.

| ENGINEER'S ESTIMATE OF QUANTITIES | | | |
|---|--------------------|------|--|
| DESCRIPTION | ESTIMATED QUANTITY | UNIT | |
| 18" COMPOST FILTER SOCK | 135 | LF | |
| 24" COMPOST FILTER SOCK | 4,475 | LF | |
| ROCK CONSTRUCTION ENTRANCE R-3 AGGREGATE | 144 | CY | |
| CLASS 4 GEOTEXTILE (APRON UNDERLAYMENT) | 434 | SY | |
| SITE RESOIL AREA | 7,4 | AC | |
| PROPOSED STORM CATCHBASINS | 5 | EA | |
| 18" HDPE STORM PIPE (CDC 1 AND 3) | 142.5 | LF | |
| 4" HPDE STORM PIPE (CDC 2) | 60 | ĹF | |
| OUTLET PROTECTION | 7 | EA | |
| 4" PERF. PVC SCH 40 PIPE (PAD UNDERDRAIN) | 1,715 | LF | |
| 4" SOLID FVC SCH 40 PIPE (CATCH BASIN OUTLET) | 407 | LF | |
| WELL PAD PERIMETER BERM | 1,745 | LF | |
| 4" GATE VALVES | 5 | EA | |
| 4" PERF. PVC SDR 35 PIPE (FILL SLOPE BENCH DRAIN) | 8,615 | UF | |
| 5" SOLID PVC SDR 35 PIPE (BENCH DRAIN COLLECTOR) | 560 | LP | |
| AASTHO #57 (BENCH DRAIN BEDDING) | 1,440 | TONS | |
| PAD HEAVY DUTY #467 STONE (6") | 1,070 | CY | |
| PAD HEAVY DUTY #1 STONE (14") | 2.490 | CY | |
| PAD STANDARD #467 STONE (4*) | 2.770 | CY | |
| PAD STANDARD #1 STONE (12') | 8.295 | CY | |
| ACCESS ROAD #467 STONE (4") | 290 | ĊY | |
| AGGESS ROAD #1 STONE (12*) | 985 | CY | |
| PAD CLASS 2 GEOTEXTILE | 15,640 | SY | |
| ACCESS ROAD CLASS 2 GEOTEXTILE | 1.300 | SY | |
| EARTHWORK VOLUMES-CUT | 57,525 | CY | |
| FARTHWORK VOLUMES FILL | 55,065 | CY | |
| WELL CELLARS | 1 | EA | |
| GEOGRID (MIRAGRID SXT OR EQUIVALENT) | 3440 | 5Y | |
| CLEARING AND GRUBBING | 1.6 | AC | |

