



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 1 of 12



REFERENCE WELLPATH IDENTIFICATION			
Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

REPORT SETUP INFORMATION			
Projection System	NAD27 / Lambert West Virginia SP, Northern Zone (4701), US feet	Software System	WellArchitect® 6.0
North Reference	Grid	User	Hilpthop
Scale	0.999941	Report Generated	2/8/2021 at 9:10:03 AM
Convergence at slot	0.66° West	Database	WA_MPL_EASTERNUS_Defn

WELLPATH LOCATION						
	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	-66.97	-20.39	1710204.33	418949.76	39°38'44.5265"N	80°31'44.9046"W
Facility Reference Pt			1710224.72	419016.73	39°38'45.1907"N	80°31'44.6538"W
Field Reference Pt			1688243.35	385255.46	39°33'8.9436"N	80°36'20.3370"W

WELLPATH DATUM			
Calculation method	Minimum curvature	Patterson 292 (RKB) to Facility Vertical Datum	1176.00ft
Horizontal Reference Pt	Slot	Patterson 292 (RKB) to Mean Sea Level	1176.00ft
Vertical Reference Pt	Patterson 292 (RKB)	Patterson 292 (RKB) to Ground Level at Slot (Slot 03)	28.00ft
MD Reference Pt	Patterson 292 (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	302.40°

RECEIVED
 Office of Oil and Gas
 FEB 14 2022
 WV Department of
 Environmental Protection



Where energy meets innovation.

WV Department of
Environmental Protection

FEB 14 2022

RECEIVED
Office of Oil and Gas

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 2 of 12



REFERENCE WELLPATH IDENTIFICATION			
Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
0.00†	0.000	236.060	0.00	0.00	0.00	0.00	1710204.33	418949.76	39°38'44.5265"N	80°31'44.9046"W	0.00	0.000	0.00	0.00	0.00
28.00	0.000	236.060	28.00	0.00	0.00	0.00	1710204.33	418949.76	39°38'44.5265"N	80°31'44.9046"W	0.00	0.000	0.00	0.00	0.00
115.00	0.060	236.060	115.00	0.02	-0.03	-0.04	1710204.29	418949.73	39°38'44.5262"N	80°31'44.9051"W	0.05	236.060	0.07	0.07	0.00
215.00	0.050	236.010	215.00	0.06	-0.08	-0.12	1710204.21	418949.68	39°38'44.5257"N	80°31'44.9061"W	0.14	236.045	0.01	-0.01	-0.05
315.00	0.040	222.310	315.00	0.08	-0.13	-0.18	1710204.15	418949.63	39°38'44.5252"N	80°31'44.9069"W	0.22	233.871	0.01	-0.01	-13.70
415.00	0.050	213.050	415.00	0.09	-0.19	-0.22	1710204.11	418949.57	39°38'44.5246"N	80°31'44.9074"W	0.30	229.497	0.01	0.01	-9.26
515.00	0.060	198.390	515.00	0.07	-0.28	-0.26	1710204.07	418949.48	39°38'44.5237"N	80°31'44.9080"W	0.38	223.604	0.02	0.01	-14.66
615.00	0.050	210.890	615.00	0.06	-0.37	-0.30	1710204.03	418949.39	39°38'44.5229"N	80°31'44.9084"W	0.47	219.751	0.02	-0.01	12.50
715.00	0.050	238.100	715.00	0.08	-0.43	-0.36	1710203.97	418949.33	39°38'44.5223"N	80°31'44.9092"W	0.56	220.469	0.02	0.00	27.21
815.00	0.080	169.640	815.00	0.05	-0.52	-0.39	1710203.94	418949.24	39°38'44.5213"N	80°31'44.9095"W	0.65	216.841	0.08	0.03	-68.46
915.00	0.020	135.660	915.00	-0.01	-0.60	-0.36	1710203.97	418949.16	39°38'44.5205"N	80°31'44.9092"W	0.70	211.226	0.06	-0.06	-33.98
1015.00	0.040	256.450	1015.00	-0.01	-0.62	-0.38	1710203.95	418949.14	39°38'44.5203"N	80°31'44.9094"W	0.73	211.845	0.05	0.02	120.79
1115.00	0.120	337.080	1115.00	0.10	-0.53	-0.46	1710203.87	418949.23	39°38'44.5212"N	80°31'44.9104"W	0.70	220.865	0.12	0.08	80.63
1180.00	0.120	315.510	1180.00	0.23	-0.42	-0.53	1710203.80	418949.34	39°38'44.5223"N	80°31'44.9114"W	0.68	231.814	0.07	0.00	-33.18
1207.00	0.590	30.660	1207.00	0.26	-0.28	-0.48	1710203.85	418949.48	39°38'44.5237"N	80°31'44.9107"W	0.56	239.883	2.12	1.74	278.33
1302.00	0.510	1.050	1301.99	0.49	0.56	-0.23	1710204.10	418950.32	39°38'44.5320"N	80°31'44.9076"W	0.61	338.221	0.31	-0.08	-31.17
1395.00	0.670	261.260	1394.99	1.12	0.89	-0.76	1710203.57	418950.65	39°38'44.5353"N	80°31'44.9144"W	1.17	319.843	0.98	0.17	-107.30
1489.00	1.770	227.420	1488.97	1.91	-0.17	-2.37	1710201.96	418949.59	39°38'44.5245"N	80°31'44.9348"W	2.37	265.870	1.35	1.17	-36.00
1580.00	3.240	220.890	1579.88	2.65	-3.07	-5.09	1710199.24	418946.69	39°38'44.4956"N	80°31'44.9692"W	5.94	238.915	1.64	1.62	-7.18
1674.00	4.630	221.060	1673.66	3.61	-7.94	-9.32	1710195.01	418941.83	39°38'44.4470"N	80°31'45.0225"W	12.24	229.579	1.48	1.48	0.18
1769.00	6.760	219.450	1768.18	4.88	-15.14	-15.39	1710188.94	418934.62	39°38'44.3751"N	80°31'45.0991"W	21.59	225.458	2.25	2.24	-1.69
1863.00	8.990	214.400	1861.29	5.81	-25.48	-23.05	1710181.28	418924.28	39°38'44.2721"N	80°31'45.1956"W	34.36	222.141	2.48	2.37	-5.37
1954.00	10.670	213.810	1950.95	6.27	-38.34	-31.76	1710172.57	418911.42	39°38'44.1440"N	80°31'45.3050"W	49.79	219.634	1.85	1.85	-0.65
2048.00	11.490	215.440	2043.20	6.98	-53.20	-42.03	1710162.30	418896.56	39°38'43.9960"N	80°31'45.4341"W	67.80	218.309	0.93	0.87	1.73
2141.00	12.410	220.220	2134.19	8.83	-68.38	-53.85	1710150.48	418881.38	39°38'43.8446"N	80°31'45.5830"W	87.04	218.223	1.45	0.99	5.14
2234.00	13.120	222.090	2224.89	11.97	-83.84	-67.38	1710136.95	418865.92	39°38'43.6903"N	80°31'45.7537"W	107.57	218.788	0.88	0.76	2.01
2329.00	13.060	222.290	2317.42	15.63	-99.79	-81.83	1710122.50	418849.98	39°38'43.5311"N	80°31'45.9360"W	129.05	219.355	0.08	-0.06	0.21
2422.00	13.130	223.000	2408.00	19.37	-115.28	-96.11	1710108.23	418834.48	39°38'43.3763"N	80°31'46.1162"W	150.09	219.816	0.19	0.08	0.76
2447.00	12.790	221.780	2432.36	20.35	-119.42	-99.89	1710104.45	418830.34	39°38'43.3350"N	80°31'46.1639"W	155.69	219.909	1.75	-1.36	-4.88
2540.00	11.410	218.620	2523.30	23.02	-134.29	-112.49	1710091.85	418815.48	39°38'43.1867"N	80°31'46.3228"W	175.18	219.951	1.65	-1.48	-3.40



Where energy meets innovation.

WV Department of Environmental Protection

FEB 14 2022

RECEIVED
Office of Oil and Gas

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'

Page 3 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
2631.00	12.310	217.010	2612.35	24.78	-149.07	-123.95	1710080.39	418800.70	39°38'43.0393"N	80°31'46.4671"W	193.87	219.743	1.05	0.99	-1.77
2723.00	14.590	219.290	2701.82	26.95	-165.87	-137.19	1710067.15	418783.90	39°38'42.8718"N	80°31'46.6339"W	215.25	219.594	2.54	2.48	2.48
2814.00	16.950	218.990	2789.39	29.85	-185.05	-152.80	1710051.54	418764.72	39°38'42.6804"N	80°31'46.8306"W	239.98	219.546	2.59	2.59	-0.33
2907.00	19.080	221.630	2877.83	33.85	-206.96	-171.43	1710032.92	418742.82	39°38'42.4619"N	80°31'47.0656"W	268.73	219.636	2.45	2.29	2.84
3000.00	20.560	220.800	2965.32	38.67	-230.68	-192.19	1710012.15	418719.09	39°38'42.2251"N	80°31'47.3276"W	300.25	219.800	1.62	1.59	-0.89
3092.00	23.570	222.190	3050.57	44.16	-256.54	-215.11	1709989.23	418693.23	39°38'41.9669"N	80°31'47.6167"W	334.79	219.980	3.32	3.27	1.51
3182.00	25.150	222.050	3132.56	50.43	-284.08	-240.00	1709964.34	418665.70	39°38'41.6919"N	80°31'47.9309"W	371.89	220.193	1.76	1.76	-0.16
3275.00	29.030	223.890	3215.34	58.24	-315.03	-268.90	1709935.45	418634.75	39°38'41.3828"N	80°31'48.2956"W	414.18	220.483	4.27	4.17	1.98
3367.00	33.160	221.680	3294.10	66.74	-349.92	-301.12	1709903.23	418599.86	39°38'41.0343"N	80°31'48.7024"W	461.65	220.713	4.66	4.49	-2.40
3461.00	35.820	220.640	3371.58	74.83	-390.00	-336.13	1709868.22	418559.78	39°38'40.6342"N	80°31'49.1441"W	514.87	220.757	2.90	2.83	-1.11
3554.00	36.030	218.600	3446.89	81.69	-432.03	-370.92	1709833.43	418517.76	39°38'40.2150"N	80°31'49.5827"W	569.42	220.648	1.31	0.23	-2.19
3648.00	36.430	219.200	3522.71	87.98	-475.27	-405.81	1709798.54	418474.52	39°38'39.7837"N	80°31'50.0223"W	624.95	220.493	0.57	0.43	0.64
3744.00	38.000	220.110	3599.16	95.32	-519.96	-442.87	1709761.49	418429.83	39°38'39.3378"N	80°31'50.4894"W	683.00	220.422	1.73	1.64	0.95
3837.00	38.490	222.060	3672.21	104.02	-563.34	-480.70	1709723.66	418386.45	39°38'38.9048"N	80°31'50.9666"W	740.56	220.474	1.40	0.53	2.10
3929.00	37.880	221.990	3744.52	113.53	-605.59	-518.78	1709685.58	418344.20	39°38'38.4830"N	80°31'51.4471"W	797.42	220.585	0.66	-0.66	-0.08
4023.00	37.820	219.760	3818.75	122.03	-649.20	-556.52	1709647.85	418300.60	39°38'38.0478"N	80°31'51.9231"W	855.09	220.604	1.46	-0.06	-2.37
4118.00	36.360	221.750	3894.53	130.33	-692.60	-593.90	1709610.46	418257.20	39°38'37.6146"N	80°31'52.3946"W	912.37	220.613	1.99	-1.54	2.09
4213.00	34.570	222.720	3971.90	139.74	-733.42	-630.94	1709573.43	418216.39	39°38'37.2070"N	80°31'52.8621"W	967.46	220.705	1.98	-1.88	1.02
4307.00	35.730	221.800	4048.76	149.00	-773.47	-667.33	1709537.04	418176.34	39°38'36.8071"N	80°31'53.3213"W	1021.56	220.787	1.36	1.23	-0.98
4402.00	35.860	219.570	4125.82	157.00	-815.60	-703.54	1709500.83	418134.21	39°38'36.3866"N	80°31'53.7780"W	1077.12	220.781	1.38	0.14	-2.35
4495.00	35.260	218.380	4201.47	163.20	-857.64	-737.56	1709466.81	418092.17	39°38'35.9673"N	80°31'54.2067"W	1131.17	220.695	0.98	-0.65	-1.28
4589.00	34.140	214.510	4278.76	167.00	-900.65	-769.36	1709435.02	418049.16	39°38'35.5386"N	80°31'54.6068"W	1184.52	220.505	2.63	-1.19	-4.12
4683.00	33.380	215.070	4356.91	169.17	-943.56	-799.16	1709405.22	418006.26	39°38'35.1113"N	80°31'54.9815"W	1236.51	220.264	0.87	-0.81	0.60
4776.00	34.570	217.450	4434.04	172.69	-985.44	-829.91	1709374.47	417964.38	39°38'34.6938"N	80°31'55.3683"W	1288.35	220.103	1.92	1.28	2.56
4871.00	34.960	218.740	4512.08	178.07	-1028.07	-863.33	1709341.05	417921.75	39°38'34.2687"N	80°31'55.7892"W	1342.49	220.022	0.88	0.41	1.36
4966.00	34.590	221.440	4590.12	185.31	-1069.52	-898.21	1709306.17	417880.31	39°38'33.8552"N	80°31'56.2290"W	1396.66	220.024	1.67	-0.39	2.84
5058.00	33.870	222.850	4666.18	194.06	-1107.89	-932.93	1709271.46	417841.94	39°38'33.4720"N	80°31'56.6672"W	1448.37	220.100	1.16	-0.78	1.53
5153.00	34.990	221.730	4744.54	203.28	-1147.63	-969.07	1709235.32	417802.20	39°38'33.0752"N	80°31'57.1232"W	1502.04	220.178	1.35	1.18	-1.18
5248.00	35.520	222.340	4822.12	212.46	-1188.35	-1005.78	1709198.61	417761.48	39°38'32.6686"N	80°31'57.5866"W	1556.85	220.243	0.67	0.56	0.64
5342.00	36.280	224.150	4898.26	222.84	-1228.50	-1043.55	1709160.85	417721.34	39°38'32.2676"N	80°31'58.0634"W	1611.89	220.346	1.39	0.81	1.93



Where energy meets innovation.

VA Department of Environmental Protection

FEB 14 2022

RECEIVED
Office of Oil and Gas

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 4 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
5435.00	35.330	223.310	4973.69	233.53	-1267.81	-1081.16	1709123.24	417682.03	39°38'31.8748"N	80°31'58.5383"W	1666.21	220.457	1.15	-1.02	-0.90
5527.00	35.230	220.380	5048.79	242.25	-1307.38	-1116.60	1709087.80	417642.46	39°38'31.4797"N	80°31'58.9855"W	1719.31	220.500	1.84	-0.11	-3.18
5621.00	34.330	219.330	5126.00	249.21	-1348.54	-1150.97	1709053.43	417601.31	39°38'31.0691"N	80°31'59.4187"W	1772.93	220.481	1.15	-0.96	-1.12
5712.00	33.410	220.180	5201.56	255.70	-1387.53	-1183.39	1709021.01	417562.32	39°38'30.6801"N	80°31'59.8275"W	1823.64	220.460	1.14	-1.01	0.93
5804.00	33.540	220.190	5278.30	262.57	-1426.29	-1216.14	1708988.27	417523.55	39°38'30.2932"N	80°32'0.2403"W	1874.38	220.453	0.14	0.14	0.01
5897.00	34.900	219.470	5355.20	269.33	-1466.46	-1249.63	1708954.78	417483.39	39°38'29.8925"N	80°32'0.6625"W	1926.68	220.436	1.53	1.46	-0.77
5989.00	36.070	218.650	5430.11	275.52	-1507.93	-1283.28	1708921.13	417441.92	39°38'29.4788"N	80°32'1.0865"W	1980.07	220.398	1.37	1.27	-0.89
6082.00	36.850	219.930	5504.91	282.15	-1550.70	-1318.28	1708886.13	417399.16	39°38'29.0522"N	80°32'1.5276"W	2035.32	220.368	1.17	0.84	1.38
6173.00	36.180	221.860	5578.05	290.14	-1591.63	-1353.72	1708850.70	417358.23	39°38'28.6437"N	80°32'1.9745"W	2089.46	220.382	1.46	-0.74	2.12
6265.00	35.290	221.890	5652.72	298.99	-1631.64	-1389.58	1708814.83	417318.22	39°38'28.2442"N	80°32'2.4271"W	2143.17	220.419	0.97	-0.97	0.03
6359.00	35.290	221.310	5729.45	307.67	-1672.25	-1425.64	1708778.78	417277.62	39°38'27.8388"N	80°32'2.8819"W	2197.46	220.449	0.36	0.00	-0.62
6450.00	35.910	222.980	5803.44	316.64	-1711.52	-1461.18	1708743.24	417238.35	39°38'27.4467"N	80°32'3.3305"W	2250.41	220.489	1.27	0.68	1.84
6544.00	36.230	221.020	5879.43	325.87	-1752.64	-1498.21	1708706.21	417197.22	39°38'27.0360"N	80°32'3.7977"W	2305.73	220.525	1.27	0.34	-2.09
6636.00	34.850	217.570	5954.29	332.31	-1794.00	-1532.09	1708672.34	417155.87	39°38'26.6235"N	80°32'4.2246"W	2359.18	220.498	2.65	-1.50	-3.75
6730.00	33.800	215.380	6031.93	336.09	-1836.60	-1563.60	1708640.82	417113.27	39°38'26.1988"N	80°32'4.6212"W	2412.05	220.410	1.72	-1.12	-2.33
6823.00	33.180	215.080	6109.49	338.63	-1878.52	-1593.21	1708611.22	417071.35	39°38'25.7812"N	80°32'4.9934"W	2463.16	220.302	0.69	-0.67	-0.32
6917.00	33.880	214.290	6187.84	340.69	-1921.22	-1622.75	1708581.68	417028.66	39°38'25.3559"N	80°32'5.3647"W	2514.83	220.186	0.88	0.74	-0.84
7009.00	35.060	217.020	6263.69	343.67	-1963.50	-1653.11	1708551.32	416986.38	39°38'24.9346"N	80°32'5.7465"W	2566.73	220.095	2.11	1.28	2.97
7101.00	33.670	221.880	6339.65	350.00	-2003.60	-1686.05	1708518.38	416946.28	39°38'24.5346"N	80°32'6.1617"W	2618.62	220.081	3.34	-1.51	5.28
7194.00	35.770	224.210	6416.09	359.81	-2042.28	-1722.22	1708482.22	416907.60	39°38'24.1482"N	80°32'6.6183"W	2671.51	220.140	2.67	2.26	2.51
7288.00	37.860	226.630	6491.34	372.52	-2081.79	-1762.35	1708442.09	416868.10	39°38'23.7532"N	80°32'7.1254"W	2727.59	220.250	2.71	2.22	2.57
7381.00	40.840	225.120	6563.25	386.24	-2122.86	-1804.66	1708399.78	416827.03	39°38'23.3425"N	80°32'7.6601"W	2786.27	220.368	3.37	3.20	-1.62
7475.00	40.250	221.560	6634.69	397.84	-2167.27	-1846.59	1708357.86	416782.62	39°38'22.8988"N	80°32'8.1895"W	2847.27	220.432	2.54	-0.63	-3.79
7560.00	40.630	218.660	6699.39	405.23	-2209.43	-1882.10	1708322.35	416740.46	39°38'22.4781"N	80°32'8.6371"W	2902.39	220.426	2.26	0.45	-3.41
7643.00	39.980	215.780	6762.69	409.75	-2252.17	-1914.57	1708289.88	416697.73	39°38'22.0520"N	80°32'9.0459"W	2955.99	220.368	2.38	-0.78	-3.47
7738.00	39.830	222.910	6835.60	417.10	-2299.24	-1953.15	1708251.30	416650.66	39°38'21.5825"N	80°32'9.5321"W	3016.84	220.347	4.82	-0.16	7.51
7833.00	40.500	236.600	6908.35	435.34	-2338.58	-1999.71	1708204.74	416611.32	39°38'21.1884"N	80°32'10.1214"W	3076.98	220.534	9.31	0.71	14.41
7928.00	42.410	253.000	6979.76	468.93	-2365.01	-2056.27	1708148.18	416584.89	39°38'20.9207"N	80°32'10.8404"W	3133.94	221.006	11.58	2.01	17.26
8023.00	45.780	267.030	7048.14	517.67	-2376.17	-2121.08	1708083.38	416573.73	39°38'20.8031"N	80°32'11.6671"W	3185.15	221.754	10.85	3.55	14.77
8118.00	49.760	280.180	7112.13	579.17	-2371.52	-2190.96	1708013.50	416578.39	39°38'20.8411"N	80°32'12.5610"W	3228.68	222.734	11.06	4.19	13.84



Where energy meets innovation.

WV Department of Environmental Protection

FEB 14 2022

RECEIVED Office of Oil and Gas

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 5 of 12



REFERENCE WELLPATH IDENTIFICATION				
Operator	EQT PRODUCTION COMPANY		Well	Sizemore 3H (675526)
Field	Wetzel		API	47-103-03345-00-00
Facility	Sizemore Pad		Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03			

WELLPATH DATA (248 stations)															
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
8213.00	55.190	292.270	7170.11	651.35	-2350.26	-2262.96	1707941.51	416599.64	39°38'21.0429"N	80°32'13.4844"W	3262.63	223.916	11.58	5.72	12.73
8308.00	62.080	298.330	7219.56	731.76	-2315.50	-2336.13	1707868.34	416634.40	39°38'21.3781"N	80°32'14.4248"W	3289.23	225.254	9.07	7.25	6.38
8403.00	66.120	300.620	7261.05	817.08	-2273.44	-2410.49	1707793.98	416676.46	39°38'21.7853"N	80°32'15.3814"W	3313.46	226.676	4.77	4.25	2.41
8498.00	71.960	305.810	7295.04	905.71	-2224.82	-2484.61	1707719.88	416725.08	39°38'22.2573"N	80°32'16.3358"W	3335.13	228.157	7.99	6.15	5.46
8593.00	79.530	312.410	7318.44	997.02	-2166.74	-2555.90	1707648.59	416783.15	39°38'22.8231"N	80°32'17.2556"W	3350.73	229.711	10.43	7.97	6.95
8689.00	88.120	315.690	7328.76	1090.39	-2100.44	-2624.41	1707580.08	416849.45	39°38'23.4705"N	80°32'18.1411"W	3361.45	231.328	9.57	8.95	3.42
8784.00	89.320	316.920	7330.88	1182.58	-2031.77	-2690.02	1707514.48	416918.11	39°38'24.1416"N	80°32'18.9898"W	3371.10	232.936	1.81	1.26	1.29
8880.00	91.080	316.990	7330.55	1275.49	-1961.62	-2755.54	1707448.96	416988.26	39°38'24.8275"N	80°32'19.8377"W	3382.45	234.554	1.83	1.83	0.07
8975.00	90.090	315.120	7329.58	1367.80	-1893.22	-2821.46	1707383.04	417056.65	39°38'25.4958"N	80°32'20.6904"W	3397.78	236.138	2.23	-1.04	-1.97
9070.00	90.460	315.580	7329.12	1460.38	-1825.64	-2888.22	1707316.28	417124.23	39°38'26.1561"N	80°32'21.5537"W	3416.84	237.703	0.62	0.39	0.48
9165.00	90.460	316.700	7328.36	1552.66	-1757.15	-2954.05	1707250.47	417192.72	39°38'26.8255"N	80°32'22.4051"W	3437.14	239.255	1.18	0.00	1.18
9260.00	90.740	316.310	7327.36	1644.79	-1688.23	-3019.43	1707185.09	417261.63	39°38'27.4990"N	80°32'23.2510"W	3459.35	240.789	0.51	0.29	-0.41
9355.00	90.620	317.430	7326.23	1736.77	-1618.91	-3084.37	1707120.15	417330.95	39°38'28.1767"N	80°32'24.0914"W	3483.42	242.306	1.19	-0.13	1.18
9450.00	89.970	316.220	7325.75	1828.77	-1549.63	-3149.37	1707055.15	417400.22	39°38'28.8539"N	80°32'24.9324"W	3509.97	243.801	1.45	-0.68	-1.27
9545.00	90.280	316.690	7325.54	1920.92	-1480.77	-3214.82	1706989.71	417469.08	39°38'29.5269"N	80°32'25.7792"W	3539.45	245.269	0.59	0.33	0.49
9640.00	90.860	316.400	7324.59	2013.04	-1411.81	-3280.15	1706924.38	417538.03	39°38'30.2009"N	80°32'26.6245"W	3571.08	246.712	0.68	0.61	-0.31
9736.00	90.520	316.390	7323.44	2106.18	-1342.30	-3346.36	1706858.18	417607.54	39°38'30.8802"N	80°32'27.4810"W	3605.54	248.143	0.35	-0.35	-0.01
9831.00	90.250	316.460	7322.80	2198.35	-1273.48	-3411.84	1706792.70	417676.36	39°38'31.5529"N	80°32'28.3282"W	3641.76	249.532	0.29	-0.28	0.07
9926.00	90.710	317.540	7322.00	2290.27	-1204.01	-3476.63	1706727.92	417745.83	39°38'32.2320"N	80°32'29.1666"W	3679.21	250.898	1.24	0.48	1.14
10022.00	90.590	314.140	7320.91	2383.63	-1135.15	-3543.49	1706661.05	417814.68	39°38'32.9048"N	80°32'30.0315"W	3720.87	252.237	3.54	-0.13	-3.54
10117.00	90.770	315.080	7319.79	2476.47	-1068.44	-3611.12	1706593.43	417881.39	39°38'33.5563"N	80°32'30.9057"W	3765.86	253.518	1.01	0.19	0.99
10307.00	90.520	314.700	7317.65	2661.96	-934.36	-3745.72	1706458.84	418015.46	39°38'34.8660"N	80°32'32.6461"W	3860.49	255.994	0.24	-0.13	-0.20
10402.00	90.090	313.390	7317.14	2755.00	-868.31	-3814.00	1706390.56	418081.50	39°38'35.5108"N	80°32'33.5287"W	3911.59	257.174	1.45	-0.45	-1.38
10498.00	90.310	315.210	7316.81	2848.93	-801.27	-3882.70	1706321.86	418148.54	39°38'36.1655"N	80°32'34.4168"W	3964.52	258.340	1.91	0.23	1.90
10593.00	89.910	314.980	7316.62	2941.61	-733.98	-3949.77	1706254.81	418215.82	39°38'36.8228"N	80°32'35.2840"W	4017.38	259.473	0.49	-0.42	-0.24
10688.00	90.220	315.040	7316.52	3034.32	-666.79	-4016.93	1706187.65	418283.01	39°38'37.4790"N	80°32'36.1525"W	4071.90	260.575	0.33	0.33	0.06
10783.00	90.520	313.180	7315.90	3127.34	-600.68	-4085.14	1706119.44	418349.12	39°38'38.1246"N	80°32'37.0341"W	4129.06	261.635	1.98	0.32	-1.96
10878.00	90.120	315.040	7315.37	3220.35	-534.56	-4153.34	1706051.24	418415.24	39°38'38.7702"N	80°32'37.9158"W	4187.60	262.666	2.00	-0.42	1.96
10973.00	90.030	315.070	7315.25	3313.05	-467.32	-4220.45	1705984.14	418482.47	39°38'39.4270"N	80°32'38.7836"W	4246.25	263.682	0.10	-0.09	0.03
11068.00	90.740	313.050	7314.61	3406.08	-401.26	-4288.71	1705915.88	418548.53	39°38'40.0720"N	80°32'39.6660"W	4307.44	264.655	2.25	0.75	-2.13



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 6 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
11164.00	90.060	313.060	7313.94	3500.42	-335.72	-4358.86	1705845.74	418614.06	39°38'40.7116"N	80°32'40.5723"W	4371.77	265.596	0.71	-0.71	0.01
11259.00	90.590	315.940	7313.40	3593.30	-269.14	-4426.61	1705777.99	418680.63	39°38'41.3617"N	80°32'41.4482"W	4434.78	266.521	3.08	0.56	3.03
11354.00	89.720	312.650	7313.14	3686.24	-202.81	-4494.60	1705710.01	418746.96	39°38'42.0095"N	80°32'42.3271"W	4499.17	267.416	3.58	-0.92	-3.46
11450.00	90.340	314.490	7313.09	3780.42	-136.64	-4564.15	1705640.46	418813.12	39°38'42.6553"N	80°32'43.2260"W	4566.19	268.285	2.02	0.65	1.92
11545.00	90.090	311.200	7312.74	3873.83	-72.05	-4633.79	1705570.82	418877.71	39°38'43.2856"N	80°32'44.1259"W	4634.35	269.109	3.47	-0.26	-3.46
11640.00	89.480	312.980	7313.09	3967.47	-8.38	-4704.29	1705500.33	418941.38	39°38'43.9068"N	80°32'45.0364"W	4704.29	269.898	1.98	-0.64	1.87
11735.00	90.090	315.390	7313.45	4060.46	57.83	-4772.40	1705432.22	419007.59	39°38'44.5532"N	80°32'45.9170"W	4772.76	270.694	2.62	0.64	2.54
11831.00	90.920	316.680	7312.60	4153.75	126.92	-4839.05	1705365.58	419076.67	39°38'45.2284"N	80°32'46.7791"W	4840.71	271.502	1.60	0.86	1.34
11926.00	90.030	314.600	7311.82	4246.22	194.84	-4905.46	1705299.17	419144.58	39°38'45.8919"N	80°32'47.6382"W	4909.33	272.274	2.38	-0.94	-2.19
12021.00	90.250	315.860	7311.58	4338.84	262.28	-4972.36	1705232.27	419212.02	39°38'46.5507"N	80°32'48.5035"W	4979.28	273.019	1.35	0.23	1.33
12116.00	91.260	315.490	7310.33	4431.29	330.23	-5038.74	1705165.90	419279.97	39°38'47.2146"N	80°32'49.3620"W	5049.55	273.750	1.13	1.06	-0.39
12211.00	90.990	315.090	7308.47	4523.88	397.74	-5105.56	1705099.09	419347.47	39°38'47.8740"N	80°32'50.2262"W	5121.03	274.454	0.51	-0.28	-0.42
12306.00	91.360	317.230	7306.52	4616.13	466.24	-5171.34	1705033.31	419415.97	39°38'48.5434"N	80°32'51.0773"W	5192.32	275.152	2.29	0.39	2.25
12401.00	90.990	315.560	7304.57	4708.29	535.01	-5236.84	1704967.81	419484.74	39°38'49.2155"N	80°32'51.9249"W	5264.10	275.833	1.80	-0.39	-1.76
12496.00	91.760	316.470	7302.29	4800.59	603.35	-5302.80	1704901.86	419553.07	39°38'49.8832"N	80°32'52.7782"W	5337.01	276.491	1.25	0.81	0.96
12591.00	91.760	316.160	7299.37	4892.76	672.01	-5368.38	1704836.28	419621.73	39°38'50.5542"N	80°32'53.6268"W	5410.28	277.135	0.33	0.00	-0.33
12686.00	91.690	315.380	7296.51	4985.14	740.05	-5434.62	1704770.04	419689.77	39°38'51.2190"N	80°32'54.4836"W	5484.78	277.754	0.82	-0.07	-0.82
12781.00	90.800	313.910	7294.45	5077.95	806.79	-5502.19	1704702.48	419756.50	39°38'51.8707"N	80°32'55.3574"W	5561.03	278.342	1.81	-0.94	-1.55
12876.00	90.680	313.100	7293.22	5171.17	872.19	-5571.09	1704633.58	419821.89	39°38'52.5090"N	80°32'56.2478"W	5638.95	278.898	0.86	-0.13	-0.85
12971.00	90.830	315.770	7291.97	5264.06	938.68	-5638.91	1704565.76	419888.39	39°38'53.1584"N	80°32'57.1247"W	5716.51	279.451	2.81	0.16	2.81
13066.00	90.400	314.920	7290.95	5356.64	1006.26	-5705.68	1704499.00	419955.95	39°38'53.8184"N	80°32'57.9883"W	5793.73	280.002	1.00	-0.45	-0.89
13162.00	90.220	315.280	7290.43	5450.29	1074.26	-5773.44	1704431.24	420023.95	39°38'54.4826"N	80°32'58.8647"W	5872.53	280.540	0.42	-0.19	0.37
13257.00	90.000	315.440	7290.25	5542.87	1141.85	-5840.19	1704364.50	420091.54	39°38'55.1429"N	80°32'59.7281"W	5950.77	281.063	0.29	-0.23	0.17
13352.00	90.370	314.830	7289.94	5635.53	1209.18	-5907.21	1704297.49	420158.87	39°38'55.8006"N	80°33'0.5948"W	6029.69	281.568	0.75	0.39	-0.64
13447.00	90.370	314.890	7289.33	5728.29	1276.19	-5974.54	1704230.15	420225.88	39°38'56.4550"N	80°33'1.4656"W	6109.32	282.057	0.06	0.00	0.06
13542.00	91.570	316.960	7287.72	5820.64	1344.43	-6040.61	1704164.09	420294.11	39°38'57.1217"N	80°33'2.3204"W	6188.42	282.548	2.52	1.26	2.18
13637.00	90.250	315.720	7286.21	5912.83	1413.15	-6106.19	1704098.52	420362.82	39°38'57.7932"N	80°33'3.1689"W	6267.58	283.030	1.91	-1.39	-1.31
13732.00	90.620	315.580	7285.49	6005.29	1481.08	-6172.59	1704032.11	420430.75	39°38'58.4569"N	80°33'4.0280"W	6347.79	283.493	0.42	0.39	-0.15
13827.00	90.250	315.940	7284.77	6097.72	1549.13	-6238.87	1703965.84	420498.80	39°38'59.1218"N	80°33'4.8854"W	6428.32	283.945	0.54	-0.39	0.38
13922.00	89.720	316.120	7284.79	6190.04	1617.51	-6304.83	1703899.89	420567.17	39°38'59.7898"N	80°33'5.7387"W	6509.01	284.389	0.59	-0.56	0.19



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 7 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
14018.00	89.600	315.570	7285.36	6283.41	1686.38	-6371.70	1703833.02	420636.04	39°39'0.4627"N	80°33'6.6039"W	6591.09	284.824	0.59	-0.13	-0.57
14112.00	89.910	316.310	7285.76	6374.80	1753.93	-6437.07	1703767.66	420703.58	39°39'1.1227"N	80°33'7.4496"W	6671.74	285.242	0.85	0.33	0.79
14207.00	90.310	315.840	7285.58	6467.10	1822.35	-6502.97	1703701.76	420772.00	39°39'1.7913"N	80°33'8.3023"W	6753.49	285.655	0.65	0.42	-0.49
14302.00	90.090	315.650	7285.25	6559.54	1890.39	-6569.26	1703635.47	420840.04	39°39'2.4560"N	80°33'9.1600"W	6835.85	286.054	0.31	-0.23	-0.20
14397.00	90.430	316.170	7284.82	6651.91	1958.63	-6635.36	1703569.37	420908.27	39°39'3.1227"N	80°33'10.0152"W	6918.40	286.446	0.65	0.36	0.55
14492.00	90.340	315.920	7284.18	6744.22	2027.01	-6701.30	1703503.44	420976.65	39°39'3.7909"N	80°33'10.8684"W	7001.16	286.830	0.28	-0.09	-0.26
14587.00	89.200	316.310	7284.56	6836.51	2095.48	-6767.15	1703437.59	421045.11	39°39'4.4599"N	80°33'11.7205"W	7084.17	287.205	1.27	-1.20	0.41
14682.00	90.090	316.160	7285.15	6928.75	2164.09	-6832.86	1703371.88	421113.71	39°39'5.1302"N	80°33'12.5708"W	7167.38	287.574	0.95	0.94	-0.16
14778.00	90.150	315.290	7284.95	7022.17	2232.82	-6899.88	1703304.87	421182.45	39°39'5.8017"N	80°33'13.4378"W	7252.16	287.932	0.91	0.06	-0.91
14873.00	89.880	314.840	7284.93	7114.86	2300.07	-6966.98	1703237.78	421249.69	39°39'6.4586"N	80°33'14.3057"W	7336.83	288.270	0.55	-0.28	-0.47
14968.00	90.060	315.500	7284.97	7207.51	2367.45	-7033.95	1703170.81	421317.06	39°39'7.1166"N	80°33'15.1720"W	7421.68	288.602	0.72	0.19	0.69
15063.00	89.720	314.810	7285.16	7300.16	2434.80	-7100.95	1703103.82	421384.41	39°39'7.7745"N	80°33'16.0385"W	7506.78	288.926	0.81	-0.36	-0.73
15159.00	89.720	313.980	7285.63	7394.06	2501.96	-7169.54	1703035.23	421451.57	39°39'8.4302"N	80°33'16.9255"W	7593.56	289.238	0.86	0.00	-0.86
15254.00	89.720	313.960	7286.09	7487.13	2567.92	-7237.91	1702966.86	421517.52	39°39'9.0741"N	80°33'17.8094"W	7679.95	289.534	0.02	0.00	-0.02
15349.00	90.430	315.380	7285.97	7579.96	2634.70	-7305.47	1702899.31	421584.30	39°39'9.7263"N	80°33'18.6831"W	7766.05	289.832	1.67	0.75	1.49
15444.00	88.710	313.840	7286.68	7672.80	2701.41	-7373.09	1702831.69	421651.01	39°39'10.3777"N	80°33'19.5576"W	7852.40	290.122	2.43	-1.81	-1.62
15539.00	89.320	314.610	7288.31	7765.77	2767.66	-7441.16	1702763.62	421717.25	39°39'11.0245"N	80°33'20.4377"W	7939.20	290.402	1.03	0.64	0.81
15634.00	89.450	314.740	7289.33	7858.59	2834.45	-7508.71	1702696.08	421784.04	39°39'11.6767"N	80°33'21.3113"W	8025.89	290.681	0.19	0.14	0.14
15729.00	89.380	315.160	7290.30	7951.32	2901.57	-7575.94	1702628.85	421851.15	39°39'12.3321"N	80°33'22.1809"W	8112.58	290.957	0.45	-0.07	0.44
15824.00	90.310	315.250	7290.56	8043.95	2968.98	-7642.88	1702561.92	421918.56	39°39'12.9905"N	80°33'23.0467"W	8199.29	291.229	0.98	0.98	0.09
15919.00	89.780	315.080	7290.48	8136.60	3036.35	-7709.86	1702494.94	421985.92	39°39'13.6485"N	80°33'23.9131"W	8286.21	291.496	0.59	-0.56	-0.18
16014.00	89.290	314.900	7291.26	8229.32	3103.51	-7777.04	1702427.76	422053.08	39°39'14.3044"N	80°33'24.7821"W	8373.42	291.755	0.55	-0.52	-0.19
16109.00	89.540	314.840	7292.23	8322.07	3170.53	-7844.37	1702360.44	422120.09	39°39'14.9589"N	80°33'25.6529"W	8460.87	292.008	0.27	0.26	-0.06
16204.00	89.600	315.400	7292.94	8414.74	3237.84	-7911.40	1702293.42	422187.40	39°39'15.6163"N	80°33'26.5199"W	8548.32	292.257	0.59	0.06	0.59
16299.00	89.660	314.440	7293.55	8507.47	3304.92	-7978.66	1702226.15	422254.48	39°39'16.2714"N	80°33'27.3900"W	8636.06	292.500	1.01	0.06	-1.01
16394.00	90.120	315.300	7293.73	8600.23	3371.94	-8045.99	1702158.83	422321.50	39°39'16.9259"N	80°33'28.2608"W	8723.99	292.738	1.03	0.48	0.91
16490.00	89.600	314.640	7293.97	8693.93	3439.79	-8113.91	1702090.92	422389.34	39°39'17.5885"N	80°33'29.1393"W	8812.92	292.974	0.88	-0.54	-0.69
16585.00	89.720	315.400	7294.53	8786.63	3506.99	-8181.06	1702023.77	422456.53	39°39'18.2447"N	80°33'30.0079"W	8901.05	293.203	0.81	0.13	0.80
16681.00	90.120	314.560	7294.67	8880.33	3574.84	-8248.96	1701955.87	422524.38	39°39'18.9074"N	80°33'30.8862"W	8990.27	293.430	0.97	0.42	-0.87
16776.00	90.060	314.970	7294.52	8973.12	3641.74	-8316.41	1701888.43	422591.28	39°39'19.5607"N	80°33'31.7586"W	9078.82	293.649	0.44	-0.06	0.43



Where energy meets innovation.

WV Department of Environmental Protection

FEB 14 2022

Office of Oil and Gas

RECEIVED

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 8 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
16871.00	89.630	314.790	7294.77	9065.88	3708.78	-8383.73	1701821.11	422658.31	39°39'20.2153"N	80°33'32.6293"W	9167.44	293.864	0.49	-0.45	-0.19
16966.00	90.150	314.720	7294.96	9158.68	3775.66	-8451.19	1701753.66	422725.19	39°39'20.8684"N	80°33'33.5018"W	9256.25	294.073	0.55	0.55	-0.07
17062.00	89.780	314.420	7295.02	9252.52	3843.03	-8519.58	1701685.27	422792.56	39°39'21.5262"N	80°33'34.3863"W	9346.24	294.279	0.50	-0.39	-0.31
17157.00	89.750	314.680	7295.41	9345.39	3909.68	-8587.28	1701617.58	422859.20	39°39'22.1769"N	80°33'35.2619"W	9435.41	294.479	0.28	-0.03	0.27
17252.00	89.630	314.270	7295.92	9438.29	3976.23	-8655.07	1701549.79	422925.75	39°39'22.8268"N	80°33'36.1385"W	9524.74	294.675	0.45	-0.13	-0.43
17347.00	89.720	314.820	7296.46	9531.16	4042.87	-8722.77	1701482.09	422992.38	39°39'23.4774"N	80°33'37.0142"W	9614.13	294.867	0.59	0.09	0.58
17442.00	89.480	314.920	7297.12	9623.91	4109.89	-8790.10	1701414.77	423059.40	39°39'24.1319"N	80°33'37.8850"W	9703.45	295.059	0.27	-0.25	0.11
17537.00	89.170	314.540	7298.24	9716.72	4176.75	-8857.58	1701347.29	423126.25	39°39'24.7847"N	80°33'38.7579"W	9792.96	295.246	0.52	-0.33	-0.40
17632.00	89.200	317.010	7299.59	9809.12	4244.81	-8923.83	1701281.04	423194.31	39°39'25.4496"N	80°33'39.6151"W	9881.96	295.439	2.60	0.03	2.60
17727.00	89.600	320.180	7300.59	9900.34	4316.05	-8986.65	1701218.23	423265.55	39°39'26.1463"N	80°33'40.4290"W	9969.36	295.654	3.36	0.42	3.34
17822.00	89.690	321.250	7301.18	9990.52	4389.58	-9046.80	1701158.08	423339.07	39°39'26.8659"N	80°33'41.2091"W	10055.50	295.883	1.13	0.09	1.13
17918.00	89.570	320.910	7301.80	10081.46	4464.27	-9107.11	1701097.78	423413.76	39°39'27.5970"N	80°33'41.9914"W	10142.44	296.114	0.38	-0.13	-0.35
18013.00	89.510	321.930	7302.56	10171.27	4538.53	-9166.35	1701038.54	423488.01	39°39'28.3240"N	80°33'42.7600"W	10228.40	296.341	1.08	-0.06	1.07
18108.00	88.860	320.950	7303.91	10261.06	4612.81	-9225.56	1700979.34	423562.29	39°39'29.0511"N	80°33'43.5282"W	10314.50	296.565	1.24	-0.68	-1.03
18203.00	88.830	321.010	7305.82	10351.09	4686.60	-9285.36	1700919.54	423636.08	39°39'29.7733"N	80°33'44.3039"W	10401.06	296.781	0.07	-0.03	0.06
18299.00	89.140	320.970	7307.52	10442.07	4761.19	-9345.78	1700859.13	423710.65	39°39'30.5033"N	80°33'45.0876"W	10488.68	296.996	0.33	0.32	-0.04
18394.00	89.290	321.160	7308.83	10532.07	4835.08	-9405.47	1700799.43	423784.54	39°39'31.2266"N	80°33'45.8620"W	10575.48	297.206	0.25	0.16	0.20
18489.00	89.880	321.640	7309.51	10621.89	4909.32	-9464.74	1700740.17	423858.78	39°39'31.9533"N	80°33'46.6310"W	10662.21	297.416	0.80	0.62	0.51
18584.00	90.000	318.290	7309.61	10712.44	4982.04	-9525.84	1700679.07	423931.50	39°39'32.6649"N	80°33'47.4231"W	10749.99	297.610	3.53	0.13	-3.53
18680.00	89.940	315.320	7309.66	10805.42	5052.02	-9591.54	1700613.37	424001.47	39°39'33.3488"N	80°33'48.2738"W	10840.69	297.777	3.09	-0.06	-3.09
18774.00	89.720	313.770	7309.94	10897.31	5117.96	-9658.53	1700546.39	424067.41	39°39'33.9925"N	80°33'49.1402"W	10930.73	297.919	1.67	-0.23	-1.65
18869.00	89.970	314.640	7310.20	10990.30	5184.19	-9726.63	1700478.29	424133.64	39°39'34.6391"N	80°33'50.0209"W	11021.94	298.057	0.95	0.26	0.92
18965.00	90.400	313.360	7309.89	11084.33	5250.88	-9795.69	1700409.24	424200.32	39°39'35.2901"N	80°33'50.9139"W	11114.28	298.193	1.41	0.45	-1.33
19060.00	90.400	311.030	7309.23	11177.94	5314.68	-9866.06	1700338.87	424264.12	39°39'35.9123"N	80°33'51.8233"W	11206.47	298.311	2.45	0.00	-2.45
19155.00	89.970	311.360	7308.92	11271.82	5377.25	-9937.55	1700267.39	424326.68	39°39'36.5223"N	80°33'52.7467"W	11299.10	298.418	0.57	-0.45	0.35
19250.00	90.150	309.780	7308.82	11365.86	5439.03	-10009.71	1700195.23	424388.46	39°39'37.1244"N	80°33'53.6787"W	11391.99	298.519	1.67	0.19	-1.66
19345.00	90.060	310.090	7308.65	11460.04	5500.02	-10082.55	1700122.40	424449.44	39°39'37.7185"N	80°33'54.6193"W	11485.12	298.612	0.34	-0.09	0.33
19441.00	90.090	309.670	7308.52	11555.22	5561.57	-10156.22	1700048.73	424510.99	39°39'38.3182"N	80°33'55.5705"W	11579.29	298.705	0.44	0.03	-0.44
19536.00	89.720	309.370	7308.68	11649.49	5622.02	-10229.50	1699975.45	424571.44	39°39'38.9070"N	80°33'56.5166"W	11672.61	298.793	0.50	-0.39	-0.32
19631.00	90.370	310.410	7308.60	11743.67	5682.95	-10302.39	1699902.57	424632.36	39°39'39.5005"N	80°33'57.4578"W	11765.85	298.882	1.29	0.68	1.09



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 9 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations)

MD (ft)	Inclination (°)	Azimuth (°)	TVD (ft)	Vert Sect (ft)	North (ft)	East (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude	Closure Dist (ft)	Closure Dir (°)	DLS (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
19726.00	89.850	309.810	7308.42	11837.81	5744.15	-10375.05	1699829.91	424693.56	39°39'40.0969"N	80°33'58.3960"W	11859.04	298.971	0.84	-0.55	-0.63
19821.00	88.800	309.750	7309.54	11932.02	5804.93	-10448.05	1699756.92	424754.33	39°39'40.6889"N	80°33'59.3386"W	11952.36	299.057	1.11	-1.11	-0.06
19917.00	89.450	310.070	7311.01	12027.18	5866.51	-10521.68	1699683.29	424815.91	39°39'41.2889"N	80°34'0.2893"W	12046.65	299.142	0.75	0.68	0.33
20012.00	89.600	309.320	7311.79	12121.41	5927.19	-10594.78	1699610.20	424876.58	39°39'41.8799"N	80°34'1.2331"W	12140.05	299.225	0.81	0.16	-0.79
20107.00	89.630	310.180	7312.43	12215.63	5987.93	-10667.81	1699537.17	424937.33	39°39'42.4717"N	80°34'2.1761"W	12233.46	299.306	0.91	0.03	0.91
20202.00	89.450	313.350	7313.20	12309.35	6051.20	-10738.66	1699466.33	425000.59	39°39'43.0886"N	80°34'3.0915"W	12326.23	299.401	3.34	-0.19	3.34
20297.00	90.030	315.270	7313.63	12402.29	6117.56	-10806.64	1699398.36	425066.94	39°39'43.7363"N	80°34'3.9707"W	12418.05	299.514	2.11	0.61	2.02
20392.00	89.940	315.140	7313.65	12494.93	6184.97	-10873.57	1699331.43	425134.35	39°39'44.3947"N	80°34'4.8368"W	12509.53	299.632	0.17	-0.09	-0.14
20487.00	90.280	316.560	7313.47	12587.32	6253.13	-10939.74	1699265.26	425202.51	39°39'45.0605"N	80°34'5.6932"W	12600.78	299.752	1.54	0.36	1.49
20583.00	90.280	314.700	7313.00	12680.77	6321.75	-11006.87	1699198.14	425271.13	39°39'45.7308"N	80°34'6.5619"W	12693.14	299.871	1.94	0.00	-1.94
20677.00	90.090	313.790	7312.70	12772.77	6387.34	-11074.20	1699130.80	425336.71	39°39'46.3710"N	80°34'7.4328"W	12784.21	299.975	0.99	-0.20	-0.97
20773.00	89.880	314.610	7312.72	12866.74	6454.27	-11143.03	1699061.98	425403.63	39°39'47.0243"N	80°34'8.3229"W	12877.29	300.080	0.88	-0.22	0.85
20868.00	90.000	314.610	7312.82	12959.59	6520.98	-11210.66	1698994.36	425470.34	39°39'47.6757"N	80°34'9.1978"W	12969.27	300.186	0.13	0.13	0.00
20963.00	90.090	314.790	7312.75	13052.41	6587.81	-11278.18	1698926.84	425537.16	39°39'48.3281"N	80°34'10.0713"W	13061.26	300.290	0.21	0.09	0.19
21058.00	89.970	314.840	7312.70	13145.19	6654.76	-11345.58	1698859.45	425604.12	39°39'48.9819"N	80°34'10.9432"W	13153.25	300.394	0.14	-0.13	0.05
21153.00	90.120	315.330	7312.62	13237.87	6722.04	-11412.65	1698792.38	425671.39	39°39'49.6388"N	80°34'11.8110"W	13245.16	300.498	0.54	0.16	0.52
21248.00	89.880	315.020	7312.62	13330.52	6789.42	-11479.62	1698725.41	425738.76	39°39'50.2968"N	80°34'12.6776"W	13337.09	300.601	0.41	-0.25	-0.33
21344.00	89.880	314.270	7312.82	13424.33	6856.88	-11547.92	1698657.12	425806.22	39°39'50.9554"N	80°34'13.5611"W	13430.24	300.701	0.78	0.00	-0.78
21439.00	90.150	314.810	7312.80	13517.21	6923.51	-11615.63	1698589.41	425872.85	39°39'51.6059"N	80°34'14.4371"W	13522.50	300.797	0.64	0.28	0.57
21534.00	90.180	315.700	7312.52	13609.82	6990.98	-11682.51	1698522.54	425940.32	39°39'52.2649"N	80°34'15.3024"W	13614.51	300.897	0.94	0.03	0.94
21628.00	90.060	314.980	7312.33	13701.44	7057.84	-11748.58	1698456.47	426007.17	39°39'52.9178"N	80°34'16.1574"W	13705.56	300.995	0.78	-0.13	-0.77
21724.00	90.180	314.670	7312.13	13795.19	7125.52	-11816.67	1698388.38	426074.84	39°39'53.5786"N	80°34'17.0383"W	13798.79	301.090	0.35	0.12	-0.32
21819.00	89.970	314.480	7312.00	13888.05	7192.19	-11884.34	1698320.72	426141.51	39°39'54.2295"N	80°34'17.9137"W	13891.19	301.182	0.30	-0.22	-0.20
21914.00	90.030	315.260	7312.00	13980.81	7259.22	-11951.67	1698253.39	426208.53	39°39'54.8839"N	80°34'18.7848"W	13983.51	301.274	0.82	0.06	0.82
22009.00	90.150	314.780	7311.85	14073.51	7326.41	-12018.82	1698186.25	426275.73	39°39'55.5401"N	80°34'19.6537"W	14075.81	301.366	0.52	0.13	-0.51
22104.00	90.060	314.600	7311.68	14166.34	7393.22	-12086.36	1698118.71	426342.53	39°39'56.1923"N	80°34'20.5274"W	14168.27	301.454	0.21	-0.09	-0.19
22200.00	90.310	315.350	7311.37	14260.03	7461.08	-12154.27	1698050.81	426410.38	39°39'56.8549"N	80°34'21.4061"W	14261.62	301.544	0.82	0.26	0.78
22295.00	90.180	314.510	7310.96	14352.77	7528.17	-12221.52	1697983.56	426477.47	39°39'57.5099"N	80°34'22.2763"W	14354.06	301.632	0.89	-0.14	-0.88
22390.00	89.970	314.810	7310.84	14445.60	7594.94	-12289.09	1697915.99	426544.24	39°39'58.1619"N	80°34'23.1505"W	14446.63	301.717	0.39	-0.22	0.32
22485.00	89.910	314.820	7310.94	14538.38	7661.90	-12356.49	1697848.60	426611.19	39°39'58.8156"N	80°34'24.0224"W	14539.17	301.802	0.06	-0.06	0.01



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 10 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

WELLPATH DATA (248 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
22581.00	90.090	314.540	7310.94	14632.18	7729.40	-12424.75	1697780.34	426678.69	39°39'59.4746"N	80°34'24.9055"W	14632.77	301.886	0.35	0.19	-0.29
22676.00	90.150	314.800	7310.74	14725.01	7796.19	-12492.31	1697712.79	426745.47	39°40'0.1267"N	80°34'25.7796"W	14725.43	301.967	0.28	0.06	0.27
22771.00	90.180	314.550	7310.47	14817.84	7862.98	-12559.86	1697645.24	426812.26	39°40'0.7788"N	80°34'26.6536"W	14818.12	302.048	0.27	0.03	-0.26
22866.00	90.250	314.740	7310.11	14910.68	7929.74	-12627.45	1697577.65	426879.01	39°40'1.4305"N	80°34'27.5280"W	14910.85	302.128	0.21	0.07	0.20
22961.00	89.690	314.800	7310.16	15003.47	7996.64	-12694.90	1697510.21	426945.92	39°40'2.0837"N	80°34'28.4006"W	15003.56	302.207	0.59	-0.59	0.06
23056.00	90.370	314.500	7310.11	15096.31	8063.41	-12762.48	1697442.63	427012.67	39°40'2.7355"N	80°34'29.2750"W	15096.34	302.285	0.78	0.72	-0.32
23151.00	89.970	314.430	7309.83	15189.21	8129.95	-12830.28	1697374.84	427079.21	39°40'3.3851"N	80°34'30.1521"W	15189.21	302.361	0.43	-0.42	-0.07
23176.00‡	89.970	314.430	7309.84	15213.66	8147.45	-12848.13	1697356.99	427096.71	39°40'3.5559"N	80°34'30.3831"W	15213.66	302.380	0.00	0.00	0.00

HOLE & CASING SECTIONS - Ref Wellbore: Sizemore 3H (675526) AWB Ref Wellpath: Sizemore 3H (675526) AWP Proj: 23176'

String/Diameter	Start MD [ft]	End MD [ft]	Interval [ft]	Start TVD [ft]	End TVD [ft]	Start N/S [ft]	Start E/W [ft]	End N/S [ft]	End E/W [ft]
17.5in Open Hole	28.00	1173.00	1145.00	28.00	1173.00	0.00	0.00	-0.43	-0.52
13.375in Casing Surface	28.00	1173.00	1145.00	28.00	1173.00	0.00	0.00	-0.43	-0.52
12.25in Open Hole	1173.00	2497.00	1324.00	1173.00	2481.19	-0.43	-0.52	-127.54	-106.94
9.625in Casing Intermediate	28.00	2497.00	2469.00	28.00	2481.19	0.00	0.00	-127.54	-106.94
8.75in Open Hole	2497.00	7638.00	5141.00	2481.19	6758.86	-127.54	-106.94	-2249.57	-1912.69
8.5in Open Hole	7638.00	23176.00	15538.00	6758.86	7309.84	-2249.57	-1912.69	8147.45	-12848.13
5.5in Casing Production	28.00	23176.00	23148.00	28.00	7309.84	0.00	0.00	8147.45	-12848.13



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 11 of 12



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

TARGETS

Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Sizemore 3H BHL Rev-1	7203.00	8151.99	-12845.14	1697359.98	427101.26	39°40'3.6011"N	80°34'30.3455"W	point
Sizemore 3H LP Rev-1	7304.00	-2065.94	-2627.19	1707577.30	416883.95	39°38'23.8112"N	80°32'18.1818"W	point
Sizemore Hardline #1 (2.2.21)	8000.00	978.83	-5009.55	1705195.09	419928.53	39°38'53.6277"N	80°32'49.0856"W	polygon
	2D Polygon: dimensions not calculated							
Sizemore Hardline #2 (2.2.21)	8000.00	4242.97	-9793.43	1700411.50	423192.47	39°39'25.3297"N	80°33'50.7324"W	polygon
	2D Polygon: dimensions not calculated							

WELLPATH COMPOSITION - Ref Wellbore: Sizemore 3H (675526) AWB Ref Wellpath: Sizemore 3H (675526) AWP Proj: 23176'

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore	Survey Date
28.00	1180.00	Gyrodata 2015 - CT+WIR+ALC	01_Gyrodata Cont Gyro <17-1/2">(115'-1180')	Sizemore 3H (675526) AWB	1/22/2021
1180.00	7560.00	OWSG MWD rev2 - Standard	02_SDI MWD <8-3/4">(1180')(1207'-7560')	Sizemore 3H (675526) AWB	1/22/2021
7560.00	23176.00	OWSG MWD rev2 + IFR1 + Multi-Station Correction	03_BH AT Curve + MagVAR MSA <8-1/2">(7560')(7643'-23151')	Sizemore 3H (675526) AWB	1/26/2021



Where energy meets innovation.

Actual Wellpath Report

Sizemore 3H (675526) AWP Proj: 23176'
Page 12 of 12



REFERENCE WELLPATH IDENTIFICATION			
Operator	EQT PRODUCTION COMPANY	Well	Sizemore 3H (675526)
Field	Wetzel	API	47-103-03345-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 3H (675526) AWB
Slot	Slot 03		

COMMENTS
<p>Wellpath general comments API: 47-103-03345-0000 BH Job #: 110761328 Rig: Patterson 292 Duration: 2/3/21 - 2/6/21</p> <p>Gyrodata Cont Gyro <17-1/2">(115'-1180') SDI MWD <8-3/4">(1180')(1207'-7560') BH AT Curve + MagVAR MSA <8-1/2">(7560')(7643'-23151') Projected MD at TD: 23176'</p>

