



Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'
Page 1 of 11



REFERENCE WELLPATH IDENTIFICATION			
Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

REPORT SETUP INFORMATION			
Projection System	NAD27 / Lambert West Virginia SP, Northern Zone (4701), US feet	Software System	WellArchitect® 6.0
North Reference	Grid	User	Hilpthop
Scale	0.999941	Report Generated	2/25/2021 at 10:36:23 AM
Convergence at slot	0.66° West	Database	WA_MPL_EASTERNUS_Defn

WELLPATH LOCATION						
	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	-38.27	-11.65	1710213.07	418978.46	39°38'44.8111"N	80°31'44.7971"W
Facility Reference Pt			1710224.72	419016.73	39°38'45.1907"N	80°31'44.6538"W
Field Reference Pt			1688243.35	385255.46	39°33'8.9436"N	80°36'20.3370"W

WELLPATH DATUM			
Calculation method	Minimum curvature	Patterson 292 (RKB) to Facility Vertical Datum	1176.00ft
Horizontal Reference Pt	Slot	Patterson 292 (RKB) to Mean Sea Level	1176.00ft
Vertical Reference Pt	Patterson 292 (RKB)	Patterson 292 (RKB) to Ground Level at Slot (Slot 09)	28.00ft
MD Reference Pt	Patterson 292 (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	313.67°

RECEIVED
 Office of Oil and Gas
 FEB 14 2022
 WV Department of
 Environmental Protection



Where energy meets innovation.

WV Department of Environmental Protection

FEB 14 2022

Office of Oil and Gas

RECEIVED

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 2 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
0.00†	0.000	46.510	0.00	0.00	0.00	0.00	1710213.07	418978.46	39°38'44.8111"N	80°31'44.7971"W	0.00	0.000	0.00	0.00	0.00
28.00	0.000	46.510	28.00	0.00	0.00	0.00	1710213.07	418978.46	39°38'44.8111"N	80°31'44.7971"W	0.00	0.000	0.00	0.00	0.00
115.00	0.110	46.510	115.00	0.00	0.06	0.06	1710213.13	418978.52	39°38'44.8117"N	80°31'44.7963"W	0.08	46.510	0.13	0.13	0.00
215.00	0.170	111.230	215.00	-0.15	0.07	0.27	1710213.34	418978.53	39°38'44.8119"N	80°31'44.7937"W	0.28	75.424	0.16	0.06	64.72
315.00	0.180	183.950	315.00	-0.38	-0.14	0.40	1710213.47	418978.32	39°38'44.8098"N	80°31'44.7920"W	0.42	109.549	0.21	0.01	72.72
415.00	0.040	256.990	415.00	-0.46	-0.31	0.35	1710213.42	418978.15	39°38'44.8082"N	80°31'44.7926"W	0.47	130.993	0.17	-0.14	73.04
515.00	0.070	24.140	515.00	-0.43	-0.26	0.34	1710213.41	418978.20	39°38'44.8086"N	80°31'44.7927"W	0.43	126.944	0.10	0.03	127.15
615.00	0.170	101.510	615.00	-0.53	-0.23	0.51	1710213.58	418978.23	39°38'44.8089"N	80°31'44.7905"W	0.56	114.277	0.17	0.10	77.37
715.00	0.190	154.460	715.00	-0.81	-0.41	0.73	1710213.80	418978.05	39°38'44.8072"N	80°31'44.7877"W	0.84	119.364	0.16	0.02	52.95
815.00	0.080	321.970	815.00	-0.90	-0.50	0.76	1710213.83	418977.96	39°38'44.8062"N	80°31'44.7873"W	0.91	123.677	0.27	-0.11	167.51
915.00	0.150	82.600	915.00	-0.91	-0.43	0.84	1710213.91	418978.03	39°38'44.8070"N	80°31'44.7862"W	0.95	117.149	0.20	0.07	120.63
1015.00	0.210	340.080	1015.00	-0.83	-0.24	0.91	1710213.98	418978.22	39°38'44.8088"N	80°31'44.7854"W	0.94	104.976	0.28	0.06	-102.52
1115.00	0.240	53.130	1115.00	-0.70	0.05	1.02	1710214.09	418978.51	39°38'44.8118"N	80°31'44.7841"W	1.02	86.961	0.27	0.03	73.05
1181.00	0.180	88.330	1181.00	-0.79	0.14	1.23	1710214.30	418978.60	39°38'44.8127"N	80°31'44.7814"W	1.24	83.515	0.21	-0.09	53.33
1243.00	0.550	24.130	1243.00	-0.76	0.41	1.45	1710214.52	418978.87	39°38'44.8154"N	80°31'44.7786"W	1.51	74.055	0.80	0.60	-103.55
1338.00	1.630	327.060	1337.98	0.70	1.96	0.90	1710213.97	418980.42	39°38'44.8307"N	80°31'44.7858"W	2.16	24.662	1.48	1.14	-60.07
1431.00	3.750	306.380	1430.87	5.01	4.88	-2.27	1710210.80	418983.34	39°38'44.8591"N	80°31'44.8268"W	5.38	335.085	2.47	2.28	-22.24
1523.00	5.320	292.360	1522.59	11.97	8.29	-8.63	1710204.44	418986.75	39°38'44.8920"N	80°31'44.9087"W	11.97	313.825	2.08	1.71	-15.24
1616.00	7.880	291.400	1614.96	21.88	12.25	-18.56	1710194.51	418990.71	39°38'44.9301"N	80°31'45.0361"W	22.24	303.436	2.76	2.75	-1.03
1711.00	9.240	287.780	1708.90	34.77	16.96	-31.88	1710181.19	418995.42	39°38'44.9751"N	80°31'45.2071"W	36.11	298.007	1.54	1.43	-3.81
1806.00	9.370	292.740	1802.65	48.86	22.28	-46.28	1710166.79	419000.74	39°38'45.0260"N	80°31'45.3919"W	51.36	295.704	0.85	0.14	5.22
1897.00	9.530	295.090	1892.42	62.92	28.33	-59.93	1710153.14	419006.79	39°38'45.0844"N	80°31'45.5674"W	66.29	295.303	0.46	0.18	2.58
1990.00	9.670	292.600	1984.12	77.50	34.60	-74.12	1710138.96	419013.06	39°38'45.1447"N	80°31'45.7496"W	81.80	295.025	0.47	0.15	-2.68
2083.00	8.810	285.650	2075.91	91.08	39.52	-88.19	1710124.89	419017.98	39°38'45.1917"N	80°31'45.9301"W	96.64	294.141	1.51	-0.92	-7.47
2177.00	10.090	287.180	2168.63	104.80	43.90	-102.99	1710110.09	419022.36	39°38'45.2333"N	80°31'46.1200"W	111.95	293.086	1.39	1.36	1.63
2270.00	11.340	291.130	2260.01	120.54	49.60	-119.30	1710093.78	419028.06	39°38'45.2878"N	80°31'46.3293"W	129.20	292.576	1.56	1.34	4.25
2364.00	12.340	290.510	2352.01	138.31	56.45	-137.33	1710075.75	419034.91	39°38'45.3535"N	80°31'46.5608"W	148.48	292.346	1.07	1.06	-0.66
2454.00	12.100	286.590	2439.97	155.55	62.51	-155.38	1710057.70	419040.97	39°38'45.4113"N	80°31'46.7924"W	167.48	291.917	0.96	-0.27	-4.36
2537.00	12.060	285.900	2521.14	170.97	67.37	-172.05	1710041.03	419045.83	39°38'45.4575"N	80°31'47.0062"W	184.77	291.385	0.18	-0.05	-0.83
2628.00	11.660	281.310	2610.19	187.15	71.78	-190.21	1710022.87	419050.24	39°38'45.4990"N	80°31'47.2390"W	203.31	290.676	1.13	-0.44	-5.04



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 3 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
2720.00	11.850	286.410	2700.27	203.40	76.27	-208.39	1710004.69	419054.73	39°38'45.5413"N	80°31'47.4720"W	221.91	290.103	1.15	0.21	5.54
2812.00	12.290	300.400	2790.25	221.33	83.90	-225.90	1709987.18	419062.35	39°38'45.6147"N	80°31'47.6970"W	240.98	290.375	3.21	0.48	15.21
2905.00	13.830	306.690	2880.85	242.00	95.55	-243.35	1709969.73	419074.00	39°38'45.7278"N	80°31'47.9218"W	261.44	291.437	2.25	1.66	6.76
2998.00	16.990	305.470	2970.49	266.49	110.08	-263.34	1709949.75	419088.53	39°38'45.8692"N	80°31'48.1794"W	285.42	292.686	3.42	3.40	-1.31
3090.00	20.130	302.290	3057.70	295.32	126.34	-287.67	1709925.41	419104.79	39°38'46.0271"N	80°31'48.4928"W	314.19	293.710	3.58	3.41	-3.46
3181.00	21.360	303.410	3142.80	326.98	143.83	-314.75	1709898.34	419122.28	39°38'46.1969"N	80°31'48.8415"W	346.05	294.559	1.42	1.35	1.23
3274.00	24.340	304.100	3228.49	362.55	163.91	-344.76	1709868.33	419142.36	39°38'46.3919"N	80°31'49.2281"W	381.74	295.428	3.22	3.20	0.74
3366.00	27.880	303.490	3311.09	402.43	186.41	-378.41	1709834.68	419164.86	39°38'46.6105"N	80°31'49.6615"W	421.83	296.226	3.86	3.85	-0.66
3460.00	32.420	305.050	3392.35	449.00	213.03	-417.39	1709795.71	419191.47	39°38'46.8691"N	80°31'50.1637"W	468.61	297.039	4.90	4.83	1.66
3553.00	35.590	305.430	3469.44	500.45	243.04	-459.86	1709753.24	419221.48	39°38'47.1608"N	80°31'50.7109"W	520.13	297.857	3.42	3.41	0.41
3647.00	38.850	307.020	3544.29	556.82	276.66	-505.70	1709707.40	419255.10	39°38'47.4879"N	80°31'51.3018"W	576.43	298.682	3.62	3.47	1.69
3740.00	39.520	305.750	3616.37	615.10	311.51	-553.00	1709660.10	419289.95	39°38'47.8269"N	80°31'51.9116"W	634.71	299.393	1.12	0.72	-1.37
3833.00	38.800	306.940	3688.48	673.35	346.31	-600.31	1709612.80	419324.75	39°38'48.1655"N	80°31'52.5214"W	693.04	299.980	1.12	-0.77	1.28
3925.00	40.200	310.100	3759.48	731.61	382.76	-646.06	1709567.05	419361.20	39°38'48.5205"N	80°31'53.1117"W	750.94	300.645	2.66	1.52	3.43
4023.00	40.090	309.510	3834.39	794.65	423.21	-694.60	1709518.51	419401.64	39°38'48.9147"N	80°31'53.7381"W	813.37	301.353	0.40	-0.11	-0.60
4118.00	39.120	306.880	3907.59	854.93	460.66	-742.18	1709470.94	419439.09	39°38'49.2794"N	80°31'54.3517"W	873.52	301.827	2.04	-1.02	-2.77
4213.00	39.350	307.850	3981.17	914.65	497.13	-789.94	1709423.18	419475.56	39°38'49.6344"N	80°31'54.9675"W	933.34	302.183	0.69	0.24	1.02
4307.00	39.990	310.340	4053.53	974.46	534.97	-836.49	1709376.63	419513.39	39°38'50.0031"N	80°31'55.5682"W	992.93	302.600	1.82	0.68	2.65
4402.00	40.470	312.810	4126.06	1035.76	575.68	-882.38	1709330.74	419554.11	39°38'50.4002"N	80°31'56.1608"W	1053.57	303.121	1.75	0.51	2.60
4495.00	40.610	313.880	4196.74	1096.21	617.17	-926.34	1709286.79	419595.59	39°38'50.8053"N	80°31'56.7288"W	1113.10	303.673	0.76	0.15	1.15
4589.00	39.160	311.060	4268.87	1156.46	657.88	-970.77	1709242.36	419636.30	39°38'51.2025"N	80°31'57.3028"W	1172.69	304.125	2.47	-1.54	-3.00
4683.00	37.960	311.270	4342.38	1214.99	696.44	-1014.88	1709198.25	419674.86	39°38'51.5786"N	80°31'57.8723"W	1230.86	304.459	1.28	-1.28	0.22
4776.00	38.330	314.950	4415.53	1272.41	735.69	-1056.80	1709156.34	419714.10	39°38'51.9617"N	80°31'58.4139"W	1287.66	304.844	2.48	0.40	3.96
4871.00	39.660	315.170	4489.36	1332.17	778.00	-1099.02	1709114.12	419756.42	39°38'52.3751"N	80°31'58.9599"W	1346.53	305.295	1.41	1.40	0.23
4966.00	41.270	315.630	4561.63	1393.79	821.90	-1142.31	1709070.83	419800.31	39°38'52.8040"N	80°31'59.5196"W	1407.26	305.735	1.72	1.69	0.48
5058.00	40.860	314.310	4631.00	1454.21	864.62	-1185.06	1709028.08	419843.02	39°38'53.2212"N	80°32'0.0724"W	1466.95	306.114	1.04	-0.45	-1.43
5153.00	41.490	312.700	4702.51	1516.75	907.67	-1230.43	1708982.72	419886.07	39°38'53.6415"N	80°32'0.6587"W	1528.99	306.416	1.30	0.66	-1.69
5247.00	40.970	311.270	4773.20	1578.67	949.11	-1276.47	1708936.68	419927.51	39°38'54.0458"N	80°32'1.2534"W	1590.66	306.632	1.15	-0.55	-1.52
5342.00	39.890	309.250	4845.52	1640.16	988.93	-1323.47	1708889.68	419967.33	39°38'54.4340"N	80°32'1.8601"W	1652.14	306.768	1.79	-1.14	-2.13
5434.00	39.930	313.520	4916.10	1699.11	1027.93	-1367.74	1708845.42	420006.33	39°38'54.8144"N	80°32'2.4316"W	1710.95	306.927	2.98	0.04	4.64



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 4 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
5527.00	40.710	313.860	4987.01	1759.29	1069.50	-1411.25	1708801.91	420047.89	39°38'55.2203"N	80°32'2.9939"W	1770.72	307.156	0.87	0.84	0.37
5620.00	42.600	312.990	5056.49	1821.10	1111.98	-1456.14	1708757.02	420090.37	39°38'55.6350"N	80°32'3.5741"W	1832.17	307.367	2.13	2.03	-0.94
5711.00	42.670	312.970	5123.44	1882.73	1154.00	-1501.24	1708711.93	420132.39	39°38'56.0451"N	80°32'4.1567"W	1893.52	307.550	0.08	0.08	-0.02
5803.00	41.850	312.060	5191.53	1944.58	1195.81	-1546.84	1708666.33	420174.20	39°38'56.4531"N	80°32'4.7458"W	1955.16	307.707	1.11	-0.89	-0.99
5896.00	41.840	313.130	5260.81	2006.61	1237.80	-1592.51	1708620.66	420216.19	39°38'56.8629"N	80°32'5.3358"W	2016.99	307.857	0.77	-0.01	1.15
5988.00	41.970	312.420	5329.28	2068.05	1279.53	-1637.61	1708575.56	420257.91	39°38'57.2701"N	80°32'5.9185"W	2078.21	308.002	0.53	0.14	-0.77
6081.00	41.090	313.840	5398.90	2129.70	1321.68	-1682.61	1708530.56	420300.06	39°38'57.6815"N	80°32'6.5000"W	2139.63	308.149	1.39	-0.95	1.53
6171.00	40.860	312.120	5466.85	2188.71	1361.91	-1725.78	1708487.39	420340.29	39°38'58.0742"N	80°32'7.0578"W	2198.44	308.279	1.28	-0.26	-1.91
6263.00	43.150	311.650	5535.21	2250.24	1403.01	-1771.62	1708441.56	420381.38	39°38'58.4751"N	80°32'7.6498"W	2259.88	308.377	2.51	2.49	-0.51
6357.00	41.930	310.700	5604.47	2313.73	1444.85	-1819.45	1708393.73	420423.22	39°38'58.8832"N	80°32'8.2674"W	2323.36	308.454	1.47	-1.30	-1.01
6448.00	41.820	310.730	5672.23	2374.40	1484.47	-1865.49	1708347.69	420462.84	39°38'59.2695"N	80°32'8.8618"W	2384.05	308.511	0.12	-0.12	0.03
6541.00	42.140	312.100	5741.37	2436.55	1525.62	-1912.14	1708301.05	420503.99	39°38'59.6708"N	80°32'9.4641"W	2446.18	308.585	1.04	0.34	1.47
6633.00	42.590	313.580	5809.34	2498.53	1567.77	-1957.59	1708255.60	420546.14	39°39'0.0822"N	80°32'10.0514"W	2508.00	308.690	1.19	0.49	1.61
6728.00	41.590	316.420	5879.85	2562.18	1612.78	-2002.62	1708210.58	420591.14	39°39'0.5219"N	80°32'10.6336"W	2571.29	308.846	2.26	-1.05	2.99
6820.00	39.810	316.780	5949.59	2622.09	1656.37	-2043.84	1708169.36	420634.73	39°39'0.9479"N	80°32'11.1670"W	2630.74	309.022	1.95	-1.93	0.39
6915.00	38.140	315.360	6023.45	2681.79	1699.41	-2085.28	1708127.92	420677.76	39°39'1.3685"N	80°32'11.7031"W	2690.05	309.178	1.99	-1.76	-1.49
7006.00	37.730	314.270	6095.22	2737.72	1738.84	-2124.96	1708088.24	420717.19	39°39'1.7536"N	80°32'12.2162"W	2745.73	309.293	0.86	-0.45	-1.20
7099.00	39.040	314.100	6168.12	2795.46	1779.08	-2166.37	1708046.83	420757.43	39°39'2.1467"N	80°32'12.7515"W	2803.27	309.394	1.41	1.41	-0.18
7192.00	39.400	311.320	6240.17	2854.25	1818.96	-2209.58	1708003.63	420797.30	39°39'2.5358"N	80°32'13.3097"W	2861.96	309.462	1.93	0.39	-2.99
7285.00	40.850	310.550	6311.28	2914.11	1858.22	-2254.85	1707958.35	420836.57	39°39'2.9186"N	80°32'13.8943"W	2921.87	309.492	1.65	1.56	-0.83
7379.00	40.890	311.100	6382.37	2975.54	1898.43	-2301.40	1707911.81	420876.77	39°39'3.3107"N	80°32'14.4953"W	2983.37	309.519	0.39	0.04	0.59
7472.00	40.950	310.440	6452.64	3036.38	1938.21	-2347.53	1707865.68	420916.55	39°39'3.6985"N	80°32'15.0909"W	3044.27	309.544	0.47	0.06	-0.71
7565.00	40.840	309.950	6522.94	3097.15	1977.50	-2394.04	1707819.18	420955.84	39°39'4.0816"N	80°32'15.6912"W	3105.15	309.557	0.36	-0.12	-0.53
7646.00	40.940	309.870	6584.17	3150.06	2011.52	-2434.71	1707778.51	420989.86	39°39'4.4131"N	80°32'16.2162"W	3158.17	309.563	0.14	0.12	-0.10
7741.00	40.720	310.160	6656.06	3212.05	2051.46	-2482.28	1707730.94	421029.79	39°39'4.8023"N	80°32'16.8302"W	3220.28	309.572	0.31	-0.23	0.31
7836.00	41.090	310.570	6727.86	3274.15	2091.75	-2529.68	1707683.55	421070.08	39°39'5.1951"N	80°32'17.4420"W	3282.48	309.587	0.48	0.39	0.43
7932.00	40.740	310.990	6800.40	3336.94	2132.81	-2577.29	1707635.94	421111.14	39°39'5.5955"N	80°32'18.0567"W	3345.34	309.609	0.46	-0.36	0.44
8027.00	40.940	311.080	6872.27	3399.00	2173.60	-2624.15	1707589.08	421151.93	39°39'5.9932"N	80°32'18.6618"W	3407.45	309.635	0.22	0.21	0.09
8122.00	40.820	311.140	6944.10	3461.11	2214.48	-2670.99	1707542.24	421192.81	39°39'6.3918"N	80°32'19.2667"W	3469.60	309.662	0.13	-0.13	0.06
8217.00	40.900	311.290	7015.95	3523.21	2255.43	-2717.75	1707495.49	421233.75	39°39'6.7912"N	80°32'19.8705"W	3531.73	309.689	0.13	0.08	0.16



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 5 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
8312.00	42.110	311.260	7087.09	3586.11	2296.96	-2765.06	1707448.18	421275.28	39°39'7.1962"N	80°32'20.4814"W	3594.66	309.717	1.27	1.27	-0.03
8407.00	50.040	314.590	7152.95	3654.45	2343.61	-2815.02	1707398.22	421321.92	39°39'7.6514"N	80°32'21.1270"W	3662.90	309.779	8.72	8.35	3.51
8502.00	60.030	315.190	7207.33	3732.19	2398.50	-2870.09	1707343.16	421376.81	39°39'8.1876"N	80°32'21.8391"W	3740.35	309.885	10.53	10.52	0.63
8597.00	65.760	316.140	7250.59	3816.67	2458.97	-2929.15	1707284.10	421437.28	39°39'8.7785"N	80°32'22.6031"W	3824.45	310.013	6.10	6.03	1.00
8692.00	70.910	315.630	7285.65	3904.86	2522.33	-2990.59	1707222.66	421500.64	39°39'9.3976"N	80°32'23.3979"W	3912.26	310.145	5.44	5.42	-0.54
8787.00	82.440	317.250	7307.51	3997.03	2589.23	-3054.16	1707159.10	421567.53	39°39'10.0514"N	80°32'24.2205"W	4004.00	310.290	12.25	12.14	1.71
8883.00	91.320	317.460	7312.73	4092.60	2659.67	-3119.03	1707094.23	421637.96	39°39'10.7401"N	80°32'25.0603"W	4099.05	310.455	9.25	9.25	0.22
8978.00	90.150	313.050	7311.51	4187.53	2727.12	-3185.89	1707027.38	421705.41	39°39'11.3990"N	80°32'25.9249"W	4193.69	310.563	4.80	-1.23	-4.64
9073.00	90.620	314.900	7310.88	4282.52	2793.07	-3254.25	1706959.02	421771.36	39°39'12.0430"N	80°32'26.8086"W	4288.52	310.639	2.01	0.49	1.95
9169.00	90.340	314.880	7310.07	4378.49	2860.82	-3322.26	1706891.02	421839.11	39°39'12.7048"N	80°32'27.6881"W	4384.26	310.732	0.29	-0.29	-0.02
9264.00	90.150	314.780	7309.67	4473.47	2927.80	-3389.63	1706823.65	421906.08	39°39'13.3589"N	80°32'28.5593"W	4479.02	310.819	0.23	-0.20	-0.11
9359.00	90.460	315.250	7309.16	4568.45	2994.99	-3456.79	1706756.49	421973.27	39°39'14.0153"N	80°32'29.4278"W	4573.77	310.906	0.59	0.33	0.49
9454.00	90.830	315.360	7308.09	4663.40	3062.52	-3523.60	1706689.69	422040.79	39°39'14.6749"N	80°32'30.2919"W	4668.49	310.995	0.41	0.39	0.12
9550.00	91.110	314.080	7306.47	4759.37	3130.06	-3591.80	1706621.49	422108.32	39°39'15.3346"N	80°32'31.1739"W	4764.27	311.070	1.36	0.29	-1.33
9645.00	90.180	314.070	7305.40	4854.36	3196.13	-3660.05	1706553.25	422174.40	39°39'15.9797"N	80°32'32.0561"W	4859.14	311.129	0.98	-0.98	-0.01
9740.00	90.550	313.380	7304.79	4949.36	3261.79	-3728.70	1706484.60	422240.06	39°39'16.6208"N	80°32'32.9435"W	4954.04	311.179	0.82	0.39	-0.73
9835.00	90.430	314.100	7303.98	5044.35	3327.47	-3797.33	1706415.97	422305.73	39°39'17.2620"N	80°32'33.8307"W	5048.94	311.227	0.77	-0.13	0.76
9930.00	90.520	314.430	7303.19	5139.34	3393.78	-3865.36	1706347.95	422372.03	39°39'17.9094"N	80°32'34.7102"W	5143.81	311.283	0.36	0.09	0.35
10025.00	90.460	313.930	7302.38	5234.34	3459.98	-3933.49	1706279.82	422438.23	39°39'18.5559"N	80°32'35.5910"W	5238.68	311.336	0.53	-0.06	-0.53
10120.00	90.340	314.140	7301.72	5329.33	3526.02	-4001.78	1706211.53	422504.26	39°39'19.2006"N	80°32'36.4739"W	5333.58	311.384	0.25	-0.13	0.22
10216.00	90.430	314.050	7301.07	5425.33	3592.82	-4070.73	1706142.59	422571.06	39°39'19.8528"N	80°32'37.3653"W	5429.47	311.432	0.13	0.09	-0.09
10311.00	90.280	314.270	7300.48	5520.32	3659.00	-4138.88	1706074.44	422637.23	39°39'20.4990"N	80°32'38.2464"W	5524.36	311.478	0.28	-0.16	0.23
10406.00	90.830	313.800	7299.56	5615.32	3725.03	-4207.17	1706006.16	422703.26	39°39'21.1437"N	80°32'39.1293"W	5619.27	311.522	0.76	0.58	-0.49
10502.00	90.620	314.440	7298.35	5711.30	3791.85	-4276.08	1705937.25	422770.08	39°39'21.7962"N	80°32'40.0202"W	5715.16	311.565	0.70	-0.22	0.67
10596.00	90.370	314.130	7297.53	5805.30	3857.49	-4343.37	1705869.96	422835.71	39°39'22.4371"N	80°32'40.8902"W	5809.05	311.609	0.42	-0.27	-0.33
10692.00	90.460	313.850	7296.84	5901.29	3924.16	-4412.44	1705800.90	422902.38	39°39'23.0880"N	80°32'41.7831"W	5904.97	311.648	0.31	0.09	-0.29
10787.00	90.310	314.350	7296.20	5996.29	3990.27	-4480.66	1705732.68	422968.48	39°39'23.7335"N	80°32'42.6651"W	5999.88	311.687	0.55	-0.16	0.53
10882.00	90.180	314.220	7295.79	6091.28	4056.60	-4548.67	1705664.68	423034.81	39°39'24.3812"N	80°32'43.5445"W	6094.78	311.727	0.19	-0.14	-0.14
10977.00	90.090	313.720	7295.57	6186.28	4122.56	-4617.04	1705596.31	423100.76	39°39'25.0251"N	80°32'44.4284"W	6189.71	311.762	0.53	-0.09	-0.53
11073.00	90.370	313.720	7295.19	6282.28	4188.90	-4686.42	1705526.94	423167.11	39°39'25.6728"N	80°32'45.3253"W	6285.65	311.792	0.29	0.29	0.00



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 6 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
11168.00	90.280	314.070	7294.65	6377.27	4254.77	-4754.88	1705458.48	423232.97	39°39'26.3159"N	80°32'46.2103"W	6380.59	311.823	0.38	-0.09	0.37
11263.00	89.780	313.830	7294.60	6472.27	4320.70	-4823.27	1705390.09	423298.90	39°39'26.9596"N	80°32'47.0945"W	6475.52	311.854	0.58	-0.53	-0.25
11358.00	89.970	313.760	7294.80	6567.27	4386.45	-4891.84	1705321.53	423364.64	39°39'27.6014"N	80°32'47.9810"W	6570.47	311.882	0.21	0.20	-0.07
11453.00	90.120	313.480	7294.73	6662.27	4451.99	-4960.62	1705252.76	423430.18	39°39'28.2412"N	80°32'48.8700"W	6665.43	311.907	0.33	0.16	-0.29
11548.00	89.510	313.560	7295.04	6757.27	4517.41	-5029.50	1705183.87	423495.59	39°39'28.8797"N	80°32'49.7605"W	6760.39	311.930	0.65	-0.64	0.08
11643.00	89.750	312.600	7295.65	6852.26	4582.29	-5098.89	1705114.49	423560.47	39°39'29.5130"N	80°32'50.6572"W	6855.37	311.946	1.04	0.25	-1.01
11738.00	89.540	313.800	7296.24	6947.26	4647.32	-5168.14	1705045.25	423625.50	39°39'30.1476"N	80°32'51.5523"W	6950.34	311.963	1.28	-0.22	1.26
11832.00	90.250	315.580	7296.41	7041.24	4713.42	-5234.96	1704978.43	423691.60	39°39'30.7932"N	80°32'52.4165"W	7044.23	311.999	2.04	0.76	1.89
11928.00	89.820	315.480	7296.35	7137.19	4781.93	-5302.21	1704911.18	423760.10	39°39'31.4625"N	80°32'53.2865"W	7140.05	312.046	0.46	-0.45	-0.10
12023.00	89.970	314.940	7296.53	7232.15	4849.35	-5369.14	1704844.26	423827.51	39°39'32.1210"N	80°32'54.1522"W	7234.91	312.088	0.59	0.16	-0.57
12118.00	90.740	315.320	7295.94	7327.12	4916.68	-5436.16	1704777.24	423894.84	39°39'32.7786"N	80°32'55.0191"W	7329.77	312.127	0.90	0.81	0.40
12214.00	90.520	315.540	7294.88	7423.07	4985.06	-5503.53	1704709.88	423963.22	39°39'33.4467"N	80°32'55.8906"W	7425.61	312.170	0.32	-0.23	0.23
12309.00	90.890	316.680	7293.71	7517.97	5053.52	-5569.38	1704644.03	424031.67	39°39'34.1156"N	80°32'56.7428"W	7520.38	312.220	1.26	0.39	1.20
12403.00	89.820	315.660	7293.13	7611.88	5121.33	-5634.48	1704578.94	424099.47	39°39'34.7782"N	80°32'57.5852"W	7614.15	312.269	1.57	-1.14	-1.09
12499.00	89.970	315.330	7293.31	7707.83	5189.79	-5701.77	1704511.65	424167.94	39°39'35.4470"N	80°32'58.4557"W	7710.00	312.309	0.38	0.16	-0.34
12594.00	89.630	315.070	7293.64	7802.79	5257.20	-5768.71	1704444.71	424235.34	39°39'36.1055"N	80°32'59.3217"W	7804.88	312.344	0.45	-0.36	-0.27
12689.00	89.290	315.260	7294.53	7897.76	5324.57	-5835.69	1704377.74	424302.70	39°39'36.7634"N	80°33'0.1881"W	7899.77	312.378	0.41	-0.36	0.20
12784.00	90.030	316.490	7295.10	7992.68	5392.76	-5901.83	1704311.60	424370.89	39°39'37.4297"N	80°33'1.0439"W	7994.59	312.419	1.51	0.78	1.29
12879.00	88.920	314.960	7295.97	8087.61	5460.77	-5968.14	1704245.29	424438.90	39°39'38.0942"N	80°33'1.9019"W	8089.42	312.458	1.99	-1.17	-1.61
12974.00	89.200	314.660	7297.53	8182.58	5527.71	-6035.53	1704177.91	424505.84	39°39'38.7479"N	80°33'2.7735"W	8184.33	312.485	0.43	0.29	-0.32
13069.00	89.510	315.090	7298.60	8277.55	5594.74	-6102.85	1704110.60	424572.86	39°39'39.4025"N	80°33'3.6442"W	8279.24	312.513	0.56	0.33	0.45
13164.00	89.660	315.360	7299.28	8372.52	5662.18	-6169.76	1704043.69	424640.29	39°39'40.0612"N	80°33'4.5097"W	8374.13	312.544	0.33	0.16	0.28
13259.00	89.540	315.200	7299.95	8467.48	5729.68	-6236.60	1703976.85	424707.79	39°39'40.7205"N	80°33'5.3744"W	8469.02	312.574	0.21	-0.13	-0.17
13354.00	89.080	314.670	7301.09	8562.45	5796.77	-6303.85	1703909.61	424774.88	39°39'41.3758"N	80°33'6.2443"W	8563.94	312.600	0.74	-0.48	-0.56
13449.00	89.570	315.020	7302.21	8657.42	5863.76	-6371.20	1703842.26	424841.86	39°39'42.0300"N	80°33'7.1154"W	8658.86	312.625	0.63	0.52	0.37
13544.00	89.820	315.240	7302.72	8752.39	5931.08	-6438.22	1703775.24	424909.18	39°39'42.6876"N	80°33'7.9824"W	8753.77	312.652	0.35	0.26	0.23
13639.00	89.850	315.130	7302.99	8847.35	5998.48	-6505.18	1703708.29	424976.57	39°39'43.3459"N	80°33'8.8486"W	8848.67	312.679	0.12	0.03	-0.12
13734.00	89.600	315.260	7303.45	8942.32	6065.88	-6572.12	1703641.35	425043.97	39°39'44.0042"N	80°33'9.7146"W	8943.58	312.706	0.30	-0.26	0.14
13829.00	89.850	315.630	7303.90	9037.27	6133.57	-6638.77	1703574.70	425111.66	39°39'44.6655"N	80°33'10.5769"W	9038.47	312.735	0.47	0.26	0.39
13925.00	89.750	315.160	7304.24	9133.23	6201.92	-6706.19	1703507.30	425180.00	39°39'45.3331"N	80°33'11.4491"W	9134.37	312.763	0.50	-0.10	-0.49



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 7 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
14020.00	89.170	314.620	7305.13	9228.20	6268.96	-6773.49	1703440.00	425247.04	39°39'45.9878"N	80°33'12.3196"W	9229.30	312.785	0.83	-0.61	-0.57
14115.00	90.030	315.550	7305.80	9323.17	6336.23	-6840.56	1703372.93	425314.31	39°39'46.6449"N	80°33'13.1873"W	9324.22	312.808	1.33	0.91	0.98
14210.00	89.660	314.740	7306.05	9418.13	6403.58	-6907.56	1703305.93	425381.65	39°39'47.3026"N	80°33'14.0541"W	9419.14	312.832	0.94	-0.39	-0.85
14305.00	89.910	315.360	7306.41	9513.11	6470.81	-6974.68	1703238.82	425448.88	39°39'47.9593"N	80°33'14.9223"W	9514.07	312.854	0.70	0.26	0.65
14401.00	89.690	315.500	7306.74	9609.06	6539.20	-7042.05	1703171.45	425517.26	39°39'48.6273"N	80°33'15.7940"W	9609.97	312.880	0.27	-0.23	0.15
14495.00	89.660	314.880	7307.28	9703.02	6605.89	-7108.29	1703105.21	425583.94	39°39'49.2786"N	80°33'16.6510"W	9703.90	312.902	0.66	-0.03	-0.66
14591.00	89.780	315.710	7307.75	9798.98	6674.12	-7175.82	1703037.68	425652.17	39°39'49.9451"N	80°33'17.5247"W	9799.81	312.925	0.87	0.12	0.86
14686.00	89.690	315.540	7308.19	9893.93	6742.02	-7242.26	1702971.25	425720.07	39°39'50.6084"N	80°33'18.3843"W	9894.71	312.951	0.20	-0.09	-0.18
14781.00	89.570	315.670	7308.80	9988.87	6809.90	-7308.72	1702904.79	425787.94	39°39'51.2715"N	80°33'19.2443"W	9989.60	312.977	0.19	-0.13	0.14
14876.00	89.540	315.470	7309.54	10083.82	6877.74	-7375.22	1702838.30	425855.78	39°39'51.9342"N	80°33'20.1048"W	10084.50	313.001	0.21	-0.03	-0.21
14971.00	89.050	315.220	7310.71	10178.77	6945.31	-7441.99	1702771.54	425923.35	39°39'52.5942"N	80°33'20.9686"W	10179.42	313.023	0.58	-0.52	-0.26
15065.00	89.540	315.690	7311.86	10272.71	7012.30	-7507.92	1702705.61	425990.33	39°39'53.2486"N	80°33'21.8217"W	10273.33	313.045	0.72	0.52	0.50
15161.00	89.380	315.350	7312.77	10368.66	7080.79	-7575.18	1702638.35	426058.82	39°39'53.9176"N	80°33'22.6919"W	10369.23	313.068	0.39	-0.17	-0.35
15255.00	88.830	314.740	7314.24	10462.62	7147.30	-7641.59	1702571.95	426125.33	39°39'54.5672"N	80°33'23.5510"W	10463.16	313.086	0.87	-0.59	-0.65
15351.00	89.080	314.130	7315.99	10558.60	7214.50	-7710.13	1702503.42	426192.52	39°39'55.2233"N	80°33'24.4375"W	10559.12	313.098	0.69	0.26	-0.64
15445.00	88.920	315.090	7317.63	10652.57	7280.50	-7777.03	1702436.51	426258.52	39°39'55.8678"N	80°33'25.3029"W	10653.07	313.111	1.04	-0.17	1.02
15541.00	89.480	315.780	7318.97	10748.51	7348.89	-7844.39	1702369.16	426326.90	39°39'56.5358"N	80°33'26.1744"W	10748.99	313.132	0.93	0.58	0.72
15636.00	89.510	315.810	7319.80	10843.44	7416.99	-7910.62	1702302.93	426395.00	39°39'57.2011"N	80°33'27.0316"W	10843.88	313.155	0.04	0.03	0.03
15732.00	89.350	315.500	7320.76	10939.38	7485.64	-7977.72	1702235.84	426463.64	39°39'57.8717"N	80°33'27.8999"W	10939.78	313.177	0.36	-0.17	-0.32
15827.00	90.060	315.670	7321.25	11034.33	7553.50	-8044.21	1702169.35	426531.49	39°39'58.5345"N	80°33'28.7602"W	11034.70	313.198	0.77	0.75	0.18
15923.00	89.690	315.510	7321.46	11130.27	7622.07	-8111.39	1702102.18	426600.07	39°39'59.2044"N	80°33'29.6295"W	11130.62	313.219	0.42	-0.39	-0.17
16018.00	90.400	315.480	7321.38	11225.22	7689.83	-8177.98	1702035.59	426667.82	39°39'59.8662"N	80°33'30.4912"W	11225.54	313.238	0.75	0.75	-0.03
16113.00	90.180	315.750	7320.90	11320.17	7757.72	-8244.43	1701969.15	426735.70	39°40'0.5294"N	80°33'31.3510"W	11320.46	313.258	0.37	-0.23	0.28
16208.00	90.180	315.680	7320.60	11415.10	7825.73	-8310.76	1701902.82	426803.71	39°40'1.1938"N	80°33'32.2094"W	11415.37	313.278	0.07	0.00	-0.07
16303.00	90.060	315.350	7320.41	11510.06	7893.50	-8377.33	1701836.25	426871.48	39°40'1.8558"N	80°33'33.0708"W	11510.30	313.297	0.37	-0.13	-0.35
16398.00	90.460	315.630	7319.97	11605.01	7961.25	-8443.93	1701769.66	426939.22	39°40'2.5175"N	80°33'33.9326"W	11605.23	313.315	0.51	0.42	0.29
16493.00	90.370	315.300	7319.29	11699.96	8028.96	-8510.55	1701703.04	427006.93	39°40'3.1790"N	80°33'34.7947"W	11700.16	313.332	0.36	-0.09	-0.35
16588.00	90.800	316.070	7318.32	11794.89	8096.93	-8576.91	1701636.68	427074.90	39°40'3.8429"N	80°33'35.6535"W	11795.07	313.351	0.93	0.45	0.81
16683.00	90.030	315.620	7317.63	11889.82	8165.09	-8643.09	1701570.51	427143.05	39°40'4.5087"N	80°33'36.5100"W	11889.98	313.371	0.94	-0.81	-0.47
16778.00	89.910	315.950	7317.68	11984.76	8233.18	-8709.34	1701504.27	427211.13	39°40'5.1739"N	80°33'37.3673"W	11984.90	313.390	0.37	-0.13	0.35



Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'
Page 8 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
16874.00	89.480	315.600	7318.19	12080.69	8301.97	-8776.29	1701437.31	427279.92	39°40'5.8459"N	80°33'38.2339"W	12080.81	313.409	0.58	-0.45	-0.36
16969.00	89.880	315.580	7318.72	12175.63	8369.83	-8842.77	1701370.84	427347.78	39°40'6.5088"N	80°33'39.0942"W	12175.74	313.426	0.42	0.42	-0.02
17064.00	90.090	315.620	7318.74	12270.58	8437.71	-8909.24	1701304.37	427415.65	39°40'7.1718"N	80°33'39.9543"W	12270.68	313.443	0.23	0.22	0.04
17159.00	90.340	315.550	7318.39	12365.53	8505.57	-8975.73	1701237.89	427483.51	39°40'7.8346"N	80°33'40.8147"W	12365.61	313.459	0.27	0.26	-0.07
17255.00	89.570	314.330	7318.46	12461.50	8573.37	-9043.68	1701169.95	427551.31	39°40'8.4968"N	80°33'41.6939"W	12461.58	313.471	1.50	-0.80	-1.27
17350.00	90.030	315.400	7318.79	12556.48	8640.39	-9111.01	1701102.62	427618.32	39°40'9.1512"N	80°33'42.5650"W	12556.55	313.481	1.23	0.48	1.13
17445.00	90.370	314.380	7318.46	12651.45	8707.43	-9178.31	1701035.32	427685.36	39°40'9.8059"N	80°33'43.4357"W	12651.51	313.492	1.13	0.36	-1.07
17541.00	90.310	314.830	7317.89	12747.44	8774.85	-9246.66	1700966.98	427752.77	39°40'10.4641"N	80°33'44.3198"W	12747.49	313.500	0.47	-0.06	0.47
17636.00	90.180	314.250	7317.49	12842.43	8841.48	-9314.37	1700899.27	427819.40	39°40'11.1147"N	80°33'45.1957"W	12842.48	313.508	0.63	-0.14	-0.61
17731.00	90.370	314.380	7317.03	12937.42	8907.85	-9382.34	1700831.30	427885.76	39°40'11.7626"N	80°33'46.0749"W	12937.47	313.514	0.24	0.20	0.14
17826.00	90.370	315.040	7316.42	13032.40	8974.68	-9449.86	1700763.79	427952.59	39°40'12.4152"N	80°33'46.9483"W	13032.44	313.523	0.69	0.00	0.69
17921.00	89.750	314.380	7316.32	13127.38	9041.51	-9517.37	1700696.28	428019.42	39°40'13.0678"N	80°33'47.8217"W	13127.42	313.531	0.95	-0.65	-0.69
18016.00	89.690	314.290	7316.78	13222.38	9107.90	-9585.32	1700628.34	428085.80	39°40'13.7159"N	80°33'48.7007"W	13222.41	313.537	0.11	-0.06	-0.09
18111.00	89.540	313.830	7317.42	13317.37	9173.96	-9653.58	1700560.08	428151.86	39°40'14.3608"N	80°33'49.5836"W	13317.41	313.541	0.51	-0.16	-0.48
18206.00	89.380	314.330	7318.32	13412.37	9240.05	-9721.83	1700491.84	428217.94	39°40'15.0059"N	80°33'50.4662"W	13412.40	313.545	0.55	-0.17	0.53
18302.00	89.660	314.730	7319.12	13508.35	9307.37	-9790.26	1700423.41	428285.26	39°40'15.6631"N	80°33'51.3515"W	13508.38	313.552	0.51	0.29	0.42
18397.00	89.660	314.150	7319.68	13603.34	9373.88	-9858.09	1700355.59	428351.77	39°40'16.3125"N	80°33'52.2289"W	13603.37	313.558	0.61	0.00	-0.61
18492.00	89.290	313.690	7320.55	13698.33	9439.78	-9926.51	1700287.16	428417.66	39°40'16.9557"N	80°33'53.1139"W	13698.36	313.560	0.62	-0.39	-0.48
18587.00	89.420	314.200	7321.62	13793.33	9505.70	-9994.91	1700218.77	428483.58	39°40'17.5991"N	80°33'53.9985"W	13793.35	313.563	0.55	0.14	0.54
18682.00	90.430	314.720	7321.75	13888.32	9572.24	-10062.71	1700150.97	428550.11	39°40'18.2487"N	80°33'54.8756"W	13888.34	313.569	1.20	1.06	0.55
18778.00	90.740	314.600	7320.77	13984.30	9639.71	-10130.99	1700082.70	428617.58	39°40'18.9076"N	80°33'55.7590"W	13984.32	313.577	0.35	0.32	-0.12
18873.00	90.490	314.560	7319.75	14079.28	9706.39	-10198.66	1700015.04	428684.26	39°40'19.5585"N	80°33'56.6343"W	14079.30	313.583	0.27	-0.26	-0.04
18968.00	89.600	314.590	7319.67	14174.27	9773.06	-10266.33	1699947.37	428750.93	39°40'20.2095"N	80°33'57.5098"W	14174.28	313.590	0.94	-0.94	0.03
19063.00	89.750	314.620	7320.21	14269.25	9839.77	-10333.96	1699879.74	428817.63	39°40'20.8608"N	80°33'58.3848"W	14269.26	313.597	0.16	0.16	0.03
19158.00	89.690	314.570	7320.68	14364.24	9906.47	-10401.61	1699812.10	428884.32	39°40'21.5120"N	80°33'59.2599"W	14364.25	313.603	0.08	-0.06	-0.05
19253.00	89.570	314.350	7321.29	14459.23	9973.01	-10469.41	1699744.30	428950.86	39°40'22.1616"N	80°34'0.1371"W	14459.24	313.609	0.26	-0.13	-0.23
19348.00	90.150	314.400	7321.52	14554.22	10039.45	-10537.32	1699676.40	429017.29	39°40'22.8102"N	80°34'1.0155"W	14554.23	313.614	0.61	0.61	0.05
19443.00	90.150	314.390	7321.27	14649.21	10105.91	-10605.20	1699608.52	429083.75	39°40'23.4590"N	80°34'1.8936"W	14649.22	313.619	0.01	0.00	-0.01
19539.00	90.120	314.100	7321.05	14745.21	10172.89	-10673.97	1699539.76	429150.73	39°40'24.1129"N	80°34'2.7832"W	14745.21	313.623	0.30	-0.03	-0.30
19634.00	89.940	314.270	7321.00	14840.20	10239.10	-10742.09	1699471.64	429216.94	39°40'24.7592"N	80°34'3.6644"W	14840.21	313.627	0.26	-0.19	0.18



Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'
Page 9 of 11



REFERENCE WELLPATH IDENTIFICATION

Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH DATA (211 stations) † = interpolated, ‡ = extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
19675.00	89.940	314.270	7321.04	14881.20	10267.72	-10771.45	1699442.28	429245.55	39°40'25.0386"N	80°34'4.0442"W	14881.20	313.628	0.00	0.00	0.00

HOLE & CASING SECTIONS - Ref Wellbore: Sizemore 9H AWB Ref Wellpath: Sizemore 9H AWP Proj: 19675'

String/Diameter	Start MD [ft]	End MD [ft]	Interval [ft]	Start TVD [ft]	End TVD [ft]	Start N/S [ft]	Start E/W [ft]	End N/S [ft]	End E/W [ft]
17.5in Open Hole	28.00	1174.00	1146.00	28.00	1174.00	0.00	0.00	0.14	1.21
13.375in Casing Surface	28.00	1174.00	1146.00	28.00	1174.00	0.00	0.00	0.14	1.21
12.25in Open Hole	1174.00	2503.00	1329.00	1174.00	2487.89	0.14	1.21	65.41	-165.22
9.625in Casing Intermediate	28.00	2503.00	2475.00	28.00	2487.89	0.00	0.00	65.41	-165.22
8.75in Open Hole	2503.00	7643.00	5140.00	2487.89	6581.91	65.41	-165.22	2010.26	-2433.20
8.5in Open Hole	7643.00	19675.00	12032.00	6581.91	7321.04	2010.26	-2433.20	10267.72	-10771.45
5.5in Casing Production	28.00	19675.00	19647.00	28.00	7321.04	0.00	0.00	10267.72	-10771.45

TARGETS

Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Sizemore 9H BHL Rev-1	7236.66	10276.28	-10764.17	1699449.56	429254.11	39°40'25.1241"N	80°34'3.9524"W	point
Sizemore 9H LP Rev-1	7312.00	2645.46	-3133.35	1707079.91	421623.76	39°39'10.5981"N	80°32'25.2411"W	point



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 10 of 11



REFERENCE WELLPATH IDENTIFICATION			
Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

WELLPATH COMPOSITION - Ref Wellbore: Sizemore 9H AWB Ref Wellpath: Sizemore 9H AWP Proj: 19675'					
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore	Survey Date
28.00	1181.00	Gyrodata 2015 - CT+WIR+ALC	01_Gyrodata Cont Gyro <17-1/2">(115'-1181')	Sizemore 9H AWB	1/22/2021
1181.00	7565.00	OWSG MWD rev2 - Standard	02_SDI MWD <8-3/4">(1181')(1243'-7565')	Sizemore 9H AWB	1/22/2021
7565.00	19675.00	OWSG MWD rev2 + IFR1 + Multi-Station Correction	03_BH AT Curve + MagVAR MSA <8-1/2">(7565')(7646'-19634')	Sizemore 9H AWB	2/18/2021



Where energy meets innovation.

Actual Wellpath Report

Sizemore 9H AWP Proj: 19675'

Page 11 of 11



REFERENCE WELLPATH IDENTIFICATION			
Operator	EQT PRODUCTION COMPANY	Well	Sizemore 9H
Field	Wetzel	API	47-103-03348-00-00
Facility	Sizemore Pad	Wellbore	Sizemore 9H AWB
Slot	Slot 09		

COMMENTS
<p>Wellpath general comments API: 47-103-03348-0000 BH Job #: 110761342 Rig: Patterson 292 Duration: 2/22/21 - 2/24/21</p> <p>Gyrodata Cont Gyro <17-1/2">(115'-1181') SDI MWD <8-3/4">(1181')(1243'-7565') BH AT Curve + MagVAR MSA <8-1/2">(7565')(7646'-19634') Projected MD at TD: 19675'</p>



KB elevation = 1176 ft
 Ground elevation = 1148 ft
 All measurements taken from KB elevation



Where energy meets innovation.

