

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, January 29, 2025 WELL WORK PERMIT Horizontal 6A / New Drill

EQT PRODUCTION COMPANY 400 WOODCLIFF DR.

CANONSBURG, PA 15317

Re:

Permit approval for HALLIBU 10H

47-103-03706-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-9450.

Operator's Well Number: HALLIBU 10H

Farm Name: EQT PRODUCTION COMPAN

U.S. WELL NUMBER: 47-103-03706-00-00

Horizontal 6A New Drill

Date Issued: 01/30/2025

API Number: <u>4710303706</u>

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 471	0_	3	0	3	7	0	6	
OPERATOR V	NELL	N(D. ₁	0H				/
Well Pad Na	me:	Hall	libu			Nitras Porty		• 57

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator	EQT Proc	duction Co	mpany ′	306686	Wetzel	Clay	Littleton
2) Operator's We	ell Number: 1	10Н /		Operator ID Well Pa	County d Name: Hallib	District u	Quadrangle
3) Farm Name/Su	ırface Owner	EQT Prod	uction Con	pany Public Ro	ad Access: CR	7/17	
	rent ground: a) Gas X Other	1340'	Oil	vation, proposed	post-construction	ge	RECEIVED
		nallow	X	Deep			e Of Oil and Gas
	Н	orizontal	X			D.	EC 3 0 2024
6) Existing Pad: Y	and the second				_	100	Department of mental Protection
7) Proposed Targe Marcellus, 7,57	et Formation(1', 52', 2,620	(s), Depth(s psi), Anticij	pated Thickness a	and Expected Pr	essure(s):	. Totechon
8) Proposed Total	Vertical Dep	oth: 7,571	. /	1			102
9) Formation at To	otal Vertical	Depth: M	arcellus				
10) Proposed Tota	al Measured I	Depth: 8,	020'				
11) Proposed Hor	izontal Leg L	ength: 0'					
12) Approximate	Fresh Water	Strata Dept	hs:	43', 90'			
13) Method to Det 14) Approximate S			\$ 	ffset wells 103-0 , 2,351'	2767, 103-022	179 103-0	00005
15) Approximate (Coal Seam D	epths: 730)'-733', 9	69'-972', 1,067'-	1,073'		
16) Approximate 1	Depth to Poss	sible Void (coal min	e, karst, other):	N/A		
17) Does Proposed directly overlying	d well locatio or adjacent to	n contain c	oal seam: mine?	Yes	No	X	
(a) If Yes, provide	de Mine Info:	Name:					
		Depth:			-207		
		Seam:					
		Owner:					
		Owner:					

API NO. 47-	Complete	0	3	0	3	7	0	6
1.100 1700 E400 E400 MM 4400 1							A 2	

OPERATOR WELL NO. 10H Well Pad Name: Hallibu

18)

CASING AND TUBING PROGRAM

TYPE		Mary					1
	Size (in)	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	26	New	A252 GR 3 Bare	85.6	53	53	45 ft^3 / CTS
Fresh Water	13 3/8	New	J-55	54.5	1123	1123	1020 ft^3 / CTS 4
Coal					20 3000.5400	/	1020 11 07 010
Intermediate	9 5/8	New	J-55	36	2653	2653	1020 ft^3 / CTS
Production	5 1/2	New	P-110	20	8020	8020 /	500' above intermediate casing
Tubing						0020	The second secon
Liners							

TYPE		Wellbore	Wall	D D	Anticipated		Cement
	Size (in)	Diameter (in)	Thickness (in)	Burst Pressure (psi)	Max. Internal Pressure (psi)	Cement Type	Yield (cu. ft./k)
Conductor	26	30	0.312	1000	18	Class A/L	1.04 - 1.20
Fresh Water	13 3/8	17 1/2	0.380	2730	2184	Class A/L	1.04 - 1.20
Coal							
Intermediate	9 5/8	12 3/8	0.352	3520	2816	Class A/L	1.04 - 1.20
Production	5 1/2	8 1/2	0.361	14360	11488	Class A/H/L	1.04 - 2.10
Tubing							1.04 2.10
Liners							
		(t)			RECE	-DAFED	

Office Of Oil and Gas

DEC 3 0 2024

PACKERS

WV Department of Environmental Protection

Kind:	
Sizes:	
Depths Set:	

Stephen Mccoy



	4	7	April 1	0	3	0	3	7	0	6
API NO	4	7-		_					4.6	

OPERATOR WELL NO. 10H Well Pad Name: Hallibu

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and complete a new horizontal well in the Marcellus Formation. Drill the vertical, kick off and drill curve. Drill the lateral in the Marcellus. Cement casing.

> RECEIVED Office Of Oil and Gas

> > DEC 3 0 2024

WV Department of Environmental Protection

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Hydraulic fracturing is completed in accordance with state regulations using water recycled from previously fractured wells and obtained from freshwater sources. This water is mixed with sand and a small percentage (less than 0.1%) of chemicals (including 15% Hydrochloric acid, friction reducer, biocide, and scale inhibitor), referred to in the industry as a "slickwater" completion. Maximum anticipated internal casing pressure is expected to be approximately 10,000 psi, maximum anticipated treating rates are expected to average approximately 100 bpm. Stage lengths vary from 150 to 300 feet. Average approximately 350,000 gallons of water per stage. Sand sizes vary from 100 mesh to 20/40 mesh. Average approximately 200,000-600,000 pounds of proppant per stage.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 25.2
- 22) Area to be disturbed for well pad only, less access road (acres): 16.8
- 23) Describe centralizer placement for each casing string:
- Surface: Bow spring centralizers One centralizer at the shoe and one spaced every 500'.
- Intermediate: Bow spring centralizers One centralizer at the shoe and one spaced every 500'.
- · Production: One solid body centralizer spaced every other joint from production casing shoe to landing point. One solid body centralizer spaced every joint from landing point to planned top of cement.

24) Describe all cement additives associated with each cement type:

Conductor: No additives

Surface: Calcium Chloride. Used to speed the setting of cement slurries Intermediate: Calcium Chloride. Used to speed the setting of cement slurries.

Production: Calcium Carbonate, Fluid Loss, Extender, Dispersent, Viscosifier, Defoamer, POZ, Bonding Agent, Retarder,

Anti-Settling/Suspension Agent

25) Proposed borehole conditioning procedures:

Surface: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Intermediate: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Production: Perform a cleanup cycle by pumping 3-8 bottoms up or until the shakers are clean. Check volume of cuttings coming across the shakers every 15 minutes.

*Note: Attach additional sheets as needed.

Page 3 of 3 Mccoy





December 11, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: Casing on Hallibu 10H

Dear Mr. Brewer,

The 13-3/8" surface casing will be set at 1,123' KB, 50' below the deepest workable coal seam.

The 9-5/8" intermediate string will be set at 2,653' KB, 50' below the base of the Big Injun formation.

If you have any questions, please do not hesitate to contact me at 724-746-9073.

Sincerely,

John Zavatchan Project Specialist – Permitting

jzavatchan@eqt.com

724-746-9073

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

WV Department of Environmental Protection

Enc.



EQT PRODUCTION COMPANY 400 Woodcliff Drive | Canonsburg, PA 15317

December 11, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

RECEIVED
Office Of Oil and Gas

Re:

Class L Cement Variance Request

Hallibu 10H

Clay District, Wetzel County

DEC 3 0 2024

WV Department of Environmental Protection

Dear Mr. Brewer,

EQT Production Company (EQT) has been notified by our cement providers that they will no longer be providing Class A cement. As a result of this, EQT is requesting the option to utilize Class L cement, if necessary, in place of Class A cement for its cement jobs.

The variance request from Legislative Rule 35CSR8, Section 9.2.h.8, related to the use of Class L Cement, was approved by the Office of Oil and Gas on September 13, 2022. A copy of the variance is included with this request.

If you have any questions, please do not hesitate to contact me at 724-746-9073.

Sincerely,

John Zavatchan

Regional Manager - Permitting

Enc.

WEST VIRGINIA GEOLOGICAL PROGNOSIS

Pad Name:

Hallibu Hallibu South S-002675

Drilling Objectives: Quad: County: Elevation:

Marcellus Littleton Wetzel

1353 KB 315 Degrees

1340 GL

Recommended Azimuth Proposed Logging Suite:

-No Pilot Hole Needed

Coal requirements:

ESTIMATED FORMATION TOPS	4710302537	4710302580		
Formation	Top (TVD)	Base (TVD	Lithology	0
Fresh Water Zone	1	90		FW from offsets @ 43,90, ,
Waynesburg Coal	730	733	Coal	1 W Holli offsets (a) 45,90, .
Sewickley Coal	969		! Coal	DW from offsets @ 1576, .
Pittsburgh Coal	1067		Coal	SW @ 1902,2110,2351,
Big Injun	2479		Sandstone	Hydrogerhau and (-b : - : : : : : : : : : : : : : : : :
Int. csg pt	2653		- mastone	Hydrocarbon prod/show in offset @1988,2217,2381,3096,3383, , ,
Berea	2705	2959	Sandstone	50 ft below Big Injun
Gantz	2959		Silty sand	
Fifty foot	3238		Silty sand	0
Thirty foot	3306		Silty sand	Outside of Storage Boundary
Bayard	3377		Sandstone	
Upper Speechley	3837		Silty sand	
Speechley	3895		Silty sand	
Balltown	3972		Silty sand	
Bradford	4312		Silty sand	
Benson	5452		Silty sand	
Alexander	5865		Silty sand	
Elk	6297		Silty sand	
Sonyea	7110		Gray shale	
Middlesex	7262		Black Shale	
Genesee	7306		Gray shale interbedded	
Geneseo	7388		Black Shale	
Γully	7419		Limestone	
Hamilton	7442		Gray shale with some	
Marcellus	7551		Black Shale	
-Purcell	7570		Limestone	
-Cherry Valley	7583		Limestone	
-Lateral Zone	757		Linestone	
Onondaga	7603		Limestone	

Top RR Base RR 1168 11 1313 13 1542 15 2213 22 1183 1353 1542 2273

Comments:
Note that this is a TVD prog for a horizontal well (azimuth of 315 degrees; target formation = Marcellus). All measurements taken from estimated KB elevation. Water and coal information estimated from surrounding well data.

RECOMMENDED CASING POINTS

Planned Depth KB Planned Depth GLE Conductor: Freshwater / Coal: CSG OD CSG DEPTH 40 1123 CSG DEPTH:
CSG DEPTH:
CSG DEPTH: CSG OD 13 3/8" 9 5/8" 1110 Intermediate 1: Production: CSG OD 2640 CSG OD a TD @ TD

Office Of Oil and Gas

DEC 3 0 2024

EQT Production Wellbore Diagram Well: Hallibu 10H County: Wetzel Pad: Hallibu State: West Virginia Elevation: 1340' GL 1353' KB Conductor @ 53' 26", 85.6#, A252 GR3 Bare, cement to surface w/ Class A/L Surface @ 1,123' 13-3/8", 54.5#, J-55, cement to surface w/ Class A/L RECEIVED
Office Of Oil and Gas DEC 3 0 2024 WV Department of Environmental Protection Intermediate @ 2,653' 9-5/8", 36#, J-55, cement to surface w/ Class A/L Production 8,020' MD / 7,571' TVD @ 5-1/2", 20#, P-110, cement to 500' inside 9-5/8" w/ Class A/H/L Formation: Marcellus 00/31/2025LE

4710303706

API Number	47 -		-	100		
Ope	rator's We	ell N	0 1	Hallibi	10F	1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

RECEIVED Office Of Oil and Gas

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

DEC 3 0 2024

Operator Name_EQT Production Company	OP Code 306686	WV Department of Environmental Protection
Watershed (HUC 10) Shriver Run of Long Drain	Quadrangle Littleton	Environmental Trotogram
Do you anticipate using more than 5,000 bbls of water to comple Will a pit be used? Yes No	ete the proposed well work? Yes	No No
If so, please describe anticipated pit waste: N/A		
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? N/A	
Proposed Disposal Method For Treated Pit Wastes:		
Land Application Underground Injection (UIC Permit N Reuse (at API Number Various)
Off Site Disposal (Supply form WW-9 Other (Explain	for disposal location)	
Drilling medium anticipated for this well (vertical and horizontal)	? Air, freshwater, oil based, etc. See	
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	netic Mud	
Additives to be used in drilling medium? See Attached		
Drill cuttings disposal method? Leave in pit, landfill, removed of	fsite, etcLandfill	
-If left in pit and plan to solidify what medium will be used -Landfill or offsite name/permit number? See Attached List		
Permittee shall provide written notice to the Office of Oil and Gas West Virginia solid waste facility. The notice shall be provided wiwhere it was properly disposed.	of any load of drill cuttings or associathin 24 hours of rejection and the perm	ated waste rejected at any nittee shall also disclose
I certify that I understand and agree to the terms and come on August 1, 2005, by the Office of Oil and Gas of the West Virgin provisions of the permit are enforceable by law. Violations of an law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examplication form and all attachments thereto and that, based o obtaining the information, I believe that the information is true, benalties for submitting false information, including the possibility Company Official Signature Company Official Title Regional Manager - Permitting	nia Department of Environmental Prot ny term or condition of the general per camined and am familiar with the inter- on my inquiry of those individuals in accurate and complete. Learn system	rection. I understand that the ermit and/or other applicable formation submitted on this
Subscribed and sworp before me this 18th day of Dec	enber , 20 24	
Shelopoon No	Com	monwealth of Pennsylvania - Notary Seal
Ty commission expires March 9, 2028	Notary Public	Rebecca Shrum, Notary Public Beaver County commission expires March 9, 2028 Commission (2016) (2017)
	Memi	ber, Pennsylvania Association of Notaries

WW-9 Attachment

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

 Air is used to drill the top-hole sections of the wellbore (surface, intermediate, and pilot). Water based mud may be necessary depending on hole conditions to stabilize and drill the intermediate section. The pilot hole, curve, and lateral sections will be drilled with either air, water based mud, or synthetic mud.

Additives to be used in drilling medium?

- Air biodegradable oil lubricant, detergent, defoaming, water.
- Water based mud Barite, viscosifer, alkalinity control, lime, filtration control, deflocculates, biodegradable oil lubricant, defoaming, walnut shell, salt, x-cide, carbonates.
- Synthetic mud synthetic base oil, emulsifier, salt, lime, viscosifer, alkalinity control, filtration control, deflocculates, biodegradable oil lubricant, defoaming, carbonates.

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

Operator's	Well No.	Hallibu	10H

Proposed Revegetation Tre	atment: Acres Disturbed	Prevegetation pl	Н
	Tons/acre or to correct to		
Fertilizer type Gr	anular 10-20-20		
Fertilizer amount	500	_lbs/acre	
Mulch_2	To	ns/acre	
	<u>S</u>	Seed Mixtures	
T	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
KY-31	40	Orchard Grass	15
Alsike Clover	5	Alsike Clover	5
Annual Rye	15		
Attach: Maps(s) of road, location, pirorovided). If water from the acreage, of the land application of involved the complete of the land application of the land applicatio	on area	lication (unless engineered plans includ dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), ar
Maps(s) of road, location, pir provided). If water from the acreage, of the land application Photocopied section of invol-	on area ved 7.5' topographic sheet. Digitally signed by Ster Mccoy Date: 2024.12.11 09:37:	othen 31 -05'00'	dimensions (L x W), ar
Maps(s) of road, location, pir provided). If water from the provided application of the land applicati	ved 7.5' topographic sheet. Pigitally signed by Step Mccoy Date: 2024.12.11 09:37:	ohen sal -05'00' reas as soon as reasona	bly possible,
Maps(s) of road, location, pir provided). If water from the provided application of the land applicati	ved 7.5' topographic sheet. Pigitally signed by Step Mccoy Date: 2024.12.11 09:37:	othen 31 -05'00'	bly possible,
Maps(s) of road, location, pir provided). If water from the acreage, of the land application of involved section of involved approved by: Plan Approved by: Pre-seed/I per regulation. Up	ved 7.5' topographic sheet. Pigitally signed by Step Mccoy Date: 2024.12.11 09:37:	ohen sal -05'00' reas as soon as reasona	bly possible,
Maps(s) of road, location, pir provided). If water from the provided. If water from the provided in the provided in the provided in the provided in the provided section of involutional section. Stepher Comments: Plan Approved by: Pre-seed/Interpretation. Up	on area ved 7.5' topographic sheet. Pigitally signed by Step Mccoy Mccoy Date: 2024.12.11 09:37: mulch all disturbed a Ograde E&S as neces	ohen 31-05'00' reas as soon as reasonal ssary per WV DEP E&S	bly possible, Vanual.
Maps(s) of road, location, pir provided). If water from the provided acreage, of the land application of involved the provided section of involved acreage. Stephe Plan Approved by: Pre-seed/I per regulation. Up	pit will be faild applied, include on area ved 7.5' topographic sheet. Pigitally signed by Step Mccoy Mccoy Date: 2024.12.11 09:37: mulch all disturbed a Dgrade E&S as neces RECEIVED POT Oil and Gas	ohen sal -05'00' reas as soon as reasona	bly possible, Vanual.
Maps(s) of road, location, pir provided). If water from the provided acreage, of the land application of involved section of involved by: Plan Approved by: Per regulation. Up Office	en Mccoy Mccoy Date: 2024.12.11 09:37: mulch all disturbed a ograde E&S as neces RECEIVED and Gas OEC 3 0 2024	ohen 31-05'00' reas as soon as reasonal ssary per WV DEP E&S	bly possible, Manual.



SITE SAFETY AND ENVIRONMENTAL PLAN

Hallibu Well Pad

Clay Wetzel County, WV

Wells: Hallibu 1H, 2H, 3H, 4H, 6H 8H, 10H, 12H

Prepared By: Donny Prater, CSP, Health and Safety Sciences, LLC

Approved By: Scott M. Held, CSP, Senior EHS Coordinator

Created Date: 28-Jun-23

John Zavatchan


Regional Manager - Permitting **EQT Production Company**


Stephen Mccoy Date: 2025.01.10 09:40:00

Digitally signed by Stephen

-05'00'


Stephen McCoy Oil and Gas Inspector WVDEP Office of Oil and Gas.







Hallibu 10H Hallibu EQT Production Company

				- 1		
Tract I.D.	Tax Map No.	Parcel No.	County	District	Surface Tract Owner	Acres
1	10	3	Wetzel	Church	EQT Production Company	36.4
2	7	18.2	Wetzel	Clay	Grandview-Doolin PSD	0.36
3	7	18.1	Wetzel	Clay	Martha Mason & Carolyn Hanlon	30
4	6	21	Wetzel	Church	EQT Production Company	21
5	7	19	Wetzel	Clay	Robert M. Roberts	73.211
6	10	12.2	Wetzel	Church	Ralph Wright	5.18
7	10	2	Wetzel	Church	EQT Production Company	0.78
8	10	2.1	Wetzel	Church	Thomas E Brown Life Estate	0.88
9	10	9	Wetzel	Church	Patricia C. Spangler	35
12	7	17	Wetzel	Clay	Robin L Utt & Alisha Carole	90.5
14	10	12.1	Wetzel	Church	Patricia C. Spangler	0.5
15	10	10	Wetzel	Church	Harriet L Tustin Life Estate	0.52
21	10	18.2	Wetzel	Church	Clay D. Smith	34.21
36	7	14	Wetzel	Clay	Ridgetop Appalachia LLC	85.25
37	7	12	Wetzel	Clay	Wilda M. Church & Peggy Brown	209.35
38	10	4	Wetzel	Church	Lela J. LeMasters	33.09
39	10	13	Wetzel	Church	Jeffery T. Longwell	106.5
40	7	19.1	Wetzel	Cay	Chase H. Sturm	0.789
41	10	12	Wetzel	Church	Harriet L Tustin	56.32
42	10	11	Wetze	Church	Eastview Cemetery	1.05
43	10	18	Wetze	Church	Harriet L Tustin	5.7
44	10	26.2	Wetze	Church	Shelby C Norris	3.739
45	10	26	Wetze	Church	Robert B. & Rona V. Grimm	25.15
46	10	27	Wetze	Church	Leona C. Roberts	47.1
47	10	20	Wetze	dhurch	Catherine Roberts, et al.	50
49	10	14	Wetze	d Church	Leann L Sole & Penny L Harris	0.5



Notes:
Halibu 10H coordinates are
NAD 27 N: 423,981.03 E: 1,716,092.79
NAD 27 Lat: 39.659698 Long: -80.508431
NAD 83 UTM N: 4,390,112.87 E: 542,184.52
Hallibu 10H Landing Point coordinates are
NAD 27 N: 423,072.21 E: 1,717,139.43
NAD 27 Lat: 39.657235 Long: -80.504678
NAD 83 UTM N: 4,389,841.31 E: 542,508.01
West Virginia Coordinate system of 1927 (North Zone) based upon Differential GPS Measurements.
Plat orientation, corner and well ties are based upon the grid north meridian.
Well location references are based upon the grid north meridian.
UTM coordinates are NAD83, Zone 17, Meters.





INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or

Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attached

RECEIVED Office Of Oil and Gas

DEC 3 0 2024

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: EQT Production Company

By:

John Zavatchan

Its:

Regional Manager - Permitting

Lease No.	Grantor, Lessor, etc.	Acres	Grantee, Lessee, etc.	Develor	D 10
			Franco, 20000, 616.	Royalty	Book/Page
	MCJV Holdings, LLC, et al			"at least 1/8th per V Code 22-6-8"	W
140903001	John M. Hunt and Mary J. Hunt, husband and wife TH Exploration, LLC	455.90 ac	TH Exploration LLC EQT Production Company		OG 209A/757 & 219A/763 OG 258A/333
129404000	<u>Liberty Holding Company</u> Liberty Holding Company			"at least 1/8th per W Code 22-6-8"	/V
/ 120404000		74 ac	Drilling Appalachian Corporation		OG 86A/286
	Drilling Appalachian Corporation Grenadier Energy Partners, LLC		Grenadier Energy Partners, LLC		OG 124A/9
	Drilling Appalachian Corporation Grenadier Energy Partners, LLC		Statoil USA Onshore Properties Inc.		OG 138A/1
			Statoil USA Onshore Properties Inc.		OG 138A/54
			Statoil USA Onshore Properties Inc.		OG 153A/695
	Drilling Appalachian Corporation		Statoil USA Onshore Properties Inc.		OG 153A/640
	Statoil USA Onshore Properties Inc.		EQT Production Company		OG 175A/707
/	Bounty Minerals, LLC, et al.	62 ac of		"at least 1/8th per W Code 22-6-8"	V
140018001	Bounty Minerals, LLC	164.25 ac	American Petroleum Partners Operating, LLC		OG 218A/762
	American Petroleum Partners Operating, LLC TH Exploration, LLC		TH Exploration, LLC		OG 236A/357
	TT Exploration, LEG		EQT Production Company		OG 258A/333





EQT PRODUCTION COMPANY 400 Woodcliff Drive | Canonsburg, PA 15317

December 11, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re:

Hallibu 10H Gas Well

Clay District, Wetzel County, WV

Dear Mr. Brewer,

EQT Production Company is applying for a new well work permit for the well referenced above. Upon information and belief, the Operator's lease and/ or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including under any public roads that the well lateral crosses.

Sincerely,

John Zavatchan

Project Specialist - Permitting

Office Of Oil and Gas

DEC 3 0 2024

WW-PN (11-18-2015)

Horizontal Natural Gas Well Work Permit Application Notice By Publication

Notice	is	hereby	given:
--------	----	--------	--------

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Wetzel Chronicle	togar advertisement.
Public Notice Date: 11/27/2024, 12/4/2024	
The following applicant intends to apply for a horizontal natural well wor surface excluding pipelines, gathering lines and roads or utilizes more that any thirty day period.	k permit which disturbs three acres or more of n two hundred ten thousand gallons of water in
Applicant: EQT Production Company Well Nur	nber: Hallibu 10H
Address: 400 Woodcliff Drive	
Canonsburg, PA 15317	
Business Conducted: Natural gas production.	RECEIVED Office Of Oil and Gas
Location –	DEC 3 0 2024
State: West Virginia County: District: Clay Quadrangle:	WV Department of Wetzel Fryironmental Protection
UTM Coordinate NAD83 Northing: 4,390,112.865	
UTM coordinate NAD83 Easting: 542,184.524 / Watershed: Shriver Run of Long Drain	

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to DEP.comments@wv.gov.

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Fiori	ce Certification: 12/26/24	API No	. 47-	303/06		
		Operat	or's Well No. 101	1		
NT /* T		Well Pa	ad Name: Hallibu			
Notice has l	been given:					
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provided the	required parties	with the Notice Forms listed		
ocion for the	tract of failu as follows.		T) (
State:	West Virginia	UTM NAD 83 Easting	542,184.524			
County:	Wetzel	Northin	g: 4,390,112.865			
District:	Clay	Public Road Access:	CR 7/17			
Quadrangle:	Littleton	Generally used farm name	e: Hallibu	Hallibu		
Watershed:	Shriver Run of Long Drain					
information re of giving the requirements Virginia Code	equired by subsections (b) and (c), s surface owner notice of entry to so of subsection (b), section sixteen (c)	shall contain the following information: bed in subdivisions (1), (2) and (4), section sixteen of this article; (ii) that the arvey pursuant to subsection (a), section of this article were waived in writing tender proof of and certify to the secret.	subsection (b), see requirement was on ten of this art	ection ten of this article, the s deemed satisfied as a resul- icle six-a; or (iii) the notice		
that the Oper	West Virginia Code § 22-6A, the Opator has properly served the require CK ALL THAT APPLY	perator has attached proof to this Notice d parties with the following:	e Certification	OOG OFFICE USE ONLY		
☐ 1. NOT	ICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BEC SEISMIC ACTIVITY WAS CONDU		RECEIVED/ NOT REQUIRED		
☐ 2. NOT	ICE OF ENTRY FOR PLAT SURV	YEY or 🔳 NO PLAT SURVEY WAS	CONDUCTED	☐ RECEIVED		
■ 3. NOT	ICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECONSTICE OF ENTRY FOR PLAT SURVAS CONDUCTED or		RECEIVED/ NOT REQUIRED		
		☐ WRITTEN WAIVER BY SURE (PLEASE ATTACH)	FACE OWNER			
■ 4. NOT	ICE OF PLANNED OPERATION			☐ RECEIVED		
■ 5. PUBI	LIC NOTICE	RECEIVED Office Of Oil and Gas		☐ RECEIVED		
■ 6. NOT	ICE OF APPLICATION	DEC 3 0 2024		☐ RECEIVED		
		WV Department of Environmental Protection				

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE,		e read ar	nd understand	the notice requirements within West Virginia Code § 22-
6A. I certify that	at as required under west virginia (7	ode 8 77-	6A have c	erved the attached agrica of the Netter Description
above, to the re	equired parties through personal servi	ce by re	oistered mail	or by any method of delivery that requires a receipt or
signature confir	mation. I certify under penalty of law	that I hav	ve perconally	examined and am familiar with the information submitted
in this Notice (Certification and all attachments an	d that he	sed on my	nquiry of those individuals immediately responsible for
obtaining the in	formation I believe that the information	u mai oa	ised on my i	nquiry of those individuals immediately responsible for
for submitting fa	alse information including the area 1.11	on is true	, accurate and	d complete. I am aware that there are significant penalties
Tot buotintting it	alse information, including the possibil	ity of fin	e and impriso	nment.
Well Operator:	FOX 5			
***	EQT Production Company		Address:	400 Woodcliff Drive
By:	John Zavatchan			Canonsburg, PA 15317
Its:	Regional Manager - Permitting		Facsimile:	412-395-2974
Telephone:	412-584-3132		Email:	jzavatchan@eqt.com
		i		
	NOTARY SEAL	Subcer	ribad and arria	rn before me this 18th day of December 2024
Commo	nwealth of Pennsylvania - Notary Seal	Subsci	ibed and swo	m before me this 10' day of Scentill 2019
R	ebecca Shrum, Notary Public		Mahoro	, N,
Myco	Beaver County ommission expires March 9, 2028	-	THEBUC	Notary Public
C	ommission number 1267706		/	11 0 40
	, Pennsylvania Association of Notaries	My Co	mmission Ex	pires March 9, 2028

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

WW-6A (9-13)

☐ SURFACE OWNER(s) (Impoundments or Pits)

Address:

Name:

API NO.47 10-303706

OPERATOR WELL NO. 10H

Well Pad Name: Hallibu

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 12/20/24 Date Permit Application Filed: 12/20/24 Notice of: RECEIVED Office Of Oil and Gas PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT DEC 3 0 2024 Delivery method pursuant to West Virginia Code § 22-6A-10(b) WV Department of Environmental Protection PERSONAL REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Notice ☐ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: See Attached List Name: See Attached List Address: Address: Name: COAL OPERATOR Address: Name: Address: SURFACE OWNER(s) (Road and/or Other Disturbance) Name: See Attached List SURFACE OWNER OF WATER WELL Address: AND/OR WATER PURVEYOR(s) Name: See Attached List Name: Address: Address:

Name:

☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD

Address:

*Please attach additional forms if necessary

WW-6A
(8-13)

RECEIVED Office Of Oil and Gas

OPERATOR WELL NO. 10H Well Pad Name: Hallibu

Notice is hereby given:

Notice is hereby given:

DEC 3 0 2024

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of a certificate of approval for the construction of the const

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items 01/31/2025

WW-6A (8-13)

OPERATOR WELL NO. 10H

Well Pad Name: Hallibu

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at: Office Of Oil and Gas

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

DEC 3 0 2024

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47 1 0 3 0 3 7 0 6

OPERATOR WELL NO. 10H

Well Pad Name: Hallibu

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office Of Oil and Gas

DEC 3 0 2024

WW-6A (8-13)

API NO 147- 10-303706

OPERATOR WELL NO. 10H

Well Pad Name: Hallibu

Notice is hereby given by:

Well Operator: EQT Production Company

Telephone: 412-584-3132
Email: jzavatchan@eqt.com

Address: 400 Woodcliff Drive

Canonsburg, PA 15317

Facsimile: 412-395-2974

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Commonwealth of Pennsylvania - Notary Seal Rebecca Shrum, Notary Public Beaver County My commission expires March 9, 2028 Commission number 1267706

Member, Pennsylvania Association of Notaries

Subscribed and sworn before me this 18th day of December 2024

Notary Public

My Commission Expires Warch 9, 2628

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

		been requirement has NOT been	
Notice Time Date of Notice	Requirement: Notice shall be provided at ce: N/A - Waiver Date Peri	least TEN (10) days prior to filing nit Application Filed: 12/2/	a permit application RECEIVED A permit application RECEIVED A permit application RECEIVED A permit application RECEIVED
	hod pursuant to West Virginia Code § 2.		DEC 3 0 2024
☐ HAND DELIVE	CERTIFIED MAIL RETURN RECEIPT REQ	UESTED	WV Department of Environmental Protection
drilling a hori of this subsec subsection ma and if availabl	zontal well: <i>Provided</i> , That notice given partition as of the date the notice was provided by be waived in writing by the surface owner, facsimile number and electronic mail addressly provided to the SURFACE OWN	oursuant to subsection (a), section to to the surface owner: <i>Provided, ho</i> er. The notice, if required, shall inc dress of the operator and the operat	n, an operator shall, by certified mail return the surface owner's land for the purpose of ten of this article satisfies the requirements owever, That the notice requirements of this clude the name, address, telephone number, tor's authorized representative.
Name: EQT Prod	luction Company		
Address: 625 L	iberty Ave, Suite 1700	Name:Address:	
Pittsbu	ırgh, PA 15222	rudiess.	
State: County: District: Quadrangle:	est Virginia Code § 22-6A-16(b), notice is ner's land for the purpose of drilling a hori: West Virginia Wetzel Clay Littleton Shriver Run of Long Drain	zontal well on the tract of land as for UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:	Section Sect
Pursuant to W facsimile number	Shall Include: est Virginia Code § 22-6A-16(b), this not per and electronic mail address of the optiontal drilling may be obtained from the S 57 th Street, SE, Charleston, WV, 25304 (30)	erator and the operator's authorize	ed representative. Additional information
located at 601	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	4-926-0450) or by visiting <u>www.de</u>	of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Notice is here	eby given by:	4-926-0450) or by visiting <u>www.de</u>	of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Notice is here Well Operator:	eby given by:	4-720-0430) of by Visiting <u>www.de</u>	of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Notice is here Well Operator:	eby given by:	Authorized Representative: Address:	of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Notice is here Well Operator: Address:	eby given by: EQT Production Company	Authorized Representative:	John Zavatchan 400 Woodcliff Drive
Notice is here Well Operator: Address: Telephone:	Peby given by: EQT Production Company 400 Woodcliff Drive	Authorized Representative: Address:	John Zavatchan Genonsburg, PA 15317
Notice is here Well Operator: Address: Telephone: Email:	Eby given by: EQT Production Company 400 Woodcliff Drive Canonsburg, PA 15317	Authorized Representative:	John Zavatchan 400 Woodcliff Drive Canonsburg, PA 15317 412-584-3132
Notice is here Well Operator: Address: Telephone:	Eby given by: EQT Production Company 400 Woodcliff Drive Canonsburg, PA 15317 412-584-3132	Authorized Representative: Address: Telephone:	John Zavatchan Genonsburg, PA 15317

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

WAIVER

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Surface Own I, John Zavatchan		est I have read the notice and		
notice require	ements under West Virginia Code	e § 22-6A-16(b) for the tract	of land as fo	d above and hereby waive the bllows:
State: County:	West Virginia Wetzel	UTM NAD 83	Easting:	542,184.524
District: Quadrangle: Watershed:	Clay		Northing:	4,390,112.865
	Littleton	Public Road Acc		CR 7/17
	Shriver Run of Long Drain	Generally used f	arm name:	Hallibu
the second secon	oduction Company	Signature: /	MI	RAD
Pittsburgh, PA 152	iberty Ave, Suite 1700 222	Date: 12/96/20	24	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office Of Oil and Gas

DEC 3 0 2024

WV Department of Protection

WW-6A5 (1/12)

Operator Well No. Hallibu 10H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Date of N	me Requirement: notice shall be provided no later otice: 12/20/24 Date Permit Applica	than the filinition Filed:	ng date of permi	it application.
Delivery n	nethod pursuant to West Virginia Code § 22-6A	-16(c)		
CER	TIFIED MAIL HAN			
the planned required to drilling of damages to	by W. Va. Code § 22-6A-16(c), no later than the dipt requested or hand delivery, give the surface ow doperation. The notice required by this subsection be provided by subsection (b), section ten of this as a horizontal well; and (3) A proposed surface used the surface affected by oil and gas operations to the surface required by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this section shall be given to the surface affected by this subsection shall be given to the surface affected by this section shall be given to the surface affected by the surface affected by this section shall be given to the surface affected by the surface affected by this section shall be given to the surface affected by	late for filing mer whose la ion shall inclurticle to a su e and compe	ude: (1) A copy rface owner who nsation agreement	of the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the nt containing an offer of compensation for
Name: EQT	ereby provided to the SURFACE OWNER(s) ess listed in the records of the sheriff at the time of Production Company 15 Liberty Ave, Suite 1700 15222	Name:	SS:	
Pursuant to	Clay	UTM NAD Public Road	Easting: Northing:	well operator has developed a planned ct of land as follows: 542,184.524 4,390,112.865 CR 7/17 Hallibu
Pursuant to to be provid horizontal w surface affect information	Shall Include: West Virginia Code § 22-6A-16(c), this notice shall led by W. Va. Code § 22-6A-10(b) to a surface rell; and (3) A proposed surface use and compensate the dependent of the proposed surface use and compensate the dependent of the proposed surface use and compensate the dependent of the proposed surface use and compensate the dependent of the proposed surface use and compensate the proposed	tion agreeme	nt containing an ompensable under	offer of compensation with the drilling of a offer of compensation for damages to the article six-b of this chapter. Additional
Well Operator Telephone:	EQT Production Company 412-584-3132	Address:	400 Woodcliff Drive	
Email:	jzavatchan@eqt.com	Facsimile:	Canonsburg, PA 15317 412-395-2974	
Oil and Gas	Privacy Notice:		77.7	

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

I. John Zavatchan

API NO. 47-7 OPERATOR WI		3 0	3	7	0	6
Well Pad Name:	Hallibu					

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: Provided, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

rovisions lis WW-6A and required, and State: County: District: Quadrangle: Watershed:	, hereby sta ted above, and that I have re attachments consisting of p the well plat, all for proposed West Virginia Wetzel Clay Littleton Shriver Run of Long Drain	ages one (1) through UTM NA Public Ro	Application, an Application, including d as follows:	amed on Page WW-6A and the associated plication for a Well Work Permit on Form the erosion and sediment control plan, if 542,184.524 4,390,112.865 CR 7/17 Hallibu
		e planned work described in the	nese materials, and l	I have no objection to a permit being
*Please check	the box that applies		FOR EXECUTI	ON BY A NATURAL PERSON
SURFAC	E OWNER			, poet, 200 state
	E OWNER (Road and/or C		Time Ivallic.	
LI SURFAC	E OWNER (Impoundment			
□ COAL O	WNER OR LESSEE	RECEIVED Office Of Oil and Gas	Company: EQT Product	ON BY A CORPORATION, ETC.
☐ COAL OF		DEC 3 0 2024	By: John Zavatchan Its: Regional Manager - Peri	mitting
□ WATER 1	PURVEYOR		Signature:	(A)
□ OPERAT	PURVEYOR OR OF ANY NATURAL (GAS STORAGE FIELD	Date: 12/06/2024	1 pull
01. 10. 5			· · · · · · · · · · · · · · · · · · ·	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

Office of the District Engineer/Manager District Four

Post Office Box 4220 · Clarksburg, West Virginia 26302 · (304) 842-1500

Alanna J. Keller, P.E. Deputy Secretary of Transportation Deputy Commissioner of Highways

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

November 18, 2024

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Hallibu Well Pad, Wetzel County Hallibu 1H Well Site Hallibu 2H Well Site Hallibu 3H Well Site Hallibu 4H Well Site Hallibu 6H Well Site Hallibu 8H Well Site Hallibu 10H Well Site Hallibu 12H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit 06-2022-0321 which has been issued to EQT Production Company for access to the State Road for a well site located off Wetzel County Route 7/17 SLS MP 0.33.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Lacy D. Pratt

Central Office O&G Coordinator

Jacy D. Pratt

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

wv Department of Environmental Protection

Cc: Becky Shrum

EQT Production Company

OM, D-6

File

Anticipated Frac Additives Chemical Names and CAS Numbers

Material	Ingredient	CAC Number
Sand (Proppant) Water	Silica Substrate Water	CAS Number 14808-60-7
Hydrochloric Acid (HCI)	Hydrogen Chloride	7732-18-5
Friction Reducer	Copolymer of 2-propenamide	7647-01-0
	Petroleum Distillate	Proprietary
	Oleic Acid Diethanolamide	64742-47-8
	Alcohols, C12-16, ethoxylated	93-83-4
Biocide	Ammonium chloride ((NH4)CI)	68551-12-2
	Glutaraldehyde	12125-02-9
	Alkyl dimethyl benzyl ammonium chloride	111-30-8
	Didecyl dimethyl ammonium chloride	68391-01-5
	Non-hazardous substances	7173-51-5
Scale Control	Bis(HexaMethylene Triamine Penta(Methylene Phosphonic Acid)(BHMT)	Proprietary
	Non-hazardous substances	34690-00-1
Acid Chelating Agent	Ferriplex 66	Proprietary
ver e r v	Citric Acid	
	Acetic Acid	77-92-9
Corrosion Inhibitor	PLEXHIB 166	64-19-7
	Methanol	67.56.4
	Alcohols, C14-15, ethoxylated	67-56-1 68951-67-7

RECEIVED
Office Of Oil and Gas

DEC 3 0 2024

OPERATOR: EQT Production Company WELL NO: 10H			
PAD NAME: Hallibu			
REVIEWED BY: John Zavatchan	SIGNATURE:		
WELL RESTRICTIONS CHECKLIST			
RECEIVED Office Of Oil and Gas			
HORIZONTAL	6A WELL DEC 3 0 2024		
Well Restrictions	WV Department of Environmental Protection		
At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR			
DEP Waiver and Permit Conditions			
At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR			
DEP Waiver and Permit Conditions			
At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR			
DEP Waiver and Permit Conditions			
At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR			
Surface Owner Waiver and Recorded with County Clerk, OR			
DEP Variance and Permit Conditions			
At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR			
Surface Owner Waiver and Recorded with County Clerk, OR			
DEP Variance and Permit Conditions			
At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR			
Surface Owner Waiver and Recorded with County Clerk, OR			
DEP Variance and Permit Conditions			