



Surface: S.A. Smith, Clarksburg, W. Va.

Coal: is owned by Chas. J. Reilly et al

Address: Miss Agnes G. Reilly, Tally Ho, Apt. Wheeling, W. Va.

0.43 S
1.79 W

- New Location
- Drill Deeper
- Abandonment

On 800' Map Sheet N57. N3-4 W4-5.

Company Randall-Zogg Supply Co.

Address Owensboro, Ky.

Farm Irene Reilly

Tract _____ Acres 190.56/100 Lease No. _____

Well (Farm) No. 12. Serial No. _____

Elevation (Spirit Level) Floor - 1093.39
Ground - 1091.39

Quadrangle Centerpoint

County Wetzel District Green

Engineer Glen H. Huey

Engineer's Registration No. 2011

File No. _____ Drawing No. _____

Date Oct. 4th, 1948. Scale 1" = 800 Feet

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. Wet-762-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1188

WELL RECORD

Permit No. Ab 760-A

Oil or Gas Well **OIL**
(KIND)

Company RANDALL-ZOGG SUPPLY COMPANY
Address BOX 526, CHARLESTON, 22 W. VA.
Farm Irene Reilly Acres 190 1/2
Location (waters) Fluharty Run of Piney Fork
Well No. Twelve (12) Elev. 1091.39
District Green County Wetzel
The surface of tract is owned in fee by S. A. Smith
Address Clarksburg, W. Va.
Mineral rights are owned by Chas. J. Reilly et al,
c/o Miss. Agnes G. Reilly Address Wheeling, W. Va.
Drilling commenced _____
Drilling completed January 31, 1901
Date Shot See Below From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ 12 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	330'		Size of
8 1/4	1310'		
6 5/8	2305'	2305'	Depth set
5 3/16			
3			Perf. top
2	2950'	2950'	Perf. bottom
Liners Used			Perf. top
5x5 1/2"	148'	148'	Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT **357** FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			857'				
Big Injun Sand			2167'	2327'	Oil	2270'	
Stray Sand			2907'	2922'	Oil	2912'	
Gordon Sand			2933'	2943'	Oil	2936'	
Total Depth				2964'			

SHOT RECORD

November 3, 1900 Shot with 30 qts.
March 25, 1903 " " 60 "
January 15, 1914 " " 100 "

NOTE:

Put in 148' (7 jts.) of 5 x 5 1/2" liner on 5 3/16" x 6 5/8" C. C. Packer, May 9th, 1906. Pulled all of liner January 9th, 1914 and reset above liner on C. C. Packer.



