



New Location   
 Drill Deeper   
 Abandonment  5232

879-A S 1.71  
 #5232 W 2.53  
 880-A S 1.64  
 #5442 W 2.79

Map Sh. 38 N 8 W 5 F.B. 971 P-34-35-36.

Company Hope Natural Gas Co  
 Address Clarksburg, W.Va.  
 Farm C. A. Long  
 Tract \_\_\_\_\_ Acres 90 Lease No. 34715  
 Well (Farm) No. \_\_\_\_\_ Serial No. As Shown  
 Elevation (Spirit Level) As Shown  
 Quadrangle Littleton  
 County Wetzel District Green  
 Engineer Wm Bowers  
 Engineer's Registration No. 900  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 11-7-50 Scale 1" = 40P

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**

FILE NO. Wet - 879-A - #5232  
Wet - 880-A - #5442

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1323

WELL RECORD

Permit No. AB 879-A Other Gas Well \_\_\_\_\_ (KIND)

Company Hope Natural Gas Company.  
 Address 445 West Main St. Clarksburg, W. Va.  
 Farm C.A. Long. Acres 987 90  
 Location (waters) \_\_\_\_\_  
 Well No. 5232 Elev. 987  
 District Green County Wetzel  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced April 27, 1918  
 Drilling completed June 26, 1918  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water none recorded feet \_\_\_\_\_ feet  
 Salt water none recorded feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	315	Pulled	Size of
8 1/4	1274	1274	
6 5/8	1928	1928	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED NOT SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 270 FEET 60 INCHES  
730 FEET 36 INCHES FEET \_\_\_\_\_ INCHES  
 FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Native coal			270	275			
Pittsburgh Coal			730	733			
Little Dunkard			1000	1010			
Big Dunkard			1270	1300			
Gas sand			1350	1365			
First Salt			1430	1466			
Second Salt			1510	1582			
Third Salt			1608	1734			
Little Lime			1872	1880			
Pencil cave			1880	1884			
Big Lime			1895	1953			
Big Injun			1953	2200	gas	2024	
Gantz			2340	2370			
Fifty foot			2500	2525			
Gordon stray			2764	2808	gas	2765 2784	
Total depth				2811			



