



OIL & GAS DIVISION T. OF WINES



Oil and Gas Division

DEPARTMENT OF MINES

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,					
Charleston, W. Va.	DATE	1	November 3,	1975	
Surface Owner Russell & Charles Somervil	le Compa	ny Ray Re	esources, Di	v. of F.D.	0.C.
AddressPalestine, W. Va. 26160	Addres	630 Com	merce Square	e, Charlest	on, W.Va.
Mineral Owner Russell & Charles Somerville	Farm R	ussell &	Charles Som	merville	240
Address Palestine, W. Va. 26160	Location	on (waters)_	Somervill	le Fork	
Coal OwnerNone	Well N	E), 1	L	Elevation_	685
Address	Distric	Reedy		County	Wirt
Coal OperatorNone		ngleS	pencer		
Address THIS PERMIT MUST BE POSTED AT THE WELL SITE				8 0	
THIS PERMIT MUST BE POSTED AT THE WELL SITE		00, 2			
All provisions being in accordance with Chapter 22,					
of the W. Va. Code, the location is hereby approved					
for drilling . This permit shall explined					
operations have not commenced by 4-8-76					
2					
Deputy Director - Oil & Gas Division					
Deputy Director - Cir & Cus Division	INSPECTOR TO	BE NOTIE	FIED K. Pau	l Goodnig	ht
GENTLEMEN:	PH: 477-245	5 ATT	PEGG Smithv	ille, WV.	
The undersigned well operator is entitled to drill up					
title thereto, (or as the case may be) under grant or Ray Resources 19, in	an	d recorded o	on the	day of _	w. Robert
	8				
NEW WELLDRILL DEEPE				URE OR STI	MULATE
OIL AND GAS WELL ORIGINALLY DE	RILLED BEFORE	JUNE 5, 1	969.		
The enclosed plat was prepared by a registered eng have been notified as of the above date.	gineer or licensed	land surveyo	or and all coal	owners and/or	operators
The above named coal owners and/or operator are h to make by Section 3 of the Code, must be received by	nereby notified th y, or filed with th	at any objec he Departme	tion they wish t nt of Mines with	to make, or are hin ten (10) da	e required nys. *
Copies of this notice and the enclosed plat were mai	iled by registered	mail, or deli	vered to the abo	ve named coal	operators
or coal owners at their above shown respective addres same day with the mailing or delivery of this copy to	S	da	V	before o	
came day with the maining of derivery of this copy to	the Department of		RESOURCES,		OF
EASE SUBMIT COPIES OF ALL	Very truly	yours, FLY	ZING DIAMOND	OIL CORPO	RATION
GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name	lan	If. Ka	grdale	
West Virginia Geological and Economic Survey			Well Operator	1	
P. O. Box 879 forgantown, W. Va. 26505	A 11	630	Commerce S	Square	
AC 304-296-4461	Address of		Street		
We	ll Operator		rleston,		
			City or Town		
		Wes	st Virginia	25301	
			State	01/12/2	024

*SECTION 3 If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.



WIR-680 PERMIT NUMBER 47 105

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER T	O X DRILL	DEEPENFRA	ACTURE-STIMULATE
DRILLING CONTRACTOR: (If Known)	RESPONSIBLE AGENT:	
NAME F.W.A. Drillin	g		
ADDRESS Elkview, W.	Va.	ADDRESS X Cullod	en, W. Va.
TELEPHONE 965-3	379	TELEPHONE 304-75	53-9067
ESTIMATED DEPTH OF COM	PLETED WELL: 2400'	ROTARY	CABLE TOOLS
PROPOSED GEOLOGICAL FO	RMATION: Berea		
TYPE OF WELL: OI	GAS	COMB. X STORAGE	DISPOSAL
	RECYCL	ING WATER FLOO	DOTHER
CASING AND TUBING SIZE	AM: USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.
20 - 16	DRIEDING	2	2 12 2 2 2 CONOR 2 2
13 - 10	2' 1 0	V	· A · · · · · · · · · · · · · · · · · ·
9 - 5/8	500	5	roll so
8 - 5/8	200;	200'	To Surface
7	responsive C		2011
5 ½	24001	2400	
4 ½	2400	2400	Citage in Tayla Takes
3		t a tagén Alama	Perf. Top Perf. Bottom
Liners		read parts	Perf. Top
Liners			Perf. Bottom
			11.1250.250.250.200.200.200.200.200.200.200.
OF PLAT. TO DRILL DEEPER OR RED SUBMIT FIVE (5) COPID WELLS DRILLED PRIO MUST ALSO BE SUBMIT TO FRACTURE - STIMULATI OIL AND/OR GAS WELD BOND, PERMANENT PI OIL AND/OR GAS WELD ING ORIGINAL PERMIT	RILL: ES OF OG - 1, SHOWING ORIGINATED. E: L ORIGINALLY DRILLED BEFLAT AND ORIGINAL WELL R. L ORIGINALLY DRILLED ON NUMBER, AND PERFORMANCE.	ORE JUNE 5, 1929, FIVE (5) C ECORD. AND/OR AFTER JUNE 5, 1929 CE BOND.	
thereof. WAIVER: I the undersigned, this lease have exa	Agent for on our mine dand place on our mine Coal Compan	Coal Company, Owner maps this proposed well locating have no objections to said we regulations in Articles 4, 5, and 7	or Operator of the coal under on. ell being drilled at this location, 7, Chapter 22 Of the Paragraphia
			Official Title
			VALIVAMA A TUIV

31



STATE OF WEST VIRGINIA DEPARTMENT OF MINES



OIL & GAS DIVISION DEFT. OF MINES

Oil and Gas Division WELL RECORD

Quadrangle_Spencer Permit NoWIRT-680	RECORD		Cable Recycling Water Flood Disposal	Gas Comb X Storage
Company RAY RESOURCES, DIVISION OF F.D.O.C Address 630 Commerce Sq., Chas., WV 25301 FarmRussell & Charles Somervillacres 240	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Somerville Fork Well No. 541 Elev. 685' District Reedy County Wirt	Size 20-16 Cond.			
The surface of tract is owned in fee by Russell &	13-10"	30'	30'	To Surf
Charles Somerville	9 5/8			
Address Palestine, W. Va. 26160	8 5/8	248'	248'	To Surf
Mineral rights are owned by Russell & Charles	7			
Somerville Address Palestine, W. Va. 26160	5 1/2			
Drilling Commenced 12-14-75	4 1/2			
Drilling Completed 12-18-75	3			
Initial open flow O cu. ft bbls.	2			
Final production cu. ft. per daybbls.	Liners Used			
Well openhrs. before testRP.				
Well treatment details: PLUGGED AND ABANDONED	Attach copy of c	cementing rec	ord.	
, , , , , , , , , , , , , , , , , , , 				
Coal was encountered atNONE Fe	eet	Inche	es	
Fresh waterFeet	Salt V	Vater	17501	Feet
Producing Sand				
Formation Color Hard or Soft Top Feet	Bottom Feet	Oil, Gas o	r Water *	Remarks
Shale 0	125			

Sand & Shale 245 710 Shale 710 900 Sand 900 1120 Sand & Shale 1120 1682 Injun Sand 1682 1874 Pocono 1874 1916 Shale 1916 2242 Sunbury Shale 2242 2255 Shale 2255 2362 2362 T.D. 01/12/2024

(over)

^{*} Indicates Electric Log tops in the remarks section.

Formation	Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water	* Remarks
				155		
			*			
					2. , 4.	
			N. P. B			
			w			
		b , s		3		
		9				
		,				
	<u> </u>					01/12/2024
				Date_	February 2,	, 19_76

Date February 2, 19 76

RAY RESOURCES, DIVISION OF FLYING DIAMOND OIL CORPORATION Owner

By Geologist (Title)

OG-11

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION DEFT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. Wir - 680			Oil or	Gas Well
Company Roy Resources Div of F. D. O.C	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address	Size			
Farm Russel & Charles Somerville	16			Kind of Packer
Well No541	13			
District Reedy County wirt	81/4			Size of
Drilling commenced 12-16-75	65%			_ Depth set
Drilling completedTotal depth	5 3/16			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEMEN	TED	SIZE	No. FTDate
Rock pressurelbshrs.	NAME OF SERV			
bbls., 1st 24 hrs.	COAL WAS ENG	COUNTERED	AT	FEETINCHES
resh waterfeetfeet	FEET_	INCHI	ES	FEETINCHES
alt waterfeetfeet				
rillers' Names Rainwater			THE RESIDENCE OF THE PROPERTY AND THE PR	
Contr - F. W. A. Drilling -	- Rotary -	mud	\	
Pit & Permit - O.K.		4	W. Res NO NO Appoin	

12-16-75 DATE Mallooding 1/2/2024

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

			Wel	No	
		ADDRESS			
	1/1011101_				
eation	Amount	Packer	Location		
ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
	,				
		*			
	8				
		t e e e e e e e e e e e e e e e e e e e			
	100 Co. (100				
I hereby certify I	visited the abo	ove well on this date.			
	eation ND DEPTH PLACED WOOD—SIZE	ation Amount ND DEPTH PLACED WOOD—SIZE LEAD	ADDRESS	ADDRESS DISTRICT COUNTY ation Amount Packer Location ND DEPTH PLACED BRIDGES CASIN WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED	ADDRESS

OG-11

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION DEFT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. Wir - 680	2			Oil or	Gas Well	
Company Ray Rosou	orces, Divof F. D.O.C	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address		Size				
Farm Russel &	Charles Somerville	16			Kind of Pack	cer
Well No. 541		13			Ci	
	County wirt	10	241		Size of	
Drilling commenced	* * * * * * * * * * * * * * * * * * * *	65%			Depth set	
		5 3/16				
Drilling completed	Total depth	3			Perf. top	-
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	1
Volume	Cu. Ft.	CASING CEME	NTED 85	SIZE_2	No. FT.	Date
Rock pressure	lbshrs.	Cem to S NAME OF SER	RVICE COMPA	ANY HA	11, burton	
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEET	INCH	HES	FEET	INCHES
Salt water	feetfeet	FEET	INCH	HES	_FEET	INCHES
Drillers' Names Bo	60.5					and the second s
	- F. W. A. Drilling	Rota	iry -	mud		
Remarks:			-			
			5	in lime	-1680 -1	1870
	0,16-2195			/	1880-	
	1 1/16 - 2/72					

12-18-75

JSJJ-0-142/2024

DISTRICT WELL INSPECTOR

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

ermit No	-			Wel	I No	
OMPANY			ADDRESS			
ARM		DISTRICT	C	OUNTY		
lling Material Used						
ner Lo	cation	Amount	Packer	Location		
PLUGS USED A	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	Los
9		-				
20					-	
	MINISTER PROPERTY AND ADDRESS OF THE PROPERTY	MINISTER A COST AND A STATE OF THE STATE OF				
illers' Names						

I hereby certify I visited the above well on this date.

B-4

STATE OF WEST VIRGINIA

L'ICEIVE)

DEC 2 3 1975

OIL & GAS DIVISION DEFT. OF MINES

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Wir - 686	2			We	ell No	541
COMPANY Ray Reso	urces, Div of	F.D.O.	C. ADDRESS			
FARM Russel & C				_COUNTY	virt	
Filling Material Used						
Liner L	ocation	Amount	Packer	Location	1	Martin and the control of the contro
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	IG AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
2372 - 2300	Gel				85	241
2300 - 2250	Cem					
2250 - 1850	Gel					
1850 - 1800	Cem					
1800 - 1000	Gel					
1000 - 950	Cem					
950 - 268	Gel					
268 - 218	Cem					
218 - 50	Gel					
50 - 0	Cem					
rillers' Names Bo	ggs Mark	5 - Wi	Isoni	months of a state of the state		
Contr-	- F. W. A	. Drille	ig - Rotary			
Hallibur	ton was a	used in	plugging Operar	Fiend		

Job Comp - 12-19-75 - 3:45 a.m

12-19-75 I hereby certify I visited the above well on this date.

Marie 101/12/2024

DISTRICT WELL INSPECTOR

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No.				(KIN	VD)	
		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKE	RS
Company	· · · · · · · · · · · · · · · · · · ·	Size				
Address					Ti de C De de	
Farm					Kind of Pack	er
Well No		13			Size of	
		81/4				
District	County	65%			Depth set	
Drilling commenced		5 3/16				
Drilling completed	Total depth	3			Perf. top	•
Date shot	Depth of shot	2			Perf. bottom	
		Liners Used			Perf. top	
Initial open flow	/10ths Water inInch				Perf. bottom	1
Open flow after tubing	/10ths Merc. inInch					
Volume	Cu. Ft.	CASING CEM	ENTED	SIZE	No. FT	Date
	lbshrs.	NAME OF SE	ERVICE COMP	PANY		
			NICOLINTERE	р Ат	FEET	INCHES
Oil	bbls., 1st 24 hrs					
Fresh water	feetfeet	FEE	TIN(CHES	FEET	INCHES
Salt water	feetfee	t FEE	TIN(CHES	FEET	INCHES
*** Committee Co						
Drillers' Names	5-					
				8 1		
Remarks:						

DEPARTMENT OF MINES



APR 28 1976

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT OIL & GAS DIVISION DEFT. OF MINES

iner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASIN CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED	CANADA ANDRONAL MARINE	NG AND TUBI	VG LOST
PLUGS USED AND DEPTH PLACED BRIDGES CASIN	NG AND T	NG AND TUBI	The second second
	126	200000000000000000000000000000000000000	The second second
CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED	SIZE	SIZE	LOST
	-	1	
		, 82 04 71	
lers' Names			

I hereby certify I visited the above well on this date.

DISTRICT WELL INSPECTOR 01/12/2024

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No.				Oil or	Gas Well	
Company		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address		Size	THE STATE OF THE S			
Farm		16			Kind of Pack	er
Well No		13			Size of_	
District	County	81/4				- (
Drilling commenced		6%		erine ann aris alla different for manifest constitution delitals in the allest	_ Depth set	
D. 1111	Mara danda	5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2	and the command of the control of th		Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch			and adults compared to the fraction of the compared to the com	Perf. bottom	
Volume	Cu. Ft.	CASING CEME	ENTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SE	RVICE COMP	ANY		
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI	AT	FEET	INCHES
Fresh water	feetfeet	FEET	INC	HES	FEET	_INCHES
Salt water	feetfeet	FEET	INC	HES	FEET	INCHES
Drillers' Names						
-						
Remarks.						

B, 4



State of West Birginia

Bepartment of Mines Gil und Gas Bivision Charleston 25305

February 6, 1976

JOHN ASHCRAFT Director

ROBERT L. DODD Deputy Director

Paul Goodnight Smithville, W.Va.

> PERMIT WIRT-680-P COMPANY Resources, Div. of FDOC FARM Russell & Charles Somerville WELL NO 541 DISTRICT Reedy COUNTY Wirt

Dear Sir:

Please make a final inspection of the well described above.

Very truly yours,

Defeat Kora

Robert L. Dodd

RLD/ ch



DATE

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT TO MINES

Permit No. Win - 680	- P			We	II No	541
COMPANY Ray Res	ources Div o	F.D.O.C	Reedy			
FARM Russel & Charl	les Somerville	DISTRICT.	Reedy	COUNTY	irt	
Filling Material Used				,		
Liner Loc	cation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
		\	uarich 15 marich Schrift (15 marich gr. 455 Green, croning schrift (15 daes anneuen glasses anneuen general)			NATIONAL PROPERTY AND THE PROPERTY AND T
/						
18.00 500						
				And Control and Andrew Control a		
Drillers' Names						
Remarks:						
		Rel-				
		1121				
3-22-78	I hereby certify I v	isited the above	e well on this date.			

01/12/2024

B.8





OIL & GAS DIVISION DELT. OF MINES

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

	Da Da	D' C FDOO
None Coal Operator		rp, Div. of FDOC. Well Operator
Coal Operator	Name of	well Operator
	630 Commerce Sq.	Charleston, W. Va. 25302
Address	Comple	te Address
None	December 19,	1975
Coal Owner	I	Date
		E ABANDONED
A J.J	Reedy	District
Address	Wirt	1 2000
Russell & Charles Somerville		County
Lease or Property Owner	Well No	541
Palestine, W. Va. 26160	Russell & Charles	Somerville
Address	- Nusseri a onaries	Farm
V Dayl Coodnight Smithwill	a U Va	477 0455
Inspector K. Paul Goodnight, Smithvill	e, w.va.	Telephone477-2455
The undersigned well operator is about to		
The undersigned well operator is about to the work of plugging and abandoning said well not be less than five days after the day on wh should be received by the Department of Mines This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on t	l on the date inspector is notice this notice so mailed is s). respective representatives ther notified that whether you hat date, or shortly thereas	d well and will commence otified (which date shall received, or in due course s may be present at the ou are represented or not ster, to plug and fill said
The undersigned well operator is about to the work of plugging and abandoning said well not be less than five days after the day on wh should be received by the Department of Mines This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on t well in the manner required by Section 10, Ar	l on the date inspector is notice this notice so mailed is s). r respective representatives ther notified that whether you hat date, or shortly thereafticle 4, Chapter 22 of the Co	d well and will commence otified (which date shall received, or in due course s may be present at the ou are represented or not ster, to plug and fill said
The undersigned well operator is about to the work of plugging and abandoning said well not be less than five days after the day on which should be received by the Department of Mines This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on the well in the manner required by Section 10, Ar the reverse side of this notice, in "Work Order This notice is being mailed by registered	l on the date inspector is notice this notice so mailed is so. r respective representatives ther notified that whether you hat date, or shortly thereafticle 4, Chapter 22 of the Cor."	otified (which date shall received, or in due course a may be present at the ou are represented or not ster, to plug and fill said ode and given in detail on
the work of plugging and abandoning said well not be less than five days after the day on what should be received by the Department of Mines. This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on the well in the manner required by Section 10, Are the reverse side of this notice, in "Work Order	l on the date inspector is notice this notice so mailed is so. r respective representatives ther notified that whether you hat date, or shortly thereafticle 4, Chapter 22 of the Cor."	otified (which date shall received, or in due course amay be present at the ou are represented or not fter, to plug and fill said ode and given in detail on above addresses on the
The undersigned well operator is about to the work of plugging and abandoning said well not be less than five days after the day on wh should be received by the Department of Mines This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on t well in the manner required by Section 10, Ar the reverse side of this notice, in "Work Order This notice is being mailed by registered	l on the date inspector is notice this notice so mailed is s). r respective representatives ther notified that whether y hat date, or shortly thereafticle 4, Chapter 22 of the Cor." mail to each of you at the Very truly yours,	otified (which date shall received, or in due course a may be present at the ou are represented or not ster, to plug and fill said ode and given in detail on a above addresses on the RAY RESOURCES, DIVISION OF FLYING DIAMOND OIL CORPORATION
The undersigned well operator is about to the work of plugging and abandoning said well not be less than five days after the day on wh should be received by the Department of Mines This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on t well in the manner required by Section 10, Ar the reverse side of this notice, in "Work Order This notice is being mailed by registered	l on the date inspector is notice this notice so mailed is s). r respective representatives ther notified that whether y hat date, or shortly thereafticle 4, Chapter 22 of the Cor." mail to each of you at the Very truly yours,	otified (which date shall received, or in due course a may be present at the ou are represented or not ster, to plug and fill said ode and given in detail on a above addresses on the RAY RESOURCES, DIVISION OF FLYING DIAMOND OIL CORPORATION
The undersigned well operator is about to the work of plugging and abandoning said well not be less than five days after the day on which should be received by the Department of Mines This notice is given you in order that your plugging and filling of said well. You are furt represented the undersigned will proceed on the well in the manner required by Section 10, Ar the reverse side of this notice, in "Work Order This notice is being mailed by registered	l on the date inspector is notice this notice so mailed is s). r respective representatives ther notified that whether y hat date, or shortly thereafticle 4, Chapter 22 of the Cor." mail to each of you at the Very truly yours,	otified (which date shall received, or in due course amay be present at the ou are represented or not fter, to plug and fill said ode and given in detail on above addresses on the

NOTE: In case plugging is not commenced within four months from the date of permit, same shall expire and be of no further force or effect.

NOTE: PERMIT IS NON TRANSFERABLE.

BLANNET BUND

WIRT-680-P

47-105

Permit Number

AFFIDAVIT, FORM OG-8, MANNER WELL PLUGGED MUST BE SUBMITTED TO OBTAIN RELEASE OF WELL UNDER BOND.

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Cement	2300	-	2250'
Gel	2250	-	1800'
Cement	1800	-	1750'
Gel	1750	_	1000'
Cement	1000	-	950'
Gel	950	_	268'
Cement	268	-	218'
Gel	218	-	20'
Cement	20	_	0'

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

IF PARTIAL PLUGGING PLEASE SUBMIT REVISED WELL RECORD WHEN WORK IS COMPLETED.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

> RAY RESOURCES, DIVISION OF FLYING DIAMOND OIL CORPORATION Very truly yours,

> > Well Operator

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

day of December _, 19_<u>75</u> 19th. (Verbal Permission)

DEPARTMENT OF MINES

Oil and Gas Division

01/12/2024

heitho By:

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

N'O

FORM OG-8


STATE OF WEST VIRGINIA DEPARTMENT OF MINES

JAN 1 5 1976

OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL DEFT. OF MINES

			SOURCES, DIVIS		N
COAL	OPERATOR OR OWNER		NAME OF WELL O	PERATOR	************
		_630 Cor	mmerce Sq., Ch	as., WV	25301
	ADDRESS		COMPLETE ADI		
			January 8,		1976
COAL	OPERATOR OR OWNER		WELL AND LO		
*************************	ADDRESS		Reedy		Distric
			Wir	t	a .
LEASI	OR PROPERTY OWNER				County
		Well No.	541		
	ADDRESS				
		Russell	& Charles Som	erville	Farm
STATE INSPECTO	R SUPERVISING PLUGGING				
			***************************************	***************************************	***************
	AFFID	AVIT			
STATE OF WEST					
County of Wi	rt { ss:	,		1	
RI	mann		1 /	/ ,	
being first duly s	worn according to law depose a	and say that	they are experie	nood in the	La contract
nlugging and fillir	ag oil and gag wolls and wors one	allered be-	Par Posoura	oc	WOLK OI
well operator, and	ng oil and gas wells and were emp I participated in the work of plug	proyed by	lling the above	well that so	aid monk
was commenced o	n the 19th day of Docombox	56416 4114 11	0.75	weii, illat sa	ard work
and filled in the f	n the 18th day of December ollowing manner:	, 1	9.75, and that t	he well was	plugged
AND OR ZONE RECOR	FILLING MATERIAL		PLUGS USED	CA	SING
FORMATION			SIZE & KIND	CSG	CSG
,	Cement 2300' - 2250'			PULLED	LEFT I
	Gel 2250' - 1800'				
	Gel 2250' - 1800' Cement 1800' - 1750' Gel 1750' - 1000'				
	Cement 1800' - 1750' Gel 1750' - 1000'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20'				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0				
	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0				
COAL SEAMS	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0				
COAL SEAMS	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0		DESCRIPTIO	N OF MONUME	NT
)	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0		DESCRIPTIO	N OF MONUME	NT
)	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0		DESCRIPTIO	N OF MONUME	NT
)	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0		DESCRIPTIO	N OF MONUME	NT
)	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0		DESCRIPTIO	N OF MONUME	NT
)	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0 Cemented with 80 Sks.			N OF MONUME	
)	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0 Cemented with 80 Sks.	rell was com		N OF MONUME	nt day of
nd that the work	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0 Cemented with 80 Sks.	vell was com		N OF MONUME	
nd that the work	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0 Cemented with 80 Sks.	rell was com		N OF MONUME	
nd that the work	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0 Cemented with 80 Sks.	rell was com		N OF MONUME	
nd that the work	Cement 1800' - 1750' Gel 1750' - 1000' Cement 1000' - 950' Gel 950' - 268' Cement 268' - 218' Gel 218' - 20' Cement 20' - 0 Cemented with 80 Sks.	vell was com		N OF MONUME	



2400' Berra

B' 1V



State of Mest Mirginia

Pepartment of Mines Gil and Gas Pivision Charleston 25305

WALTER N. MILLER DIRECTOR

March 29, 1978

ROBERT L. DODD - P. E. DEPUTY DIRECTOR

Ray Resources Corp.
Div.of FDOC.
630 Commerce Square
Charleston W.Va. 25301

In Re: PERMIT NO WIRT-680-P

FARM Russell & Charles Somervil

WELL NO 541

DISTRICT Reedy

COUNTY Wirt

Gentlemen:

The Final Inspection Report for the above described well has been received in this office. Only the column checked below applies.

XXXXX The well designated by the above permit number has been released under your Blanket Bond.

Please return the enclosed cancelled Single Bond which covered the well designated by the above permit number to the Surety Company who executed said bond in your behalf, in order that they may give you credit on their records.

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Robert L. Dodd

RLD/chm