

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 27, 2013

#### WELL WORK PERMIT

#### Horizontal Well

This permit, API Well Number: 47-10501369, issued to HARD ROCK EXPLORATION, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: HR-496A

Farm Name: MCCLUNG, KENNITH & ELIKA

API Well Number: 47-10501369

Permit Type: Horizontal Well

Date Issued: 08/27/2013

Promoting a healthy environment.

## **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.

WW - 2B (Rev. 8/10)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

			105	06	271
1) Well Operator:	Hard Rock Exploration, Inc.	494464205	Wirt	Spring Creek	Burning Springs, WV 7.5
		Operator ID	County	District	Quadrangle
2) Operator's Well	Number: HR-496		3) Elevation:	855'	
4) Well Type: (a) (	Oil or Gas X				
(b) I	f Gas: Production $X / Und$	erground Stor	age		
	Deep/ SI	hallow X			
<ul><li>6) Proposed Total</li><li>7) Approximate free</li></ul>	et Formation(s): Lower Huron  Depth: 8375' TMD Feet Fesh water strata depths: Pittsburgh alt water depths: 1825'	ormation at F	roposed Tota	get Depth: 43 al Depth: Lowe	385' TVD er Huron
9) Approximate co	pal seam depths: None noted in	offset wells			
10) Approximate v	void depths,(coal, Karst, other):	None			
11) Does land con	tain coal seams tributary to acti	ve mine? N	0		
12) Describe propos	sed well work and fracturing metho	ods in detail (at	tach additiona	al sheets if nee	eded)
Drill 12 3/8" hole on ai	r/ Freshwater foam; Drill 8 3/4" hole o	n Air/Freshwate	r foam/Fluid; Dr	ill Bottom hole o	on Air.
KOP-3785', Land cur	ve-4735'MD/ 4385'TVD , 4250'VS, 83	75'TMD			
Run 4.5" casing with oper	n hole packer completion (Depths noted at	bottom) -Set packe	ers, cement on top	packer, Fracture	with Nitrogen gas

## 13) <u>CASING AND TUBING PROGRAM</u>

TYPE SPECIFICATIONS			FOOTAGE	INTERVALS	S CEMENT	
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	Left in Well	Fill -up (Cu. Ft.)
Conductor	13 3/8"	LS	37#	30'	30'	NA
Fresh Water	9 5/8"	LS	26#	745'	745'	370cu-ft CTS
Coal						
Intermediate	7"	LS	19#	2135'	2135'	479cu-ft QTS
Production	4 1/2"	N-80	11.6#	8375'	8375'	130cuft (C)
Tubing						AUC
Liners						1 mon Dr.


Packers: Kind: Mechanical Set open hole packer

Sizes: 4.5" X 6 5/8" 10k diff Seal

Depths Set Place 17stg open hole packer system from 4225'MD- 8375' (244' spacing per stg) , 17th packer at 2450' Dump 130cuft cmt

#### NOTICE

## WELLBORE GRAPH HARD ROCK EXPLORATION WELL NO. HR-496



HARD ROCK EXPLORATION, INC. 1244 MARTINS BRANCH ROAD CHARLESTON, WV 25312

7-25-13



WW-2	2A
(Rev.	6-07)

1). Date: July 24, 2013

2.) Operator's Well Number HR-496

State County Permit

3.) API Well No.: 47- 105 - D 1369

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

	NOTICE A	ND APPLICA	TION FOR A V	VELL WORK PERMIT	Check \$ 650.
4) Surface Ow	ner(s) to be served	1:	5) (a) Coal Op	erator	M C
(a) Name	Kennith & Elika McClur		Name	None	
Address	805 Fairview Ridge		Address		
	Palestine, WV 26160				
(b) Name			(b) Coal O	wner(s) with Declaration	6
Address			Name	Kennith & Elika McClung	W
			Address	805 Fairview Ridge	
				Palestine, WV 26160	
(c) Name			Name		
Address			Address		
		1			
6) Inspector	Joe Taylor	11	_ (c) Coal Le	essee with Declaration	
Address	497 Claylick Road	8//	Name	None	
loti	Ripley, WV 25271	1)//	Address		
Telephone	(304)380-7469				
	TO THE	PERSONS NA	MED ABOVE T	AKE NOTICE THAT:	Total Control
Included is th	e lease or leases or	other continuing	contract or contra	acts by which I hold the right to	extract oil and gas
<u>OR</u>					
				n 8(d) of the Code of West Vir	
				inia Code I have served copi	
application, a loca				ugh on the above named	parties by:
X		ce (Affidavit attac	al receipt attache	·d/	
		otice of Publication		su)	
I have re				I agree to the terms and cor	nditions of any permit
issued under this		mapter 22 o and	oo oon in and	r agree to the terms and con	rations of any pointing
		that I have pers	onally examined	and am familiar with the infor	mation submitted on
				ry of those individuals immed	ately responsible for
	rmation, I believe tha				The state of the s
	re that there are sig	nificant penalties	for submitting fa	lse information, including the	possibility of fine and
imprisonment	TARY PUBLIC OFFICIAL SEAL	Well Operator	Hard Rock Explorat	lan the	
C T E	JOAN L. BEANE	By:	1) Onles	. ^	
目的变形。	State of West Virginia	Its:	Executive Vice Pres	druser	
My Con	mmission Expires Sept. 6, 2022 S BRANCH RO. CHARLESTON, WV 25312	/	1244 Martins Branch		
ACTOR WINE TEACH WALLIN	B BRANGH NU. CHANCESTON, WV 25312	1	Charleston, WV 253		0
		Telephone	(304)984-9004		100
Subscribed and s	worn before me this	29th day of	July	. 2013	CO:
Joan L	. Beane		0 5	Notary Public	TVOO
My Commission E		6,2022		Ma.	· · · · · ·
of and Gas Privacy	Notice			Dept.	Moo
The Office of Oil and	Gas processes your pe	rsonal information.	such as name, addr	ress and phone number, as a part of	f our regulatory duties.

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

WV	V-9
(5/	13)

	Page	of
API Number 47 - 105		
Operator's Well ?	No. HR-496	i

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Hard Rock	Exploration, Inc.	OP Code494464205
Watershed (HUC 10) Buc	ck Run of Spring Creek	Quadrangle Burning Springs, WV 7.5'
Elevation 855'	County Wirt	District Spring Creek
Do you anticipate using mo	ore than 5,000 bbls of water to complete the	ne proposed well work? Yes No _X
	cuttings? Yes X No	
Will a synthetic li	ner be used in the pit? Yes X No	If so, what ml.? 10 or greater 20 ML.
	d Method For Treated Pit Wastes:	
	Off Site Disposal (Supply form WW-9 for	87, 3502999, 8704700, 8704698, 8704703, 8704713 - Well will be noted in DMR_)
Will closed loop system be	used? No	
Drilling medium anticipate	ed for this well? Air, freshwater, oil based	, etc. Air
		e, etc. Leave in pit
		? (cement, lime, sawdust) Lime
-Landfill or offsite	e name/permit number?	
on August 1, 2005, by the provisions of the permit at law or regulation can lead I certify under papplication form and all obtaining the information.	Office of Oil and Gas of the West Virginia re enforceable by law. Violations of any to enforcement action.  enalty of law that I have personally example attachments thereto and that based on	tions of the GENERAL WATER POLLUTION PERMIT issue a Department of Environmental Protection. I understand that the term or condition of the general permit and/or other applicable mined and am familiar with the information submitted on the my inquiry of those individuals immediately responsible for accurate, and complete. I am aware that there are significant fine or imprisonment.
Company Official Signatu	re Monifaces	i 100 - 9 -
Company Official (Typed	Name) Monica Stephens franc	1300
Company Official Title_E	Executive Vice President	WV Dept. of Environmental Protection
Subscribed and sworn befo	ore me this 29th day of Bake	NOTARY PUBLIC OFFICIAL
My commission expires	Sept. 6. 2022	Notary Probles  State of West Virgini My Commission Expires Sep

Form WW-9		Operator's	Well No. HR-496
Proposed Revegetation Tr	reatment: Acres Disturbed 1.22	Prevegetation	рн 5.5
Lime 3	Tons/acre or to correct to pl	<sub>4</sub> <u>6.5</u>	
Fertilizer (10-20-	500	s/acre (500 lbs minimum)	
Hay/Straw	/Paper (Paper at 1600 lbs/acre) Tons/	· ·	
Maion_		ed Mixtures	
	Area I		Area II
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Top	15	Red Top	15
Orchard Gras	s 25	Orchard Grass	25
Perennial Rye/Crims	son Red Clover 25 Each	Perennial Rye/Crimson	Red Clover 25 Each
Annual Rye	40	Annual Rye	40
/			
Title: Inspect		Date:	
Field Reviewed?	( <u>X</u> ) Yes (	) No	Receive
		*	Office of OII and Gas Environmental Protec

