

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

TO THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Grow and Shuck  
NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

Burning Springs, W. Va.  
COMPLETE ADDRESS

ADDRESS

September 4, 1933, 19

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

ADDRESS

Burning Springs District

NAME OF PROPERTY OWNER

Wirt County

ADDRESS

Well No. Twelve

W. H. H. Wheaton Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 11th day of September, 1933, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Grow and Shuck,  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

WORK ORDER

Well to be plugged and filled as follows:

Well to be filled from bottom, 740ft., to a point at 712ft. depth with non-porous material, and then a cement plug, 8ft. long, to be placed, because of the show of oil and water. A bridge to be put in 10ft. above the first Cow Run Sand, depth 257ft., and a fill for 20ft. thereon, and another suitable plug placed. A final plug to be put in 10ft. below the casing, depth 242ft. The casing then to be pulled and the well to be filled to the top with red mud and other non-porous materials. A permanent marker, made of 8in. casing filled with stone and cement, to be placed, with proper stampings to show the number of the well according to your regulations; this to identify the abandoned well.

WORK ORDER REVISED BY THE DEPARTMENT OF MINES:

- Fill the hole from the bottom 740' to 702'-20' above the show of oil, gas, and water, with redclay.
- Drive wood plug 702' to 699'
- Cement 699' to 629' sealing the hole completely.
- Set a permanent bridge at 520'-30" below the first Cow Run Sand.
- Fill with red clay to 247' -20' above the first Cow Run Sand.
- Drive Wood plug 247' to 244'
- Cement 244' to 234' sealing the hole completely.
- Pull casing and fill to surface with non-porous material.
- Erect marker such as described above.

All to be done in workman-like manner.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

work order interposed by the       GROW and SHUCK       Well Operator.  
department of mines  
No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this \_\_\_\_\_ day

of September 4, 1905

DEPARTMENT OF MINES  
Oil and Gas Division

By \_\_\_\_\_

NOTICE OF INTENTION TO PLUG AND ABANDON WELL  
(REQUIRED BY SECTION 2, CHAPTER 26, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

TO THE DEPARTMENT OF MINES,  
Charleston, W. Va.

\_\_\_\_\_  
NAME OF WELL OPERATOR

COAL OPERATOR

\_\_\_\_\_  
COMPLETE ADDRESS

ADDRESS

\_\_\_\_\_, 1933. 19

WELL TO BE ABANDONED

COAL OPERATOR

\_\_\_\_\_  
District

ADDRESS

\_\_\_\_\_  
County

COAL OPERATOR

Well No. Twelve

ADDRESS

\_\_\_\_\_  
Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 5<sup>th</sup> day of September, 1933,  
(which date shall be not less than five days after the day on which this notice so mailed is received, or in  
due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging  
and filling of said well. You are further notified that whether you are represented or not represented the  
undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner  
required by law.

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

\_\_\_\_\_  
Well Operator.

NOTE Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent  
engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the  
names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey,  
and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted  
with this notice.

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. 1-  
\_\_\_\_\_ Company, of \_\_\_\_\_  
\_\_\_\_\_ on the \_\_\_\_\_ Farm  
containing \_\_\_\_\_ acres Location \_\_\_\_\_

\_\_\_\_\_ District, in \_\_\_\_\_ County, West Virginia.

The surface of the above tract is owned in fee by \_\_\_\_\_  
of \_\_\_\_\_ address, and the mineral rights are owned by  
\_\_\_\_\_ of \_\_\_\_\_

The oil and gas privileges are held under lease by the above named company, and this well is drilled under  
permit No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Section.

19

Elevation of surface at top of well, \_\_\_\_\_ ft. Spirit \_\_\_\_\_

The number of feet of the different sized casings used in the well.

Two hundred and thirty-two feet 5 3/16 size. Wood conductor  
10 feet 1 1/2 size, csg. 2 1/2 feet sized csg.  
feet size, csg. feet sized csg.  
feet size, csg. feet sized csg.  
\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches, and at \_\_\_\_\_  
feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

August 26th, 1923 Date.

Approved \_\_\_\_\_, Owner.

By *J. E. Shreeve*  
(Title)

Well No. 2  
 Spring, ... Address

COMPLETION DATA SHEET  
 NO. 2  
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
10.000	Gray, Blue	Soft	None	0	10.000	10.000	10	
late	Black	"	"	17.0	17.0	17.0	17	
10.000	Gray, White	Medium	Show Oil	29.0	29.0	29.0	29	
late	Blue	Soft	None	30.0	30.0	30.0	30	
Oct. 3d,	White	"	Show Oil	30.0	30.0	30.0	30	
late	Blue, brown	Medium	None	39.0	39.0	39.0	39	
gray, brown (shells)	Gray	"	Show Oil	49.0	49.0	49.0	49	
late	Gray, C.	"	None	51.0	51.0	51.0	51	
late	Gray	Hard & soft	Oil, Gas, water at 722	59.0	74.0	15.0	74	

Well was shot at Never shot feet, well was shot at                      feet.  
 Salt water at                      feet; fresh water at                      feet.  
 Well was shot at 722 ft. feet; fresh water at                      feet.  
 hole.

WHEATON, W. H. H., NO. 12.

Wirt-6-A.

By Gr<sup>o</sup>w & Shuck.

Burning Springs Dist.