

Company
Address

COMPLETION DATA SHEET
NO. 2
FORMATION RECORD

Well No. 1

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Conductor						10 ft.		
Red Rock				15 ft	180	170		
Top of first Cow Run			Light oil	180	231	51		
Black Slate				231	302	71		
Lime				302	312	10		
Shells				212	302	90		
Slate								
Top of second Cow Run			Light show of oil & water	302	321	19		
Black Slate				321	400	79		
Top of gas sand				400	425	25		
Black Slate				425	440	15		
Total depth				425	440		440 ft	
325 ft of 4 7/8 Casing								
100 " " 6 1/4 "								
40 " " 8 1/4 "								

Well was started June 5th 1934 and finished aug. 1, 1934.

shot
Well was not shot at no feet; well was shot at _____ feet.

Salt
water at 321 ft salt
feet; fresh water at _____ feet.

producing
Well was dry hole.

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 8, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Peter Gilman

NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

Charleston, . Va.

COMPLETE ADDRESS

ADDRESS

August 20

1934

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

Day

District

ADDRESS

irt

County

LEASE OR PROPERTY OWNER

Well No. 1

ADDRESS

Roberts Weirs

Farm

3 copies
10/1/34
10/1/34
10/1/34

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 22 day of August, 1934, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Peter Gilman
Well Operator

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

COAL OPERATOR OR OWNER _____ NAME OF WELL OPERATOR Arthur Sillman

ADDRESS _____ COMPLETE ADDRESS Charles Lee, W. L. E.

COAL OPERATOR OR OWNER _____ WELL AND LOCATION Box 1 19 34

ADDRESS _____ District Clay

COAL OPERATOR OR OWNER _____ County West

Well No. None Farm Roberts Heirs

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE OBTAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF West } ss:

A. S. Whitcoller and _____ being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Arthur Sillman, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26 day of Sept, 19-34, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Sand was filled with red clay to top and plugged with a wooden plug and same cemented over with cement, each 3 rods it is filled the same and plugged with a wooden plug and sealed with cement.

Manner in which coal was plugged: There was no coal at all in this well.

Description of monument:

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 1 day of Oct, 19-34

And further deponents saith not.

DEPT. MINING - W.V.T.B.

A. S. Whitcoller

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

COAL OPERATOR OR OWNER: Peter Sillman, NAME OF WELL OPERATOR
 ADDRESS: Charleston, W. Va., COMPLETE ADDRESS
 COAL OPERATOR OR OWNER: [blank], 1934
 ADDRESS: [blank], WELL AND LOCATION
 ADDRESS: [blank], District: Clay
 COAL OPERATOR OR OWNER: [blank], County: Putnam
 Well No.: [blank], Farm: Roberts Heirs.

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Wirt } ss:

G. T. Whitcollon and
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Peter Sillman, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of Sept, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Sand was filled with red clay to top and plugged with a wooden plug, and same cemented over with cement, each 3 sands was filled in same and plugged with wooden plug and sealed with cement.

Manner in which coal was plugged: there was no coal at all in this well.

Description of monument: 3 inch pipe filled with cement

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 1st day of Oct, 1934.

And further deponents saith not.

G. T. Whitcollon J. T. [unclear]

affidavit 10/15/34
Cl. 1934. 111RT-8-

~~Proposed~~ MANNER OF PLUGGING AND FILLING WELL
(Required by rules and regulations)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

~~Well to be~~ plugged and filled as follows:
~~WORK ORDER~~

440 to 400 filled with red clay
400 to 397 wood Plug
397 to 322 Cement, sealing gas sand
392 to 325 Red Clay
Removed 325 ft. of 4-7/8 casing
325 to 322 Wood Plug
322 to 302 Red Clay
302 to 299 Wood Plug
299 to 294 Cement, sealing second cow run
294 to 180 filled with Red Clay
180 to 177 wood Plug
177 to 172 Cement, sealing first cow run
172 to 100 Red Clay
Removed 100 ft. 6-1/4 inch Casing
100 to 97 wood Plug
97 to 40 ft. Red Clay
Removed 40 ft. 8-1/4 inch Casing
40 ft. to 37ft. wood Plug
37 ft. to surface filled with red Clay

Erect Monument of 8" pipe filled with cement.

ROBERTS HEIRS NO. 1.

Wirt-8-A.

By Peter Silman.

Clay Dist.