

New Location..
 Drill Deeper.....
 Abandonment.....

Company B.H. Putnam (operator)
 Address Box 647, Marietta Ohio
 Farm H.L. Humphrey
 Tract 2192 Acres 293 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 783'
 Quadrangle Belleville **FWC**
 County Wood District Harris
 Engineer Robert R. Anderson
 by O. Meredith
 Engineer's Registration No. 226
 File No. _____ Drawing No. _____
 Date 3/1 55 Scale 40 Poles to 1 inch

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. W00-442

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-6-296 Deepwell



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 12

Quadrangle Pella ville

WELL RECORD

Permit No. W00-442

Oil or Gas Well Gas

(KIND)


Company B. H. Fritnam, Operator
Address 512 Third Street, Marietta, Ohio
Farm H. L. Humphrey Acres 293
Location (waters) Ohio River
Well No. 1 Elev. 783
District Harris County Wood
The surface of tract is owned in fee by same
Address _____
Mineral rights are owned by same
Address _____
Drilling commenced 3/21/55
Drilling completed 5/11/55
Date Shot 5/16/55 From _____ To _____
With Hydracra c
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 250,000 Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16	22	22	Kind of Packer
13	573		
10	1070		Size of
8 1/2	1671	1671	
6 1/2			Depth set
5 1/2	4200	4200	
3			Perf. top
2	4304	4304	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5 1/2 SIZE 4200 No. Ft. 5-3-55 Date

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	15			
Sand			15	25			
Rock	Red		25	100			
Slate & Shells			100	110			
Rock	Red		110	135			
Slate & Shells			135	150			
Sand			150	165			
Slate			165	175			
Sand			175	212			
Slate			212	230			
Rock	Red		230	240			
Slate & Shells			240	260			
Rock	Red		260	285			
Sand			285	300			
Slate & Shells			300	310			
Rock	Red		310	340			
Slate & Shells			340	370			
Rock	Red		370	380			
Lime			380	415			
Slate & Shells			415	430			
Sand			430	480			
Slate			480	520			
Sand			520	570			
Slate			570	580			
Rock	Red		580	670			
Lime			670	685			
Rock	Red		685	761			
Lime			761	770			
Rock	Red		770	804			
Lime			804	820			
Slate & Shells			820	853			
Sand			853	875			
Slate			875	885			
Rock	Red		885	890			
Slate			890	935			
Sand			935	980			



Formation	Color	Hard or Soft	Top <i>12</i>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			980	995			
Sand			995	1065			
Slate & Shells			1065	1125			
Sand			1125	1160			
Slate			1160	1245			
Sand			1245	1305			
Slate & Shells			1305	1330			
Sand			1330	1355			
Slate & Shells			1355	1375			
Sand			1375	1405			
Slate & Shells			1405	1440			
Sand			1440	1480			
Slate & Gritty Lime			1480	1525			
Sand			1525	1586			
Slate & Lime			1586	1600	4150	4272	
Sand			1600	1670	793	793	
Slate & Lime & Shells			1670	2000			
Shale - <i>Coffin</i>			2000	2016	3367	3489	
Berea Sand			2016	2020			
Slate & Shells			2020	3150			
Shale	Brown		3150	3563			
Shale & Lime			3563	3650			
Slate	White		3650	3950			
Shale			3950	4150			
Corniferous Lime			4150	4175			
Lime			4175	4272			
Sand - <i>ORISKANY</i>			4272	4285			

475

Date June 15, 195

APPROVED B. H. Putnam Operator, Owner

By B. H. Putnam Supt

(Title)

Ray E. Embrey