

Denotes one inch spaces on border line

of original tracing.

PRINTED ON

_Drawing No. _

Aug. 20. 1938 Scale / in = 20 Poles

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

| 4 4 | OIL AND C | OIL AND GAS DIVISION | | | | |
|--------------------------------------|----------------------|----------------------|---------------------|---|--------------|--|
| Permit No | WELL | RECORD | Date | Oil or Gas Well. | | |
| Company | 2, W. VA. | Casing and Tubing | Used in Drilling | Left in Well | Packers | |
| Location (waters)Laurel Well No16 | Run Elev. 899 | Size | | | | |
| The surface of tract is owned in fee | by C. E. Elliott | 10 | | *************************************** | Size of | |
| Mineral rights are owned by | E. Filiott & C. T. | 6 5% | 1 | 1 | Depth set | |
| Drilling commenced | 20 years ago data | 3 4-7/8 | | 1140 | Perf. bottom | |
| | Inch | Liners Used | 1 | | | |
| Volume | Cu. Ft. | | | | .No. FtDate | |
| OilFresh water | bbls., 1st 24 hrs. | COAL WAS EN | COUNTERED | AT | FEET INCHES | |
| Salt water | | FEET | INCI | HES | FEET INCHES | |
| | | | | | | |

| Formation Color | Hard or Soft | Тор | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|------------------|-----------------|------|--------|----------------------|----------------|---------|
| Clay | | 0000 | 50 | | | |
| Shale etc Red | | 50 | 440 | | | |
| Slatt & shell | | 440 | 490 | | | |
| Shale etc Red | | 460 | 640 | | | |
| Lime | | 640 | 690 | | | 18 460 |
| Shale etc Red | | 690 | 740 | | | |
| Lime | | 740 | 770 | | | - |
| BIG RED | | 770 | 840 | | | |
| Slate & shells | | 840 | 900 | | | |
| Red | | 900 | 950 | | | |
| Shells | | 950 | 990 | | | |
| Slate & shells | | 990 | 1140 | Top of bou | lder | |
| Boulder | | 1140 | 1160 | | | |
| Lime & mud, pink | | 1160 | 1190 | | | |
| Junt | | 1190 | 1220 | bottom of | well. | |

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remark | S |
|-------------------|---------|--------------------|-------------------|----------------------|----------------------|----------------|----------------|---|
| | 18 mm | Eighth and The | | | | | | |
| | | a Manus | | | | | | |
| | | ICT 1939 | | | | | | |
| | | 0000 | | | | | | |
| | | 2122 | | | | | | |
| | | | egg sylad | | s this rel | | | |
| * \ | | | | | | | | |
| | | | | | botton of | MOTE. | | |
| V () | | | 7700 | | | | | |
| | I, pink | | | | | | | |
| | | | 1140 | 1360 | | | | |
| | | | | | 100 OF 50 | nyget. | | |
| | | | | | | | | |
| | | | 950 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | 550 | | | | | |
| | | | 740 | | | | | |
| | 1100 | | 900 | | | | | |
| | | | 990 | | | | | |
| | | | | | | | | |
| | 1334 | | 100 | | | | | |
| CIPK & OP | 917 | | 44.0 | 400 | | | | |
| shale ote | Hod | | 120 | 440 | | | | |
| | | | 0000 | 20 | | | | |
| | | | | | | | | |
| | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks | |
| | | | | | | | | |
| | | , feet | feet | LEE | DICHE | 18 | PEET IN | |
| | | feet | feet | EEE | INCHI | 3 | PEET IN | |
| | | | oble, let 24 hrs. | | COUNTERED A | J. | REEL IN | |
| | | lba | Cu. 3't, | | W LEB | XE | No. F | |
| | | | Tach | | 7.000 | | | |
| | | | | | | | Per botton | |
| | | Depth of shot | | | | | Perf. top. | |
| | | -25 Y0274- data | #80 | 7 94110 | | | Perf. top. | |
| | | Address Mistric | onshimm, R | , 39/36 3. d.m/g | IIV | | | |
| | | . 2. 51140 | | | | | Depth set | |
| n surface of trac | | adress for ric | | * #* | | | SIPA AL | |
| trict | | County 5 | | 10 | | | Size of | |
| H No 15 | | | 360 | 16 | | | Kind of Packer | |
| cation (waters) | | | | Size | | | | |
| 11400 TO 1 | Elliott | 12, W. WA. | cres 32 | T mumit | To a result | | | |
| mpany | | as a Ar | | Cusing and Tubing | | | Packers | |
| 34 | A | | | | | | | |

APPROVED FRICK Owner

By JE Anderson Strungs

(Title)